

Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

٨	D	D	T 1	ГА	M	\mathbf{CI}	ES
H	UT.	Г.		\mathcal{L}	UNIV		יכוע

1	Invoice	Qty.	Description
	2681	1	APPLIANCE SPECIFICATIONS ATTACHED - SIGNED COPIES
	21May21		
	NoCat		

BASEMENT WINDOWS

Invoice	Qty.	Description				
2472	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME				
72,351						
16Dec20						
CERAM	CERAMIC					
Invoice	Qty.	Description				

CERAM Invoice		Description
2472 16Dec20 NoCat	1	.MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 16Dec20 NoCat	1	.SHARED ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2681 39 21May21	1	FOYER: TILE, FLOOR, LEVEL 1 - 18x18" LAID IN STRAIGHT, STACKED PATTERN.
2681 19 21May21	1	FOYER: TILE GROUT UPGRADE, FLOOR
2681 39 21May21	1	POWDER ROOM: TILE, FLOOR - LEVEL 1 - 18x18" LAID IN STRAIGHT, STACKED PATTERN.
2681 19 21May21	1	POWDER ROOM: TILE GROUT UPGRADE, FLOOR
2681 19 21May21	1	LAUNDRY: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 35 21May21	1	SHARED BATH: TILE, FLOOR, LEVEL 1 - 18x18" LAID IN STRAIGHT, STACKED PATTERN.
2681 43 21May21	1	SHARED BATH: TILE, SHOWER FLOOR, LEVEL 2 - HEX
2681 19 21May21	1	SHARED BATH: TILE GROUT UPGRADE, FLOOR , UPG GROUT - SHARED BATH - UPG GROUT

DisciplineMS rpt 23feb21 Page 1 of 9



Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

CERAMIC

CERAM		Description
2681 21 21May21	1	SHARED BATH: TILE GROUT UPGRADE, WALL, UPG GROUT - SHARED BATH - UPG GROUT
2681 19 21May21	1	ENSUITE 2: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 36 21May21	1	MASTER ENSUITE: TILE, FLOOR , LEVEL 4 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2681 45 21May21	1	MASTER ENSUITE: TILE, SHOWER FLOOR, LEVEL 4 - 2X2" SQUARE
2681 50 21May21	1	MASTER ENSUITE: TILE, WALL, LEVEL 3 - 12X24" LAID IN VERTICAL STACKED PATTERN
2681 19 21May21	1	MASTER ENSUITE: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 21 21May21	1	MASTER ENSUITE: TILE GROUT UPGRADE, WALL, UPG GROUT
2681 19 21May21	1	MUD ROOM: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 20 21May21	1	MASTER ENSUITE: TILE GROUT UPGRADE, SHOWER FLOOR, UPG GROUT
2681 21 21May21	1	ENSUITE 2: TILE GROUT UPGRADE, WALL, UPG GROUT
2681	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, SCULPTED TEXTURE, UVF FINISH - LEVEL 3
21May21 NoCat		*KITCHEN/BREAKFAST: DO NOT SUPPLY/INSTALL CERAMIC, CREDIT.
2888 38 18Aug21	1	MASTER ENSUITE: TILE, FLOOR, LEVEL 5 - 12x24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR DIRECTION. DIFFERENCE FROM PE 2681

Page 2 of 9



Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

DRYWALL

Invoice	Qty.	Description
2472 72,351 16Dec20 **	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME
2472 16Dec20 NoCat	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD
2472 16Dec20 NoCat	1	.MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 16Dec20 NoCat	1	.SHARED ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 16Dec20 NoCat	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)
2472 16Dec20 NoCat	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS

Page 3 of 9



Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

ELECT		
Invoice	Qty.	Description
2472 72,351 16Dec20 **	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME
2472 72,273 16Dec20	1	KITCHEN; 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - GAS FIRED APPLIANCE - FOR AUX. EQUIPMENT - NOT A STOVE PLUG
2472 72,272 16Dec20	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR MICROWAVE DRAWER- MICROWAVE NOT INCLUDED - SEE PLAN FOR LOCATION
2472 72,272 16Dec20	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR WINE FRIDGE - APPLIANCE NOT INCLUDED - SEE PLAN FOR LOCATION
2472 72,272 16Dec20	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR COFFEE MACHINE - APPLIANCE NOT INCLUDED
2472 75,862 16Dec20	1	KITCHEN - ISLAND: USB OUTLET, 20 AMP - PRICE IS EACH -
2472 72,268 16Dec20	1	MASTER ENSUITE: INTERIOR WALL OUTLET: 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT SEE PLAN FOR LOCATION
2472 72,288 16Dec20	1	MASTER ENSUITE: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED RELOCATE STANDARD VANITY LIGHT TO ABOVE 1 SINK + ADD 1 ROUGH-IN ABOVE OTHER SINK - USE STANDARD SWITCH
2472 72,288 16Dec20	1	SHARED ENSUITE: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED RELOCATE STANDARD VANITY LIGHT TO ABOVE 1 SINK + ADD 1 ROUGH-IN ABOVE OTHER SINK - USE STANDARD SWITCH
2472 72,292 16Dec20	1	FRONT FOYER: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE) OPPOSITE SIDE OF FRONT DOOR, SAME HEIGHT AND SWITCH AS STANDARD
2472 72,292 16Dec20	1	REAR ELEVATION: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE) - OPPOSITE SIDE OF DOOR, SAME HEIGHT AND SWITCH AS STANDARD
2472 72,307 16Dec20	1	KITCHEN: FIXTURE: RELOCATE STANDARD CEILING MOUNT FIXTURE LOCATE APPROX CENTERED ABOVE ISLAND
2472 72,280 16Dec20	1	KITCHEN: CEILING OUTLET: ADDITIONAL REINFORCED CEILING OUTLET - APPROX CENTERED ABOVE ISLAND USE SAME SWITCH AS STANDARD

DisciplineMS rpt 23feb21 Page 4 of 9



Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

Invoice	Qty.	Description
2472 72,289	6	KITCHEN: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH - INCLUDES 1 SWITCH
16Dec20		INCLUDED IN APS
2472 72,281 16Dec20	1	GREAT ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - LOCATE ABOVE FIREPLACE, APPROX. 66" A.F.F.
2472	1	.KITCHEN: **NOTE** SINK TO BE CENTERED ON ISLAND, DISHWASHER TO LEFT OF SINK
16Dec20 NoCat		
2472	1	**CUSTOM LAYOUT** LAUNDRY: REVISE LAYOUT - RELOCATE DRYER ROUGH-IN TO OPPOSITE WASHING MACHINE
16Dec20 NoCat		BASED ON SITE APPROVAL
2836 72,272	-1	***DELETE*** 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR MICROWAVE - MICROWAVE NOT INCLUDED (originally on order pe.2472)
12Jul21		NOT REQUIRED TO BE ADJUSTED ON CLOSING

FRAMING

Invoice		Description
2472 16Dec20	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD
NoCat		
2472 72,631 16Dec20	1	MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 72,631 16Dec20	1	SHARED ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 16Dec20 NoCat	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)
2472 16Dec20 NoCat	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS

Page 5 of 9



Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

GLASS AND MIRROR

Invoice	Qty.	Description
2472	1	THRU OUT **NOTE** DO NOT INSTALL MIRRORS
16Dec20 NoCat		MIRRORS WILL NOT BE SUPPLIED OR INSTALLED
2681	1	MASTER ENSUITE: UPGRADE SHOWER DOOR HARDWARE + HINGES - BRUSHED NICKEL
21May21 NoCat		

GRANITE MARBLE QUARTZ

Invoice		Description
2681 101,930	1	KITCHEN: UPGRADE QUARTZ COUTERTOP - LEVEL 3
21May21		LARGER KITCHEN PERIMETER + ISLAND
2681	1	SHARED ENSUITE: UPGRADE 4 QUARTZ COUNTER
21May21 NoCat		
2681 101,930	1	KITCHEN: UPGRADE EDGE PROFILE
21May21		SEE ATTACHED
2681 101,930	1	POWDER ROOM: UPGRADE EDGE PROFILE
21May21		SEE ATTACHED
2681	1	KITCHEN: BLANCO QUATRUS R U - SUPER SINGLE
21May21 NoCat		
2681	1	KITCHEN: ADD SOAP DISPENSER
21May21 NoCat		

HARDW	HARDWOOD			
Invoice	Qty.	Description		
2681 7 21May21	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, SCULPTED TEXTURE, UVF FINISH - LEVEL 3		
2681 7 21May21	1	THRU OUT STANDARD AREAS: GREAT ROOM, DINING ROOM, MAIN HALL, MASTER BEDROOM, BEDROON 2, BEDROOM 3, BEDROOM 4, UPPER HALL: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, SCULPTED TEXTURE, UVF FINISH - LEVEL 3		

DisciplineMS rpt 23feb21 Page 6 of 9



Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

_	7	•	
_	N /	•	

Invoice	Qty.	Description
2472 72,224 16Dec20	1	KITCHEN: GAS LINE ROUGH-IN - MAIN FLOOR FOR APPLIANCE - SEE PLAN FOR LOCATION
2472	1	**CUSTOM LAYOUT** LAUNDRY: REVISE LAYOUT - RELOCATE DRYER ROUGH-IN TO OPPOSITE WASHING MACHINE
16Dec20 NoCat		BASED ON SITE APPROVAL

INTERIOR TRIM AND DOORS

INTERIOR TRIM AND DOORS					
Invoice	Qty.	Description			
2472 72,639 16Dec20	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS			
2472 16Dec20 NoCat	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD			
2472 16Dec20 NoCat	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)			
2681 153,803 21May21	1	THRU OUT: HALIFAX LEVER, SATIN NICKEL INTERIOR DOOR HARDWARE UPGRADE			
2681 155,881 21May21	1	THRU OUT: ADD FOR HINGES 3X3 SQUARE FLAT TIP THROUGHOUT - SATIN NICKEL UPGRADE			
2681 153,235 21May21	1	THRU OUT: UPGRADE 3 1/2" WEST END CASING, 6 1/2" BASE BOARD UPGRADE BOARD 2			

Page 7 of 9



Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

KITCHEN AND BATH CABINETRY

Invoice	Qty.	Description
2472	1	**NOTE** KITCHEN TO BE LONGER - ADDITIONAL CABINETRY AND COUNTER TO BE ADDED AT COLOURS ORDER
16Dec20 NoCat		
2472	1	.KITCHEN: **NOTE** SINK TO BE CENTERED ON ISLAND, DISHWASHER TO LEFT OF SINK
16Dec20 NoCat		
2681	1	THRU OUT: SEE ATTACHED CABINETRY SCHEDULE
101,930		
21May21		

MASONRY

Invoice	Qty.	Description
2472	1	.FRONT FOYER: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE)
16Dec20 NoCat		.OPPOSITE SIDE OF FRONT DOOR, SAME HEIGHT AND SWITCH AS STANDARD
2472	1	.REAR ELEVATION: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE) -
16Dec20 NoCat		.OPPOSITE SIDE OF DOOR, SAME HEIGHT AND SWITCH AS STANDARD

NETWORK AND WIRING

Invoice	Qty.	Description
2472 72,259 16Dec20	1	GREAT ROOM: CONDUIT PIPE - FOR WALL MOUNT TV - LOCATE ABOVE FIREPLACE, APPROX. 66" A.F.F., THRU BASEMENT, TERMINATING AT CORNER - SEE PLAN
2472 72,258 16Dec20	1	BEDROOM 2: ADDITIONAL CAT6 ETHERNET OUTLET - EACH SEE PLAN FOR LOCATION

PAINT

1 2 3 1 1 1		
Invoice	Qty.	Description
2472	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD
16Dec20 NoCat		
2472	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)
16Dec20 NoCat		
2472	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS
16Dec20 NoCat		
2681	2	MAIN STAIRS: 2ND FLOOR TO BASEMENT: STAIN STAIRS AND LANDINGS
21May21 NoCat		STAIRS AND LANDINGS WILL NOT MATCH HARDWOOD FLOORS IN COLOUR/TEXTURE/SPECIES

Page 8 of 9



16Dec20 NoCat

CONSTRUCTION SUMMARY

Lot: 145

Model: 40.08 B HILLSDALE

Project/Phase: Pine Valley Forevergreen / 1

PLUMB	PLUMBING					
Invoice	Qty.	Description				
2472	1	KITCHEN: **NOTE** SINK TO BE CENTERED ON ISLAND, DISHWASHER TO LEFT OF SINK				
16Dec20 NoCat						
2472	1	**CUSTOM LAYOUT** LAUNDRY: REVISE LAYOUT - RELOCATE DRYER ROUGH-IN TO OPPOSITE WASHING MACHINE				
16Dec20 NoCat		BASED ON SITE APPROVAL				
2681	1	KITCHEN: BLANCO QUATRUS R U - SUPER SINGLE				
21May21 NoCat		+ GRID				
2681	1	KITCHEN: ADD SOAP DISPENSER				
21May21 NoCat						
WINDO	WS	AND DOORS				
Invoice	Qty.	Description				

BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)


DisciplineMS rpt 23feb21 Page 9 of 9

GOLDPARK	*** NOTE: TI	INTERIOR COLOUR SCHEME		
WORTH MORE	. ^^ NOTE: This is no	ot an approved document. Document i Scheduled Closing Date: Friday, May 28, 202	must be locked ***	
Purchaser: Luig	ji Anthony Cannavicci	Property: 145 of Plan -	.71	
Telephone Res. / Bus: /		Project: Pine Valley Forever	green - Phase 1	
Decor Advisor: Ama	anda Ceresino	Model and Elevation: 40.08 B HILLSDALI	E	
Layout Changes: Yes	No Sketch Attac	hed: Yes No Exterior Colour Scheme		
1. Cabinetry	Style and Colour	Counter		
Kitchen / Breakfast	*Windermere 'Fog'	*Quartz: Moorland Fog	Hardware	
Laundry Room	Bowery 'Ello'	*P-Lam: Paloma Polar	attachd	
Powder Room	Bowery 'Avenza'	Quartz: Ice Snow	jattachd	
Mud Room	Bowery 'Ello'	*P-Lam: Paloma Polar	attachd	
Master Ensuite			attachd	
Bathroom	Tribecca 'Arris'	Quartz: Ice Snow	attachd	
Second Ensuite Bathroom (If Applicable)	Bowery 'Ello'	Quartz: Ice Snow	attachd	
Shared Ensuite	Tribecca 'Arris'	*Quartz: Primordia		
Comment		1 milordia	attachd	
2. Floor Tile Entrance Vestibule Main Hall Kitchen / Breakfast Laundry Room Powder Room Mud Room Master Ensuite Bathroom Second Ensuite Bathroom (If Applicable) Lower Landing (If Applicable) Shared Ensuite Shower Floor: *Quebec Hex'Arctic White' // Master Ensuite Shower Floor: 2x2" Calacatta 'Taupe' matte				
3. Wall Tile	Selection	Listello/inserts Describe		
		Clistello/Inserts Describe Yes No		
Master Ensuite Bathroom]	
Tub D		O Yes No	· Marian Marian	
Snower S Bathroom W	tall *12x24"Eterna Imp Gr			
Second Ensuite Bathroom (If Applicable)	8x10" Uniwall 'Tender	Grey' +grout Yes No Solution No Solution		
Shared Ensuite	8x10" Uniwall 'Tender	Grey' +grout O Yes No		
Kitchen Backsplash	Yes No	Backsplash Behind Fridge		
		Pinoti 2 simila i ridge	L	
Comment **ENSUITE 2: WALL TILE TO BE	HORIZONTAL STACKED // **S	HARED ENSUITE: WALL TILE TO BE VERTICAL STACKE)	
The state of the s		THE TO BE VERTICAL STACKED		
1				

GOLDPA	RK			INTERIOR COLOUR	SCHEME	
	TH MORE"	** NOTE:	This is no	t an approved docu	ment. Document	must be locked ***
				Scheduled Closing Dat	e: Friday, May 28, 20	21
Purchaser:		nthony Can	navicci		ty: 145 of Plan -	
Telephone Res. / Bus	: /			Projec	t: Pine Valley Foreve	ergreen - Phase 1
Decor Advisor:	Amand	la Ceresino			n: 40.08 B HILLSDAL	
A Diumbin - Fin		****				
4. Plumbing Fix	tures	,				
			Second E	nsuite	Powder Room	
Master Ensuite Ba	throom		Other Roo	om - Specify	Oth W !	
Comment					Other Washroo	m
see extras						
		(Mary		-		
5. Hardwood Flo	oring				·	
N#=! 11-11	Type and	Stain	THE STREET STREET		Type and Stain	
Main Hall				Upper Landing		
Kitchen / Breakfas	t *3/4x5"	wht oak wir	ebrush 'Atlant	is' Upper Hall	The second second	
Living Room		-		Master Bedroom		
Dining Room				Bedroom #2		
Family Room				Bedroom #3		
Den/Library			*	Bedroom #4		~
Entrance Vestibule				Bedroom #5		
Lower Landing		-	1 May 10 passages p. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
(If Applicable)			_	Other Room - Spe		wirebrush 'Atlantis'
Comment				Tillu out standard	areas	
6. Carpeting						
Ground Floor		Upgrade	Description			
				a decision of the control of the con		
Second Floor						
		Type		Area		
Upgrade Underpad		1		Alea	***************************************	
		Capped	***************************************	Runner	r - *Upgrade	
Carpet on Stairs					opgiaco	
Comment						
	***************************************					***************************************
İ						
	A 1444	- Ann	***************************************	m management described the special section of		
7. Fireplace	ving Room	4.0004		Family Room	Other Room	- Specify
	Purchased	As Per Plan	N/A		N/A Purchased	
	\circ	\circ	0	0 0	0	0 0
Fireplace Type				Standard Gas		
Mantle Type]	Mediterranean		
Colour / Stain				Arctic White		
Surround	-			N/A		
Hearth				None		
Comment						
			Bell-y year & spacements			
						KIN

GOLDPARK		INTERIOR COLOUR		*
WORTH MORE	*** NOTE: This is not	an approved docum	ent. Document mus	t be locked ***
		Scheduled Closing Date	: Friday, May 28, 2021	· zo rookea
	Anthony Cannavicci		: 145 of Plan -	
Telephone Res. / Bus: /			: Pine Valley Forevergreer	n - Phase 1
Decor Advisor: Amai	nda Ceresino	Model and Elevation:		1-1 Hase I
8. Trim Carpentry —		-		- A
Interior Doors std Carrara	a Front Door Gla	se Incorte etd	¬ ъ	
Interior Trim *Board 2	Tolk bool old	33 M361(3 3tu	Door Handles *See I	3elow
Comment	A CONTRACTOR OF THE PROPERTY O			
Door Handles: Halifax Satin Nicke	l + hinges	AN de l'annuelle annuelle annu		
	Service when the paper is the service of the servic	The second of th		
	E 8			
9 Plaster Mouldings	and Madallian			
9. Plaster Mouldings a		-		
Standard Throughout	Yes No N/A			
F				
Entrance Vestibule		Kitchen/Breakfast		
Main Hall		Den/Library		
Living Room		Lower Landing		
Dining Room		Other Room - Spec	ify r	
Family Room	A CONTRACTOR OF THE PARTY OF TH		,	
Comment				
			The second secon	
40 5 11				
10. Railings and Spind				
Railing Package Standard 2 P	ackage			
Railing Colour *Mirage '	'Hopscotch'	Spindle Col	our *Mirage 'Hopscotch'	
Stringer / Riser *Mirage '	'Hopscotch'	Treads	*Mirage 'Hopscotch'	
	and the second of the second o	Oak Stairs	Yes No	O N/A
Comment			103 (100	O IN/A
			V AND	
The second secon	2 W. 1911111111 1 1 1 1 1 1 1 1 1 1 1 1 1 1		100 A	
44 344 11 15 15 15 15 15				
11. Wall Paint / Ceilings			With the same of t	7
Throughout Finished Areas	s Cool White			
	t			
			Same of the same o	
Trim Paint White				
Smooth Ceilings				
Ground Floor	[7]		B	
				* ************************************
Second Floor	<u> </u>	The state of the s		
Note		epope a committee our committee our committee our		T design
Comment				
	Marie and and and an and analysis and an analy			
				(16.3

GOLDPARK	INTERIOR COLOUR SCHEME
WORTH MORE. *** NOTE: This is n	ot an approved document. Document must be locked *** Scheduled Closing Date: Friday, May 28, 2021
Purchaser: Luigi Anthony Cannavicci	Property: 145 of Plan -
Telephone Res. / Bus: / Decor Advisor: Amanda Ceresino	Project: Pine Valley Forevergreen - Phase 1
Decor Advisor: Amanda Ceresino	Model and Elevation: 40.08 B HILLSDALE
12. Electrical	
Hood Fan White Stainless N/A	Above Kitchen Cabinet Light Yes No
Standard Appliances	Below Kitchen Cabinet Light Yes No
Over The Range Microwave	
Chimney Style Fan	
Comment	
13. Heating and Air Conditioning Air Conditioning none	
Gas Provisions Dryer none	Gas Provisions Stove yes Gas Provisions Barbecue std
Comment	Stu Stu
14. Additional Comments	
15. Disclaimers and Notes	
	ection, but not necessarily identical due to variances in manufacturing.
3) The Purchaser acknowledges that after Interior Colour Selection	by a separate invoice/amendment. Said invoice must be paid in full. n form is signed and dated, no further changes will be permitted other
than re-selection due to unavailability Purchase 4) The Purchaser acknowledges reading and accepting the "Gold	ser's Initials Park Homes Decor Centre Disclaimers" form. This document contains
other miscellaneous disclaimers. This Interior Colour Selection is final and approved by:	
	и 13,2021



VENDOR PURCHASER PURCHASER

GOLDPARK

The

Prices, figures, flustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008




PV-145 See attached December 10, 2020 PV-145 W 13 May 13, 2021

The Hillsdale

40' SERIES

Elevation A • 2,745 sq.ft. Elevation B • 2,760 sq.ft.



VENDOR PURCHASER PURCHASER

GOLDPARK

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased, E. & O.E. 4008




SCHEDULE'F'
PV-145 See attached
December 10, 2020
PV-145 W
May 13, 2021
July 8 2021 attach.*


The Hillsdale

40' SERIES


Elevation A • 2,745 sq.ft. - Elevation B • 2,760 sq.ft.



PART. SECOND FLOOR | ELEV. B



PART. GROUND FLOOR | ELEV. B




PART. BASEMENT | ELEV. B

VENDOR
PURCHASER
PURCHASER

GOLDPARK

WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008




VENDOR	
PURCHASER	
PURCHASER	

GOLDPARK

WORTH MOR

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008




VENDOR	
PURCHASER	
PURCHASER	

GOLDPARK

WORTH MORE

Prices, Figures, Illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008




VENDOR	
PURCHASER	
PURCHASER	

GOLDPARK

WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008






The Hillsdale


40' SERIES

Elevation A • 2,745 sq.ft.


Elevation B • 2,760 sq.ft.



PART. SECOND FLOOR | ELEV. B



PART. GROUND FLOOR | ELEV. B




PART. BASEMENT | ELEV. B

VENDOR	<u> </u>	
PURCHASER		
PURCHASER		

GOLDPARK

WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area, Layout may be reverse of the unit purchased, E. & O.E. 4008



VENDOR PURCHASER PURCHASER

GOLDPARK WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008

Yolande Somerville

From:

Lauren Woodcroft <misswoodcroft@gmail.com>

Sent:

July 9, 2021 6:41 PM

To:

Yolande Somerville

Subject:

I am sharing 'PV-145 Revised Electrical Credit Order - July 8 2021' with you

Attachments:

PV-145 Revised Electrical Credit Order - July 8 2021.pdf

Hi ladies

Here you go.

To confirm: we'd like the outlet for the coffee machine to be in between upper and lower cabinets above the bar fridge.

Thank you











SECURITY LOCK



HANDLE

MODEL WC38SSTBC5

TECHNICAL FEATURES

CAPACITY	19 bottles* + cans or beer or water bottles
TEMPERATURE ZONE	2 zones (Wine and beverages)
TEMPERATURE	Left 7-18 degrees / Right 1-6 degrees
DIMENSIONS	H 34 %" X W 23 %" X D 22 %" H 870mm X W 595mm X D 570mm
BUILT-IN DIMENSIONS	H 34 ¾" X W 23 % " X D 23 %" H 880mm X W 605mm X D 590mm
WEIGHT	122 lbs / 55 kg

SPECIFIC FEATURES

door
6
braco)

^{*} Capacities are approximate and calculated with bordeaux bottles type.





















PV - 145 Cabinetry Schedule

ROOM	DESCRIPTION	PRICE QTY	-
KITCHEN	DELUCE MARKET MA	TRICE UIT	TO
KITCHEN	REVISE KITCHEN LAYOUT TO INCLUDE APPROX. 24" BASE AND UPPERS AT EXTERIOR WALL + 18" AT ISLAND and		
	ROW OF SHALLOW CABINETS AT BACK OF ISLAND TO ACHIEVE OVERALL FINISHED ISLAND SIZE OF APPROX. 42"	200	
	x 85" INCLUDING FLUSH BREAKFAST BAR (INCLUDES ADDITIONAL COUNTERTOP) *NOTE: NO HARDWARE / NO HOLES THRU OUT KITCHEN* (N/C)	1	
	RETURN TRIP FOR HARDWOOD	1	
	DELETE STANDARD CORNICE MOULDING AND CONTEMPORARY MOULDING AND IN LIEU OF INCREASE UPPER	1	
	HEIGHT FROM 45"H TO 48"H WITH 3"H FURRING TO BULKHEAD (N/C)		
	ADJUST CABINETRY FOR 36"W RANGE (N/C)	1	
	LEAVE 42" SPACE IN UPPER CABINETS ABOVE RANGE FOR FUTURE 36" CHIMNEY (N/C)	1	
	CONVERT BASE CABINETS TO BASE POTS AND PANS	1	
	LEAVE SPACE IN ADDITIONAL BASE CABINETS FOR 24" WINE FRIDGE (N/C)	2	
	CONVERT STANDARD CABINETRY TO TALL DEEP PANTRY UNIT WITH TWO POTS AND PANS DRAWERS BELOW	1	
	THE SELECT PANTAL ONLY WITH TWO POIS AND PANS DRAWERS BELOW		
		1 .	
POWDER ROOM	CONVERT STANDARD VANITY TO FLOATING VANITY		
	ADD POSSIBLE SKIRT BELOW FLOATING VANITY FOR UNFORSEEN PLUMBING	1	
	INSTALL HARDWARE HORIZONTALLY (N/C) top third of door w	1	
	10p Imra of day w	1	
NSUITE 2	CONVERT STANDARD VANITY TO COMFORT HEIGHT		
	The second secon	1 -	
HARED ENSUITE	ADD BANK OF FOUR DRAWERS		
	CONVERT STANDARD VANITY TO COMFORT HEIGHT	1	
		1	
MUD ROOM	UPGRADE P-LAM: PALOMA POLAR		
		1	
AUNDRY ROOM	ADD OPTIONAL UPPERS		
	UPGRADE P-LAM: PALOMA POLAR	1	
		1 -	
ASTER ENSUITE	CONVERT STANDARD VANITY TO COMFORT HEIGHT		
		1	
	CARLIETTAL	TOTAL	
	CABINETRY	TOTAL:	

HANDLE PLACEMENT: AT INSTALLERS DISCRETION

LOT #: 145 DATE: Way 13 2	52,
SIGNATURE:	¥
SIGNATURE:	





PV-145 Grout Schedule

ROOM	LOCATION	COLOUR
FOYER	FLOOR	SNOWHITE
POWDER ROOM	FLOOR	SNOWHITE
MUD ROOM	FLOOR	PEWTER GREY
LAUNDRY ROOM	FLOOR	BONE
MASTER ENSUITE	FLOOR	SNOWHITE
	SHOWER FLOOR	SNOWHITE
	SHOWER WALL	BONE
ENSUITE 2	FLOOR	BONE
	SHOWER WALL	BONE
SHARED ENSUITE	FLOOR	BONE
	SHOWER WALL	BONE
8	SHOWER FLOOR	SNOWHITE


LOT #: PV-145	DATE: May 13, 2021
SIGNATURE:	
SIGNATURE:	








Page 1/1







PERSPECTIVE VIEW

AKOWALTCHUK-0124-21



STONE COUNTERTOP EDGE PROFILES

	STANDARD 2CM EASED EDGE	LOCATION:
	UPGRADE 3CM EASED EDGE	LOCATION:
	UPGRADE 4CM MITRED EDGE	LOCATION: KITCHEN POWDER ROOM
	UPGRADE 2CM OGEE EDGE	LOCATION:
OT#: PV - 145	DATE: May 13, 12	021
SIGNATURE:		



H001-02 H001-03 H001-04
H009-03 H009-09
H011-03 H011-05 H011-06
H033-01 H039-03 HO39-03 HO3
DATE: May 13 12021
SIGNATURE:
SIGNATURE:



MOEN - MODERN

Soap/Lotion Dispenser





CHROME (C)	
STAINLESS (SRS)	
BRUSHED GOLD (BG)	
MATTE BLACK (BL)	
MODEL: S3947 (C, SRS, BG, BL) Soap Dispenser	
Lot# PV-145 Date: May 13, 2021 Room: Kitcher	N
Signature:	
Signature:	




BLANCO - QUATRUS U SUPER SINGLE

Stainless Steel - Undermount 32" x 18" x 9"







Stainless Steel

VIGRID

MODEL 401248 Stainless Steel / 402125 Grid

	Lot#	PV-	145
--	------	-----	-----

Room: Kitchen

Signature:



Date:


May 13 , 2021

Signature:



SQ6X6

Shower Door Handle + HingeS



SQ6X6	
Shower Door Handle	

6" x 6" back-to-back 3/4" square tube (Also available single sided)


CHROME			
MATTE BLAC	CK		
U BRUSHED	NICKEL	+	HINGES

Lot# PV-145	Date: May 13,2021	Room: Master Ensuite	
Signature:			
Signature:			



SDK106

Shower Door Knob



SDK106 Shower Door Knob

1-3/16" dia. Contemporary Style (Also available single sided)

CHROME


Lot# PV-145 Date: May 13 2021 Room: Shared Ensures


Signature:

Signature:

BATHROOM ACCESSORIES







Tissue Holder Mason - Chrome

Towel Bar Mason - Chrome

Please select one of the following:

	INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT (tissue holder + towel bar) *location as per vendors discretion*
V	*DO NOT* INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT *tissue holder + towel bar will not be provided*


LOT # PV- 145	DATE: May 13, 2021
SIGNATURE:	
SIGNATURE:	



Project: Pine Valley Lot: 145
Purchaser(s): Luigi Anthony Cannavicci & Javren Woodcroft
Standard Hood Fan Deletion
We acknowledge that the builder's standard hood fan will not be installed. Do not supply, install and/or credit. We will install our own hood fan after closing.
Signature:
Signature:
Date: May 13 , 2021



Patio Door 08 x 08 Configuration



Lot# PV-145	
Dicarias	Signature:
Dec. 10, 2020	Signature:

KitchenAid®

FOR THE WAY IT'S MADE:

PRODUCT MODEL NUMBERS

KRFC302E

Electrical: A 115 volt, 60 Hz, AC only 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator and approved accessories be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.


Water: A cold water supply with water pressure of between 35 and 120 psi (241 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.

Reverse Osmosis Water Supply: IMPORTANT: The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 and 120 psi (241 and 827 kPa).

Bottom Mount Refrigerator


PRODUCT DIMENSIONS





Model Size	Height - Overall "A"	Height - Top of Cabinet "B"	Depth - Doors Open 90° "C"	Depth - Drawer Open "D"	Depth - With Handles "E"	Depth - Without Handles "F"	Depth - Cabinet Only "G"	Width - Cabinet "H"
21.9	72"	71%"	441/8"	451/4"	301/4"	27¾4"	245%"	35¾"
	(182.9 cm)	(181.3 cm)	(112.1 cm)	(114.9 cm)	(76.8 cm)	(70.5 cm)	(62.5 cm)	(90.8 cm)


LOCATION REQUIREMENTS



IMPORTANT: This refrigerator is designed for indoor, household use only.

To ensure proper ventilation for your refrigerator, allow for ½" (1.25 cm) of space on each side and at the top. Allow for 1" (2.54 cm) of space behind the refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave 21/2" (6.3 cm) minimum on the hinge side (some models require more) to allow for the door to swing open.

NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F. (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.



KitchenAid

FOR THE WAY IT'S MADE. 30" (72.6 cm) and 36" (91.4 cm) Wall-Mount Canopy Range Hood

PRODUCT MODEL NUMBERS

KVWB600D

KVWB606D

Electrical: A 120 volt, 60 Hz., AC only, 15-amp, fused electrical circuit is required.

VENTING METHODS

This canopy range hood is factory set for venting through the roof or through the wall.

A 6" (15.2 cm) round vent system is needed for installation (not included). The hood exhaust opening is 6" (15.2 cm) round.

NOTE: Flexible vent is not recommended. Flexible vent creates back pressure and air turbulence that greatly reduce performance.

Vent system can terminate either through the roof or wall. To vent through a wall, a 90° elbow is needed.

Rear Discharge A 90° elbow may be installed immediately above the hood.

For Non-Vented (Recirculating) Installations
If it is not possible to vent cooking fumes and vapors to the outside, the hood can be used in the non-vented (recirculating) version, using a Recirculation Kit (which includes charcoal filters and a deflector). To order, see the "Assistance or Service" section.

Non-Vented

B. 6" (15.2 cm)

round vent

Roof Venting Wall Venting (Recirculating) B A. Roof cap A. Wall cap A. Diverter

Calculating Vent System Length

To calculate the length of the system you need, add the equivalent feet (meters) for each vent piece used in the system.

B. 6" (15.2 cm)

round vent


Vent System

B. 6" (15.2 cm) round vent

Vent Piece	6" (15.2 cm) Rou	nd
45° elbow	2.5 ft (0.8 m)	8
90° elbow	5.0 ft (1.5 m)	

Maximum equivalent vent length is 35 ft (10.7 m).

Example Vent System




The following example falls within the maximum recommended vent length of 35 ft (10.7 m).

= 13.0 ft (3.9 m)

1 - 90° elbow = 5.0 ft (1.5 m)1 - wall cap = 0.0 ft (0.0 m)8 ft (2.4 m) straight = 8.0 ft (2.4 m)

PRODUCT DIMENSIONS

Length of system




- *For non-vented (recirculating) installations
- **For vented installations

PV-148 April 88, 2021



CABINET DIMENSIONS



*For non-vented (recirculating) installations

IMPORTANT:

Minimum distance "X": 24" (61.0 cm) from electric cooking surface.

Minimum distance "X": 27" (68.6 cm) from gas cooking surfaces.

Suggested maximum distance "X": 36" (91.4 cm)

The chimneys can be adjusted for different ceiling heights. See the following chart.

rememing emails		
	Vented Installations	No.
	Min. ceiling height	Max. ceiling height
Electric cooking surface	7' 1" (2.16 m)	9' 2" (2.79 m)
Gas cooking surface	7' 4" (2.23 m)	9' 2" (2.79 m)
Non-ve	ented (recirculating) In	stallations
	Min. ceiling height	Max. ceiling height
Electric cooking surface	7' 1" (2.16 m)	9' 6" (2.9 m)


7' 4" (2.23 m)

Gas cooking

surface

9' 6" (2.9 m)

^{*}NOTE: The range hood chimneys are adjustable and designed to meet varying ceiling or soffit heights depending on the distance "X" between the bottom of the range hood and the cooking surface. For higher ceilings, a Chimney Extension Kit is available from your dealer or an authorized parts distributor. The chimney extension replaces the chimney shipped with the range hood. To order, see the "Assistance or Service" section.



Prepared by

Ken Johnson

kjohnson@appliancecanada.com (416) 785-7083 3102



KFGC506JBK

KFGC506JMB

KFGC506JPA

Misty Blue




Expand your skills with a 36-inch KitchenAid® Commercial Style Range with 6 burners. This gas range features two versatile 20,000 BTU Ultra Power™ Dual-Flame Burners with the power and precision needed to successfully sear, simmer, stir-fry

Top Feat	tures
Even-He	at™ True Convection
Two 20,0	000 BTU Ultra Power™ Dual-Flame Burners
5,000 BT	U Simmer & Melt Burner

and sauté. Even-Heat™ True Convection helps you achieve more consistent baking and roasting.

Manuals & Literature:

Dimension Guide



Use and Care Guide Warranty Information

KitchenAid® 36" Smart Commercial-Style Gas Range with 6 Burners

KFGC506JSS

Available Finishes/Colours

KFGC506JAV Matte Avocado

KFGC506JIB Ink Blue

KFGC506JMH Matte Milkshak

Matte Milkshake

4 Additional finishes/colours available.

Dimensions		
Height	36	
Width	35 7/8	
Configuration and Overview		
Fuel Type	Gas	
Range Type	Freestanding	
Size (IN,inches)	36	
LP Convertible	Yes - Kit Included	
Exterior		
Door Removable	Yes	
Oven Door	Metal & Glass	
Oven Window Size	Large	
Handle Type	Towel Bar	
Handle Color	Stainless Steel	

Oven Details	
Door Removable	Yes
Automatic Convection Conversion Temperature Adjust	Yes

Metal

Handle Material

Oven Details	
Power On Indicator Light	Yes
Automatic Shut-Off	Yes
Interior Color	Black
Oven Control Location	Front
Oven Control Type	Knobs
Oven Cooking System	True Convection
Hidden Bake Element	Yes
Broiler Location	Top Center
Oven Light Switch Location	Oven Control
Convection Functions	Bake,Roast
Misc.	
Accessory Relationships	Yes
**	

KitchenAid'

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

PV-145 April 28, 2001

DIMENSIONS


COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS



1 of 30


MODEL#	DUAL-F	m) RANGES FUEL/GAS J/KFGC500J	DUAL-F	n) RANGES UEL/GAS /KFGC506J	
Unit of Measurement	in	cm	in	cm	
Overall Width (A)	29 ⁷ / ₆	75.9	35 ⁷ / ₆	91.1	
Bullnose Height (B)	2 ³ / ₁₆	5.6	23/16	5.6	
Control Panel Height (C)	5 ⁵ /16	13.5	5 ⁵ /16	13.5	
Door Height (D)	2011/16	52.6	20 ¹¹ / ₄₆	52.6	
Door Bottom to Handle Top (E)	20	50.8	20	50.8	
Toe-Kick Height (F)	5¹½	14	5½	14	



COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS

MODEL#	DUAL-F	m) RANGES UEL/GAS //KFGC500J	36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		
Unit of Measurement	in	cm	in	om	
Depth with Control Panel Overhang (G)	27³/4	70.5	27³⁄4	70.5	
Depth with Handle (H)	30 ¹ / ₄	76.9	301/4	76.9	
Depth with Door Fully Open (I)	46¹⁄₂	118.1	46 ¹ / ₂	118.1	



TOP VIEW

PV-145 Apm 28, 2021

DIMENSIONS


5 of 30

COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS

MODEL#	DUAL-FI	m) RANGES UEL/GAS /KFGC500J	AS DUAL-FUEL/GAS		48" (121.9 cm) RANGE DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	cm
Grates Top Height (A)	37³⁄₁6	94.5	37³/s	94.5	37³∕₁6	94.5
Cooking Surface Top Height (B)	36	91.4	36	91.4	36	91.4
Door Top Height (C)	27 ⁷ /8	70.8	27 ⁷ /s	70.8	27 ⁷ /8	70.8
Handle Top Height (D)	27 ¹ /8	68.9	27½	68.9	27 ¹ /s	68.9
Toe-Kick Height (E)	6 ⁵ /8	16.9	65/8	16.9	6 ⁵ /8	16.9
		OTHER DI	MENSIONS			1
Maximum Feet Extension Height*	1½	3.8	11/2	3.8	11/2	3.8

^{*} IMPORTANT: Minimum height dimensions are at the lowest point of the height adjustment range. When the leveling legs are fully extended, all heights have $1^{1}/2^{11}$ (3.8 cm) of added height.



SIDE VIEW

IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid[®]

April 28, 2021

PV-145

6 of 30


DIMENSIONS

COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS

MODEL#	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	cm
Depth with Door Fully Open (F)	46½	118.1	46 ¹ / ₂	118.1	46½	118.1
Depth with Handle (G)	301/4	76.9	30 ¹ / ₄	76.9	30 ¹ / ₄	76.9
Depth with Control Panel Overhang (H)	27³/ ₄	70.5	27³/₄	70.5	27³/₄	70.5
Depth to Toe-Kick with Door (I)	27	68.6	27	68.6	27	68.6
Depth with Door (J)	27	68.6	27	68.6	27	68.6
		OTHER D	IMENSIONS			
Gas Vent Height (K)*	39	99.1	39	99.1	39	99.1

^{*}Gas Units only: KFGC500J, KFGC506J and KFGC558J.



IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid

PV-145 April 28, 2021


DIMENSIONS

COMMERCIAL-STYLE RANGES

OPENING/CLEARANCE DIMENSIONS

MODEL#	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	cm
Combustible Area above Cooking Surface Width (min.) (A)	30	76.2	36	91.4	48	121.9
Bottom of Cabinet Height above Cooking Surface (min.) (B)*	42	106.7	58	147.3	58	147.3
Bottom of Cabinet Height above Countertop (min.) (C)	18	45.7	18	45.7	18	45.7
Distance to Fixed Wall or Combustible Material (min.) (D)	12	30.5	12	30.5	. 12	30.5
Opening Width (min.) (E)	30	76.2	36	91.4	48	121.9

^{*} If installing a hood or hood liner above the range, follow the hood or hood liner instructions for dimensional clearances above the cooking surface.



FRONT VIEW

IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid

7 of 30

PV-145 April 28, 2021

8 of 30

DIMENSIONS


COMMERCIAL-STYLE RANGES

OPENING/CLEARANCE DIMENSIONS

MODEL#	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	ín	cm	in	cm
Upper Cabinet Depth (max.) (F)	13	33	13	33	13	33
Depth from Wall to Grates (G)*	11/2	3.9	1 ¹ / ₂	3.9	11/2	3.9
Depth from Wall to back of Unit**	0	0	0	0	0	0

^{*} If the back wall is constructed of a combustible material and a backsplash is not installed a 71/2" (19.1 cm) minimum clearance is required.

^{**} If the back wall is constructed of a combustible material and a backsplash is not installed a 6" (15.2 cm) minimum clearance is required.



SIDE VIEW

IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid[®]

PV-145 April 25 2021


DIMENSIONS

COMMERCIAL-STYLE RANGES

GAS REQUIREMENTS


MODEL # Unit of Measurement	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
	in	cm	in	cm	in	cm
Gas Opening Width (A)	6	15.2	14	35.6	24	61
Gas Opening Height (B)	3	7.6	3	7.6	3	7.6
Gas Opening Depth (C)	5	12.7	5	12.7	5	12.7
Distance from Side Cabinet to Gas Opening (D)	9	22.9	9	22.9	9	22.9
Width to Gas Inlet (E)	12³⁄4	32.4	12³⁄₄	32.4	12³/₄	32.4

RECOMMENDED GAS ZONE



FRONT VIEW

WIDTH TO GAS INLET




BACK VIEW

NOTE: If you have questions about your gas supply, call a licenced, quali ed service technician.

IMPORTANT: Dimensional speci cations are provided for planning purposes only. Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid° W11255637A



DIMENSIONS

COMMERCIAL-STYLE RANGES


ELECTRICAL REQUIREMENTS

MODEL # Unit of Measurement	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
	in	cm	in	cm	in	cm
Electrical Zone Width (A)	22	55.9	28	71.1	40	101.6
Electrical Zone Height (B)	15	38.1	15	38.1	15	38.1
Electrical Zone Depth (C)	5	12.7	5	12.7	5	12.7


ELECTRIC REQUIREMENTS CHECKLIST

- ☐ A 240 V, 60 Hz, fused, grounded circuit is required.
- ☐ For 30" (76.2 cm) and 36" (91.4 cm) ranges, use a 40 A circuit.
- ☐ For 48" (121.9 cm) ranges, use a 50 A circuit.
- ☐ A dedicated circuit is recommended.

RECOMMENDED ELECTRICAL ZONE



WIDTH TO ELECTRICAL CONDUIT



BACK VIEW

NOTE: If you have questions about your electrical supply, call a licenced, quali ed electrician.

IMPORTANT: Dimensional specifications are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid[®]