




Job Track: **45147**  
Layout ID: **343169**  
Plan Log: **116406**

Builder / Location:  
**GOLD PARK HOMES / VAUGHAN**

Project: **PINE VALLEY PH 2**

Date: 2022-04-04 Designer: AMANDA REF: 318400

Model / Elevation: "MAPLEWOOD"  
**4201 REV4 / A**

THESE DRAWINGS CONSTITUTE THE PROPERTY OF ALPA ROOF TRUSSES INC., SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY ALPA ROOF TRUSSES INC AND WILL BE RETRACTED BY ALPA ROOF TRUSSES INC IF UTILIZED FOR ANY OTHER PURPOSE.

# EWP DESIGN INC.

(905) 832-2250

FAX (905) 832-0286

## RESPONSIBILITIES AND SPECIFICATIONS

### **RESPONSIBILITIES**


1. EWP DESIGN INC. is responsible for the design of trusses as individual components.
2. It is the responsibility of others to ascertain that the design loads utilized on each drawing meet or exceed the actual dead load imposed by the structure, the live load imposed by the intended use and the snow load imposed by local building code or authorities with jurisdictions.
3. All dimensions are to be verified by the owner, contractor, architect or other authorities with jurisdictions before truss fabrication.
4. EWP DESIGN INC. bears no responsibility for the erection of trusses. Persons erecting trusses are cautioned to seek professional advice regarding the temporary and permanent bracing for the system. Bracing shown on EWP DESIGN INC. drawing is specified for the truss as a component only and forms an integral part of the truss design.
5. It is the truss manufacturer's responsibility to ensure that trusses are manufactured in conformance with specifications of EWP DESIGN INC. as outlined below.

### **SPECIFICATIONS**

1. Trusses designed by EWP DESIGN INC. conform to the relevant section of the Ontario Building Code of Canada (Part 9 or Part 4) or to the Canadian code for farm buildings, whichever applies to the building type, as indicated on the EWP DESIGN INC. drawings, and conform to the design procedures established by the Truss Plate Institute of Canada. Unit stresses used for truss designs are as per the edition of CSA-O86 shown on EWP DESIGN INC. drawings.
2. Lumber is to be the size, species and grade as specified on EWP DESIGN INC. drawings.
3. Moisture content of lumber shall not exceed 19% in service unless specified otherwise.
4. Metal connector plates shall be applied to both faces of truss at each joint and shall be positioned as specified.
5. Top chords of trusses are assumed to be continuously braced laterally by roof sheathing or by purlins at intervals not exceeding 12.5 times the thickness of top chord member.
6. Bottom chords shall be laterally braced at intervals not exceeding 3M (10') o.c., where rigid ceiling is not applied directly to the underside of chords.

THESE DRAWINGS CONSTITUTE THE PROPERTY OF EWP DESIGN INC., SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY THE ALPA LUMBER GROUP, AND WILL BE RETRACTED BY EWP DESIGN INC. IF UTILIZED FOR ANY OTHER PURPOSE.

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H1         |          | 1   | TRUSS DESC. JT 45147 | E20035225 |



| LUMBER            |      |        |        |
|-------------------|------|--------|--------|
| N. L. G. A. RULES |      |        |        |
| CHORDS            | SIZE | LUMBER | DESCR. |
| A - B             | 2x4  | DRY    | No.2   |
| B - C             | 2x4  | DRY    | No.2   |
| C - D             | 2x4  | DRY    | No.2   |
| H - A             | 2x4  | DRY    | No.2   |
| E - D             | 2x4  | DRY    | No.2   |
| I - E             | 2x4  | DRY    | No.2   |

|          |     |     |      |     |
|----------|-----|-----|------|-----|
| ALL WEBS | 2x3 | DRY | No.2 | SPF |
|----------|-----|-----|------|-----|

DRY: SEASONED LUMBER.

| PLATES (table is in inches) |         |        |     |     |           |
|-----------------------------|---------|--------|-----|-----|-----------|
| JT                          | TYPE    | PLATES | W   | LEN | Y X       |
| A                           | TMVW-t  | MT20   | 4.0 | 6.0 | 1.50 2.75 |
| B                           | TTWW+m  | MT20   | 5.0 | 6.0 | 2.25 1.50 |
| C                           | TTW+m   | MT20   | 3.0 | 5.0 | Edge 1.00 |
| D                           | TMVW-t  | MT20   | 4.0 | 6.0 | 1.50 2.75 |
| E                           | BMV1+p  | MT20   | 2.0 | 4.0 |           |
| F                           | BMWWW-t | MT20   | 4.0 | 9.0 |           |
| G                           | BMWW-t  | MT20   | 3.0 | 5.0 | 1.50 2.25 |
| H                           | BMV1+p  | MT20   | 2.0 | 4.0 |           |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

| FACTORED GROSS REACTION |      | MAXIMUM FACTORED GROSS REACTION |      | INPUT BRG |        | REQRD BRG |       |
|-------------------------|------|---------------------------------|------|-----------|--------|-----------|-------|
| JT                      | VERT | HORZ                            | DOWN | HORZ      | UPLIFT | IN-SX     | IN-SX |
| E                       | 1100 | 0                               | 1100 | 0         | 0      | 5-8       | 1-10  |
| H                       | 1249 | 0                               | 1249 | 0         | 0      | 5-8       | 1-14  |

| UNFACTORED REACTIONS |          | MAX./MIN. COMPONENT REACTIONS |       |           |       |         |       |
|----------------------|----------|-------------------------------|-------|-----------|-------|---------|-------|
| JT                   | COMBINED | SNOW                          | LIVE  | PERM.LIVE | WIND  | DEAD    | SOIL  |
| E                    | 786      | 472 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 313 / 0 | 0 / 0 |
| H                    | 892      | 537 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 355 / 0 | 0 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, H

BRACING  
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.69 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING  
TOTAL LOAD CASES: (4)

| CHORDS |                           |                           |                                 | WEBS                 |       |                           |                                 |
|--------|---------------------------|---------------------------|---------------------------------|----------------------|-------|---------------------------|---------------------------------|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. FACTORED LC1 MAX. CSI (LC) | MAX. UNBRACED LENGTH | MEMB. | MAX. FACTORED FORCE (LBS) | MAX. FACTORED LC1 MAX. CSI (LC) |
| FR-TO  |                           | FROM                      | TO                              |                      | FR-TO |                           |                                 |
| A-B    | -1048 / 0                 | -78.0                     | -78.0 0.33 (1)                  | 5.69                 | G-B   | -30 / 107                 | 0.04 (4)                        |
| B-C    | -802 / 0                  | -139.2                    | -139.2 0.57 (1)                 | 5.73                 | B-F   | 0 / 0                     | 0.00 (1)                        |
| C-D    | -1048 / 0                 | -78.0                     | -78.0 0.33 (1)                  | 5.69                 | F-C   | -31 / 107                 | 0.04 (4)                        |
| H-A    | -1038 / 0                 | 0.0                       | 0.0 0.12 (1)                    | 7.68                 | A-G   | 0 / 825                   | 0.20 (1)                        |
| E-D    | -1038 / 0                 | 0.0                       | 0.0 0.12 (1)                    | 7.68                 | F-D   | 0 / 825                   | 0.20 (1)                        |
| I-H    | 0 / 0                     | -96.5                     | -96.5 0.17 (1)                  | 10.00                |       |                           |                                 |
| H-G    | 0 / 0                     | -33.0                     | -33.0 0.16 (4)                  | 10.00                |       |                           |                                 |
| G-F    | 0 / 802                   | -33.0                     | -33.0 0.25 (4)                  | 10.00                |       |                           |                                 |
| F-E    | 0 / 0                     | -33.0                     | -33.0 0.17 (4)                  | 10.00                |       |                           |                                 |

| FACTORED CONCENTRATED LOADS (LBS) |       |      |      |      |       |      |       |
|-----------------------------------|-------|------|------|------|-------|------|-------|
| JT                                | LOC.  | LC1  | MAX- | MAX+ | FACE  | DIR. | TYPE  |
| B                                 | 4-5-9 | -211 | -211 | ---  | FRONT | VERT | TOTAL |
| C                                 | 9-0-7 | -211 | -211 | ---  | FRONT | VERT | TOTAL |

DESIGN CRITERIA

| SPECIFIED LOADS:      |    |   |          |
|-----------------------|----|---|----------|
| TOP CH.               | LL | = | 21.0 PSF |
|                       | DL | = | 6.0 PSF  |
| BOT CH.               | LL | = | 0.0 PSF  |
|                       | DL | = | 7.4 PSF  |
| TOTAL LOAD = 34.4 PSF |    |   |          |

SPACING = 24.0 IN./C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

GIRDER TYPE: CPrimeHip  
SIDE SETBACK = 4-5-9  
END SETBACK = 5-1-11  
END WALL WIDTH = 0-0  
CORNER FRAMING TYPE: CONVENTIONAL  
END JACK TYPE: CONVENTIONAL  
APPLIED TO FRONT SIDE  
- ADDTL LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF CBC 2018 , ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.45")  
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")  
ALLOWABLE DEFL.(TL)= L/360 (0.45")  
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CANTILEVER DEFLECTION:  
ALLOWABLE DEFL.(LL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(LL) = L/ 999 ( 0.01")  
ALLOWABLE DEFL.(TL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(TL) = L/ 999 ( 0.01")

CSI: TC=0.57/1.00 (B-C:1) , BC=0.25/1.00 (F-G:4) , WB=0.20/1.00 (A-G:1) , CSI=0.27/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00  
COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .


NAIL VALUES  
PLATE GRIP(DRY) SHEAR SECTION  
(PSI) (PLI) (PLI)  
MAX MIN MAX MIN MAX MIN  
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2





| LUMBER            |      |        |        |
|-------------------|------|--------|--------|
| N. L. G. A. RULES |      |        |        |
| CHORDS            | SIZE | LUMBER | DESCR. |
| A - B             | 2x4  | DRY    | No.2   |
| B - C             | 2x4  | DRY    | No.2   |
| C - D             | 2x4  | DRY    | No.2   |
| H - A             | 2x4  | DRY    | No.2   |
| E - D             | 2x4  | DRY    | No.2   |
| I - E             | 2x4  | DRY    | No.2   |

|          |     |     |      |     |
|----------|-----|-----|------|-----|
| ALL WEBS | 2x3 | DRY | No.2 | SPF |
| EXCEPT   |     |     |      |     |

DRY: SEASONED LUMBER.

PLATES (table is in inches)

| JT | TYPE    | PLATES | W   | LEN | Y    | X    |
|----|---------|--------|-----|-----|------|------|
| A  | TMVW-t  | MT20   | 3.0 | 5.0 | 1.50 | 1.75 |
| B  | TTWW+m  | MT20   | 5.0 | 6.0 | 2.25 | 1.50 |
| C  | TTW+m   | MT20   | 3.0 | 4.0 |      |      |
| D  | TMVW-t  | MT20   | 3.0 | 5.0 | 1.50 | 1.75 |
| E  | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |
| F  | BMWWW-t | MT20   | 4.0 | 6.0 |      |      |
| G  | BMWW-t  | MT20   | 3.0 | 4.0 |      |      |
| H  | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

| BEARINGS |     | FACTORED       |      | MAXIMUM FACTORED |      | INPUT  |       | REQRD |  |
|----------|-----|----------------|------|------------------|------|--------|-------|-------|--|
|          |     | GROSS REACTION |      | GROSS REACTION   |      | BRG    |       | BRG   |  |
| JT       |     | VERT           | HORZ | DOWN             | HORZ | UPLIFT | IN-SX | IN-SX |  |
| E        | 651 | 0              | 651  | 0                | 0    | 5-8    | 1-8   |       |  |
| H        | 800 | 0              | 800  | 0                | 0    | 5-8    | 1-8   |       |  |

UNFACTORED REACTIONS

| 1ST LCASE |          | MAX./MIN. COMPONENT REACTIONS |       |           |       |         |       |  |
|-----------|----------|-------------------------------|-------|-----------|-------|---------|-------|--|
| JT        | COMBINED | SNOW                          | LIVE  | PERM.LIVE | WIND  | DEAD    | SOIL  |  |
| E         | 464      | 283 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 181 / 0 | 0 / 0 |  |
| H         | 570      | 348 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 222 / 0 | 0 / 0 |  |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

| CHORDS |                           |                           |                        | WEBS  |                           |                        |          |
|--------|---------------------------|---------------------------|------------------------|-------|---------------------------|------------------------|----------|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. FACTORED CSI (LC) | MEMB. | MAX. FACTORED FORCE (LBS) | MAX. FACTORED CSI (LC) |          |
| FR-TO  |                           | FROM TO                   |                        | FR-TO |                           |                        |          |
| A-B    | -474 / 0                  | -78.0 -78.0               | 0.37 (1)               | 6.25  | G-B                       | 0 / 55                 | 0.02 (4) |
| B-C    | -365 / 0                  | -78.0 -78.0               | 0.02 (1)               | 6.25  | B-F                       | 0 / 7                  | 0.00 (4) |
| C-D    | -475 / 0                  | -78.0 -78.0               | 0.37 (1)               | 6.25  | F-C                       | 0 / 62                 | 0.02 (4) |
| H-A    | -605 / 0                  | 0.0 0.0                   | 0.06 (1)               | 7.81  | A-G                       | 0 / 369                | 0.08 (1) |
| E-D    | -604 / 0                  | 0.0 0.0                   | 0.06 (1)               | 7.81  | F-D                       | 0 / 370                | 0.08 (1) |
| I-H    | 0 / 0                     | -96.5 -96.5               | 0.16 (1)               | 10.00 |                           |                        |          |
| H-G    | 0 / 0                     | -18.5 -18.5               | 0.16 (4)               | 10.00 |                           |                        |          |
| G-F    | 0 / 364                   | -18.5 -18.5               | 0.21 (4)               | 10.00 |                           |                        |          |
| F-E    | 0 / 0                     | -18.5 -18.5               | 0.17 (4)               | 10.00 |                           |                        |          |

DESIGN CRITERIA

SPECIFIED LOADS:

|            |     |    |   |      |            |
|------------|-----|----|---|------|------------|
| TOP        | CH. | LL | = | 21.0 | PSF        |
|            |     | DL | = | 6.0  | PSF        |
| BOT        | CH. | LL | = | 0.0  | PSF        |
|            |     | DL | = | 7.4  | PSF        |
| TOTAL LOAD |     |    |   |      | = 34.4 PSF |

SPACING = 24.0 IN./C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF CBC 2018, ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.45")  
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")  
ALLOWABLE DEFL.(TL)= L/360 (0.45")  
CALCULATED VERT. DEFL.(TL) = L/999 (0.04")

CANTILEVER DEFLECTION:  
ALLOWABLE DEFL.(LL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")  
ALLOWABLE DEFL.(TL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.37/1.00 (C-D:1), BC=0.21/1.00 (F-G:4), WB=0.08/1.00 (D-F:1), SSI=0.14/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LBS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES  
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)  
MAX MIN MAX MIN MAX MIN  
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.62 (G) (INPUT = 0.90)  
JSI METAL= 0.18 (D) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H3         |          | 1   | TRUSS DESC. JT 45147 | E20035227 |



| LUMBER                |        |      |            |        |
|-----------------------|--------|------|------------|--------|
| N. L. G. A. RULES     | CHORDS | SIZE | LUMBER     | DESCR. |
| A - B                 | 2x4    | DRY  | 2100F 1.8E | SPF    |
| B - C                 | 2x4    | DRY  | 2100F 1.8E | SPF    |
| F - A                 | 2x4    | DRY  | No.2       | SPF    |
| D - C                 | 2x4    | DRY  | No.2       | SPF    |
| G - D                 | 2x4    | DRY  | No.2       | SPF    |
| ALL WEBS EXCEPT       | 2x3    | DRY  | No.2       | SPF    |
| DRY: SEASONED LUMBER. |        |      |            |        |

| PLATES (table is in inches) |         |        |     |     |           |
|-----------------------------|---------|--------|-----|-----|-----------|
| JT                          | TYPE    | PLATES | W   | LEN | Y X       |
| A                           | TMVW-t  | MT20   | 3.0 | 5.0 | 1.50 1.75 |
| B                           | TTW+p   | MT20   | 3.0 | 4.0 | 2.50 1.50 |
| C                           | TMVW-t  | MT20   | 3.0 | 5.0 | 1.50 1.75 |
| D                           | BMV1+p  | MT20   | 2.0 | 4.0 |           |
| E                           | BMWWW-t | MT20   | 4.0 | 6.0 |           |
| F                           | BMV1+p  | MT20   | 2.0 | 4.0 |           |

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

| BEARINGS |      | FACTORED GROSS REACTION | MAXIMUM FACTORED GROSS REACTION | INPUT BRG | REQRD BRG |
|----------|------|-------------------------|---------------------------------|-----------|-----------|
| JT       | VERT | HORZ                    | DOWN                            | HORZ      | UPLIFT    |
| D        | 651  | 0                       | 651                             | 0         | 0         |
| F        | 800  | 0                       | 800                             | 0         | 0         |

| UNFACTORED REACTIONS |          | 1ST LCASE | MAX./MIN. COMPONENT REACTIONS |           |       |         |       |
|----------------------|----------|-----------|-------------------------------|-----------|-------|---------|-------|
| JT                   | COMBINED | SNOW      | LIVE                          | PERM.LIVE | WIND  | DEAD    | SOIL  |
| D                    | 464      | 283 / 0   | 0 / 0                         | 0 / 0     | 0 / 0 | 181 / 0 | 0 / 0 |
| F                    | 570      | 348 / 0   | 0 / 0                         | 0 / 0     | 0 / 0 | 222 / 0 | 0 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) D, F

**BRACING**

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

| LOADING |                           | TOTAL LOAD CASES: (4)     |                |       |                           |
|---------|---------------------------|---------------------------|----------------|-------|---------------------------|
|         |                           | CHORDS                    |                | WEBS  |                           |
| MEMB.   | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. CSI (LC)  | MEMB. | MAX. FACTORED FORCE (LBS) |
| FR-TO   |                           | FROM                      | TO             | FR-TO |                           |
| A-B     | -446 / 0                  | -78.0                     | -78.0 0.30 (1) | E-B   | 0 / 128                   |
| B-C     | -446 / 0                  | -78.0                     | -78.0 0.30 (1) | A-E   | 0 / 347                   |
| F-A     | -604 / 0                  | 0.0                       | 0.0 0.06 (1)   | E-C   | 0 / 347                   |
| D-C     | -604 / 0                  | 0.0                       | 0.0 0.06 (1)   |       |                           |
| G-F     | 0 / 0                     | -96.5                     | -96.5 0.16 (1) |       |                           |
| F-E     | 0 / 0                     | -18.5                     | -18.5 0.24 (4) |       |                           |
| E-D     | 0 / 0                     | -18.5                     | -18.5 0.24 (4) |       |                           |

DESIGN CRITERIA

| SPECIFIED LOADS:      |     |    |            |
|-----------------------|-----|----|------------|
| TOP                   | CH. | LL | = 21.0 PSF |
|                       |     | DL | = 6.0 PSF  |
| BOT                   | CH. | LL | = 0.0 PSF  |
|                       |     | DL | = 7.4 PSF  |
| TOTAL LOAD = 34.4 PSF |     |    |            |

**SPACING = 24.0 IN. C/C**

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.45")

CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")

ALLOWABLE DEFL.(TL)= L/360 (0.45")

CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CANTILEVER DEFLECTION:

ALLOWABLE DEFL.(LL)= L/120 (0.19")

CALCULATED VERT. DEFL.(LL) = L/ 999 ( 0.01")

ALLOWABLE DEFL.(TL)= L/120 (0.19")

CALCULATED VERT. DEFL.(TL) = L/ 999 ( 0.01")

CSI: TC=0.30/1.00 (A-B:1) , BC=0.24/1.00 (E-F:4) , WB=0.08/1.00 (C-E:1) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10

COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

**NAIL VALUES**

| PLATE | GRIP(DRY) | SHEAR (PSI) | SECTION (PLI)      |
|-------|-----------|-------------|--------------------|
|       |           |             |                    |
| MAX   | MIN       | MAX         | MIN                |
| MT20  | 650       | 371         | 1747 788 1987 1873 |


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.51 (A) (INPUT = 0.90 )

JSI METAL= 0.18 (A) (INPUT = 1.00 )

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:24 2020 Page 1



| FACTORED CONCENTRATED LOADS (LBS) |         |      |      |      |       |      |       |      |      |
|-----------------------------------|---------|------|------|------|-------|------|-------|------|------|
| JT                                | LOC.    | LC1  | MAX- | MAX+ | FACE  | DIR. | TYPE  | HEEL | CONN |
| J                                 | 27-4-10 | -397 | -397 | ---  | FRONT | VERT | TOTAL | ---  | C1   |

AUTOSOLVE HEELS OFF

|          |            |          |     |                      |              |
|----------|------------|----------|-----|----------------------|--------------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.     |
| 318400   | H41A       |          | 3   | TRUSS DESC. JT 45147 | E20035228(2) |

PLATES (table is in inches)

| JT | TYPE     | PLATES | W   | LEN | Y    | X    |
|----|----------|--------|-----|-----|------|------|
| A  | TMV+p    | MT20   | 2.0 | 4.0 |      |      |
| B  | TMWW-t   | MT20   | 4.0 | 6.0 | 1.75 | 1.75 |
| C  | TTWW-m   | MT20   | 5.0 | 6.0 | 2.00 | 2.25 |
| D  | TMWW-t   | MT20   | 4.0 | 4.0 | 1.50 | 2.00 |
| E  | TMW+w    | MT20   | 2.0 | 4.0 |      |      |
| F  | TMWW+t   | MT20   | 4.0 | 6.0 | 2.00 | 2.00 |
| G  | TS-t     | MT20   | 3.0 | 6.0 |      |      |
| H  | TMW+w    | MT20   | 2.0 | 4.0 |      |      |
| I  | TMWW-t   | MT20   | 4.0 | 4.0 | 1.50 | 2.00 |
| J  | TTWW-m   | MT20   | 5.0 | 6.0 | 2.00 | 2.25 |
| K  | TMWW-t   | MT20   | 4.0 | 6.0 | 1.75 | 1.75 |
| L  | TMV+p    | MT20   | 2.0 | 4.0 |      |      |
| N  | BMVW1-t  | MT20   | 5.0 | 6.0 | 2.50 | 2.75 |
| O  | BMWW+t   | MT20   | 4.0 | 6.0 |      |      |
| P  | BMWW-t   | MT20   | 4.0 | 4.0 | 2.00 | 1.50 |
| Q  | BS-t     | MT20   | 4.0 | 6.0 |      |      |
| R  | BMWWW+t  | MT20   | 8.0 | 9.0 | Edge | 4.00 |
| S  | BMWWW1+t | MT20   | 8.0 | 9.0 | Edge | 4.00 |
| T  | BS-t     | MT20   | 4.0 | 6.0 |      |      |
| U  | BMWW-t   | MT20   | 4.0 | 4.0 | 2.00 | 1.50 |
| V  | BMWW+t   | MT20   | 4.0 | 6.0 |      |      |
| W  | BMVW1-t  | MT20   | 5.0 | 6.0 | 2.50 | 2.75 |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

PATTERN-LOADING CHECK APPLIED TO THIS TRUSS.

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

| PLATE | GRIP(DRY) | SHEAR | SECTION            |
|-------|-----------|-------|--------------------|
|       | (PS)      | (PL)  | (PL)               |
|       | MAX       | MIN   | MAX MIN            |
| MT20  | 650       | 371   | 1747 788 1987 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.90 (F) (INPUT = 0.90 )

JSI METAL= 0.95 (F) (INPUT = 1.00 )

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:57:57 2020 Page 1




JSI GRIP= 0.90 (G) (INPUT = 0.90 )  
JSI METAL= 0.40 (J) (INPUT = 1.00 )

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H8G        |          | 1   | TRUSS DESC. JT 45147 | E20035234 |

Alpa Roof Truss, Maple

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:57:58 2020 Page 1

ID:MF8iiriaTok7DlbpT4B71Xys4PG-COidwtpUIT9QxqvWVmAZq6ERHdFk7zSlmCaQkuzXk\$



TOTAL WEIGHT = 140 lb

[M]

| LUMBER                |            |        |        |     |
|-----------------------|------------|--------|--------|-----|
| N. L. G. A. RULES     |            |        |        |     |
| CHORDS                | SIZE       | LUMBER | DESCR. |     |
| AD- A                 | 2x4        | DRY    | No.2   | SPF |
| A - H                 | 2x4        | DRY    | No.2   | SPF |
| H - O                 | 2x4        | DRY    | No.2   | SPF |
| AD- U                 | 2x4        | DRY    | No.2   | SPF |
| U - P                 | 2x4        | DRY    | No.2   | SPF |
| P - O                 | 2x4        | DRY    | No.2   | SPF |
| ALL WEBS EXCEPT       | 2x3        | DRY    | No.2   | SPF |
| ALL GABLE WEBS        | 2x3        | DRY    | No.2   | SPF |
| DRY: SEASONED LUMBER. |            |        |        |     |
| GABLE STUDS SPACED AT | 2'-0" O.C. |        |        |     |

| PLATES (table is in inches)                                       |        |        |     |               |
|-------------------------------------------------------------------|--------|--------|-----|---------------|
| JT                                                                | TYPE   | PLATES | W   | LEN Y X       |
| A                                                                 | TMV+p  | MT20   | 2.0 | 4.0           |
| B, C, D, E, F, G, J, K, L, M, N                                   | TMW+w  | MT20   | 2.0 | 4.0           |
| H                                                                 | TTW-m  | MT20   | 5.0 | 6.0 Edge 2.00 |
| I                                                                 | TMV+p  | MT20   | 2.0 | 4.0           |
| P                                                                 | BMV1+p | MT20   | 2.0 | 4.0           |
| Q, R, S, T, V, W, X, Y, Z, AA, AB, AC                             | BMW1+w | MT20   | 2.0 | 4.0           |
| U                                                                 | BS-t   | MT20   | 3.0 | 6.0           |
| AD                                                                | BMV1+p | MT20   | 2.0 | 4.0           |
| Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD. |        |        |     |               |

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

**BEARINGS**

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

**BRACING**

FOR SECTION H-O, MAX. PURLIN SPACING = 2.00 FT.

FOR OTHER SECTIONS, TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

2x4 DRY SPF No.2 T-BRACE AT O-P, N-Q, M-R, L-S, K-T, J-V, I-W, G-X

FASTEN T AND I-BRACES TO NARROW EDGE OF WEB WITH ONE ROW PER PLY OF 3" COMMON WIRE NAILS @ 6" O.C. WITH 3" MINIMUM END DISTANCE. BRACE MUST COVER 90% OF WEB LENGTH.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

**LOADING**

TOTAL LOAD CASES: (4)

| CHORDS |                           |                           |                          | WEBS  |                           |                          |  |
|--------|---------------------------|---------------------------|--------------------------|-------|---------------------------|--------------------------|--|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX UNBRACED LENGTH (LC) | MEMB. | MAX. FACTORED FORCE (LBS) | MAX UNBRACED LENGTH (LC) |  |
| FR-TO  |                           | FROM TO                   |                          | FR-TO |                           |                          |  |
| AD-A   | -58 / 0                   | 0.0 0.0 0.01 (1)          | 7.81                     | Q-N   | -111 / 0                  | 0.09 (1)                 |  |
| A-B    | -19 / 0                   | -78.0 -78.0 0.03 (1)      | 6.25                     | R-M   | -182 / 0                  | 0.14 (1)                 |  |
| B-C    | -14 / 0                   | -78.0 -78.0 0.04 (1)      | 6.25                     | S-L   | -170 / 0                  | 0.13 (1)                 |  |
| C-D    | -11 / 0                   | -78.0 -78.0 0.04 (1)      | 6.25                     | T-K   | -171 / 0                  | 0.13 (1)                 |  |
| D-E    | -7 / 0                    | -78.0 -78.0 0.04 (1)      | 10.00                    | V-J   | -171 / 0                  | 0.13 (1)                 |  |
| E-F    | -5 / 0                    | -78.0 -78.0 0.04 (1)      | 10.00                    | W-I   | -169 / 0                  | 0.13 (1)                 |  |
| F-G    | -2 / 0                    | -78.0 -78.0 0.04 (1)      | 10.00                    | X-G   | -158 / 0                  | 0.09 (1)                 |  |
| G-H    | -8 / 0                    | -78.0 -78.0 0.04 (1)      | 10.00                    | Y-F   | -154 / 0                  | 0.16 (1)                 |  |
| H-I    | 0 / 2                     | -85.5 -85.5 0.04 (1)      | 2.00                     | Z-E   | -155 / 0                  | 0.09 (1)                 |  |
| I-J    | 0 / 0                     | -85.5 -85.5 0.04 (1)      | 2.00                     | AA-D  | -153 / 0                  | 0.05 (1)                 |  |
| J-K    | 0 / 0                     | -85.5 -85.5 0.04 (1)      | 2.00                     | AB-C  | -158 / 0                  | 0.03 (1)                 |  |
| K-AE   | 0 / 0                     | -85.5 -85.5 0.04 (1)      | 2.00                     | AC-B  | -130 / 0                  | 0.02 (1)                 |  |
| AE-L   | 0 / 0                     | -85.5 -85.5 0.04 (1)      | 2.00                     |       |                           |                          |  |
| L-M    | 0 / 0                     | -85.5 -85.5 0.04 (1)      | 2.00                     |       |                           |                          |  |
| M-N    | 0 / 0                     | -85.5 -85.5 0.04 (1)      | 2.00                     |       |                           |                          |  |
| N-O    | 0 / 0                     | -85.5 -85.5 0.01 (1)      | 2.00                     |       |                           |                          |  |
| AD-AC  | 0 / 19                    | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| AC-AB  | 0 / 13                    | -18.5 -18.5 0.02 (4)      | 10.00                    |       |                           |                          |  |
| AB-AA  | 0 / 9                     | -18.5 -18.5 0.02 (4)      | 10.00                    |       |                           |                          |  |
| AA-Z   | 0 / 6                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| Z-Y    | 0 / 4                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| Y-X    | 0 / 2                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| X-W    | 0 / 0                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| W-V    | 0 / 0                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| V-U    | 0 / 0                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| U-T    | 0 / 0                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| T-S    | 0 / 0                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| S-R    | 0 / 0                     | -18.5 -18.5 0.02 (4)      | 10.00                    |       |                           |                          |  |
| R-Q    | 0 / 0                     | -18.5 -18.5 0.02 (4)      | 10.00                    |       |                           |                          |  |
| Q-P    | 0 / 0                     | -18.5 -18.5 0.01 (4)      | 10.00                    |       |                           |                          |  |
| P-O    | -22 / 0                   | 0.0 0.0 0.01 (1)          | 7.81                     |       |                           |                          |  |

**DESIGN CRITERIA**

SPECIFIED LOADS:

|            |    |      |      |     |
|------------|----|------|------|-----|
| TOP CH.    | LL | =    | 21.0 | PSF |
|            | DL | =    | 6.0  | PSF |
| BOT CH.    | LL | =    | 0.0  | PSF |
|            | DL | =    | 7.4  | PSF |
| TOTAL LOAD | =  | 34.4 | PSF  |     |

**SPACING = 24.0 IN. C/C**

LOADING IN FLAT SECTION BASED ON PIGGYBACK TRUSS WITH SLOPES OF 6.00/12 AND -6.00/12 AND RESPECTIVE WALL HEIGHTS OF 0-0 AND 0-0 AND AN ADDITIONAL DEAD LOAD OF 3.0 P.S.F.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.04/1.00 (L-M:1) , BC=0.02/1.00 (AB-AC:4) , WB=0.16/1.00 (F-Y:1) , SSI=0.07/1.00 (M-N:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

| NAIL VALUES |           |         |         |               |
|-------------|-----------|---------|---------|---------------|
| PLATE       | GRIP(DRY) | SHEAR   | SECTION |               |
|             | (PSI)     | (PLI)   | (PLI)   |               |
|             | MAX MIN   | MAX MIN | MAX MIN |               |
| MT20        | 650       | 371     | 1747    | 788 1987 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.38 (F) (INPUT = 0.90 )


JSI METAL= 0.08 (G) (INPUT = 1.00 )

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H9P        |          | 1   | TRUSS DESC. JT 45147 | E20035235 |

Alpa Roof Truss, Maple

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:57:59 2020 Page 1

ID:MF8iiriaTok7DlbpT4B71Xys4PG-gaG?8Dq63mHHZqUi2UhoMJmbs1ZqsShR?sKzGKzXk\$0c




TOTAL WEIGHT = 37 lb

[M]

|                                 |  |  |  |  |                                                                                               |  |  |  |  |                                                                                                    |  |  |  |  |
|---------------------------------|--|--|--|--|-----------------------------------------------------------------------------------------------|--|--|--|--|----------------------------------------------------------------------------------------------------|--|--|--|--|
| LUMBER                          |  |  |  |  | DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER |  |  |  |  | DESIGN CRITERIA                                                                                    |  |  |  |  |
| N. L. G. A. RULES               |  |  |  |  |                                                                                               |  |  |  |  | SPECIFIED LOADS:                                                                                   |  |  |  |  |
| CHORDS SIZE LUMBER DESCR.       |  |  |  |  |                                                                                               |  |  |  |  | TOP CH. LL = 21.0 PSF                                                                              |  |  |  |  |
| A - C 2x4 DRY No.2 SPF          |  |  |  |  |                                                                                               |  |  |  |  | DL = 6.0 PSF                                                                                       |  |  |  |  |
| C - G 2x4 DRY No.2 SPF          |  |  |  |  | THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.                                                  |  |  |  |  | BOT CH. LL = 0.0 PSF                                                                               |  |  |  |  |
| H - G 2x4 DRY No.2 SPF          |  |  |  |  |                                                                                               |  |  |  |  | DL = 7.4 PSF                                                                                       |  |  |  |  |
| B - H 2x4 DRY No.2 SPF          |  |  |  |  | THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.                                          |  |  |  |  | TOTAL LOAD = 34.4 PSF                                                                              |  |  |  |  |
| ALL WEBS 2x3 DRY No.2 SPF       |  |  |  |  | BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)                                         |  |  |  |  | SPACING = 24.0 IN. C/C                                                                             |  |  |  |  |
| ALL GABLE WEBS 2x3 DRY No.2 SPF |  |  |  |  | BRACING                                                                                       |  |  |  |  |                                                                                                    |  |  |  |  |
| DRY: SEASONED LUMBER.           |  |  |  |  | TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.                                    |  |  |  |  |                                                                                                    |  |  |  |  |
|                                 |  |  |  |  | MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.               |  |  |  |  |                                                                                                    |  |  |  |  |
| GABLE STUDS SPACED AT 2-0-0 OC. |  |  |  |  | ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.                    |  |  |  |  | LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM                                        |  |  |  |  |
|                                 |  |  |  |  | LOADING                                                                                       |  |  |  |  | THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015         |  |  |  |  |
| TOTAL LOAD CASES: (4)           |  |  |  |  |                                                                                               |  |  |  |  | THIS DESIGN COMPLIES WITH:                                                                         |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | - PART 9 OF CBC 2018, ABC 2019                                                                     |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | - PART 9 OF OBC 2012 (2019 AMENDMENT)                                                              |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | - CSA 086-14                                                                                       |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | - TPIC 2014                                                                                        |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | (55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | CSI: TC=0.12/1.00 (C-N:1), BC=0.10/1.00 (B-M:1), WB=0.03/1.00 (D-K:1), SSI=0.18/1.00 (B-M:1)       |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10                             |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | COMPANION LIVE LOAD FACTOR = 1.00                                                                  |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT . |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | NAIL VALUES                                                                                        |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | PLATE GRIP(DRY) SHEAR SECTION                                                                      |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | (PSI) (PLI) (PLI)                                                                                  |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | MAX MIN MAX MIN MAX MIN                                                                            |  |  |  |  |
|                                 |  |  |  |  |                                                                                               |  |  |  |  | MT20 650 371 1747 788 1987 1873                                                                    |  |  |  |  |

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2

Y. WIDYA  
100225448  
03/24/2020  
PROVINCE OF ONTARIO



| LUMBER                |      |     |        | DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER |                |                |          | DESIGN CRITERIA  |       |              |          |
|-----------------------|------|-----|--------|-----------------------------------------------------------------------------------------------|----------------|----------------|----------|------------------|-------|--------------|----------|
| N. L. G. A. RULES     |      |     |        | BEARINGS                                                                                      |                |                |          | SPECIFIED LOADS: |       |              |          |
| CHORDS                | SIZE |     | LUMBER | DESCR.                                                                                        | FACTORED       | MAXIMUM        | FACTORED | INPUT            | REQRD | TOP          | CH. LL = |
| A - D                 | 2x4  | DRY | No.2   | SPF                                                                                           | GROSS REACTION | GROSS REACTION | DOWN     | BRG              | BRG   | DL =         | 21.0 PSF |
| D - E                 | 2x4  | DRY | No.2   | SPF                                                                                           | VERT           | HORZ           | HORZ     | IN-SX            | IN-SX | BOT          | CH. LL = |
| F - E                 | 2x4  | DRY | No.2   | SPF                                                                                           | F              | 178            | 0        | 178              | 0     | DL =         | 0.0 PSF  |
| B - F                 | 2x4  | DRY | No.2   | SPF                                                                                           | B              | 328            | 0        | 328              | 0     | DL =         | 7.4 PSF  |
|                       |      |     |        |                                                                                               | G              | 663            | 0        | 663              | 0     | TOTAL LOAD = | 34.4 PSF |
| ALL WEBS              | 2x3  | DRY | No.2   | SPF                                                                                           |                |                |          |                  |       |              |          |
| DRY: SEASONED LUMBER. |      |     |        |                                                                                               |                |                |          |                  |       |              |          |

| PLATES (table is in inches) |          |      |     | UNFACTORED REACTIONS |   |           |                               | LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM |       |       |         |
|-----------------------------|----------|------|-----|----------------------|---|-----------|-------------------------------|-------------------------------------------------------------|-------|-------|---------|
| JT TYPE                     | PLATES   | W    | LEN | Y                    | X | 1ST LCASE | MAX./MIN. COMPONENT REACTIONS |                                                             |       |       |         |
| B                           | TMB1-I   | MT20 | 3.0 | 4.0                  |   | F         | 127                           | 79 / 0                                                      | 0 / 0 | 0 / 0 | 48 / 0  |
| C                           | TMW+w    | MT20 | 2.0 | 4.0                  |   | B         | 233                           | 149 / 0                                                     | 0 / 0 | 0 / 0 | 84 / 0  |
| D                           | TTW+m    | MT20 | 3.0 | 4.0                  |   | G         | 473                           | 286 / 0                                                     | 0 / 0 | 0 / 0 | 187 / 0 |
| E                           | TMVW-t   | MT20 | 3.0 | 4.0                  |   |           |                               |                                                             |       |       |         |
| F                           | BMV1+p   | MT20 | 2.0 | 4.0                  |   |           |                               |                                                             |       |       |         |
| G                           | BMWWW1-t | MT20 | 4.0 | 6.0                  |   |           |                               |                                                             |       |       |         |

| BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, B, G                    |                           |                           |                        | THIS DESIGN COMPLIES WITH:                                                                         |                           |                        |          |
|----------------------------------------------------------------------------------|---------------------------|---------------------------|------------------------|----------------------------------------------------------------------------------------------------|---------------------------|------------------------|----------|
| BRACING                                                                          |                           |                           |                        | - PART 9 OF BCBC 2018, ABC 2019                                                                    |                           |                        |          |
| TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.                       |                           |                           |                        | - PART 9 OF OBC 2012 (2019 AMENDMENT)                                                              |                           |                        |          |
| MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED. |                           |                           |                        | - CSA 086-14                                                                                       |                           |                        |          |
| ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.       |                           |                           |                        | - TPIC 2014                                                                                        |                           |                        |          |
| LOADING                                                                          |                           |                           |                        | (55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD |                           |                        |          |
| TOTAL LOAD CASES: (4)                                                            |                           |                           |                        | CSI: TC=0.34/1.00 (D-E:1), BC=0.18/1.00 (G-H:4), WB=0.11/1.00 (D-G:1), SSI=0.15/1.00 (B-I:4)       |                           |                        |          |
| CHORDS                                                                           |                           |                           |                        | WEBS                                                                                               |                           |                        |          |
| MEMB.                                                                            | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. FACTORED CSI (LC) | MEMB.                                                                                              | MAX. FACTORED FORCE (LBS) | MAX. FACTORED CSI (LC) |          |
| FR-TO                                                                            |                           | FROM TO                   | LENGTH                 | FR-TO                                                                                              |                           |                        |          |
| A-B                                                                              | 0 / 13                    | -78.0 -78.0               | 0.02 (1)               | 10.00                                                                                              | G-D                       | -336 / 0               | 0.11 (1) |
| B-I                                                                              | -382 / 0                  | -78.0 -78.0               | 0.11 (4)               | 6.25                                                                                               | G-E                       | -73 / 0                | 0.06 (1) |
| I-C                                                                              | -240 / 0                  | -78.0 -78.0               | 0.15 (1)               | 6.25                                                                                               | C-G                       | -312 / 0               | 0.10 (1) |
| C-D                                                                              | 0 / 39                    | -78.0 -78.0               | 0.16 (1)               | 10.00                                                                                              | H-I                       | 0 / 179                | 0.00 (1) |
| D-E                                                                              | 0 / 54                    | -78.0 -78.0               | 0.34 (1)               | 10.00                                                                                              |                           |                        |          |
| F-E                                                                              | -147 / 0                  | 0.0                       | 0.05 (1)               | 7.81                                                                                               |                           |                        |          |
| B-H                                                                              | 0 / 226                   | -18.5 -18.5               | 0.09 (4)               | 10.00                                                                                              |                           |                        |          |
| H-G                                                                              | 0 / 226                   | -18.5 -18.5               | 0.18 (4)               | 10.00                                                                                              |                           |                        |          |
| G-F                                                                              | 0 / 0                     | -18.5 -18.5               | 0.16 (4)               | 10.00                                                                                              |                           |                        |          |

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2

Scale = 1:26.7

TOTAL WEIGHT = 45 lb [M]

DESIGN CRITERIA

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.34/1.00 (D-E:1), BC=0.18/1.00 (G-H:4), WB=0.11/1.00 (D-G:1), SSI=0.15/1.00 (B-I:4)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

| PLATE | GRIP(DRY) | SHEAR | SECTION |
|-------|-----------|-------|---------|
| (PSI) | (PLI)     | (PLI) | (PLI)   |
| MAX   | MIN       | MAX   | MIN     |
| MT20  | 650       | 371   | 1747    |
|       | 788       | 1987  | 1873    |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.37 (D) (INPUT = 0.90 )


JSI METAL= 0.13 (C) (INPUT = 1.00 )

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H11P       |          | 1   | TRUSS DESC. JT 45147 | E20035237 |

Alpa Roof Truss, Maple

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:00 2020 Page 1

ID:MF8iiriaTok7DlbpT4B71Xys4PG-8nqNLZrqp4Q8B 3vcBC1vXJi5RuRbtsbEW3WpzmXk5b



|                       |      |        |      |
|-----------------------|------|--------|------|
| <b>LUMBER</b>         |      |        |      |
| N. L. G. A. RULES     |      |        |      |
| CHORDS                | SIZE | LUMBER |      |
| A - D                 | 2x4  | DRY    | No.2 |
| D - E                 | 2x4  | DRY    | No.2 |
| F - E                 | 2x4  | DRY    | No.2 |
| B - F                 | 2x4  | DRY    | No.2 |
| ALL WEBS 2x3 DRY No.2 |      |        |      |
| DRY: SEASONED LUMBER. |      |        |      |

|                                    |          |        |     |     |           |
|------------------------------------|----------|--------|-----|-----|-----------|
| <b>PLATES (table is in inches)</b> |          |        |     |     |           |
| JT                                 | TYPE     | PLATES | W   | LEN | Y X       |
| B                                  | TMB1-I   | MT20   | 3.0 | 4.0 |           |
| C                                  | TMWW-t   | MT20   | 3.0 | 4.0 | 1.50 1.50 |
| D                                  | TTW+m    | MT20   | 3.0 | 4.0 |           |
| E                                  | TMV+p    | MT20   | 2.0 | 4.0 |           |
| F                                  | BMVWW1-t | MT20   | 4.0 | 6.0 |           |
| G                                  | BMW1+w   | MT20   | 2.0 | 4.0 |           |

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

|                 |  |                |      |                  |      |        |                  |         |  |
|-----------------|--|----------------|------|------------------|------|--------|------------------|---------|--|
| <b>BEARINGS</b> |  | FACTORED       |      | MAXIMUM FACTORED |      | INPUT  |                  | REQRD   |  |
|                 |  | GROSS REACTION |      | GROSS REACTION   |      | BRG    |                  | BRG     |  |
| JT              |  | VERT           | HORZ | DOWN             | HORZ | UPLIFT | IN-SX            | IN-SX   |  |
| F               |  | 305            | 0    | 305              | 0    | 0      | 11-7-1 ( 11-6-14 | 11-6-14 |  |
| B               |  | 349            | 0    | 349              | 0    | 0      | 11-7-1 ( 11-6-14 | 11-6-14 |  |
| G               |  | 515            | 0    | 515              | 0    | 0      | 11-7-1 ( 11-6-14 | 11-6-14 |  |

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

**UNFACTORED REACTIONS**

|           |          |                               |       |           |       |         |       |
|-----------|----------|-------------------------------|-------|-----------|-------|---------|-------|
| 1ST LCASE |          | MAX./MIN. COMPONENT REACTIONS |       |           |       |         |       |
| JT        | COMBINED | SNOW                          | LIVE  | PERM.LIVE | WIND  | DEAD    | SOIL  |
| F         | 216      | 140 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 76 / 0  | 0 / 0 |
| B         | 246      | 164 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 82 / 0  | 0 / 0 |
| G         | 370      | 209 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 161 / 0 | 0 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, B, G

**BRACING**

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-F.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

**LOADING**

TOTAL LOAD CASES: (4)

|               |  |                           |                           |                      |       |  |                           |
|---------------|--|---------------------------|---------------------------|----------------------|-------|--|---------------------------|
| <b>CHORDS</b> |  |                           |                           | <b>WEBS</b>          |       |  |                           |
| MEMB.         |  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. UNBRACED LENGTH | MEMB. |  | MAX. FACTORED FORCE (LBS) |
| FR-TO         |  |                           | FROM TO                   | CSI (LC)             | FR-TO |  | MAX. CSI (LC)             |
| A-B           |  | 0 / 13                    | -78.0 -78.0               | 0.02 (1)             | G-C   |  | -355 / 0                  |
| B-I           |  | -59 / 0                   | -78.0 -78.0               | 0.07 (1)             | D-F   |  | -164 / 0                  |
| I-C           |  | -129 / 0                  | -78.0 -78.0               | 0.34 (1)             | C-F   |  | -120 / 0                  |
| C-D           |  | -57 / 0                   | -78.0 -78.0               | 0.34 (1)             | H-I   |  | -329 / 0                  |
| D-E           |  | 0 / 0                     | -78.0 -78.0               | 0.01 (1)             |       |  | 10.00                     |
| F-E           |  | -40 / 0                   | 0.0 0.0                   | 0.01 (1)             |       |  | 6.25                      |
| B-H           |  | 0 / 124                   | -18.5 -18.5               | 0.17 (1)             |       |  | 10.00                     |
| H-G           |  | 0 / 124                   | -18.5 -18.5               | 0.19 (4)             |       |  | 10.00                     |
| G-F           |  | 0 / 124                   | -18.5 -18.5               | 0.19 (4)             |       |  | 10.00                     |

**DESIGN CRITERIA**

|                  |    |   |          |
|------------------|----|---|----------|
| SPECIFIED LOADS: |    |   |          |
| TOP CH.          | LL | = | 21.0 PSF |
|                  | DL | = | 6.0 PSF  |
| BOT CH.          | LL | = | 0.0 PSF  |
|                  | DL | = | 7.4 PSF  |
| TOTAL LOAD       |    | = | 34.4 PSF |

**SPACING = 24.0 IN. C/C**

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF CBC 2018, ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.34/1.00 (C-I:1) , BC=0.19/1.00 (G-H:4) , WB=0.16/1.00 (D-F:1) , SSI=0.27/1.00 (B-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

|                 |         |          |           |
|-----------------|---------|----------|-----------|
| NAIL VALUES     |         |          |           |
| PLATE GRIP(DRY) | SHEAR   | SECTION  |           |
| (PSI)           | (PLI)   | (PLI)    |           |
| MAX MIN         | MAX MIN | MAX MIN  |           |
| MT20            | 650 371 | 1747 788 | 1987 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.42 (C) (INPUT = 0.90 )  
JSI METAL= 0.08 (C) (INPUT = 1.00 )

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H12P       |          | 1   | TRUSS DESC. JT 45147 | E20035238 |

Alpa Roof Truss, Maple

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:01 2020 Page 1

ID:MF8iiriaTok7DlbpT4B71Xys4PG-czOIzUsMaNY?o8e5AuiGRkrsarEiKKJkSAp4LDzXk5a



|                                                          |     |     |      |                                   |                                |
|----------------------------------------------------------|-----|-----|------|-----------------------------------|--------------------------------|
| <b>LUMBER</b><br>N. L. G. A. RULES<br>CHORDS SIZE LUMBER |     |     |      | DESCR.<br>\$SPF<br>\$SPF<br>\$SPF | TOTAL WEIGHT = 5 X 47 = 234 lb |
| A - D                                                    | 2x4 | DRY | No.2 |                                   |                                |
| E - D                                                    | 2x4 | DRY | No.2 |                                   |                                |
| B - E                                                    | 2x4 | DRY | No.2 |                                   |                                |
| ALL WEBS                                                 | 2x3 | DRY | No.2 | \$SPF                             |                                |
| DRY: SEASONED LUMBER.                                    |     |     |      |                                   |                                |

| PLATES (table is in inches) |         |        |     |     |      |      |
|-----------------------------|---------|--------|-----|-----|------|------|
| JT                          | TYPE    | PLATES | W   | LEN | Y    | X    |
| B                           | TMB1-I  | MT20   | 3.0 | 4.0 |      | Edge |
| C                           | TMWW-t  | MT20   | 3.0 | 4.0 | 1.50 | 1.50 |
| D                           | TMV+p   | MT20   | 2.0 | 4.0 |      |      |
| E                           | BMVW1-t | MT20   | 3.0 | 4.0 |      |      |
| F                           | BMW1+w  | MT20   | 2.0 | 4.0 |      |      |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

| FACTORED GROSS REACTION |      | MAXIMUM FACTORED GROSS REACTION |      | INPUT BRG |         | REQRD BRG |       |
|-------------------------|------|---------------------------------|------|-----------|---------|-----------|-------|
| JT                      | VERT | JT                              | VERT | JT        | VERT    | JT        | VERT  |
| E                       | 313  | E                               | 313  | E         | 11-5-13 | E         | 2-2-9 |
| B                       | 342  | B                               | 342  | B         | 11-5-13 | B         | 2-2-9 |
| F                       | 512  | F                               | 512  | F         | 11-5-13 | F         | 2-2-9 |

**UNFACTORED REACTIONS**

| 1ST LCASE |          | MAX./MIN. COMPONENT REACTIONS |          | WIND |          | DEAD |          | SOIL |          |
|-----------|----------|-------------------------------|----------|------|----------|------|----------|------|----------|
| JT        | COMBINED | JT                            | COMBINED | JT   | COMBINED | JT   | COMBINED | JT   | COMBINED |
| E         | 222      | E                             | 222      | E    | 0/0      | E    | 80/0     | E    | 0/0      |
| B         | 241      | B                             | 241      | B    | 0/0      | B    | 80/0     | B    | 0/0      |
| F         | 367      | F                             | 367      | F    | 0/0      | F    | 156/0    | F    | 0/0      |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, B, F

**BRACING**

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF D-E.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

**LOADING**

TOTAL LOAD CASES: (4)

| CHORDS |                           |                           |                        | WEBS  |                           |                        |  |
|--------|---------------------------|---------------------------|------------------------|-------|---------------------------|------------------------|--|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. FACTORED CSI (LC) | MEMB. | MAX. FACTORED FORCE (LBS) | MAX. FACTORED CSI (LC) |  |
| FR-TO  |                           | FROM TO                   |                        | FR-TO |                           |                        |  |
| A-B    | 0 / 14                    | -78.0 -78.0               | 0.03 (1)               | F-C   | -363 / 0                  | 0.09 (1)               |  |
| B-H    | -94 / 0                   | -78.0 -78.0               | 0.05 (1)               | C-E   | -163 / 0                  | 0.15 (1)               |  |
| H-C    | -139 / 0                  | -78.0 -78.0               | 0.42 (1)               | G-H   | -248 / 11                 | 0.00 (1)               |  |
| C-D    | -28 / 0                   | -78.0 -78.0               | 0.42 (1)               |       |                           |                        |  |
| E-D    | -187 / 0                  | 0.0 0.0                   | 0.05 (1)               |       |                           |                        |  |
| B-G    | 0 / 139                   | -18.5 -18.5               | 0.11 (1)               |       |                           |                        |  |
| G-F    | 0 / 139                   | -18.5 -18.5               | 0.19 (4)               |       |                           |                        |  |
| F-E    | 0 / 139                   | -18.5 -18.5               | 0.19 (4)               |       |                           |                        |  |

**DESIGN CRITERIA**

| SPECIFIED LOADS:      |    |   |          |
|-----------------------|----|---|----------|
| TOP CH.               | LL | = | 21.0 PSF |
|                       | DL | = | 6.0 PSF  |
| BOT CH.               | LL | = | 0.0 PSF  |
|                       | DL | = | 7.4 PSF  |
| TOTAL LOAD = 34.4 PSF |    |   |          |

SPACING = 24.0 IN./C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF BCBC 2018, ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.42/1.00 (C-H:1), BC=0.19/1.00 (F-G:4), WB=0.15/1.00 (C-E:1), SSI=0.21/1.00 (B-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

| NAIL VALUES |           |       |                    |
|-------------|-----------|-------|--------------------|
| PLATE       | GRIP(DRY) | SHEAR | SECTION            |
|             | (PSI)     | (PLI) | (PLI)              |
| MT20        | 650       | 371   | 1747 788 1987 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.43 (C) (INPUT = 0.90 )  
JSI METAL= 0.10 (D) (INPUT = 1.00 )


LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:02 2020 Page 1

CONTINUED ON PAGE 2

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H14        |          | 1   | TRUSS DESC. JT 45147 | E20035240 |



|                   |      |        |        |     |
|-------------------|------|--------|--------|-----|
| <b>LUMBER</b>     |      |        |        |     |
| N. L. G. A. RULES |      |        |        |     |
| CHORDS            | SIZE | LUMBER | DESCR. |     |
| P - A             | 2x4  | DRY    | No.2   | SPF |
| A - B             | 2x4  | DRY    | No.2   | SPF |
| B - C             | 2x4  | DRY    | No.2   | SPF |
| C - E             | 2x4  | DRY    | No.2   | SPF |
| E - F             | 2x4  | DRY    | No.2   | SPF |
| F - G             | 2x4  | DRY    | No.2   | SPF |
| G - I             | 2x4  | DRY    | No.2   | SPF |
| J - H             | 2x4  | DRY    | No.2   | SPF |
| P - M             | 2x4  | DRY    | No.2   | SPF |
| M - J             | 2x4  | DRY    | No.2   | SPF |
| ALL WEBS          | 2x3  | DRY    | No.2   | SPF |
| EXCEPT            |      |        |        |     |
| C - M             | 2x4  | DRY    | No.2   | SPF |
| M - E             | 2x4  | DRY    | No.2   | SPF |

DRY: SEASONED LUMBER.

|                                    |         |        |     |     |           |
|------------------------------------|---------|--------|-----|-----|-----------|
| <b>PLATES (table is in inches)</b> |         |        |     |     |           |
| JT                                 | TYPE    | PLATES | W   | LEN | Y X       |
| A                                  | TMVW-t  | MT20   | 4.0 | 6.0 | 1.50 3.00 |
| B                                  | TTWW+m  | MT20   | 5.0 | 6.0 | 2.50 2.50 |
| C                                  | TTWW-h  | MT20   | 6.0 | 7.0 | Edge 2.75 |
| D                                  | TMW+w   | MT20   | 2.0 | 4.0 |           |
| E                                  | TTWW-h  | MT20   | 6.0 | 7.0 | Edge 2.75 |
| F                                  | TTWW+m  | MT20   | 5.0 | 6.0 |           |
| G                                  | TTWW+m  | MT20   | 5.0 | 6.0 | 2.25 2.00 |
| H                                  | TMV+p   | MT20   | 2.0 | 4.0 |           |
| J                                  | BMVW1-t | MT20   | 3.0 | 5.0 |           |
| K                                  | BMWW-t  | MT20   | 4.0 | 4.0 | 1.50 1.50 |
| L                                  | BMWW-t  | MT20   | 4.0 | 4.0 |           |
| M                                  | BSWWW-l | MT20   | 5.0 | 8.0 | 3.00 4.00 |
| N                                  | BMWW-t  | MT20   | 4.0 | 4.0 |           |
| O                                  | BMWW-t  | MT20   | 4.0 | 6.0 | 1.50 3.00 |
| P                                  | BMV1+p  | MT20   | 2.0 | 4.0 |           |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

|                 |      |                |      |                  |        |       |       |       |  |
|-----------------|------|----------------|------|------------------|--------|-------|-------|-------|--|
| <b>BEARINGS</b> |      | FACTORED       |      | MAXIMUM FACTORED |        | INPUT |       | REQRD |  |
|                 |      | GROSS REACTION |      | GROSS REACTION   |        | BRG   |       | BRG   |  |
| JT              | VERT | HORZ           | DOWN | HORZ             | UPLIFT | IN-SX | IN-SX |       |  |
| P               | 1347 | 0              | 1347 | 0                | 0      | 5-8   | 2-0   |       |  |
| J               | 1484 | 0              | 1484 | 0                | 0      | 5-8   | 1-10  |       |  |

|                             |          |           |       |                               |         |
|-----------------------------|----------|-----------|-------|-------------------------------|---------|
| <b>UNFACTORED REACTIONS</b> |          | 1ST LCASE |       | MAX./MIN. COMPONENT REACTIONS |         |
| JT                          | COMBINED | SNOW      | LIVE  | PERM.LIVE                     | WIND    |
| P                           | 960      | 586 / 0   | 0 / 0 | 0 / 0                         | 375 / 0 |
| J                           | 1055     | 659 / 0   | 0 / 0 | 0 / 0                         | 396 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, J

**BRACING**  
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.11 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

**LOADING**  
TOTAL LOAD CASES: (4)

|                                 |           |                                 |           |
|---------------------------------|-----------|---------------------------------|-----------|
| <b>CHORDS</b>                   |           | <b>WEBS</b>                     |           |
| MEMB. MAX. FACTORED FORCE (LBS) |           | MEMB. MAX. FACTORED FORCE (LBS) |           |
| FR-TO                           |           | FR-TO                           |           |
| P-A                             | -1310 / 0 | A-O                             | 0 / 1752  |
| A-B                             | -1255 / 0 | O-B                             | -1205 / 0 |
| B-C                             | -1499 / 0 | B-N                             | -487 / 0  |
| C-D                             | -1303 / 0 | N-C                             | 0 / 420   |
| D-E                             | -1309 / 0 | C-M                             | 0 / 567   |
| E-F                             | -1467 / 0 | M-D                             | -714 / 0  |
| F-G                             | -1114 / 0 | M-E                             | 0 / 598   |
| G-H                             | -136 / 0  | L-E                             | 0 / 391   |
| H-I                             | 0 / 52    | L-F                             | -366 / 0  |
| J-H                             | -323 / 0  | K-F                             | -1179 / 0 |
|                                 |           | K-G                             | 0 / 1490  |
|                                 |           | G-J                             | -1148 / 0 |
| P-O                             | 0 / 0     |                                 |           |
| O-N                             | 0 / 1304  |                                 |           |
| N-M                             | 0 / 905   |                                 |           |
| M-L                             | 0 / 886   |                                 |           |
| L-K                             | 0 / 1153  |                                 |           |
| K-J                             | 0 / 227   |                                 |           |

**DESIGN CRITERIA**

**SPECIFIED LOADS:**  
TOP CH. LL = 21.0 PSF  
DL = 6.0 PSF  
BOT CH. LL = 0.0 PSF  
DL = 7.4 PSF  
TOTAL LOAD = 34.4 PSF

**SPACING = 24.0 IN./C**

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF CBC 2018, ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

**DESIGN ASSUMPTIONS**  
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.93")  
CALCULATED VERT. DEFL.(LL) = L/999 (0.05")  
ALLOWABLE DEFL.(TL)= L/360 (0.93")  
CALCULATED VERT. DEFL.(TL) = L/999 (0.18")

CSI: TC=0.90/1.00 (D-E:1), BC=0.34/1.00 (N-O:4), WB=0.84/1.00 (D-M:1), SSI=0.29/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10  
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

**NAIL VALUES**  
PLATE GRIP(DRY) SHEAR SECTION  
(PSI) (PLI) (PLI)  
MAX MIN MAX MIN MAX MIN  
MT20 650 371 1747 788 1987 1873


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (E) (INPUT = 0.90 )  
JSI METAL= 0.36 (M) (INPUT = 1.00 )

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2





| LUMBER            |        |      |        |
|-------------------|--------|------|--------|
| N. L. G. A. RULES | CHORDS | SIZE | LUMBER |
| Q - A             | 2x4    | DRY  | No.2   |
| A - B             | 2x4    | DRY  | No.2   |
| B - C             | 2x4    | DRY  | No.2   |
| C - E             | 2x4    | DRY  | No.2   |
| E - F             | 2x4    | DRY  | No.2   |
| F - G             | 2x4    | DRY  | No.2   |
| G - I             | 2x4    | DRY  | No.2   |
| J - H             | 2x4    | DRY  | No.2   |
| Q - N             | 2x4    | DRY  | No.2   |
| N - J             | 2x4    | DRY  | No.2   |
| ALL WEBS EXCEPT   | 2x3    | DRY  | No.2   |
| C - N             | 2x4    | DRY  | No.2   |
| N - E             | 2x4    | DRY  | No.2   |

DRY: SEASONED LUMBER.

| PLATES (table is in inches) |         |        |     |     |           |
|-----------------------------|---------|--------|-----|-----|-----------|
| JT                          | TYPE    | PLATES | W   | LEN | Y X       |
| A                           | TMVW-t  | MT20   | 4.0 | 6.0 | 1.50 3.00 |
| B                           | TTWW+m  | MT20   | 4.0 | 6.0 | 2.50 2.00 |
| C, E, G                     |         |        |     |     |           |
| D                           | TTWW+m  | MT20   | 6.0 | 7.0 | Edge 1.50 |
| C                           | TMW+w   | MT20   | 2.0 | 4.0 |           |
| F                           | TTWW+m  | MT20   | 4.0 | 6.0 | 2.25 2.00 |
| H                           | TMVW+p  | MT20   | 4.0 | 6.0 | 2.00 2.00 |
| J                           | BMV1+p  | MT20   | 2.0 | 4.0 |           |
| K, M, O                     |         |        |     |     |           |
| K                           | BMWW-t  | MT20   | 4.0 | 4.0 |           |
| L                           | BMWW-t  | MT20   | 4.0 | 4.0 | 1.50 1.75 |
| N                           | BSWWW-l | MT20   | 5.0 | 8.0 | 3.00 4.00 |
| P                           | BMWW-t  | MT20   | 4.0 | 6.0 | 1.50 3.00 |
| Q                           | BMV1+p  | MT20   | 2.0 | 4.0 |           |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

| BEARINGS |      | FACTORED GROSS REACTION | MAXIMUM FACTORED GROSS REACTION | INPUT BRG | REQRD BRG |
|----------|------|-------------------------|---------------------------------|-----------|-----------|
| JT       | VERT | HORZ                    | DOWN                            | HORZ      | UPLIFT    |
| Q        | 1347 | 0                       | 1347                            | 0         | 0         |
| J        | 1484 | 0                       | 1484                            | 0         | 0         |

| UNFACTORED REACTIONS |          | 1ST LCASE | MAX./MIN. COMPONENT REACTIONS |
|----------------------|----------|-----------|-------------------------------|
| JT                   | COMBINED | SNOW      | LIVE                          |
| Q                    | 960      | 586 / 0   | 0 / 0                         |
| J                    | 1055     | 659 / 0   | 0 / 0                         |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, J

BRACING  
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.07 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF D-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING  
TOTAL LOAD CASES: (4)

| CHORDS |                           |                           |                | WEBS  |                           |               |          |
|--------|---------------------------|---------------------------|----------------|-------|---------------------------|---------------|----------|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. LC1 (LC)  | MEMB. | MAX. FACTORED FORCE (LBS) | MAX. LC1 (LC) |          |
| FR-TO  |                           | FROM                      | TO             | FR-TO |                           |               |          |
| Q-A    | -1312 / 0                 | 0.0                       | 0.0 0.33 (1)   | 7.06  | A-P                       | 0 / 1633      | 0.37 (1) |
| A-B    | -1122 / 0                 | -78.0                     | -78.0 0.19 (1) | 5.75  | P-B                       | -1136 / 0     | 0.28 (1) |
| B-C    | -1395 / 0                 | -78.0                     | -78.0 0.27 (1) | 5.24  | B-O                       | -430 / 0      | 0.21 (1) |
| C-D    | -1096 / 0                 | -78.0                     | -78.0 0.63 (1) | 5.07  | O-C                       | 0 / 415       | 0.09 (1) |
| D-E    | -1096 / 0                 | -78.0                     | -78.0 0.63 (1) | 5.07  | C-N                       | 0 / 431       | 0.07 (1) |
| E-F    | -1371 / 0                 | -78.0                     | -78.0 0.19 (1) | 5.36  | N-D                       | -617 / 0      | 0.34 (1) |
| F-G    | -1009 / 0                 | -78.0                     | -78.0 0.09 (1) | 6.12  | N-E                       | 0 / 455       | 0.07 (1) |
| G-H    | -813 / 0                  | -78.0                     | -78.0 0.15 (1) | 6.25  | M-E                       | 0 / 399       | 0.09 (1) |
| H-I    | 0 / 52                    | -78.0                     | -78.0 0.15 (1) | 10.00 | M-F                       | -342 / 0      | 0.18 (1) |
| J-H    | -1487 / 0                 | 0.0                       | 0.0 0.21 (1)   | 6.72  | L-F                       | -1056 / 0     | 0.35 (1) |
|        |                           |                           |                |       | L-G                       | 0 / 1204      | 0.27 (1) |
| Q-P    | 0 / 0                     | -18.5                     | -18.5 0.06 (4) | 10.00 | K-G                       | -537 / 0      | 0.18 (1) |
| P-O    | 0 / 1154                  | -18.5                     | -18.5 0.28 (1) | 10.00 | K-H                       | 0 / 762       | 0.17 (1) |
| O-N    | 0 / 842                   | -18.5                     | -18.5 0.24 (4) | 10.00 |                           |               |          |
| N-M    | 0 / 827                   | -18.5                     | -18.5 0.25 (4) | 10.00 |                           |               |          |
| M-L    | 0 / 1033                  | -18.5                     | -18.5 0.26 (4) | 10.00 |                           |               |          |
| L-K    | 0 / 435                   | -18.5                     | -18.5 0.11 (1) | 10.00 |                           |               |          |
| K-J    | 0 / 0                     | -18.5                     | -18.5 0.04 (1) | 10.00 |                           |               |          |

DESIGN CRITERIA

SPECIFIED LOADS:  
TOP CH. LL = 21.0 PSF  
DL = 6.0 PSF  
BOT CH. LL = 0.0 PSF  
DL = 7.4 PSF  
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN./C

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF CBC 2018, ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

DESIGN ASSUMPTIONS  
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.93")  
CALCULATED VERT. DEFL.(LL) = L/999 (0.05")  
ALLOWABLE DEFL.(TL)= L/360 (0.93")  
CALCULATED VERT. DEFL.(TL) = L/999 (0.14")

CSI: TC=0.63/1.00 (C-D:1), BC=0.28/1.00 (O-P:1), WB=0.37/1.00 (A-P:1), SSI=0.25/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10  
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES  
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)  
MAX MIN MAX MIN MAX MIN  
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (L) (INPUT = 0.90 )  
JSI METAL= 0.33 (B) (INPUT = 1.00 )



TOTAL WEIGHT = 169 lb

| LUMBER             |       |     |        |       |
|--------------------|-------|-----|--------|-------|
| N. L. G. A.        | RULES |     |        |       |
| CHORDS             | SIZE  |     | LUMBER | DESCR |
| Q - A              | 2x4   | DRY | No.2   | SPF   |
| A - B              | 2x4   | DRY | No.2   | SPF   |
| B - C              | 2x4   | DRY | No.2   | SPF   |
| C - E              | 2x4   | DRY | No.2   | SPF   |
| E - F              | 2x4   | DRY | No.2   | SPF   |
| F - G              | 2x4   | DRY | No.2   | SPF   |
| G - I              | 2x4   | DRY | No.2   | SPF   |
| J - H              | 2x4   | DRY | No.2   | SPF   |
| Q - N              | 2x4   | DRY | No.2   | SPF   |
| N - J              | 2x4   | DRY | No.2   | SPF   |
| ALL WEBS<br>EXCEPT | 2x3   | DRY | No.2   | SPF   |
| C - N              | 2x4   | DRY | No.2   | SPF   |
| N - E              | 2x4   | DRY | No.2   | SPF   |

DRY: SEASONED LUMBER.

| PLATES (table is in inches) |          |        |     |     |      |      |
|-----------------------------|----------|--------|-----|-----|------|------|
| JT                          | TYPE     | PLATES | W   | LEN | Y    | X    |
| A                           | TMVW-t   | MT20   | 4.0 | 6.0 | 1.50 | 3.00 |
| B                           | TTWW+m   | MT20   | 4.0 | 6.0 | 2.25 | 2.00 |
| C, E, G                     |          |        |     |     |      |      |
| C                           | TTWW+m   | MT20   | 6.0 | 7.0 | Edge | 1.50 |
| D                           | TMVW+    | MT20   | 2.0 | 4.0 |      |      |
| F                           | TTWW+m   | MT20   | 4.0 | 6.0 | 2.25 | 2.00 |
| H                           | TMVW+p   | MT20   | 4.0 | 6.0 | 2.00 | 2.00 |
| J                           | BMV1+p   | MT20   | 2.0 | 4.0 |      |      |
| K, M, O                     |          |        |     |     |      |      |
| K                           | BMWW-t   | MT20   | 4.0 | 4.0 |      |      |
| L                           | BMWW-t   | MT20   | 4.0 | 4.0 | 1.50 | 2.00 |
| N                           | BSWWWW-I | MT20   | 5.0 | 8.0 | 3.00 | 4.00 |
| P                           | BMWW-t   | MT20   | 4.0 | 4.0 | 1.50 | 1.50 |
| Q                           | BMV1+p   | MT20   | 2.0 | 4.0 |      |      |

Edge - INDICATES REFERENCE CORNER OF PLATE  
TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE  
2X4 SPF#2



**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**  
**BEARINGS**

|    | FACTORED<br>GROSS REACTION |      | MAXIMUM FACTORED<br>GROSS REACTION |      |        | INPUT<br>BRG | REQRD<br>BRG |
|----|----------------------------|------|------------------------------------|------|--------|--------------|--------------|
| JT | VERT                       | HORZ | DOWN                               | HORZ | UPLIFT | IN-SX        | IN-SX        |
| Q  | 1351                       | 0    | 1351                               | 0    | 0      | 5-8          | 2-0          |
| J  | 1480                       | 0    | 1480                               | 0    | 0      | 5-8          | 2-3          |

### UNFACTORED REACTIONS

| 1ST LCASE |          | MAX./MIN. COMPONENT REACTIONS |       |           |       |         |       |
|-----------|----------|-------------------------------|-------|-----------|-------|---------|-------|
| JT        | COMBINED | SNOW                          | LIVE  | PERM.LIVE | WIND  | DEAD    | SOIL  |
| Q         | 963      | 588 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 375 / 0 | 0 / 0 |
| J         | 1052     | 657 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 395 / 0 | 0 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, J

## BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.35 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF D-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

## LOADING

TOTAL LOAD CASES: (4)

| CHORDS |                                 |                                 |                 |                | WEBS  |                                 |                 |  |  |
|--------|---------------------------------|---------------------------------|-----------------|----------------|-------|---------------------------------|-----------------|--|--|
| MEMB.  | MAX. FACTORED<br>FORCE<br>(LBS) | FACTORED<br>VERT. LOAD<br>(PLF) | MAX<br>CSI (LC) | MAX.<br>UNBRAC | MEMB. | MAX. FACTORED<br>FORCE<br>(LBS) | MAX<br>CSI (LC) |  |  |
| FR-TO  |                                 | FROM TO                         |                 | LENGTH         | FR-TO |                                 |                 |  |  |
| Q-A    | -1314 / 0                       | 0.0                             | 0.0             | 0.58 (1)       | 7.05  | 0 / 1552                        | 0.35 (1)        |  |  |
| A-B    | -1039 / 0                       | -78.0                           | -78.0           | 0.28 (1)       | 5.79  | P-B                             | -1077 / 0       |  |  |
| B-C    | -1307 / 0                       | -78.0                           | -78.0           | 0.29 (1)       | 5.35  | B-O                             | -419 / 0        |  |  |
| C-D    | -948 / 0                        | -78.0                           | -78.0           | 0.43 (1)       | 5.75  | O-C                             | 0 / 419         |  |  |
| D-E    | -948 / 0                        | -78.0                           | -78.0           | 0.43 (1)       | 5.75  | C-N                             | 0 / 335         |  |  |
| E-F    | -1297 / 0                       | -78.0                           | -78.0           | 0.19 (1)       | 5.47  | N-D                             | -518 / 0        |  |  |
| F-G    | -952 / 0                        | -78.0                           | -78.0           | 0.09 (1)       | 6.25  | N-E                             | 0 / 348         |  |  |
| G-H    | -941 / 0                        | -78.0                           | -78.0           | 0.10 (1)       | 6.25  | M-E                             | 0 / 428         |  |  |
| H-I    | 0 / 52                          | -78.0                           | -78.0           | 0.15 (1)       | 10.00 | M-F                             | -372 / 0        |  |  |
| J-H    | -1467 / 0                       | 0.0                             | 0.0             | 0.21 (1)       | 6.76  | L-F                             | -947 / 0        |  |  |
|        |                                 |                                 |                 |                |       | L-G                             | 0 / 1041        |  |  |
| Q-P    | 0 / 0                           | -18.5                           | -18.5           | 0.07 (4)       | 10.00 | K-G                             | -402 / 0        |  |  |
| P-O    | 0 / 1063                        | -18.5                           | -18.5           | 0.23 (1)       | 10.00 | K-H                             | 0 / 738         |  |  |
| O-N    | 0 / 789                         | -18.5                           | -18.5           | 0.19 (1)       | 10.00 |                                 |                 |  |  |
| N-M    | 0 / 782                         | -18.5                           | -18.5           | 0.19 (4)       | 10.00 |                                 |                 |  |  |
| M-L    | 0 / 969                         | -18.5                           | -18.5           | 0.22 (1)       | 10.00 |                                 |                 |  |  |
| L-K    | 0 / 552                         | -18.5                           | -18.5           | 0.13 (1)       | 10.00 |                                 |                 |  |  |
| K-J    | 0 / 0                           | -18.5                           | -18.5           | 0.04 (4)       | 10.00 |                                 |                 |  |  |

## DESIGN CRITERIA

SPECIFIED LOADS:

|            |     |    |   |      |     |
|------------|-----|----|---|------|-----|
| TOP        | CH. | LL | = | 21.0 | PSF |
|            |     | DL | = | 6.0  | PSF |
| BOT        | CH. | LL | = | 0.0  | PSF |
|            |     | DL | = | 7.4  | PSF |
| TOTAL LOAD |     |    | = | 34.4 | PSF |

SPACING = 24.0 IN. C/C

LOADING IN ALL FLAT SECTIONS BASED ON A  
SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL  
OR SMALL BUILDING REQUIREMENTS OF PART  
9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.93")  
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")  
ALLOWABLE DEFL.(TL)= L/360 (0.93")  
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.12")

CSI: TC=0.58/1.00 (A-Q:1), BC=0.23/1.00 (O-P:1),  
WB=0.55/1.00 (F-L:1), SSI=0.21/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10  
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .


## NAIL VALUES

| PLATE | GRIP(DRY)<br>(PSI) |     | SHEAR<br>(PLI) |     | SECTION<br>(PLI) |      |
|-------|--------------------|-----|----------------|-----|------------------|------|
|       | MAX                | MIN | MAX            | MIN | MAX              | MIN  |
| MT20  | 650                | 371 | 1747           | 788 | 1987             | 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (P) (INPUT = 0.90 )  
JSI METAL= 0.36 (P) (INPUT = 1.00 )



**LUMBER**

| N. L. G. A. RULES | CHORDS | SIZE | LUMBER | DESCR. |
|-------------------|--------|------|--------|--------|
| A - C             | 2x4    | DRY  | No.2   | SPF    |
| C - F             | 2x4    | DRY  | No.2   | SPF    |
| F - H             | 2x4    | DRY  | No.2   | SPF    |
| H - J             | 2x4    | DRY  | No.2   | SPF    |
| S - B             | 2x4    | DRY  | No.2   | SPF    |
| K - I             | 2x4    | DRY  | No.2   | SPF    |
| S - P             | 2x4    | DRY  | No.2   | SPF    |
| P - M             | 2x4    | DRY  | No.2   | SPF    |
| M - K             | 2x4    | DRY  | No.2   | SPF    |
| ALL WEBS EXCEPT   | 2x3    | DRY  | No.2   | SPF    |

DRY: SEASONED LUMBER.

**PLATES (table is in inches)**

| JT | TYPE    | PLATES | W   | LEN | Y    | X    |
|----|---------|--------|-----|-----|------|------|
| B  | TMVW+p  | MT20   | 4.0 | 6.0 | 2.00 | 2.25 |
| C  | TTWW+m  | MT20   | 6.0 | 7.0 | Edge | 1.50 |
| D  | TMWW-t  | MT20   | 4.0 | 4.0 |      |      |
| E  | TMW+w   | MT20   | 2.0 | 4.0 |      |      |
| F  | TS-t    | MT20   | 3.0 | 6.0 |      |      |
| G  | TMWW-t  | MT20   | 4.0 | 4.0 |      |      |
| H  | TTWW+m  | MT20   | 6.0 | 7.0 | Edge | 1.50 |
| I  | TMVW+p  | MT20   | 4.0 | 6.0 | 2.00 | 2.25 |
| K  | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |
| L  | BMWW-t  | MT20   | 4.0 | 4.0 |      |      |
| M  | BS-t    | MT20   | 3.0 | 6.0 |      |      |
| N  | BMWW-t  | MT20   | 4.0 | 6.0 | 2.00 | 2.25 |
| O  | BMWWW-t | MT20   | 5.0 | 6.0 |      |      |
| P  | BS-t    | MT20   | 3.0 | 6.0 |      |      |
| Q  | BMWW-t  | MT20   | 4.0 | 6.0 | 2.00 | 2.25 |
| R  | BMWW-t  | MT20   | 4.0 | 4.0 |      |      |
| S  | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

**BEARINGS**

| JT | FACTORED GROSS REACTION | MAXIMUM FACTORED GROSS REACTION | INPUT BRG | REQRD BRG |
|----|-------------------------|---------------------------------|-----------|-----------|
| S  | 1713 0                  | 1713 0                          | 5-8       | 2-9       |
| K  | 1713 0                  | 1713 0                          | 5-8       | 2-9       |

**UNFACTORED REACTIONS**

| JT | 1ST LCASE COMBINED | MAX /MIN. COMPONENT REACTIONS | SNOW  | LIVE  | PERM.LIVE | WIND  | DEAD    | SOIL  |
|----|--------------------|-------------------------------|-------|-------|-----------|-------|---------|-------|
| S  | 1219               | 759 / 0                       | 0 / 0 | 0 / 0 | 0 / 0     | 0 / 0 | 460 / 0 | 0 / 0 |
| K  | 1219               | 759 / 0                       | 0 / 0 | 0 / 0 | 0 / 0     | 0 / 0 | 460 / 0 | 0 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

**BRACING**

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.70 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

**LOADING**

TOTAL LOAD CASES: (4)

| CHORDS |                           |                           |                      | WEBS  |                           |                      |          |
|--------|---------------------------|---------------------------|----------------------|-------|---------------------------|----------------------|----------|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX. UNBRACED LENGTH | MEMB. | MAX. FACTORED FORCE (LBS) | MAX. UNBRACED LENGTH |          |
| FR-TO  |                           |                           |                      | FR-TO |                           |                      |          |
| A-B    | 0 / 52                    | -78.0 -78.0               | 0.15 (1)             | 10.00 | R-C                       | -457 / 0             | 0.28 (1) |
| B-C    | -1134 / 0                 | -78.0 -78.0               | 0.11 (1)             | 5.85  | C-Q                       | 0 / 1615             | 0.36 (1) |
| C-D    | -1903 / 0                 | -78.0 -78.0               | 0.73 (1)             | 4.03  | Q-D                       | -910 / 0             | 0.55 (1) |
| D-E    | -2262 / 0                 | -78.0 -78.0               | 0.79 (1)             | 3.70  | D-O                       | 0 / 473              | 0.11 (1) |
| E-F    | -2262 / 0                 | -78.0 -78.0               | 0.79 (1)             | 3.70  | O-E                       | -492 / 0             | 0.30 (1) |
| F-G    | -2262 / 0                 | -78.0 -78.0               | 0.79 (1)             | 3.70  | O-G                       | 0 / 473              | 0.11 (1) |
| G-H    | -1903 / 0                 | -78.0 -78.0               | 0.73 (1)             | 4.03  | N-G                       | -910 / 0             | 0.55 (1) |
| H-I    | -1134 / 0                 | -78.0 -78.0               | 0.11 (1)             | 5.85  | N-H                       | 0 / 1615             | 0.36 (1) |
| I-J    | 0 / 52                    | -78.0 -78.0               | 0.15 (1)             | 10.00 | L-H                       | -457 / 0             | 0.28 (1) |
| S-B    | -1710 / 0                 | 0.0 0.0                   | 0.25 (1)             | 6.36  | B-R                       | 0 / 881              | 0.20 (1) |
| K-I    | -1710 / 0                 | 0.0 0.0                   | 0.25 (1)             | 6.36  | L-I                       | 0 / 881              | 0.20 (1) |
| S-R    | 0 / 0                     | -18.5 -18.5               | 0.13 (4)             | 10.00 |                           |                      |          |
| R-Q    | 0 / 666                   | -18.5 -18.5               | 0.24 (4)             | 10.00 |                           |                      |          |
| Q-P    | 0 / 1903                  | -18.5 -18.5               | 0.40 (1)             | 10.00 |                           |                      |          |
| P-O    | 0 / 1903                  | -18.5 -18.5               | 0.40 (1)             | 10.00 |                           |                      |          |
| O-N    | 0 / 1903                  | -18.5 -18.5               | 0.40 (1)             | 10.00 |                           |                      |          |
| N-M    | 0 / 666                   | -18.5 -18.5               | 0.24 (4)             | 10.00 |                           |                      |          |
| M-L    | 0 / 666                   | -18.5 -18.5               | 0.24 (4)             | 10.00 |                           |                      |          |
| L-K    | 0 / 0                     | -18.5 -18.5               | 0.13 (4)             | 10.00 |                           |                      |          |

**DESIGN CRITERIA**

**SPECIFIED LOADS:**

|            |               |
|------------|---------------|
| TOP CH.    | LL = 21.0 PSF |
|            | DL = 6.0 PSF  |
| BOT CH.    | LL = 0.0 PSF  |
|            | DL = 7.4 PSF  |
| TOTAL LOAD | = 34.4 PSF    |

**SPACING = 24.0 IN./C**

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.09")  
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")  
ALLOWABLE DEFL.(TL)= L/360 (1.09")  
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.79/1.00 (E-G:1), BC=0.40/1.00 (O-Q:1), WB=0.55/1.00 (D-Q:1), SSI=0.26/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10  
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .


**NAIL VALUES**

| PLATE | GRIP(DRY) | SHEAR (PSI) | SECTION (PLI)      |
|-------|-----------|-------------|--------------------|
| MT20  | 650       | 371         | 1747 788 1987 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) (INPUT = 0.90 )  
JSI METAL= 0.56 (P) (INPUT = 1.00 )



| LUMBER            |        |      |        |
|-------------------|--------|------|--------|
| N. L. G. A. RULES | CHORDS | SIZE | LUMBER |
| A - C             | 2x4    | DRY  | No.2   |
| C - F             | 2x4    | DRY  | No.2   |
| F - H             | 2x4    | DRY  | No.2   |
| H - J             | 2x4    | DRY  | No.2   |
| S - B             | 2x4    | DRY  | No.2   |
| K - I             | 2x4    | DRY  | No.2   |
| S - P             | 2x4    | DRY  | No.2   |
| P - M             | 2x4    | DRY  | No.2   |
| M - K             | 2x4    | DRY  | No.2   |
| ALL WEBS EXCEPT   | 2x3    | DRY  | No.2   |

DRY: SEASONED LUMBER.

| PLATES (table is in inches) |         |        |     |               |
|-----------------------------|---------|--------|-----|---------------|
| JT                          | TYPE    | PLATES | W   | LEN Y X       |
| B                           | TMVW+p  | MT20   | 4.0 | 6.0 2.00 2.25 |
| C                           | TTWW+m  | MT20   | 6.0 | 7.0 Edge 1.50 |
| D                           | TMWW-t  | MT20   | 4.0 | 4.0           |
| E                           | TMW+w   | MT20   | 2.0 | 4.0           |
| F                           | TS-t    | MT20   | 3.0 | 6.0           |
| G                           | TMWW-t  | MT20   | 4.0 | 4.0           |
| H                           | TTWW+m  | MT20   | 6.0 | 7.0 Edge 1.50 |
| I                           | TMVW+p  | MT20   | 4.0 | 6.0 2.00 2.25 |
| K                           | BMV1+p  | MT20   | 2.0 | 4.0           |
| L                           | BMWW-t  | MT20   | 4.0 | 4.0           |
| M                           | BS-t    | MT20   | 3.0 | 6.0           |
| N                           | BMWW-t  | MT20   | 4.0 | 4.0 1.75 1.50 |
| O                           | BMWWW-t | MT20   | 5.0 | 6.0           |
| P                           | BS-t    | MT20   | 3.0 | 6.0           |
| Q                           | BMWW-t  | MT20   | 4.0 | 4.0 1.75 1.50 |
| R                           | BMWW-t  | MT20   | 4.0 | 4.0           |
| S                           | BMV1+p  | MT20   | 2.0 | 4.0           |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



| DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER |                           |                           |                |                                 |       |                           |              |           |  |
|-----------------------------------------------------------------------------------------------|---------------------------|---------------------------|----------------|---------------------------------|-------|---------------------------|--------------|-----------|--|
| BEARINGS                                                                                      |                           |                           |                |                                 |       |                           |              |           |  |
|                                                                                               |                           | FACTORED GROSS REACTION   |                | MAXIMUM FACTORED GROSS REACTION |       | INPUT BRG                 |              | REQRD BRG |  |
| JT                                                                                            | VERT                      | HORZ                      | DOWN           | UP                              | BRG   | IN-SX                     | IN-SX        |           |  |
| S                                                                                             | 1713                      | 0                         | 1713           | 0                               | 0     | 5-8                       | 2-9          |           |  |
| K                                                                                             | 1713                      | 0                         | 1713           | 0                               | 0     | 5-8                       | 2-9          |           |  |
| UNFACTORED REACTIONS                                                                          |                           |                           |                |                                 |       |                           |              |           |  |
|                                                                                               |                           | 1ST LCASE                 |                | MAX./MIN. COMPONENT REACTIONS   |       |                           |              |           |  |
| JT                                                                                            | COMBINED                  | SNOW                      | LIVE           | PERM.LIVE                       | WIND  | DEAD                      | SOIL         |           |  |
| S                                                                                             | 1219                      | 759 / 0                   | 0 / 0          | 0 / 0                           | 0 / 0 | 460 / 0                   | 0 / 0        |           |  |
| K                                                                                             | 1219                      | 759 / 0                   | 0 / 0          | 0 / 0                           | 0 / 0 | 460 / 0                   | 0 / 0        |           |  |
| BRACING                                                                                       |                           |                           |                |                                 |       |                           |              |           |  |
| TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.16 FT.                                    |                           |                           |                |                                 |       |                           |              |           |  |
| MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.               |                           |                           |                |                                 |       |                           |              |           |  |
| ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.                    |                           |                           |                |                                 |       |                           |              |           |  |
| LOADING                                                                                       |                           |                           |                |                                 |       |                           |              |           |  |
| TOTAL LOAD CASES: (4)                                                                         |                           |                           |                |                                 |       |                           |              |           |  |
| CHORDS                                                                                        |                           |                           |                |                                 | WEBS  |                           |              |           |  |
| MEMB.                                                                                         | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | MAX LC1 (LC)   | MAX UNBRAC LENGTH               | MEMB. | MAX. FACTORED FORCE (LBS) | MAX LC1 (LC) |           |  |
| FR-TO                                                                                         |                           | FROM                      | TO             |                                 | FR-TO |                           |              |           |  |
| A-B                                                                                           | 0 / 52                    | -78.0                     | -78.0 0.15 (1) | 10.00                           | R-C   | -359 / 0                  | 0.33 (1)     |           |  |
| B-C                                                                                           | -1204 / 0                 | -78.0                     | -78.0 0.19 (1) | 5.62                            | C-Q   | 0 / 1346                  | 0.30 (1)     |           |  |
| C-D                                                                                           | -1637 / 0                 | -78.0                     | -78.0 0.60 (1) | 4.46                            | Q-D   | -856 / 0                  | 0.79 (1)     |           |  |
| D-E                                                                                           | -1905 / 0                 | -78.0                     | -78.0 0.63 (1) | 4.16                            | D-O   | 0 / 394                   | 0.09 (1)     |           |  |
| E-F                                                                                           | -1905 / 0                 | -78.0                     | -78.0 0.63 (1) | 4.16                            | O-E   | -463 / 0                  | 0.43 (1)     |           |  |
| F-G                                                                                           | -1905 / 0                 | -78.0                     | -78.0 0.63 (1) | 4.16                            | O-G   | 0 / 394                   | 0.09 (1)     |           |  |
| G-H                                                                                           | -1637 / 0                 | -78.0                     | -78.0 0.60 (1) | 4.46                            | N-G   | -856 / 0                  | 0.79 (1)     |           |  |
| H-I                                                                                           | -1204 / 0                 | -78.0                     | -78.0 0.19 (1) | 5.62                            | N-H   | 0 / 1346                  | 0.30 (1)     |           |  |
| I-J                                                                                           | 0 / 52                    | -78.0                     | -78.0 0.15 (1) | 10.00                           | L-H   | -359 / 0                  | 0.33 (1)     |           |  |
| S-B                                                                                           | -1696 / 0                 | 0.0                       | 0.0 0.24 (1)   | 6.38                            | B-R   | 0 / 855                   | 0.19 (1)     |           |  |
| K-I                                                                                           | -1696 / 0                 | 0.0                       | 0.0 0.24 (1)   | 6.38                            | L-I   | 0 / 855                   | 0.19 (1)     |           |  |
| S-R                                                                                           | 0 / 0                     | -18.5                     | -18.5 0.12 (4) | 10.00                           |       |                           |              |           |  |
| R-Q                                                                                           | 0 / 712                   | -18.5                     | -18.5 0.22 (4) | 10.00                           |       |                           |              |           |  |
| Q-P                                                                                           | 0 / 1637                  | -18.5                     | -18.5 0.35 (1) | 10.00                           |       |                           |              |           |  |
| P-O                                                                                           | 0 / 1637                  | -18.5                     | -18.5 0.35 (1) | 10.00                           |       |                           |              |           |  |
| O-N                                                                                           | 0 / 1637                  | -18.5                     | -18.5 0.35 (1) | 10.00                           |       |                           |              |           |  |
| N-M                                                                                           | 0 / 712                   | -18.5                     | -18.5 0.22 (4) | 10.00                           |       |                           |              |           |  |
| M-L                                                                                           | 0 / 712                   | -18.5                     | -18.5 0.22 (4) | 10.00                           |       |                           |              |           |  |
| L-K                                                                                           | 0 / 0                     | -18.5                     | -18.5 0.12 (4) | 10.00                           |       |                           |              |           |  |

| DESIGN CRITERIA                                                                                    |         |         |      |     |      |      |  |  |  |
|----------------------------------------------------------------------------------------------------|---------|---------|------|-----|------|------|--|--|--|
| SPECIFIED LOADS:                                                                                   |         |         |      |     |      |      |  |  |  |
| TOP CH.                                                                                            | LL      | =       | 21.0 | PSF |      |      |  |  |  |
|                                                                                                    | DL      | =       | 6.0  | PSF |      |      |  |  |  |
| BOT CH.                                                                                            | LL      | =       | 0.0  | PSF |      |      |  |  |  |
|                                                                                                    | DL      | =       | 7.4  | PSF |      |      |  |  |  |
| TOTAL LOAD                                                                                         | =       | 34.4    | PSF  |     |      |      |  |  |  |
| SPACING = 24.0 IN. C/C                                                                             |         |         |      |     |      |      |  |  |  |
| LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM                                        |         |         |      |     |      |      |  |  |  |
| THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015          |         |         |      |     |      |      |  |  |  |
| THIS DESIGN COMPLIES WITH:                                                                         |         |         |      |     |      |      |  |  |  |
| - PART 9 OF CBC 2018, ABC 2019                                                                     |         |         |      |     |      |      |  |  |  |
| - PART 9 OF OBC 2012 (2019 AMENDMENT)                                                              |         |         |      |     |      |      |  |  |  |
| - CSA 086-14                                                                                       |         |         |      |     |      |      |  |  |  |
| - TPIC 2014                                                                                        |         |         |      |     |      |      |  |  |  |
| (55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD |         |         |      |     |      |      |  |  |  |
| ALLOWABLE DEFL.(LL)= L/360 (1.09")                                                                 |         |         |      |     |      |      |  |  |  |
| CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")                                                        |         |         |      |     |      |      |  |  |  |
| ALLOWABLE DEFL.(TL)= L/360 (1.09")                                                                 |         |         |      |     |      |      |  |  |  |
| CALCULATED VERT. DEFL.(TL) = L/ 999 (0.17")                                                        |         |         |      |     |      |      |  |  |  |
| CSI: TC=0.63/1.00 (D-E:1), BC=0.35/1.00 (O-Q:1), WB=0.79/1.00 (D-Q:1), SSI=0.24/1.00 (C-D:1)       |         |         |      |     |      |      |  |  |  |
| DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10                                                             |         |         |      |     |      |      |  |  |  |
| COMP=1.10 SHEAR=1.10 TENS=1.10                                                                     |         |         |      |     |      |      |  |  |  |
| COMPANION LIVE LOAD FACTOR = 1.00                                                                  |         |         |      |     |      |      |  |  |  |
| TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT . |         |         |      |     |      |      |  |  |  |
| NAIL VALUES                                                                                        |         |         |      |     |      |      |  |  |  |
| PLATE GRIP(DRY) SHEAR                                                                              | SECTION |         |      |     |      |      |  |  |  |
| (PSI)                                                                                              | (PLI)   | (PLI)   |      |     |      |      |  |  |  |
| MAX MIN                                                                                            | MAX MIN | MAX MIN |      |     |      |      |  |  |  |
| MT20                                                                                               | 650     | 371     | 1747 | 788 | 1987 | 1873 |  |  |  |
| PLATE PLACEMENT TOL. = 0.250 inches                                                                |         |         |      |     |      |      |  |  |  |
| PLATE ROTATION TOL. = 5.0 Deg.                                                                     |         |         |      |     |      |      |  |  |  |
| JSI GRIP= 0.88 (B) (INPUT = 0.90 )                                                                 |         |         |      |     |      |      |  |  |  |
| JSI METAL= 0.49 (P) (INPUT = 1.00 )                                                                |         |         |      |     |      |      |  |  |  |

TOTAL WEIGHT = 155 lb [M]

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:09 2020 Page 1




DRY: SEASONED LUMBER.

Edge - INDICATES REFERENCE CORNER OF PLATE  
TOUCHES EDGE OF CHORD.

|      |          |       |       |          |       |
|------|----------|-------|-------|----------|-------|
| Q- P | 0 / 0    | -18.5 | -18.5 | 0.18 (4) | 10.00 |
| P- O | 0 / 742  | -18.5 | -18.5 | 0.31 (4) | 10.00 |
| Q- N | 0 / 742  | -18.5 | -18.5 | 0.31 (4) | 10.00 |
| N- M | 0 / 1593 | -18.5 | -18.5 | 0.39 (4) | 10.00 |
| M- L | 0 / 742  | -18.5 | -18.5 | 0.31 (4) | 10.00 |
| L- K | 0 / 742  | -18.5 | -18.5 | 0.31 (4) | 10.00 |
| K- J | 0 / 0    | -18.5 | -18.5 | 0.18 (4) | 10.00 |

JSI GRIP= 0.88 (B) (INPUT = 0.90 )  
JSI METAL= 0.45 (B) (INPUT = 1.00 )




|                                                                   |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|-----------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|----------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| LUMBER                                                            |  |  |  |  |  |  |  |  |  | DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER |  |  |  |  |  |  |  |  |  | DESIGN CRITERIA                                                                                    |  |  |  |  |  |  |  |  |  |
| N. L. G. A. RULES                                                 |  |  |  |  |  |  |  |  |  | BEARINGS                                                                                      |  |  |  |  |  |  |  |  |  | SPECIFIED LOADS:                                                                                   |  |  |  |  |  |  |  |  |  |
| CHORDS SIZE LUMBER DESCR.                                         |  |  |  |  |  |  |  |  |  | FACTORED GROSS REACTION DOWN UP                                                               |  |  |  |  |  |  |  |  |  | TOP CH. LL = 21.0 PSF                                                                              |  |  |  |  |  |  |  |  |  |
| A - C 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  | JT VERT 1713 0 1713 0 0 5-8 2-9                                                               |  |  |  |  |  |  |  |  |  | DL = 6.0 PSF                                                                                       |  |  |  |  |  |  |  |  |  |
| C - E 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  | Q 1713 0 1713 0 0 5-8 2-9                                                                     |  |  |  |  |  |  |  |  |  | BOT CH. LL = 0.0 PSF                                                                               |  |  |  |  |  |  |  |  |  |
| E - G 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  | J 1713 0 1713 0 0 5-8 2-9                                                                     |  |  |  |  |  |  |  |  |  | DL = 7.4 PSF                                                                                       |  |  |  |  |  |  |  |  |  |
| G - I 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | TOTAL LOAD = 34.4 PSF                                                                              |  |  |  |  |  |  |  |  |  |
| Q - B 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| J - H 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| Q - O 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| O - L 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| L - J 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| ALL WEBS 2x3 DRY No.2 SPF                                         |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| EXCEPT                                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| C - N 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| N - F 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| M - G 2x4 DRY No.2 SPF                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| DRY: SEASONED LUMBER.                                             |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
| PLATES (table is in inches)                                       |  |  |  |  |  |  |  |  |  | UNFACTORED REACTIONS                                                                          |  |  |  |  |  |  |  |  |  | SPACING = 24.0 IN. C/C                                                                             |  |  |  |  |  |  |  |  |  |
| JT TYPE PLATES W LEN Y X                                          |  |  |  |  |  |  |  |  |  | 1ST LCASE MAX./MIN. COMPONENT REACTIONS                                                       |  |  |  |  |  |  |  |  |  | LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM                                        |  |  |  |  |  |  |  |  |  |
| B TMVW+p MT20 4.0 6.0 2.00 2.25                                   |  |  |  |  |  |  |  |  |  | JT COMBINED SNOW LIVE PERM.LIVE WIND DEAD SOIL                                                |  |  |  |  |  |  |  |  |  | THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015         |  |  |  |  |  |  |  |  |  |
| C TTWW+m MT20 6.0 7.0 Edge 1.50                                   |  |  |  |  |  |  |  |  |  | Q 1219 759 / 0 0 / 0 0 / 0 0 / 0 460 / 0 0 / 0                                                |  |  |  |  |  |  |  |  |  | THIS DESIGN COMPLIES WITH:                                                                         |  |  |  |  |  |  |  |  |  |
| D TMW+w MT20 2.0 4.0                                              |  |  |  |  |  |  |  |  |  | J 1219 759 / 0 0 / 0 0 / 0 0 / 0 460 / 0 0 / 0                                                |  |  |  |  |  |  |  |  |  | - PART 9 OF BCBC 2018 , ABC 2019                                                                   |  |  |  |  |  |  |  |  |  |
| E TS-t MT20 3.0 6.0                                               |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | - PART 9 OF OBC 2012 (2019 AMENDMENT)                                                              |  |  |  |  |  |  |  |  |  |
| F TMWW-t MT20 4.0 4.0                                             |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | - CSA 086-14                                                                                       |  |  |  |  |  |  |  |  |  |
| G TTWW+m MT20 6.0 7.0 Edge 1.50                                   |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | - TPIC 2014                                                                                        |  |  |  |  |  |  |  |  |  |
| H TMVW+p MT20 4.0 6.0 2.00 2.25                                   |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | (55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD |  |  |  |  |  |  |  |  |  |
| J BMV1+p MT20 2.0 4.0                                             |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | ALLOWABLE DEFL.(LL)= L/360 (1.09")                                                                 |  |  |  |  |  |  |  |  |  |
| K BMWW-t MT20 4.0 4.0                                             |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")                                                        |  |  |  |  |  |  |  |  |  |
| L BS-t MT20 3.0 6.0                                               |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | ALLOWABLE DEFL.(TL)= L/360 (1.09")                                                                 |  |  |  |  |  |  |  |  |  |
| M BMWW-t MT20 4.0 4.0 2.00 1.75                                   |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")                                                        |  |  |  |  |  |  |  |  |  |
| N BMWWW-t MT20 5.0 6.0                                            |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | CSI: TC=0.77/1.00 (F-G:1) , BC=0.34/1.00 (M-N:1) , WB=0.37/1.00 (F-M:1) , SSI=0.28/1.00 (F-G:1)    |  |  |  |  |  |  |  |  |  |
| O BS-t MT20 3.0 6.0                                               |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10                                                             |  |  |  |  |  |  |  |  |  |
| P BMWW-t MT20 4.0 4.0                                             |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | COMP=1.10 SHEAR=1.10 TENS= 1.10                                                                    |  |  |  |  |  |  |  |  |  |
| Q BMV1+p MT20 2.0 4.0                                             |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | COMPANION LIVE LOAD FACTOR = 1.00                                                                  |  |  |  |  |  |  |  |  |  |
| Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD. |  |  |  |  |  |  |  |  |  |                                                                                               |  |  |  |  |  |  |  |  |  | TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT . |  |  |  |  |  |  |  |  |  |
| LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2                         |  |  |  |  |  |  |  |  |  | LOADING                                                                                       |  |  |  |  |  |  |  |  |  | NAIL VALUES                                                                                        |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | TOTAL LOAD CASES: (4)                                                                         |  |  |  |  |  |  |  |  |  | PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | MEMB. MAX. FACTORED FORCE (LBS) FACTORED VERT. LOAD LC1 MAX. UNBRACED LENGTH FR-TO            |  |  |  |  |  |  |  |  |  | MAX MIN MAX MIN MAX MIN                                                                            |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | A-B 0 / 52 -78.0 -78.0 0.15 (1) 10.00 P-C -205 / 12 0.12 (1)                                  |  |  |  |  |  |  |  |  |  | MT20 650 371 1747 788 1987 1873                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | B-C -1268 / 0 -78.0 -78.0 0.47 (1) 5.22 C-N 0 / 1014 0.16 (1)                                 |  |  |  |  |  |  |  |  |  | PLATE PLACEMENT TOL. = 0.250 inches                                                                |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | C-D -1406 / 0 -78.0 -78.0 0.76 (1) 4.46 N-D -637 / 0 0.37 (1)                                 |  |  |  |  |  |  |  |  |  | PLATE ROTATION TOL. = 5.0 Deg.                                                                     |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | D-E -1406 / 0 -78.0 -78.0 0.76 (1) 4.44 N-F -1 / 0 0.00 (1)                                   |  |  |  |  |  |  |  |  |  | JSI GRIP= 0.88 (N) (INPUT = 0.90 )                                                                 |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | E-F -1406 / 0 -78.0 -78.0 0.76 (1) 4.44 M-F -638 / 0 0.37 (1)                                 |  |  |  |  |  |  |  |  |  | JSI METAL= 0.46 (B) (INPUT = 1.00 )                                                                |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | F-G -1407 / 0 -78.0 -78.0 0.77 (1) 4.44 M-G 0 / 1016 0.16 (1)                                 |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | G-H -1268 / 0 -78.0 -78.0 0.47 (1) 5.22 K-G -206 / 12 0.12 (1)                                |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | H-I 0 / 52 -78.0 -78.0 0.15 (1) 10.00 B-P 0 / 829 0.19 (1)                                    |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | Q-B -1680 / 0 0.0 0.0 0.24 (1) 6.41 K-H 0 / 829 0.19 (1)                                      |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | J-H -1680 / 0 0.0 0.0 0.24 (1) 6.41                                                           |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | Q-P 0 / 0 -18.5 -18.5 0.18 (4) 10.00                                                          |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | P-O 0 / 755 -18.5 -18.5 0.28 (4) 10.00                                                        |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | O-N 0 / 755 -18.5 -18.5 0.28 (4) 10.00                                                        |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | N-M 0 / 1407 -18.5 -18.5 0.34 (1) 10.00                                                       |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | M-L 0 / 755 -18.5 -18.5 0.28 (4) 10.00                                                        |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | L-K 0 / 755 -18.5 -18.5 0.28 (4) 10.00                                                        |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                   |  |  |  |  |  |  |  |  |  | K-J 0 / 0 -18.5 -18.5 0.18 (4) 10.00                                                          |  |  |  |  |  |  |  |  |  |                                                                                                    |  |  |  |  |  |  |  |  |  |



LATERAL BRACE(S) SHOWN SHALL BE  
2X4 SPF#2



|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H22T       |          | 1   | TRUSS DESC. JT 45147 | E20035248 |



|                                                                                                                                                                                                                                                                                                     |  |  |  |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |  |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>LUMBER</b><br>N. L. G. A. RULES<br>CHORDS SIZE LUMBER DESCR.<br>A - C 2x6 DRY No.2 SPF<br>C - D 2x4 DRY No.2 SPF<br>E - D 2x4 DRY No.2 SPF<br>G - B 2x4 DRY No.2 SPF<br>G - F 2x4 DRY No.2 SPF<br>F - E 2x4 DRY No.2 SPF<br><br>ALL WEBS 2x3 DRY No.2 SPF<br>EXCEPT<br><br>DRY: SEASONED LUMBER. |  |  |  |  |  |  |  |  |  | <b>DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER</b><br><b>BEARINGS</b><br>FACTORED MAXIMUM FACTORED INPUT REQD<br>GROSS REACTION GROSS REACTION BRG BRG<br>JT VERT HORZ DOWN HORZ UPLIFT IN-SX IN-SX<br>E 832 0 832 0 0 MECHANICAL<br>G 847 0 847 0 0 5-8 1-8<br><br>A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |  |  |  |  |  |  |  | <b>DESIGN CRITERIA</b><br><br>SPECIFIED LOADS:<br>TOP CH. LL = 21.0 PSF<br>DL = 6.0 PSF<br>BOT CH. LL = 0.0 PSF<br>DL = 7.4 PSF<br>TOTAL LOAD = 34.4 PSF<br><br><b>SPACING = 24.0 IN. C/C</b><br><br>LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM<br><br>GIRDER TYPE: CPrimeHip<br>LEFT SETBACK = 8-0-1<br>RIGHT SETBACK = 0-0<br>END SETBACK = 3-2-0<br>END WALL WIDTH = 0-0<br>CORNER FRAMING TYPE: CONVENTIONAL<br>END JACK TYPE: CONVENTIONAL<br>APPLIED TO FRONT SIDE<br>- ADDTL LOADS BASED ON 55 % OF GSL.<br><br>THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015<br><br>THIS DESIGN COMPLIES WITH:<br>- PART 9 OF CBC 2018 , ABC 2019<br>- PART 9 OF OBC 2012 (2019 AMENDMENT)<br>- CSA 086-14<br>- TPIC 2014<br><br>(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD<br><br>ALLOWABLE DEFL.(LL)= L/360 (0.42")<br>CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")<br>ALLOWABLE DEFL.(TL)= L/360 (0.42")<br>CALCULATED VERT. DEFL.(TL) = L/ 433 (0.35")<br><br>CSI: TC=0.49/1.00 (B-C:1) , BC=0.56/1.00 (F-G:4) , WB=0.22/1.00 (D-F:1) , SSI=0.19/1.00 (C-D:1)<br><br>DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00<br><br>COMPANION LIVE LOAD FACTOR = 1.00<br><br>TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .<br><br>NAIL VALUES<br>PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)<br>MAX MIN MAX MIN MAX MIN<br>MT20 650 371 1747 788 1987 1873<br><br>PLATE PLACEMENT TOL. = 0.250 inches<br><br>PLATE ROTATION TOL. = 5.0 Deg.<br><br>JSI GRIP= 0.85 (D) (INPUT = 0.90 )<br>JSI METAL= 0.52 (B) (INPUT = 1.00 ) |  |  |  |  |  |  |  |  |  |
| <b>PLATES (table is in inches)</b><br>JT TYPE PLATES W LEN Y X<br>B TMVW+p MT20 4.0 6.0 3.00 1.75<br>C TTW-m MT20 4.0 6.0<br>D TMVW-t MT20 3.0 5.0 1.50 2.00<br>E BMV1+p MT20 2.0 4.0<br>F BBWW-m MT20 5.0 6.0 2.75 2.00<br>G BMV1+p MT20 2.0 4.0                                                   |  |  |  |  |  |  |  |  |  | <b>UNFACTORED REACTIONS</b><br>1ST LCASE MAX./MIN. COMPONENT REACTIONS<br>JT COMBINED SNOW LIVE PERM.LIVE WIND DEAD SOIL<br>E 592 367 / 0 0 / 0 0 / 0 224 / 0 0 / 0<br>G 603 376 / 0 0 / 0 0 / 0 227 / 0 0 / 0<br><br>BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G<br><br><b>BRACING</b><br>TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.<br>MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.<br><br>ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.<br><br><b>LOADING</b><br>TOTAL LOAD CASES: (4)<br><br>CHORDS WEBS<br>MEMB. MAX. FACTORED FORCE (LBS) FACTORED VERT. LOAD (PLF) LC1 MAX. MAX. UNBRAC LENGTH FR-TO MEMB. MAX. FACTORED FORCE (LBS) MAX. FACTORED CSI (LC)<br>FR-TO FROM TO<br>A- B 0 / 36 -78.0 -78.0 0.08 (1) 10.00 C- F -233 / 19 0.05 (1)<br>B- C -879 / 0 -78.0 -78.0 0.49 (1) 6.25 F- D 0 / 896 0.22 (1)<br>C- D -693 / 0 -100.7 -100.7 0.40 (1) 6.25 B- F 0 / 752 0.19 (1)<br>E- D -784 / 0 0.0 0.0 0.16 (1) 7.81<br>G- B -746 / 0 0.0 0.0 0.09 (1) 7.81<br><br>G- H 0 / 0 -23.9 -23.9 0.56 (4) 10.00<br>H- F 0 / 0 -23.9 -23.9 0.56 (4) 10.00<br>F- E 0 / 0 -23.9 -23.9 0.12 (4) 10.00<br><br>FACTORED CONCENTRATED LOADS (LBS)<br>JT LOC. LC1 MAX- MAX+ FACE DIR. TYPE HEEL CONN.<br>C 8-0-1 -173 -173 --- FRONT VERT TOTAL --- C1 |  |  |  |  |  |  |  |  |  | LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                                                                   |  |  |  |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |  |  |  |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |  |  |  |  |  |  |  |  |

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:13 2020 Page 1



TOTAL WEIGHT = 57 lb

Edge - INDICATES REFERENCE CORNER OF PLATE  
TOUCHES EDGE OF CHORD.

**TOTAL LOAD CASES: (4)**

|     |         |       |       |          |       |
|-----|---------|-------|-------|----------|-------|
| I-H | 0 / 716 | -18.5 | -18.5 | 0.44 (4) | 10.00 |
| H-G | 0 / 477 | -18.5 | -18.5 | 0.13 (4) | 10.00 |

JSI GRIP= 0.89 (I) (INPUT = 0.90 )  
JSI METAL= 0.28 (I) (INPUT = 1.00 )

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:14 2020 Page 1  
ID:ME8jirjaTck7DlbpT4B71Yvs4PG-kTqgHl 0WWWNA9s87bR7S ITlJl8K4cl s6fShSGlvzYk5N




Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:15 2020 Page 1




TOTAL WEIGHT = 7 X 79 = 554 lb

Edge - INDICATES REFERENCE CORNER OF PLATE  
TOUCHES EDGE OF CHORD.

TOTAL LOAD CASES: (4)




|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H26        |          | 1   | TRUSS DESC. JT 45147 | E20035252 |



|                                                                                                                                                                                                                                                                                                                 |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <b>LUMBER</b><br>N. L. G. A. RULES<br>CHORDS SIZE LUMBER<br>A - C 2x4 DRY No.2<br>C - D 2x4 DRY No.2<br>E - D 2x4 DRY No.2<br>G - E 2x6 DRY No.2<br><br>REINFORCING MEMBERS<br>HW1 2x4 DRY No.2<br><br>ALL WEBS 2x4 DRY No.2<br>EXCEPT<br>F - D 2x3 DRY No.2<br>B - F 2x3 DRY No.2<br><br>DRY: SEASONED LUMBER. |  |  |  | <b>DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER</b><br><b>BEARINGS</b><br>FACTORED GROSS REACTION<br>JT VERT 687 0<br>G 687 0<br>E 687 0<br><br>MAXIMUM FACTORED GROSS REACTION<br>DOWN 687 0<br>HORZ 0 0<br>UPLIFT 0 0<br><br>INPUT BRG 5-8 1-8<br>REQRD BRG 5-8 1-8<br><br><b>UNFACTORED REACTIONS</b><br>1ST LCASE<br>JT COMBINED 490 299 / 0<br>G 490 299 / 0<br>E 490 299 / 0<br><br>MAX./MIN. COMPONENT REACTIONS<br>LIVE 0 / 0<br>PERM.LIVE 0 / 0<br>WIND 0 / 0<br>DEAD 191 / 0<br>SOIL 0 / 0<br><br>BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G, E<br><br><b>BRACING</b><br>TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.35 FT.<br>MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.<br><br>ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.<br><br><b>LOADING</b><br>TOTAL LOAD CASES: (4)<br><br>CHORDS<br>MEMB. MAX. FACTORED FORCE (LBS)<br>FR-TO<br>A- I -1427 / 0<br>I- B -1298 / 0<br>B- C -414 / 0<br>C- D -382 / 0<br>E- D -672 / 0<br><br>FACTORED VERT. LOAD (PLF)<br>FROM TO<br>-78.0 -78.0 0.11 (1)<br>-78.0 -78.0 0.26 (1)<br>-78.0 -78.0 0.22 (1)<br>-78.0 -78.0 0.39 (1)<br>0.0 0.0 0.18 (1)<br><br>MAX. UNBRACED LENGTH<br>5.35 5.38 6.25 6.25 7.81<br><br>WEBS<br>MEMB. MAX. FACTORED FORCE (LBS)<br>FR-TO<br>F- C 0 / 292<br>F- D 0 / 280<br>B- F -298 / 0<br>H- I 0 / 56<br>H- B 0 / 741<br><br>MAX. FACTORED CSI (LC)<br>0.05 (1)<br>0.06 (1)<br>0.24 (1)<br>0.00 (1)<br>0.12 (1)<br><br>G- A 0 / 0<br>A- H 0 / 809<br>H- F 0 / 405<br>F- E 0 / 0<br><br>-96.5 -96.5 0.41 (1)<br>-18.5 -18.5 0.51 (1)<br>-18.5 -18.5 0.24 (1)<br>-18.5 -18.5 0.13 (4)<br><br>10.00 10.00 10.00 10.00 |  |  |  | <b>DESIGN CRITERIA</b><br><br>SPECIFIED LOADS:<br>TOP CH. LL = 21.0 PSF<br>DL = 6.0 PSF<br>BOT CH. LL = 0.0 PSF<br>DL = 7.4 PSF<br>TOTAL LOAD = 34.4 PSF<br><br><b>SPACING = 24.0 IN. C/C</b><br><br>THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015<br><br>THIS DESIGN COMPLIES WITH:<br>- PART 9 OF CBC 2018 , ABC 2019<br>- PART 9 OF OBC 2012 (2019 AMENDMENT)<br>- CSA 086-14<br>- TPIC 2014<br><br>(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD<br><br>ALLOWABLE DEFL.(LL)= L/360 (0.48")<br>CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")<br>ALLOWABLE DEFL.(TL)= L/360 (0.48")<br>CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")<br><br>CSI: TC=0.39/1.00 (C-D:1) , BC=0.51/1.00 (A-H:1) , WB=0.24/1.00 (B-F:1) , SSI=0.41/1.00 (A-G:1)<br><br>DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10<br>COMP=1.10 SHEAR=1.10 TENS= 1.10<br><br>COMPANION LIVE LOAD FACTOR = 1.00<br><br>TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .<br><br>NAIL VALUES<br>PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)<br>MAX MIN MAX MIN MAX MIN<br>MT20 650 371 1747 788 1987 1873<br><br>PLATE PLACEMENT TOL. = 0.250 inches<br><br>PLATE ROTATION TOL. = 5.0 Deg.<br><br>JSI GRIP= 0.87 (B) (INPUT = 0.90 )<br>JSI METAL= 0.39 (A) (INPUT = 1.00 ) |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H27        |          | 1   | TRUSS DESC. JT 45147 | E20035253 |



TOTAL WEIGHT = 3 X 50 = 149 lb

[M][F]

| LUMBER                |        |      |        |        |
|-----------------------|--------|------|--------|--------|
| N. L. G. A. RULES     | CHORDS | SIZE | LUMBER | DESCR. |
| A - C                 | 2x4    | DRY  | No.2   | SPF    |
| C - E                 | 2x4    | DRY  | No.2   | SPF    |
| H - B                 | 2x4    | DRY  | No.2   | SPF    |
| F - D                 | 2x4    | DRY  | No.2   | SPF    |
| H - F                 | 2x4    | DRY  | No.2   | SPF    |
| ALL WEBS EXCEPT       | 2x3    | DRY  | No.2   | SPF    |
| DRY: SEASONED LUMBER. |        |      |        |        |

| PLATES (table is in inches)                                       |         |        |     |     |      |      |
|-------------------------------------------------------------------|---------|--------|-----|-----|------|------|
| JT                                                                | TYPE    | PLATES | W   | LEN | Y    | X    |
| B                                                                 | TMVW+p  | MT20   | 4.0 | 6.0 | 2.00 | 2.00 |
| C                                                                 | TTW+p   | MT20   | 3.0 | 5.0 | 2.00 | Edge |
| D                                                                 | TMVW+p  | MT20   | 4.0 | 6.0 | 2.00 | 2.00 |
| F                                                                 | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |
| G                                                                 | BMWWW-t | MT20   | 4.0 | 6.0 |      |      |
| H                                                                 | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |
| Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD. |         |        |     |     |      |      |

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

| BEARINGS |      | FACTORED GROSS REACTION | MAXIMUM FACTORED GROSS REACTION | INPUT BRG | REQRD BRG |
|----------|------|-------------------------|---------------------------------|-----------|-----------|
| JT       | VERT | HORZ                    | DOWN                            | HORZ      | UPLIFT    |
| H        | 537  | 0                       | 537                             | 0         | 0         |
| F        | 537  | 0                       | 537                             | 0         | 0         |

| UNFACTORED REACTIONS |          | 1ST LCASE | MAX./MIN. COMPONENT REACTIONS |           |       |         |       |  |
|----------------------|----------|-----------|-------------------------------|-----------|-------|---------|-------|--|
| JT                   | COMBINED | SNOW      | LIVE                          | PERM.LIVE | WIND  | DEAD    | SOIL  |  |
| H                    | 381      | 241 / 0   | 0 / 0                         | 0 / 0     | 0 / 0 | 140 / 0 | 0 / 0 |  |
| F                    | 381      | 241 / 0   | 0 / 0                         | 0 / 0     | 0 / 0 | 140 / 0 | 0 / 0 |  |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

| LOADING |                           | TOTAL LOAD CASES: (4) |       |          |                    | CHORDS |                           |      |                        | WEBS  |                           |     |                        |
|---------|---------------------------|-----------------------|-------|----------|--------------------|--------|---------------------------|------|------------------------|-------|---------------------------|-----|------------------------|
| MEMB.   | MAX. FACTORED FORCE (LBS) | VERT. LOAD (PLF)      | LC1   | MAX      | MAX. UNBRAC LENGTH | MEMB.  | MAX. FACTORED FORCE (LBS) | MAX  | MAX. FACTORED CSI (LC) | MEMB. | MAX. FACTORED FORCE (LBS) | MAX | MAX. FACTORED CSI (LC) |
| FR-TO   |                           | FROM                  | TO    |          |                    | FR-TO  |                           |      |                        | FR-TO |                           |     |                        |
| A-B     | 0 / 28                    | -78.0                 | -78.0 | 0.05 (1) | 10.00              | G-C    | 0 / 90                    | 0.03 | (4)                    |       |                           |     |                        |
| B-C     | -254 / 0                  | -78.0                 | -78.0 | 0.23 (1) | 6.25               | B-G    | 0 / 158                   | 0.04 | (1)                    |       |                           |     |                        |
| C-D     | -254 / 0                  | -78.0                 | -78.0 | 0.23 (1) | 6.25               | G-D    | 0 / 158                   | 0.04 | (1)                    |       |                           |     |                        |
| D-E     | 0 / 28                    | -78.0                 | -78.0 | 0.05 (1) | 10.00              |        |                           |      |                        |       |                           |     |                        |
| H-B     | -503 / 0                  | 0.0                   | 0.0   | 0.05 (1) | 7.81               |        |                           |      |                        |       |                           |     |                        |
| F-D     | -503 / 0                  | 0.0                   | 0.0   | 0.05 (1) | 7.81               |        |                           |      |                        |       |                           |     |                        |
| H-G     | 0 / 0                     | -18.5                 | -18.5 | 0.12 (4) | 10.00              |        |                           |      |                        |       |                           |     |                        |
| G-F     | 0 / 0                     | -18.5                 | -18.5 | 0.12 (4) | 10.00              |        |                           |      |                        |       |                           |     |                        |

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 21.0 PSF

DL = 6.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018 , ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.32")

CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")

ALLOWABLE DEFL.(TL)= L/360 (0.32")

CALCULATED VERT. DEFL.(TL)= L/ 999 (0.01")

CSI: TC=0.23/1.00 (B-C:1) , BC=0.12/1.00 (G-H:4) , WB=0.04/1.00 (D-G:1) , SSI=0.09/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10

COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

| NAIL VALUES |           |         |         |               |
|-------------|-----------|---------|---------|---------------|
| PLATE       | GRIP(DRY) | SHEAR   | SECTION |               |
| (PSI)       | (PLI)     | (PLI)   | (PLI)   |               |
| MAX MIN     | MAX MIN   | MAX MIN | MAX MIN |               |
| MT20        | 650       | 371     | 1747    | 788 1987 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.28 (B) (INPUT = 0.90 )

JSI METAL= 0.14 (D) (INPUT = 1.00 )

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2




|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H27G       |          | 1   | TRUSS DESC. JT 45147 | E20035254 |



|                                                                                                                                                                                                                                                                                                                                       |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| <b>LUMBER</b><br>N. L. G. A. RULES<br>CHORDS SIZE LUMBER DESCR.<br>P - B 2x4 DRY No.2 SPF<br>A - E 2x4 DRY No.2 SPF<br>E - I 2x4 DRY No.2 SPF<br>J - H 2x4 DRY No.2 SPF<br>P - J 2x4 DRY No.2 SPF<br><br>ALL WEBS 2x3 DRY No.2 SPF<br>ALL GABLE WEBS 2x3 DRY No.2 SPF<br>DRY: SEASONED LUMBER.<br><br>GABLE STUDS SPACED AT 2'-0" OC. |  |  |  |  | <b>DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER</b><br><b>BEARINGS</b><br><br>THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.<br><br>THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.<br><br>BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)<br><br><b>BRACING</b><br>TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.<br>MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.<br><br>ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.<br><br><b>LOADING</b><br>TOTAL LOAD CASES: (4)<br><br>CHORDS<br>MAX. FACTORED FORCE (LBS) FACTORED VERT. LOAD (PLF) FACTORED LC1 MAX CSI (LC)<br>WEBS<br>MAX. FACTORED FORCE (LBS) MAX. UNBRACED LENGTH FR-TO MEMB. FORCE (LBS) MAX CSI (LC)<br><br>FR-TO<br>P-B -136 / 0 0.0 0.0 0.02 (1) 7.81 M-E -154 / 0 0.18 (1)<br>A-B 0 / 28 -78.0 -78.0 0.05 (1) 10.00 N-D -164 / 0 0.07 (1)<br>B-C -36 / 0 -78.0 -78.0 0.04 (1) 6.25 O-C -71 / 0 0.01 (1)<br>C-D -6 / 0 -78.0 -78.0 0.04 (1) 10.00 L-F -164 / 0 0.07 (1)<br>D-E -7 / 0 -78.0 -78.0 0.04 (1) 10.00 K-G -71 / 0 0.01 (1)<br>E-F -7 / 0 -78.0 -78.0 0.04 (1) 10.00<br>F-G -6 / 0 -78.0 -78.0 0.04 (1) 10.00<br>G-H -36 / 0 -78.0 -78.0 0.04 (1) 6.25<br>H-I 0 / 28 -78.0 -78.0 0.05 (1) 10.00<br>J-H -136 / 0 0.0 0.0 0.02 (1) 7.81<br><br>P-O 0 / 11 -18.5 -18.5 0.02 (1) 10.00<br>O-N 0 / 7 -18.5 -18.5 0.02 (4) 10.00<br>N-M 0 / 3 -18.5 -18.5 0.02 (4) 10.00<br>M-L 0 / 3 -18.5 -18.5 0.02 (4) 10.00<br>L-K 0 / 7 -18.5 -18.5 0.02 (4) 10.00<br>K-J 0 / 11 -18.5 -18.5 0.02 (1) 10.00 |  |  |  |  | <b>DESIGN CRITERIA</b><br><br>SPECIFIED LOADS:<br>TOP CH. LL = 21.0 PSF<br>DL = 6.0 PSF<br>BOT CH. LL = 0.0 PSF<br>DL = 7.4 PSF<br>TOTAL LOAD = 34.4 PSF<br><br><b>SPACING = 24.0 IN. C/C</b><br><br>THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015<br><br>THIS DESIGN COMPLIES WITH:<br>- PART 9 OF BCBC 2018 , ABC 2019<br>- PART 9 OF OBC 2012 (2019 AMENDMENT)<br>- CSA 086-14<br>- TPIC 2014<br><br>DESIGN ASSUMPTIONS<br>-OVERHANG NOT TO BE ALTERED OR CUT OFF.<br><br>(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD<br><br>CSI: TC=0.05/1.00 (H-I:1) , BC=0.02/1.00 (J-K:1) , WB=0.18/1.00 (E-M:1) , SSI=0.04/1.00 (F-G:1)<br><br>DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10<br><br>COMPANION LIVE LOAD FACTOR = 1.00<br><br>TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .<br><br>NAIL VALUES<br>PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)<br>MAX MIN MAX MIN MAX MIN<br>MT20 650 371 1747 788 1987 1873<br><br>PLATE PLACEMENT TOL. = 0.250 inches<br><br>PLATE ROTATION TOL. = 5.0 Deg.<br><br>JSI GRIP= 0.14 (E) (INPUT = 0.90 )<br>JSI METAL= 0.08 (F) (INPUT = 1.00 ) |  |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:20 2020 Page 1  
ID:MF8iiriaTok7DIbpT4B71Xys4PG-Yd1xYO4H6Dxla3bInOZijl84bVfOGl XqdvaWczXk5H



| CHORDS |                           |                           |                  | WEBS               |       |                           |                       |          |
|--------|---------------------------|---------------------------|------------------|--------------------|-------|---------------------------|-----------------------|----------|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | LC1 MAX CSI (LC) | MAX. UNBRAC LENGTH | MEMB. | MAX. FACTORED FORCE (LBS) | MAX FACTORED CSI (LC) |          |
| FR-TO  |                           | FROM TO                   |                  |                    | FR-TO |                           |                       |          |
| A-B    | 0 / 60                    | -78.0                     | -78.0            | 0.31 (1)           | 10.00 | L-C                       | -185 / 0              | 0.16 (1) |
| B-C    | -844 / 0                  | -78.0                     | -78.0            | 0.50 (1)           | 5.92  | C-J                       | -287 / 0              | 0.16 (1) |
| C-D    | -684 / 0                  | -78.0                     | -78.0            | 0.47 (1)           | 6.25  | B-L                       | 0 / 713               | 0.16 (1) |
| D-E    | -684 / 0                  | -78.0                     | -78.0            | 0.47 (1)           | 6.25  | J-E                       | 0 / 113               | 0.03 (4) |
| I-G    | -146 / 0                  | 0.0                       | 0.0              | 0.11 (1)           | 6.25  | J-F                       | 0 / 432               | 0.07 (1) |
| M-B    | -1160 / 0                 | 0.0                       | 0.0              | 0.10 (1)           | 7.81  | F-I                       | -949 / 0              | 0.86 (1) |
| E-F    | -497 / 0                  | -85.5                     | -85.5            | 0.30 (1)           | 2.00  |                           |                       |          |
| F-G    | 0 / 0                     | -85.5                     | -85.5            | 0.29 (1)           | 10.00 |                           |                       |          |
| M-L    | 0 / 0                     | -18.5                     | -18.5            | 0.08 (4)           | 10.00 |                           |                       |          |
| L-K    | 0 / 674                   | -18.5                     | -18.5            | 0.29 (1)           | 10.00 |                           |                       |          |
| K-J    | 0 / 674                   | -18.5                     | -18.5            | 0.29 (1)           | 10.00 |                           |                       |          |
| J-I    | 0 / 345                   | -18.5                     | -18.5            | 0.43 (1)           | 10.00 |                           |                       |          |
| I-H    | 0 / 0                     | -18.5                     | -18.5            | 0.24 (1)           | 10.00 |                           |                       |          |


JSI GRIP= 0.82 (I) (INPUT = 0.90 )  
JSI METAL= 0.35 (I) (INPUT = 1.00 )

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | H28G       |          | 1   | TRUSS DESC. JT 45147 | E20035256 |


Alpa Roof Truss, Maple

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:21 2020 Page 1

ID:MF8iiriaTok7DlbpT4B71Xys4PG-0pbJk5vtX39CC9xL54yFyglFv4A?N3h3Hf822zXk5G



| <b>LUMBER</b><br>N. L. G. A. RULES<br>CHORDS SIZE LUMBER DESCR.<br>A - F 2x4 DRY No.2 SPF<br>F - I 2x4 DRY No.2 SPF<br>P - N 2x4 DRY No.2 SPF<br>AA- B 2x4 DRY No.2 SPF<br>I - N 2x4 DRY No.2 SPF<br>AA- T 2x4 DRY No.2 SPF<br>T - O 2x4 DRY No.2 SPF<br><br>ALL WEBS 2x4 DRY No.2 SPF<br>EXCEPT<br>W - G 2x3 DRY No.2 SPF<br>X - E 2x3 DRY No.2 SPF<br>Y - D 2x3 DRY No.2 SPF<br>Z - C 2x3 DRY No.2 SPF<br><br>ALL GABLE WEBS 2x4 DRY No.2 SPF<br>EXCEPT<br>ST7 2x3 DRY No.2 SPF<br>ST8 2x3 DRY No.2 SPF<br>ST9 2x3 DRY No.2 SPF<br>ST10 2x3 DRY No.2 SPF<br><br>DRY: SEASONED LUMBER.<br><br>GABLE STUDS SPACED AT 2-0-0 OC. |          |       |            |          | <b>DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER</b><br><b>BEARINGS</b><br><br>THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.<br><br>THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.<br><br><u>PROVIDE ANCHORAGE AT BEARING JOINT O FOR 150 LBS. FACTORED UPLIFT BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)</u><br><br><b>BRACING</b><br>FOR SECTION I-N, MAX. PURLIN SPACING = 2.00 FT.<br>FOR OTHER SECTIONS, TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.<br>MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.<br><br>ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.<br><br>1 LATERAL BRACE(S) AT 1/2 LENGTH OF N-P.<br>2x4 DRY SPF No.2 I-BRACE AT M-Q, L-R, K-S, J-U<br>2x4 DRY SPF No.2 T-BRACE AT H-V, G-W<br><br>FASTEN T AND I-BRACES TO NARROW EDGE OF WEB WITH ONE ROW PER PLY OF 3" COMMON WIRE NAILS @ 6" O.C. WITH 3" MINIMUM END DISTANCE. BRACE MUST COVER 90% OF WEB LENGTH.<br><br>END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW<br><br><b>LOADING</b><br>TOTAL LOAD CASES: (4)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |          |          |          | <b>DESIGN CRITERIA</b><br><br>SPECIFIED LOADS:<br>TOP CH. LL = 21.0 PSF<br>DL = 6.0 PSF<br>BOT CH. LL = 0.0 PSF<br>DL = 7.4 PSF<br>TOTAL LOAD = 34.4 PSF<br><br><b>SPACING = 24.0 IN. C/C</b><br><br>LOADING IN FLAT SECTION BASED ON PIGGYBACK TRUSS WITH SLOPES OF 6.00/12 AND -6.00/12 AND RESPECTIVE WALL HEIGHTS OF 0-0 AND 0-0 AND AN ADDITIONAL DEAD LOAD OF 3.0 P.S.F.<br><br>THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015<br><br>THIS DESIGN COMPLIES WITH:<br>- PART 9 OF CBC 2018 , ABC 2019<br>- PART 9 OF OBC 2012 (2019 AMENDMENT)<br>- CSA 086-14<br>- TPIC 2014<br><br>DESIGN ASSUMPTIONS<br>-OVERHANG NOT TO BE ALTERED OR CUT OFF.<br><br>(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD<br><br>CSI: TC=0.31/1.00 (A-B:1) , BC=0.08/1.00 (Z-AA:1) , WB=0.16/1.00 (M-Q:1) , SSI=0.11/1.00 (A-B:1)<br><br>DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10<br><br>COMPANION LIVE LOAD FACTOR = 1.00<br><br>TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .<br><br>NAIL VALUES<br>PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)<br>MAX MIN MAX MIN MAX MIN<br>MT20 650 371 1747 788 1987 1873<br><br>PLATE PLACEMENT TOL. = 0.250 inches<br><br>PLATE ROTATION TOL. = 5.0 Deg.<br><br>JSI GRIP= 0.64 (I) (INPUT = 0.90 )<br>JSI METAL= 0.20 (B) (INPUT = 1.00 ) |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------|----------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------|--|-------|--|-------|--|-------|--|---------------|----------|-------|------------|-----|-----|---------------|-------|-----|-----|-------|-------|-------|-------|------|-------|-------|-------|------|-------|-------|--|--|------|----|--------|-------|--|--|--|------|--------|-------|-------|----------|-------|------|----------|----------|----------|------|---------|-------|-------|----------|------|------|----------|----------|----------|------|-------|-------|-------|----------|-------|------|----------|----------|----------|------|--------|-------|-------|----------|-------|------|----------|----------|----------|------|--------|-------|-------|----------|-------|------|----------|----------|----------|------|--------|-------|-------|----------|-------|------|----------|----------|----------|------|-------|-------|-------|----------|-------|------|----------|----------|----------|------|---------|-------|-------|----------|------|------|----------|----------|----------|------|---------|-----|-----|----------|------|------|---------|----------|----------|-------|----------|-----|-----|----------|------|--|--|--|--|------|-------|-------|-------|----------|------|--|--|--|--|------|-------|-------|-------|----------|------|--|--|--|--|------|-------|-------|-------|----------|------|--|--|--|--|------|-------|-------|-------|----------|------|--|--|--|--|------|-------|-------|-------|----------|------|--|--|--|--|-------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|------|-------|-------|-------|----------|-------|--|--|--|--|
| <b>PLATES (table is in inches)</b><br>JT TYPE PLATES W LEN Y X<br>B TMV+p MT20 2.0 4.0<br>C, D, E, G, H, J, K, L, M<br>C TMW+w MT20 2.0 4.0<br>F TS-t MT20 3.0 6.0<br>I TT-i MT20 3.0 4.0 1.75 2.00<br>N TMV+p MT20 2.0 4.0<br>P BMV1+p MT20 2.0 4.0<br>Q, R, S, U, V, W, X, Y, Z<br>Q BMW1+w MT20 2.0 4.0<br>T BS-t MT20 3.0 6.0<br>AA BMV1+p MT20 2.0 4.0                                                                                                                                                                                                                                                                    |          |       |            |          | <table><tr><th colspan="2">CHORDS</th><th colspan="2">MEMB.</th><th colspan="2">FR-TO</th><th colspan="2">MEMB.</th><th colspan="2">FR-TO</th></tr><tr><th>MAX. FACTORED</th><th>FACTORED</th><th>FORCE</th><th>VERT. LOAD</th><th>LC1</th><th>MAX</th><th>MAX. FACTORED</th><th>FORCE</th><th>LC1</th><th>MAX</th></tr><tr><th>(LBS)</th><th>(PLF)</th><th>(LBS)</th><th>(LBS)</th><th>(LC)</th><th>(LBS)</th><th>(LBS)</th><th>(LBS)</th><th>(LC)</th><th>(LBS)</th></tr><tr><td>FR-TO</td><td></td><td></td><td>FROM</td><td>TO</td><td>LENGTH</td><td>FR-TO</td><td></td><td></td><td></td></tr><tr><td>A- B</td><td>0 / 60</td><td>-78.0</td><td>-78.0</td><td>0.31 (1)</td><td>10.00</td><td>Q- M</td><td>-204 / 0</td><td>0.16 (1)</td><td>0.16 (1)</td></tr><tr><td>B- C</td><td>-72 / 0</td><td>-78.0</td><td>-78.0</td><td>0.25 (1)</td><td>6.25</td><td>R- L</td><td>-165 / 0</td><td>0.13 (1)</td><td>0.13 (1)</td></tr><tr><td>C- D</td><td>0 / 4</td><td>-78.0</td><td>-78.0</td><td>0.05 (1)</td><td>10.00</td><td>S- K</td><td>-171 / 0</td><td>0.14 (1)</td><td>0.14 (1)</td></tr><tr><td>D- E</td><td>-9 / 0</td><td>-78.0</td><td>-78.0</td><td>0.05 (1)</td><td>10.00</td><td>U- J</td><td>-173 / 0</td><td>0.14 (1)</td><td>0.14 (1)</td></tr><tr><td>E- F</td><td>-4 / 0</td><td>-78.0</td><td>-78.0</td><td>0.03 (1)</td><td>10.00</td><td>V- H</td><td>-161 / 0</td><td>0.13 (1)</td><td>0.13 (1)</td></tr><tr><td>F- G</td><td>-4 / 0</td><td>-78.0</td><td>-78.0</td><td>0.03 (1)</td><td>10.00</td><td>W- G</td><td>-152 / 0</td><td>0.10 (1)</td><td>0.10 (1)</td></tr><tr><td>G- H</td><td>0 / 0</td><td>-78.0</td><td>-78.0</td><td>0.04 (1)</td><td>10.00</td><td>X- E</td><td>-150 / 0</td><td>0.16 (1)</td><td>0.16 (1)</td></tr><tr><td>H- I</td><td>-20 / 0</td><td>-78.0</td><td>-78.0</td><td>0.04 (1)</td><td>6.25</td><td>Y- D</td><td>-181 / 0</td><td>0.10 (1)</td><td>0.10 (1)</td></tr><tr><td>P- N</td><td>-83 / 0</td><td>0.0</td><td>0.0</td><td>0.01 (1)</td><td>6.25</td><td>Z- C</td><td>-42 / 0</td><td>0.01 (1)</td><td>0.01 (1)</td></tr><tr><td>AA- B</td><td>-370 / 0</td><td>0.0</td><td>0.0</td><td>0.08 (1)</td><td>7.81</td><td></td><td></td><td></td><td></td></tr><tr><td>I- J</td><td>0 / 1</td><td>-85.5</td><td>-85.5</td><td>0.04 (1)</td><td>2.00</td><td></td><td></td><td></td><td></td></tr><tr><td>J- K</td><td>0 / 0</td><td>-85.5</td><td>-85.5</td><td>0.04 (1)</td><td>2.00</td><td></td><td></td><td></td><td></td></tr><tr><td>K- L</td><td>0 / 0</td><td>-85.5</td><td>-85.5</td><td>0.04 (1)</td><td>2.00</td><td></td><td></td><td></td><td></td></tr><tr><td>L- M</td><td>0 / 0</td><td>-85.5</td><td>-85.5</td><td>0.05 (1)</td><td>2.00</td><td></td><td></td><td></td><td></td></tr><tr><td>M- N</td><td>0 / 0</td><td>-85.5</td><td>-85.5</td><td>0.05 (1)</td><td>2.00</td><td></td><td></td><td></td><td></td></tr><tr><td>AA- Z</td><td>0 / 9</td><td>-18.5</td><td>-18.5</td><td>0.08 (1)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>Z- Y</td><td>0 / 8</td><td>-18.5</td><td>-18.5</td><td>0.02 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>Y- X</td><td>0 / 5</td><td>-18.5</td><td>-18.5</td><td>0.02 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>X- W</td><td>0 / 3</td><td>-18.5</td><td>-18.5</td><td>0.01 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>W- V</td><td>0 / 2</td><td>-18.5</td><td>-18.5</td><td>0.01 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>V- U</td><td>0 / 0</td><td>-18.5</td><td>-18.5</td><td>0.01 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>U- T</td><td>0 / 0</td><td>-18.5</td><td>-18.5</td><td>0.01 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>T- S</td><td>0 / 0</td><td>-18.5</td><td>-18.5</td><td>0.01 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>S- R</td><td>0 / 0</td><td>-18.5</td><td>-18.5</td><td>0.01 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>R- Q</td><td>0 / 0</td><td>-18.5</td><td>-18.5</td><td>0.02 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>Q- P</td><td>0 / 0</td><td>-18.5</td><td>-18.5</td><td>0.02 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr><tr><td>P- O</td><td>0 / 0</td><td>-18.5</td><td>-18.5</td><td>0.02 (4)</td><td>10.00</td><td></td><td></td><td></td><td></td></tr></table> |               |          |          |          | CHORDS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | MEMB. |  | FR-TO |  | MEMB. |  | FR-TO |  | MAX. FACTORED | FACTORED | FORCE | VERT. LOAD | LC1 | MAX | MAX. FACTORED | FORCE | LC1 | MAX | (LBS) | (PLF) | (LBS) | (LBS) | (LC) | (LBS) | (LBS) | (LBS) | (LC) | (LBS) | FR-TO |  |  | FROM | TO | LENGTH | FR-TO |  |  |  | A- B | 0 / 60 | -78.0 | -78.0 | 0.31 (1) | 10.00 | Q- M | -204 / 0 | 0.16 (1) | 0.16 (1) | B- C | -72 / 0 | -78.0 | -78.0 | 0.25 (1) | 6.25 | R- L | -165 / 0 | 0.13 (1) | 0.13 (1) | C- D | 0 / 4 | -78.0 | -78.0 | 0.05 (1) | 10.00 | S- K | -171 / 0 | 0.14 (1) | 0.14 (1) | D- E | -9 / 0 | -78.0 | -78.0 | 0.05 (1) | 10.00 | U- J | -173 / 0 | 0.14 (1) | 0.14 (1) | E- F | -4 / 0 | -78.0 | -78.0 | 0.03 (1) | 10.00 | V- H | -161 / 0 | 0.13 (1) | 0.13 (1) | F- G | -4 / 0 | -78.0 | -78.0 | 0.03 (1) | 10.00 | W- G | -152 / 0 | 0.10 (1) | 0.10 (1) | G- H | 0 / 0 | -78.0 | -78.0 | 0.04 (1) | 10.00 | X- E | -150 / 0 | 0.16 (1) | 0.16 (1) | H- I | -20 / 0 | -78.0 | -78.0 | 0.04 (1) | 6.25 | Y- D | -181 / 0 | 0.10 (1) | 0.10 (1) | P- N | -83 / 0 | 0.0 | 0.0 | 0.01 (1) | 6.25 | Z- C | -42 / 0 | 0.01 (1) | 0.01 (1) | AA- B | -370 / 0 | 0.0 | 0.0 | 0.08 (1) | 7.81 |  |  |  |  | I- J | 0 / 1 | -85.5 | -85.5 | 0.04 (1) | 2.00 |  |  |  |  | J- K | 0 / 0 | -85.5 | -85.5 | 0.04 (1) | 2.00 |  |  |  |  | K- L | 0 / 0 | -85.5 | -85.5 | 0.04 (1) | 2.00 |  |  |  |  | L- M | 0 / 0 | -85.5 | -85.5 | 0.05 (1) | 2.00 |  |  |  |  | M- N | 0 / 0 | -85.5 | -85.5 | 0.05 (1) | 2.00 |  |  |  |  | AA- Z | 0 / 9 | -18.5 | -18.5 | 0.08 (1) | 10.00 |  |  |  |  | Z- Y | 0 / 8 | -18.5 | -18.5 | 0.02 (4) | 10.00 |  |  |  |  | Y- X | 0 / 5 | -18.5 | -18.5 | 0.02 (4) | 10.00 |  |  |  |  | X- W | 0 / 3 | -18.5 | -18.5 | 0.01 (4) | 10.00 |  |  |  |  | W- V | 0 / 2 | -18.5 | -18.5 | 0.01 (4) | 10.00 |  |  |  |  | V- U | 0 / 0 | -18.5 | -18.5 | 0.01 (4) | 10.00 |  |  |  |  | U- T | 0 / 0 | -18.5 | -18.5 | 0.01 (4) | 10.00 |  |  |  |  | T- S | 0 / 0 | -18.5 | -18.5 | 0.01 (4) | 10.00 |  |  |  |  | S- R | 0 / 0 | -18.5 | -18.5 | 0.01 (4) | 10.00 |  |  |  |  | R- Q | 0 / 0 | -18.5 | -18.5 | 0.02 (4) | 10.00 |  |  |  |  | Q- P | 0 / 0 | -18.5 | -18.5 | 0.02 (4) | 10.00 |  |  |  |  | P- O | 0 / 0 | -18.5 | -18.5 | 0.02 (4) | 10.00 |  |  |  |  |
| CHORDS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          | MEMB. |            | FR-TO    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | MEMB.         |          | FR-TO    |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| MAX. FACTORED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | FACTORED | FORCE | VERT. LOAD | LC1      | MAX                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | MAX. FACTORED | FORCE    | LC1      | MAX      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| (LBS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | (PLF)    | (LBS) | (LBS)      | (LC)     | (LBS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | (LBS)         | (LBS)    | (LC)     | (LBS)    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| FR-TO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |       | FROM       | TO       | LENGTH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | FR-TO         |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| A- B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 60   | -78.0 | -78.0      | 0.31 (1) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Q- M          | -204 / 0 | 0.16 (1) | 0.16 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| B- C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -72 / 0  | -78.0 | -78.0      | 0.25 (1) | 6.25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | R- L          | -165 / 0 | 0.13 (1) | 0.13 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| C- D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 4    | -78.0 | -78.0      | 0.05 (1) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | S- K          | -171 / 0 | 0.14 (1) | 0.14 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| D- E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -9 / 0   | -78.0 | -78.0      | 0.05 (1) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | U- J          | -173 / 0 | 0.14 (1) | 0.14 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| E- F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -4 / 0   | -78.0 | -78.0      | 0.03 (1) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | V- H          | -161 / 0 | 0.13 (1) | 0.13 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| F- G                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -4 / 0   | -78.0 | -78.0      | 0.03 (1) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | W- G          | -152 / 0 | 0.10 (1) | 0.10 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| G- H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -78.0 | -78.0      | 0.04 (1) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | X- E          | -150 / 0 | 0.16 (1) | 0.16 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| H- I                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -20 / 0  | -78.0 | -78.0      | 0.04 (1) | 6.25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Y- D          | -181 / 0 | 0.10 (1) | 0.10 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| P- N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -83 / 0  | 0.0   | 0.0        | 0.01 (1) | 6.25                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Z- C          | -42 / 0  | 0.01 (1) | 0.01 (1) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| AA- B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | -370 / 0 | 0.0   | 0.0        | 0.08 (1) | 7.81                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| I- J                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 1    | -85.5 | -85.5      | 0.04 (1) | 2.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| J- K                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -85.5 | -85.5      | 0.04 (1) | 2.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| K- L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -85.5 | -85.5      | 0.04 (1) | 2.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| L- M                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -85.5 | -85.5      | 0.05 (1) | 2.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| M- N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -85.5 | -85.5      | 0.05 (1) | 2.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| AA- Z                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0 / 9    | -18.5 | -18.5      | 0.08 (1) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| Z- Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 8    | -18.5 | -18.5      | 0.02 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| Y- X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 5    | -18.5 | -18.5      | 0.02 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| X- W                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 3    | -18.5 | -18.5      | 0.01 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| W- V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 2    | -18.5 | -18.5      | 0.01 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| V- U                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -18.5 | -18.5      | 0.01 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| U- T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -18.5 | -18.5      | 0.01 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| T- S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -18.5 | -18.5      | 0.01 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| S- R                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -18.5 | -18.5      | 0.01 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| R- Q                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -18.5 | -18.5      | 0.02 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| Q- P                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -18.5 | -18.5      | 0.02 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| P- O                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 / 0    | -18.5 | -18.5      | 0.02 (4) | 10.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
| LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |       |            |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |       |            |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |          |          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |       |  |       |  |       |  |       |  |               |          |       |            |     |     |               |       |     |     |       |       |       |       |      |       |       |       |      |       |       |  |  |      |    |        |       |  |  |  |      |        |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |        |       |       |          |       |      |          |          |          |      |       |       |       |          |       |      |          |          |          |      |         |       |       |          |      |      |          |          |          |      |         |     |     |          |      |      |         |          |          |       |          |     |     |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |      |       |       |       |          |      |  |  |  |  |       |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |      |       |       |       |          |       |  |  |  |  |



|                      |     |
|----------------------|-----|
| TOTAL WEIGHT = 26 lb |     |
|                      | [M] |

| LUMBER                          |      |     |        |       |
|---------------------------------|------|-----|--------|-------|
| N. L. G. A. RULES               |      |     |        |       |
| CHORDS                          | SIZE |     | LUMBER | DESCR |
| A - D                           | 2x4  | DRY | No.2   | SPF   |
| D - G                           | 2x4  | DRY | No.2   | SPF   |
| H - G                           | 2x4  | DRY | No.2   | SPF   |
| B - H                           | 2x4  | DRY | No.2   | SPF   |
| ALL WEBS<br>EXCEPT              | 2x3  | DRY | No.2   | SPF   |
| ALL GABLE WEBS                  | 2x3  | DRY | No.2   | SPF   |
| DRY: SEASONED LUMBER.           |      |     |        |       |
| GABLE STUDS SPACED AT 2-0-0 OC. |      |     |        |       |

| PLATES (table is in inches) |        |        |     |     |      |
|-----------------------------|--------|--------|-----|-----|------|
| JT                          | TYPE   | PLATES | W   | LEN | Y X  |
| B                           | TMB1-l | MT20   | 3.0 | 4.0 |      |
| C                           | E, F   |        |     |     |      |
| C                           | TMW+w  | MT20   | 2.0 | 4.0 |      |
| D                           | TI+m   | MT20   | 3.0 | 4.0 | Edge |
| G                           | TMV+p  | MT20   | 2.0 | 4.0 |      |
| H                           | BMV1+p | MT20   | 2.0 | 4.0 |      |
| I, J, K                     |        |        |     |     |      |
| I                           | BMW1+w | MT20   | 2.0 | 4.0 |      |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

## BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

## LOADING

**TOTAL LOAD CASES: (4)**

| CHORDS |                           |                           |       | WEBS             |                    |       |                           |                  |
|--------|---------------------------|---------------------------|-------|------------------|--------------------|-------|---------------------------|------------------|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) |       | LC1 MAX CSI (LC) | MAX. UNBRAC LENGTH | MEMB. | MAX. FACTORED FORCE (LBS) | LC1 MAX CSI (LC) |
| FR-TO  |                           | FROM                      | TO    |                  |                    | FR-TO |                           |                  |
| A-B    | 0 / 6                     | -78.0                     | -78.0 | 0.01 (1)         | 10.00              | I-F   | -167 / 0                  | 0.03 (1)         |
| B-M    | -18 / 0                   | -78.0                     | -78.0 | 0.01 (4)         | 6.25               | J-E   | -160 / 0                  | 0.02 (1)         |
| M-C    | 0 / 1                     | -78.0                     | -78.0 | 0.06 (1)         | 10.00              | K-C   | -180 / 0                  | 0.03 (1)         |
| C-D    | -14 / 0                   | -78.0                     | -78.0 | 0.06 (1)         | 6.25               | L-M   | -58 / 3                   | 0.00 (1)         |
| D-E    | 0 / 0                     | -78.0                     | -78.0 | 0.05 (1)         | 10.00              |       |                           |                  |
| E-F    | 0 / 0                     | -78.0                     | -78.0 | 0.05 (1)         | 10.00              |       |                           |                  |
| F-G    | 0 / 0                     | -78.0                     | -78.0 | 0.04 (1)         | 10.00              |       |                           |                  |
| H-G    | -63 / 0                   | 0.0                       | 0.0   | 0.01 (1)         | 7.81               |       |                           |                  |
|        |                           |                           |       |                  |                    |       |                           |                  |
| B-L    | 0 / 9                     | -18.5                     | -18.5 | 0.03 (1)         | 10.00              |       |                           |                  |
| L-K    | 0 / 9                     | -18.5                     | -18.5 | 0.03 (1)         | 10.00              |       |                           |                  |
| K-J    | 0 / 0                     | -18.5                     | -18.5 | 0.03 (4)         | 10.00              |       |                           |                  |
| J-I    | 0 / 0                     | -18.5                     | -18.5 | 0.02 (4)         | 10.00              |       |                           |                  |
| I-H    | 0 / 0                     | -18.5                     | -18.5 | 0.02 (4)         | 10.00              |       |                           |                  |

## DESIGN CRITERIA

SPECIFIED LOADS:

|            |     |    |   |      |     |
|------------|-----|----|---|------|-----|
| TOP        | CH. | LL | = | 21.0 | PSF |
|            |     | DL | = | 6.0  | PSF |
| BOT        | CH. | LL | = | 0.0  | PSF |
|            |     | DL | = | 7.4  | PSF |
| TOTAL LOAD |     |    | = | 34.4 | PSF |

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE  
OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL  
OR SMALL BUILDING REQUIREMENTS OF PART  
9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.06/1.00 (C-D:1), BC=0.03/1.00 (B-L:1),  
WB=0.03/1.00 (F-I:1), SSI=0.07/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10  
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

## NAIL VALUES

| PLATE | GRIP(DRY)<br>(PSI) |     | SHEAR<br>(PLI) |     | SECTION<br>(PLI) |      |
|-------|--------------------|-----|----------------|-----|------------------|------|
|       | MAX                | MIN | MAX            | MIN | MAX              | MIN  |
| MT20  | 650                | 371 | 1747           | 788 | 1987             | 1873 |


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.11 (C) (INPUT = 0.90 )  
JSI METAL= 0.08 (C) (INPUT = 1.00 )

LATERAL BRACE(S) SHOWN SHALL BE  
2X4 SPF#2





LUMBER

N. L. G. A. RULES

CHORDS

SIZE

DRY

LUMBER

No.2

A - D

2x4

DRY

No.2

E - D

2x4

DRY

No.2

B - E

2x4

DRY

No.2

ALL WEBS

2x3

DRY

No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT

TYPE

PLATES

W

LEN

Y

X

B

TMB1-I

MT20

3.0

4.0

C

TMW+w

MT20

2.0

4.0

D

TMV+p

MT20

2.0

4.0

E

BMVW1-I

MT20

3.0

4.0

DESCR.

SPF

FACTORED

MAXIMUM

FACTORED

INPUT

REQRD

SPF

GROSS REACTION

GROSS REACTION

BRG

BRG

SPF

JT

VERT

HORZ

DOWN

HORZ

UPLIFT

IN-SX

IN-SX

SPF

E

409

0

409

0

0

8-5-12 ( 8-5-12)15

SPF

B

438

0

438

0

0

8-5-12 ( 8-5-12)15

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

1ST LCASE

MAX./MIN. COMPONENT REACTIONS

JT

COMBINED

SNOW

LIVE

PERM.LIVE

WIND

DEAD

SOIL

E

292

178 / 0

0 / 0

0 / 0

0 / 0

114 / 0

0 / 0

B

312

194 / 0

0 / 0

0 / 0

0 / 0

118 / 0

0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, B

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB.

MAX. FACTORED FORCE (LBS)

FACTORED VERT. LOAD (PLF)

MAX LC1

MAX CSI (LC)

UNBRAC LENGTH

FR-TO

FR-TO

MEMB.

MAX. FACTORED FORCE (LBS)

MAX CSI (LC)

A-B

0 / 6

-78.0

-78.0

0.01 (1)

10.00

C-E

-487 / 0

0.20 (1)

B-G

-676 / 0

-78.0

-78.0

0.27 (4)

6.25

F-G

0 / 359

0.00 (1)

G-C

-460 / 0

-78.0

-78.0

0.27 (4)

6.25

C-D

-20 / 0

-78.0

-78.0

0.26 (1)

6.25

E-D

-138 / 0

0.0

0.0

0.05 (1)

7.81

B-F

0 / 441

-18.5

-18.5

0.24 (4)

10.00

F-E

0 / 441

-18.5

-18.5

0.29 (4)

10.00

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2

LICENSED PROFESSIONAL ENGINEER

Y. WIDYA

100225448

03/24/2020

PROVINCE OF ONTARIO

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 21.0 PSF

DL = 6.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

PART 9 OF BCBC 2018, ABC 2019

PART 9 OF OBC 2012 (2019 AMENDMENT)

CSA 086-14

TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.27/1.00 (B-G:4) , BC=0.29/1.00 (E-F:4) , WB=0.20/1.00 (C-E:1) , SSI=0.33/1.00 (B-G:4)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION

(PSI) (PLI) (PLI)

MAX MIN MAX MIN MAX MIN

MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.64 (E) (INPUT = 0.90 )

JSI METAL= 0.23 (C) (INPUT = 1.00 )


TOTAL WEIGHT = 3 X 30 = 90 lb

[M]

|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | J1         |          | 1   | TRUSS DESC. JT 45147 | E20035259 |

Alpa Roof Truss, Maple

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:25 2020 Page 1



TOTAL WEIGHT = 7 X 18 = 123 lb [M]

|                   |      |     |        |        |
|-------------------|------|-----|--------|--------|
| <b>LUMBER</b>     |      |     |        |        |
| N. L. G. A. RULES |      |     |        |        |
| CHORDS            | SIZE | DRY | LUMBER | DESCR. |
| D - A             | 2x4  | DRY | No.2   | SPF    |
| A - B             | 2x4  | DRY | No.2   | SPF    |
| E - C             | 2x4  | DRY | No.2   | SPF    |

DRY: SEASONED LUMBER.

|                                    |        |        |     |         |
|------------------------------------|--------|--------|-----|---------|
| <b>PLATES (table is in inches)</b> |        |        |     |         |
| JT                                 | TYPE   | PLATES | W   | LEN Y X |
| A                                  | TMV+p  | MT20   | 2.0 | 4.0     |
| D                                  | BMV1+p | MT20   | 2.0 | 4.0     |

**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

|    |     | FACTORED GROSS REACTION |      | MAXIMUM FACTORED GROSS REACTION |      | INPUT BRG  | REQRD BRG |
|----|-----|-------------------------|------|---------------------------------|------|------------|-----------|
| JT |     | VERT                    | HORZ | DOWN                            | HORZ | IN-SX      | IN-SX     |
| D  | 487 | 0                       | 487  | 0                               | 0    | 5-8        | 1-8       |
| B  | 188 | 0                       | 188  | 0                               | 0    | 1-8        | 1-8       |
| C  | 41  | 0                       | 46   | 0                               | 0    | MECHANICAL |           |

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT C. MINIMUM BEARING LENGTH AT JOINT C = 1-8.

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B

**UNFACTORED REACTIONS**

| 1ST LCASE |          | MAX./MIN. COMPONENT REACTIONS |       |           |       |         |       |
|-----------|----------|-------------------------------|-------|-----------|-------|---------|-------|
| JT        | COMBINED | SNOW                          | LIVE  | PERM.LIVE | WIND  | DEAD    | SOIL  |
| D         | 348      | 210 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 137 / 0 | 0 / 0 |
| B         | 130      | 101 / 0                       | 0 / 0 | 0 / 0     | 0 / 0 | 29 / 0  | 0 / 0 |
| C         | 33       | 0 / 0                         | 0 / 0 | 0 / 0     | 0 / 0 | 33 / 0  | 0 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) D, B

**BRACING**

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

**LOADING**

TOTAL LOAD CASES: (4)

| CHORDS |             | FACTORED         |                | WEBS  |                           |
|--------|-------------|------------------|----------------|-------|---------------------------|
| MEMB.  | FORCE (LBS) | VERT. LOAD (PLF) | MAX. LC1 (LC)  | MEMB. | MAX. FACTORED FORCE (LBS) |
| FR-TO  |             | FROM             | TO             | FR-TO |                           |
| D-A    | -270 / 0    | 0.0              | 0.0 0.33 (1)   | 7.81  |                           |
| A-B    | -23 / 0     | -78.0            | -78.0 0.33 (1) | 6.25  |                           |
| E-D    | 0 / 0       | -96.5            | -96.5 0.16 (1) | 10.00 |                           |
| D-C    | 0 / 0       | -18.5            | -18.5 0.19 (4) | 10.00 |                           |

**DESIGN CRITERIA**

SPECIFIED LOADS:  
TOP CH. LL = 21.0 PSF  
DL = 6.0 PSF  
BOT CH. LL = 0.0 PSF  
DL = 7.4 PSF  
TOTAL LOAD = 34.4 PSF

**SPACING = 24.0 IN. C/C**

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF BCBC 2018, ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

DESIGN ASSUMPTIONS  
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.20")  
CALCULATED VERT. DEFL.(TL) = L/999 (0.02")

CANTILEVER DEFLECTION:  
ALLOWABLE DEFL.(LL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")  
ALLOWABLE DEFL.(TL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.33/1.00 (A-D:1), BC=0.19/1.00 (C-D:4),  
WB=0.00/1.00 (n/a:0), SSI=0.18/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10  
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES  
PLATE GRIP(DRY) SHEAR SECTION  
(PSI) (PLI) (PLI)  
MAX MIN MAX MIN MAX MIN  
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (A) (INPUT = 0.90 )  
JSI METAL= 0.14 (A) (INPUT = 1.00 )

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2




|          |            |          |     |                      |           |
|----------|------------|----------|-----|----------------------|-----------|
| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC.            | DRWG NO.  |
| 318400   | J03        |          | 1   | TRUSS DESC. JT 45147 | E20035260 |

Alpa Roof Truss, Maple

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Mar 24 12:58:26 2020 Page 1

ID:MF8iiriaTok7DlbpT4B71Xys4PG-NnOCpS92i3hSI 2v8eq7y0OBHwkBgqFQCZMukGzXk5B



TOTAL WEIGHT = 10 X 28 = 280 lb

[M][F]

|                           |      |     |        |        |
|---------------------------|------|-----|--------|--------|
| <b>LUMBER</b>             |      |     |        |        |
| N. L. G. A. RULES         |      |     |        |        |
| CHORDS                    | SIZE | DRY | LUMBER | DESCR. |
| E - A                     | 2x4  | DRY | No.2   | SPF    |
| A - C                     | 2x4  | DRY | No.2   | SPF    |
| F - D                     | 2x4  | DRY | No.2   | SPF    |
| ALL WEBS 2x3 DRY No.2 SPF |      |     |        |        |
| DRY: SEASONED LUMBER.     |      |     |        |        |

|                                    |         |        |     |     |      |
|------------------------------------|---------|--------|-----|-----|------|
| <b>PLATES (table is in inches)</b> |         |        |     |     |      |
| JT                                 | TYPE    | PLATES | W   | LEN | Y X  |
| A                                  | TMV+p   | MT20   | 2.0 | 4.0 |      |
| B                                  | TMWW-t  | MT20   | 3.0 | 4.0 |      |
| D                                  | BMW1-t  | MT20   | 3.0 | 4.0 | Edge |
| E                                  | BMVW1-t | MT20   | 3.0 | 4.0 |      |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

**DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER**

| JT | FACTORED GROSS REACTION |      | MAXIMUM FACTORED GROSS REACTION |      | INPUT BRG  | REQRD BRG |
|----|-------------------------|------|---------------------------------|------|------------|-----------|
|    | VERT                    | HORZ | DOWN                            | HORZ | IN-SX      | IN-SX     |
| E  | 489                     | 0    | 489                             | 0    | 5-8        | 1-8       |
| C  | 110                     | 0    | 110                             | 0    | MECHANICAL |           |
| D  | 233                     | 0    | 233                             | 0    | MECHANICAL |           |

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT C, D. MINIMUM BEARING LENGTH AT JOINT C = 1-8, JOINT D = 1-8.

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): C

| <b>UNFACTORED REACTIONS</b> |          |           |       |           |       |           |         |
|-----------------------------|----------|-----------|-------|-----------|-------|-----------|---------|
| JT                          | COMBINED | 1ST LCASE | SNOW  | MAX./MIN. | LIVE  | PERM.LIVE | WIND    |
| E                           | 348      | 213 / 0   | 0 / 0 |           | 0 / 0 | 0 / 0     | 136 / 0 |
| C                           | 76       | 59 / 0    | 0 / 0 |           | 0 / 0 | 0 / 0     | 17 / 0  |
| D                           | 169      | 91 / 0    | 0 / 0 |           | 0 / 0 | 0 / 0     | 78 / 0  |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

**BRACING**  
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.  
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

**LOADING**  
TOTAL LOAD CASES: (4)

| <b>CHORDS</b> |                           |                           |                  | <b>WEBS</b> |                           |                      |          |
|---------------|---------------------------|---------------------------|------------------|-------------|---------------------------|----------------------|----------|
| MEMB.         | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | LC1 MAX CSI (LC) | MEMB.       | MAX. FACTORED FORCE (LBS) | MAX. UNBRACED LENGTH | FR-TO    |
| FR-TO         |                           | FROM                      | TO               | FR-TO       |                           |                      |          |
| E-A           | -100 / 0                  | 0.0                       | 0.0              | 0.01 (1)    | 7.81                      | E-B                  | -258 / 0 |
| A-B           | 0 / 19                    | -78.0                     | -78.0            | 0.16 (1)    | 10.00                     | B-D                  | -253 / 0 |
| B-C           | -18 / 0                   | -78.0                     | -78.0            | 0.12 (1)    | 6.25                      |                      |          |
| F-E           | 0 / 0                     | -96.5                     | -96.5            | 0.16 (1)    | 10.00                     |                      |          |
| E-D           | 0 / 189                   | -18.5                     | -18.5            | 0.28 (4)    | 10.00                     |                      |          |

**DESIGN CRITERIA**

|                       |    |   |          |
|-----------------------|----|---|----------|
| SPECIFIED LOADS:      |    |   |          |
| TOP CH.               | LL | = | 21.0 PSF |
|                       | DL | = | 6.0 PSF  |
| BOT CH.               | LL | = | 0.0 PSF  |
|                       | DL | = | 7.4 PSF  |
| TOTAL LOAD = 34.4 PSF |    |   |          |

**SPACING = 24.0 IN. C/C**

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:  
- PART 9 OF BCBC 2018, ABC 2019  
- PART 9 OF OBC 2012 (2019 AMENDMENT)  
- CSA 086-14  
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.23")  
CALCULATED VERT. DEFL.(TL)= L/768 (0.11")

CANTILEVER DEFLECTION:  
ALLOWABLE DEFL.(LL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(LL)= L/999 (0.01")  
ALLOWABLE DEFL.(TL)= L/120 (0.19")  
CALCULATED VERT. DEFL.(TL)= L/999 (0.01")

CSI: TC=0.16/1.00 (A-B:1), BC=0.28/1.00 (D-E:4),  
WB=0.10/1.00 (B-D:1), SSI=0.12/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10  
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

|                    |         |          |           |
|--------------------|---------|----------|-----------|
| <b>NAIL VALUES</b> |         |          |           |
| PLATE GRIP(DRY)    | SHEAR   | SECTION  |           |
| (PSI)              | (PLI)   | (PLI)    |           |
| MAX MIN            | MAX MIN | MAX MIN  |           |
| MT20               | 650 371 | 1747 788 | 1987 1873 |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.32 (E) (INPUT = 0.90 )  
JSI METAL= 0.07 (E) (INPUT = 1.00 )

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2

| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC. | DRWG NO.  |
|----------|------------|----------|-----|-----------|-----------|
| 343171   | H51        | 2        |     | JT 45147  | E22052770 |

Alpa Roof Truss, Maple

Version 8.530 S Feb 23 2022 MiTek Industries, Inc. Tue Jun 7 11:34:54 2022 Page 1  
ID:MF8iiriaTok7DlbpT4B71Xys4PG-C41alq8PblRxaqkBDMKvg5DcoHtdyuyK3 vRkGz8IB


Scale = 1:33.9

The diagram illustrates a complex roof truss system. Key components include:

- Top Chords:** Members T1 and T2.
- Bottom Chords:** Members B1 and B2.
- Vertical Posts:** Members W2 and W6.
- Diagonal Bracing:** Members W1, W3, W4, W5, and W6.
- End Connections:** Members M, A, B, C, D, E, F, G, and H.
- Dimensions:** Horizontal spans are labeled at the top (e.g., 0-0, 5-11-11, 5-10-7) and bottom (e.g., 5-8, 18-11-0, 5-8). Vertical heights are indicated on the right side (e.g., 5.4-7, 2-8-3).

TOTAL WEIGHT = 2 X 107 = 214 LB

[illegible]



| JOB NAME | TRUSS NAME | QUANTITY | PLY | JOB DESC. | DRWG NO.  |
|----------|------------|----------|-----|-----------|-----------|
| 343171   | H53        |          | 1   | JT 45147  | E22052772 |

Alpa Roof Truss, Maple

Version 8.530 S Feb 23 2022 MiTek Industries, Inc. Tue Jun 7 11:34:57 2022 Page 1  
 ID:MF8iiriaTok7DlbpT4B71Xys4PG-dfjixhAHuqpVR7TmuUtlckr6SU1y9E?mly75Lbz8iE

Scale = 1:56.8

TOTAL WEIGHT = 162 lb

NUMBER

CHORDS

SIZE

LUMBER

DESCR.

A - C

C - E

E - G

G - I

Q - B

J - H

Q - O

O - L

L - J

2x4

2x4

2x4

2x4

2x4

2x4

2x4

2x4

2x4

DRY

DRY

DRY

DRY

DRY

DRY

DRY

DRY

DRY

No.2

1650F 1.5E

1650F 1.5E

No.2

No.2

No.2

No.2

No.2

No.2

SPF

SPF

SPF

SPF

SPF

SPF

SPF

SPF

SPF

ALL WEBS EXCEPT

C - N

N - F

M - G

2x3

2x4

2x4

2x4

DRY

DRY

DRY

DRY

No.2

No.2

No.2

No.2

SPF

SPF

SPF

SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

| JT      | TYPE    | PLATES | W   | LEN | Y    | X    |
|---------|---------|--------|-----|-----|------|------|
| B       | TMVW+p  | MT20   | 4.0 | 6.0 | 2.00 | 2.25 |
| C       | TTWW-h  | MT20   | 6.0 | 7.0 | 1.50 | 3.75 |
| D       | TMW+w   | MT20   | 2.0 | 4.0 |      |      |
| E       | TS-t    | MT20   | 4.0 | 6.0 | Edge | 3.00 |
| F       | TMWW-t  | MT20   | 4.0 | 6.0 |      |      |
| G       | TTWW-h  | MT20   | 6.0 | 7.0 | 1.50 | 3.75 |
| H       | TMVW+p  | MT20   | 4.0 | 6.0 | 2.00 | 2.25 |
| J       | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |
| K, M, P |         |        |     |     |      |      |
| K       | BMWW-t  | MT20   | 4.0 | 6.0 |      |      |
| L       | BS-t    | MT20   | 4.0 | 6.0 |      |      |
| N       | BMWWW-t | MT20   | 5.0 | 6.0 | 2.50 | 2.00 |
| O       | BS-t    | MT20   | 4.0 | 6.0 |      |      |
| Q       | BMV1+p  | MT20   | 2.0 | 4.0 |      |      |

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

| JT | FACTORED GROSS REACTION |      |  | MAXIMUM FACTORED GROSS REACTION |      |        | INPUT |     | REQRD |
|----|-------------------------|------|--|---------------------------------|------|--------|-------|-----|-------|
|    | VERT                    | HORZ |  | DOWN                            | HORZ | UPLIFT | IN-SX | BRG | IN-SX |
| Q  | 1713                    | 0    |  | 1713                            | 0    | 0      | 5-8   | 2-1 |       |
| J  | 1713                    | 0    |  | 1713                            | 0    | 0      | 5-8   | 2-1 |       |

UNFACTORED REACTIONS

| JT | 1ST LCASE |         | MAX./MIN. COMPONENT REACTIONS |           |       |         |       |
|----|-----------|---------|-------------------------------|-----------|-------|---------|-------|
|    | COMBINED  | SNOW    | LIVE                          | PERM.LIVE | WIND  | DEAD    | SOIL  |
| Q  | 1219      | 759 / 0 | 0 / 0                         | 0 / 0     | 0 / 0 | 460 / 0 | 0 / 0 |
| J  | 1219      | 759 / 0 | 0 / 0                         | 0 / 0     | 0 / 0 | 460 / 0 | 0 / 0 |

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.70 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF F-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

| CHORDS |                           |                           |          |                   | WEBS  |                           |              |  |  |
|--------|---------------------------|---------------------------|----------|-------------------|-------|---------------------------|--------------|--|--|
| MEMB.  | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | LC1      | MAX UNBRAC LENGTH | MEMB. | MAX. FACTORED FORCE (LBS) | MAX CSI (LC) |  |  |
| FR-TO  |                           | FROM TO                   |          |                   | FR-TO |                           |              |  |  |
| A- B   | 0 / 52                    | -78.0 -78.0               | 0.15 (1) | 10.00             | P- C  | -281 / 0                  | 0.35 (1)     |  |  |
| B- C   | -1241 / 0                 | -78.0 -78.0               | 0.27 (1) | 5.47              | C- N  | 0 / 1253                  | 0.20 (1)     |  |  |
| C- D   | -1656 / 0                 | -78.0 -78.0               | 0.76 (1) | 4.71              | N- D  | -696 / 0                  | 0.86 (1)     |  |  |
| D- E   | -1656 / 0                 | -78.0 -78.0               | 0.76 (1) | 4.70              | N- F  | -1 / 0                    | 0.00 (1)     |  |  |
| E- F   | -1656 / 0                 | -78.0 -78.0               | 0.76 (1) | 4.70              | M- F  | -697 / 0                  | 0.86 (1)     |  |  |
| F- G   | -1657 / 0                 | -78.0 -78.0               | 0.77 (1) | 4.70              | M- G  | 0 / 1254                  | 0.20 (1)     |  |  |
| G- H   | -1241 / 0                 | -78.0 -78.0               | 0.27 (1) | 5.47              | K- G  | -282 / 0                  | 0.35 (1)     |  |  |
| H- I   | 0 / 52                    | -78.0 -78.0               | 0.15 (1) | 10.00             | B- P  | 0 / 848                   | 0.19 (1)     |  |  |
| Q- B   | -1695 / 0                 | 0.0 0.0                   | 0.24 (1) | 6.38              | K- H  | 0 / 848                   | 0.19 (1)     |  |  |
| J- H   | -1695 / 0                 | 0.0 0.0                   | 0.24 (1) | 6.39              |       |                           |              |  |  |
| Q- P   | 0 / 0                     | -18.5 -18.5               | 0.19 (4) | 10.00             |       |                           |              |  |  |
| P- O   | 0 / 737                   | -18.5 -18.5               | 0.32 (4) | 10.00             |       |                           |              |  |  |
| O- N   | 0 / 737                   | -18.5 -18.5               | 0.32 (4) | 10.00             |       |                           |              |  |  |
| N- M   | 0 / 1657                  | -18.5 -18.5               | 0.41 (4) | 10.00             |       |                           |              |  |  |
| M- L   | 0 / 737                   | -18.5 -18.5               | 0.32 (4) | 10.00             |       |                           |              |  |  |
| L- K   | 0 / 737                   | -18.5 -18.5               | 0.32 (4) | 10.00             |       |                           |              |  |  |
| K- J   | 0 / 0                     | -18.5 -18.5               | 0.19 (4) | 10.00             |       |                           |              |  |  |

DESIGN CRITERIA

SPECIFIED LOADS:

|       |      |    |      |      |     |
|-------|------|----|------|------|-----|
| TOP   | CH.  | LL | =    | 21.0 | PSF |
|       |      | DL | =    | 6.0  | PSF |
| BOT   | CH.  | LL | =    | 0.0  | PSF |
|       |      | DL | =    | 7.4  | PSF |
| TOTAL | LOAD | =  | 34.4 | PSF  |     |

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , ABC 2019

- PART 9 OF OBC 2012 (2019 AMENDMENT)

- CSA 086-14

- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.09")

CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")

ALLOWABLE DEFL.(TL)= L/360 (1.09")

CALCULATED VERT. DEFL.(TL) = L/ 999 (0.16")

CSI: TC=0.77/1.00 (F-G:1) , BC=0.41/1.00 (M-N:4) , WB=0.86/1.00 (F-M:1) , SSI=0.30/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

|       |           |       |         |
|-------|-----------|-------|---------|
| PLATE | GRIP(DRY) | SHEAR | SECTION |
|       | (PSI)     | (PLI) | (PLI)   |
|       | MAX       | MIN   | MAX     |
| MT20  | 650       | 371   | 1747    |
|       | 788       | 1987  | 1873    |

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (N) (INPUT = 0.90 )

JSI METAL= 0.44 (B) (INPUT = 1.00 )

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2





# LUS – Double Shear Joist Hangers



All LUS hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections.

**Material:** 18 gauge

**Finish:** G90 galvanized

## Design:


- Factored resistances are in accordance with CSA O86-14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

## Installation:


- Use all specified fasteners.
- Nails: 16d = 0.162" dia. x 3½" long common wire, 10d = 0.148" x 3" long common wire.
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads.
- Not designed for welded or nailer applications.

## Options:

- These hangers cannot be modified



Typical LUS Installation



LUS28


| Model No. | Ga. | Dimensions (in.) |    |    |                             | Fasteners |         | Factored Resistance (lb.) |                        |                        |                        |
|-----------|-----|------------------|----|----|-----------------------------|-----------|---------|---------------------------|------------------------|------------------------|------------------------|
|           |     | W                | H  | B  | d <sub>e</sub> <sup>1</sup> | Face      | Joist   | D.Fir-L                   |                        | S-P-F                  |                        |
|           |     |                  |    |    |                             |           |         | Uplift                    | Normal                 | Uplift                 | Normal                 |
|           |     |                  |    |    |                             |           |         | (K <sub>p</sub> =1.15)    | (K <sub>p</sub> =1.00) | (K <sub>p</sub> =1.15) | (K <sub>p</sub> =1.00) |
| LUS24     | 18  | 1½               | 3½ | 1¾ | 1½                          | (4) 10d   | (2) 10d | 710                       | 1630                   | 645                    | 1155                   |
| LUS24-2   | 18  | 3½               | 3½ | 2  | 1½                          | (4) 16d   | (2) 16d | 835                       | 2020                   | 590                    | 1435                   |
| LUS26     | 18  | 1½               | 4¾ | 1¾ | 3½                          | (4) 10d   | (4) 10d | 1420                      | 2170                   | 1290                   | 1630                   |
| LUS26-2   | 18  | 3½               | 4¾ | 2  | 4                           | (4) 16d   | (4) 16d | 1720                      | 2595                   | 1545                   | 1920                   |
| LUS26-3   | 18  | 4½               | 4¾ | 2  | 3¼                          | (4) 16d   | (4) 16d | 1720                      | 2595                   | 1545                   | 2340                   |
| LUS28     | 18  | 1½               | 6½ | 1¾ | 3¾                          | (6) 10d   | (6) 10d | 1420                      | 2520                   | 1290                   | 1790                   |
| LUS28-2   | 18  | 3½               | 7  | 2  | 4                           | (6) 16d   | (4) 16d | 1720                      | 3325                   | 1545                   | 2575                   |
| LUS28-3   | 18  | 4½               | 6¼ | 2  | 3¼                          | (6) 16d   | (4) 16d | 1720                      | 3325                   | 1545                   | 2375                   |
| LUS210    | 18  | 1½               | 7½ | 1¾ | 3¾                          | (8) 10d   | (4) 10d | 1420                      | 2785                   | 1290                   | 2210                   |
| LUS210-2  | 18  | 3½               | 9  | 2  | 6                           | (8) 16d   | (6) 16d | 2580                      | 4500                   | 2320                   | 3195                   |
| LUS210-3  | 18  | 4½               | 8¾ | 2  | 5¼                          | (8) 16d   | (6) 16d | 2580                      | 3345                   | 2320                   | 2375                   |

1. d<sub>e</sub> is the distance from the seat of the hanger to the highest joist nail.



Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580



Double Shear Nailing Top View.



LIMIT  
STATES  
DESIGN

This technical bulletin is effective until June 30, 2022, and reflects information available as of April 1, 2020. This information is updated periodically and should not be relied upon after June 30, 2022. Contact Simpson Strong-Tie for current information and limited warranty or see [strongtie.com](http://strongtie.com).

© 2020 Simpson Strong-Tie Company Inc.

T-SPECLUS20 3/20 exp. 6/22

(800) 999-5099  
[strongtie.com](http://strongtie.com)

# HUS/LJS – Double Shear Joist Hangers

**SIMPSON**  
**Strong-Tie**®

All hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections. Do not bend or remove tabs.

**Material:** See table

**Finish:** G90 galvanized

**Design:**


- Factored resistances are in accordance with CSA O86 -14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

**Installation:**


- Use all specified fasteners
- Nails: 16d = 0.162" dia. x 3½" long common wire
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

**Options:**


- See current catalogue for options




LJS26DS




HUS210  
(HUS26, HUS28, similar)



Typical LJS26DS  
Installation



Typical HUS  
Installation



Typical HUS Installation  
(Truss Designer to provide fastener quantity for connecting multiple members together)

| Model No.  | Ga. | Dimensions (in.) |    |    |                             | Fasteners |          | Factored Resistance (lb.)               |                                         |                                         |                                         |
|------------|-----|------------------|----|----|-----------------------------|-----------|----------|-----------------------------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------|
|            |     | W                | H  | B  | d <sub>e</sub> <sup>1</sup> | Face      | Joist    | D.Fir-L                                 |                                         | S-P-F                                   |                                         |
|            |     |                  |    |    |                             |           |          | Uplift<br>(K <sub>0</sub> =1.15)<br>lb. | Normal<br>(K <sub>0</sub> =1.00)<br>lb. | Uplift<br>(K <sub>0</sub> =1.15)<br>lb. | Normal<br>(K <sub>0</sub> =1.00)<br>lb. |
| LJS26DS    | 18  | 1½               | 5  | 3½ | 4%                          | (16) 16d  | (6) 16d  | 2055                                    | 4265                                    | 1460                                    | 4115                                    |
| HUS26      | 16  | 1½               | 5½ | 3  | 3½                          | (14) 16d  | (6) 16d  | 2705                                    | 4940                                    | 2065                                    | 3875                                    |
| HUS28      | 16  | 1½               | 7½ | 3  | 6½                          | (22) 16d  | (8) 16d  | 3605                                    | 5365                                    | 2675                                    | 4345                                    |
| HUS210     | 16  | 1½               | 9½ | 3  | 7½                          | (30) 16d  | (10) 16d | 4505                                    | 5795                                    | 4010                                    | 4740                                    |
| HUS1.81/10 | 16  | 1½               | 9  | 3  | 8                           | (30) 16d  | (10) 16d | 4505                                    | 6450                                    | 4010                                    | 5200                                    |

1. d<sub>e</sub> is the distance from the seat of the hanger to the highest joist nail.




Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580



Double Shear Nailing Side View. Do not bend tab back.



Double Shear Nailing Top View.




LIMIT  
STATES  
DESIGN

This technical bulletin is effective until June 30, 2022, and reflects information available as of April 1, 2020. This information is updated periodically and should not be relied upon after June 30, 2022. Contact Simpson Strong-Tie for current information and limited warranty or see strongtie.com.

© 2020 Simpson Strong-Tie Company Inc.

T-SPECHUS20 3/20 exp. 6/22

(800) 999-5099  
strongtie.com




# **Wood Truss Installation**

**A Guide to proper handling, erecting and bracing  
metal plate connected wood trusses**

# Table of Content

|                                                            |    |
|------------------------------------------------------------|----|
| Warning.....                                               | 4  |
| <b>1</b> Unloading & Lifting.....                          | 5  |
| <b>2</b> Job Site Handling.....                            | 5  |
| <b>3</b> Hoisting.....                                     | 6  |
| <b>4</b> Beginning the Erection Process.....               | 7  |
| <b>5</b> Erection Tolerance.....                           | 8  |
| <b>6</b> Bracing.....                                      | 8  |
| <b>7</b> Bracing Requirements for<br>3 Planes of Roof..... | 9  |
| <b>8</b> Stacking Materials.....                           | 10 |
| Caution Notes.....                                         | 11 |

# Warning



## General

Familiarity with the Construction Design Documents, the Truss Design Drawings, and Truss Placement Plans (if required by the Construction Design Documents) is required to properly erect, brace, and connect the trusses to the building system.

All of the care and quality involved in the design and manufacture of wood trusses can be jeopardized if the trusses are not properly handled, erected, and braced.

**The consequences of improper handling, erecting, and bracing may be a collapse of the structure, which at best is a substantial loss of time and materials, and at worst is a loss of life. The majority of truss accidents occur during truss installation and not as a result of improper design or manufacture.**

Prior to truss erection, the builder/erector shall meet with the erection crew for a safety and planning meeting, making sure each crew member understands his or her roles and responsibilities during the erection process.

## Temporary Erection Bracing

**Trusses are not marked in any way to identify the frequency, or location of temporary erection bracing.**

All temporary bracing shall comply with the latest edition of *Commentary and Recommendations for Handling, Installing & Bracing Metal Plate Connected Wood Trusses* (HIB), published by the Truss Plate Institute, and/or as specified in the Construction Design Documents prepared by the building designer.

## Permanent Truss Bracing

Permanent bracing for the roof or floor trusses is the responsibility of the building designer and should be shown on the Construction Design Documents. Permanent bracing locations for individual compression members of a wood truss are shown on the Truss Design Drawings, and shall be installed by the building or erection contractor. This bracing is needed for the proper performance of individual trusses within the roof or floor system. The design and connection of the bracing to the truss and then to the overall building system is the responsibility of the building designer, and is in addition to the permanent bracing plan, which is also specified by the building designer.

## Special Design Requirements


Special design requirements, such as wind bracing, portal bracing, seismic bracing, diaphragms, shear walls, or other load transfer elements and their connections to wood trusses must be considered separately by the building designer, who shall determine size, location, and method of connections for all bracing as needed to resist these forces.

# 1

## Unloading & Lifting

### Never handle trusses flat

Beginning with the unloading process, and throughout all phases of construction, care must be taken to avoid lateral bending of trusses, which can cause damage to the lumber and metal connector plates at the joints.





**Avoid lateral bending**

- Use special care in windy weather.
- If using a crane within 10 feet of an electric line, contact the local power company.
- If using a crane within 5 miles of an airport, contact the airport 30 days prior to erection to learn about any safety regulations that must be followed.


# 2

## Job Site Handling




### All trusses should be picked up at the top chords in a vertical position only

Proper banding and smooth ground allow for unloading of trusses without damage. This should be done as close to the building site as possible to minimize handling. Do not break banding until installation begins. Hand erection of trusses is allowed, provided excessive lateral bending is prevented.




### Do not store unbraced bundles upright

If trusses are stored vertically they shall be braced in a manner that will prevent tipping or topping. Generally cutting of the banding is done just prior to installation.



### Do not store on uneven ground

If trusses are stored horizontally, blocking should be used on eight to ten foot centers, or as required, to minimize lateral bending and moisture gain.




### Care should be exercised when removing banding to avoid damaging trusses.


During long term storage, trusses shall be protected from the environment in a manner that provides for adequate ventilation of the trusses. If tarpaulins or other material is used, the ends shall be left open for ventilation. Plastic is not recommended, since it can trap moisture.

### 3 Hoisting


All trusses that are erected one at a time shall be held safely in position by the erection equipment until such time as all necessary bracing has been installed and the ends of the trusses are securely fastened to the building.




**Avoid lateral bending**




**$L \leq 30'$**




Truss sling is acceptable where these criteria are met.




**$30' < L \leq 60'$**



Use spreader bar in all other cases. It should be noted that the lines from the ends of the spreader bar "TOE IN"; if these lines should "TOE OUT" the truss may fold in half.



**$L > 60'$**




For lifting trusses with spans in excess of 60 feet, it is recommended that a strongback/spreader bar be used as illustrated. The strongback/spreader bar should be attached to the top chord and web members at intervals of approximately 10 feet. Further, the strongback/spreader bar should be at or above the mid-height of the truss to prevent overturning. The strongback/spreader bar can be of any material with sufficient strength to safely carry the weight of the truss and sufficient rigidity to adequately resist bending of the truss.

# 4 Beginning the Erection Process


It is important for the builder or erection contractor to provide substantial bracing for the first truss erected. The two or more trusses making up the rest of the first set are tied to and rely upon the first truss for stability. Likewise, after this first set of trusses is adequately cross-braced, the remaining trusses installed rely upon this first set for stability. Thus, the performance of the truss bracing system depends to a great extent on how well the first group of trusses is braced.

## Ground Brace - Exterior

One satisfactory method ties the first unit of trusses off to a series of braces that are attached to a stake driven into the ground and securely anchored. The ground brace itself should be supported as shown below or it is apt to buckle. Additional ground braces in the opposite direction, inside the building, are also recommended.





Note: Locate ground braces for first truss directly in line with all rows of top chord continuous lateral bracing (either temporary or permanent).



## Ground Brace - Interior

Another satisfactory method where height of building or ground conditions prohibit bracing from the exterior is to tie the first truss rigidly in place from the interior at the floor level, provided the floor is substantially completed and capable of supporting the ground bracing forces. Securely fasten the first truss to the middle of the building. Brace the bracing similar to exterior ground bracing shown at left. Set trusses from the middle toward the end of the building. Properly cross-brace the first set of trusses before removing floor braces and setting remaining trusses.




**Inadequate size of bracing material or inadequate fastening is a major cause of erection dominoing.**


## 5 Erection Tolerance

Complying with erection tolerances is critical to achieving an acceptable roof or floor line, and to accomplishing effective bracing. Setting trusses within tolerance the first time will prevent the need for the hazardous practice of respacing or adjusting trusses when roof sheathing or roof purlins are installed. Trusses leaning or bowing can cause nails to miss the top chords when sheathing is applied, and create cumulative stresses on the bracing, which is a frequent cause of dominoing.


**When sheathing, make sure nails are driven into the top chord of the trusses.**



## 6 Bracing




**Do not install trusses on temporarily connected supports**



**Do not walk on unbraced trusses**



**Do not walk on trusses or gable ends lying flat**




**Nails in withdrawal (parallel to force)**

All anchors, hangers, tie-downs, seats, bearing ledgers, etc., that are part of the supporting structure shall be accurately and properly placed and permanently attached before truss installation begins. No trusses shall ever be installed on anchors or ties that have temporary connections to the supporting structure.

Nailing scabs to the end of the building to brace the first truss is not recommended.

All nailing of bracing should be done so that nails are driven perpendicular to the direction of force, as shown at right.




**Well nailed (perpendicular to force)**

# 7 Bracing Requirements for 3 Planes of Roof

Temporary erection bracing must be applied to three planes of the roof system to ensure stability: Plane 1) Top Chord (sheathing), Plane 2) Bottom Chord (ceiling plane), and Plane 3) Web Member plane or vertical plane perpendicular to trusses.

## 1) Top Chord Plane

Most important to the builder or erection contractor is bracing in the plane of the top chord. Truss top chords are susceptible to lateral buckling before they are braced or sheathed.




Exact spacing between trusses should be maintained as bracing is installed to avoid the hazardous practice of removing bracing to adjust spacing. This act of "adjusting spacing" can cause trusses to topple if connections are removed at the wrong time.

## 3) Web Member Plane

"X" bracing, as shown, is critical in preventing trusses from leaning or dominoing. Repeat as shown to create a succession of rigid units.


X-bracing should be installed on vertical web members wherever possible, at or near lateral bracing. Plywood or OSB may be substituted for X-bracing.



Note: Top chords and some web members are not shown, in order to make drawings more readable.


## 2) Bottom Chord Plane

In order to hold proper spacing on the bottom chord, temporary bracing is recommended on the top of the bottom chord.




\* Long spans, heavy loads or other spacing configurations may require closer spacing between lateral bracing and closer intervals between diagonals. Consult the building designer or HIB and DSB (Recommended Design Specification for Temporary Bracing of Metal-Plate Connected Wood Trusses) for details.

**Diagonal or cross-bracing is very important!**



**Do not use short blocks to brace individual trusses without a specific bracing plan detailing their use**





**Bracing requirements using the same principles apply to parallel chord trusses**

# 8 Stacking Materials

**Do not proceed with building completion until all bracing is securely and properly in place**


**Never stack materials on unbraced or inadequately braced trusses**




Platform must be rigidly braced

Proper distribution of construction materials is a must during construction.



**Never stack materials near a peak**



**Never stack materials on the cantilever of a truss**




Always stack materials over two or more trusses.





Single truss

**Never overload small groups or single trusses. Position load over as many trusses as possible.**



Roofing and mechanical contractors are cautioned to stack materials only along outside supporting members or directly over inside supporting members. Trusses are not designed for dynamic loads (i.e., moving vehicles). Extreme care should be taken when loading and stacking construction materials (rolled roofing, mechanical equipment, etc.) on the roof or floor system.

**Never cut any structural member of a truss.**



Panel point

Sleepers for mechanical equipment should be located at panel points (joints) or over main supporting members, and only on trusses that have been designed for such loads.

## Caution Notes

Errors in building lines and/or dimensions, or errors by others shall be corrected by the contractor or responsible construction trade subcontractor or supplier before erection of trusses begins.

Cutting of nonstructural overhangs is considered a part of normal erection and shall be done by the builder or erection contractor.

Any field modification that involves the cutting, drilling, or relocation of any structural truss member or connector plate shall not be done without the approval of the truss manufacturer or a licensed design professional.

The methods and procedures outlined are intended to ensure that the overall construction techniques employed will put floor and roof trusses safely in place in a completed structure. These recommendations for bracing wood trusses originate from the collective experience of leading technical personnel in the wood truss industry, but must, due to the nature of responsibilities involved, be presented only as a guide for use by a qualified building designer, builder, or erection contractor. Thus, the Wood Truss Council of America expressly disclaims any responsibility for damages arising from the use, application, or reliance on the recommendations and information contained herein.

[Selected text and figures referenced or reproduced from HIB and DSB by permission of the Truss Plate Institute, Madison, WI.]

THE CANADIAN WOOD TRUSS ASSOCIATION



L'ASSOCIATION CANADIENNE DES FABRICANTS DE FERMES DE BOIS

1400 Blair Place, Suite 210, Ottawa, ON K1J 9B8  
Tel.: 613-747-5544 Fax: 613-747-6264



**Wood Truss Council  
of America**

One WTCA Center  
6300 Enterprise Lane, Madison, WI 53719-1140  
Tel.: 608-274-4849 Fax: 608-274-3329  
[wtca@woodtruss.com](mailto:wtca@woodtruss.com) [www.woodtruss.com](http://www.woodtruss.com)