

BUILDING AREA 5212.07 sq ft INCLUDING COLD CELLARS 484.22 sq m

GENERAL NOTES

1. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10.10 2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS DRAWINGS AND SITEPLAN FOR ADDITIONAL INFORMATION AND VERIFICATION.

3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR LAYOUT, SPACING, INSTALLATION DETAILS AND HANGER SIZES.

4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF H.D.A.I..

5, COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOVE GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE PROJECTION ON ANOTHER BUILDING ON THE SAME PROPERTY AS PER PART 9 SECTION 9.10.14.5.(5)

WALL TYPE LEGEND

WAL	שו	
FRR	LINE TYPE	DETAILS
45 MIN		SECTION 1, 2 & 3
60 MIN		SECTION 8 (BLOCK) SECTION 9 (WOOD STUD
120 M I N		SECTION 10

120 M I N		SECTION 10	
DET	AILS		
No. No.DIVISION-PAGE	TITLE	TITLE	
01.1-1	MASONRY VENEER, 2"x6" STUDS, 2 S	TOREY WALL SECTION	
01.1-3	MASONRY VENEER, 2"x4" STUDS, 1 STOREY GARAGE WALL SECTI		
08.8-1	TYP. 1HR PARTY WALL SECTION, PARALLEL ROC	F TRUSSES, 8" CONC. BLOCK	
08.8-2	TYP. 1 HR. PARTYWALL SECTION AT GARAGE, PR	ALLEL ROOF TRUSSES, 8" CONC. BLO	
08.8-3	TYP. UTILITY FROST PROTECTION AT U/S OF GARAGE	CEILING SPACE, TYP. BLOCK PARTYWALI	
08.8-5	TYP. 8" BLOCK PARTYWALL AT OPEN	2 STOREY CONDITION	
08.8-5	8" BLOCK PARTYWALL, BRICK VENEER,	FLUSH UNIT	

08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, STAGGERED UNIT 08.8-8 8" BLOCK PARTYWALL, FLUSH AT GARAGE, BRICK VENEER 08.8-8 8" BLOCK PARTYWALL, STAGGERED UNIT & GARAGE, BRICK VENEER

08.8-8 8" BLOCK PARTYWALL, STAGGERED GARAGES, BRICK VENEER 08.8-8 REQUIRED FIRE STOPPING AT SOFFITS SECTION 0.10-1 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - 8' FOUNDATION

10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/ VARIED FLOOR LE 10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER, STAGGERED UNIT

10.10-7 TYP. 2 HR. FIREWALL, BRICK VENEER, FLUSH UNIT 10.10-7 TYP. 2 HR. FIREWALL PROJECTION, BRICK VENEER, @ DECK PAIRING

COMPLIANCE SB-12 (SECTION 2.1.1) **PACKAGE**

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

with the applicable Architectural Design Guidelines approved by the City of VAUGHAN. DATE: <u>JUL 20, 2022</u>

This is to certify that these plans comply

5.	REISSUED FOR PERMIT	2022.07.07	A
4.	ADDED REAR LOGGIAS	2022.05.30	١
3.	REVISED AS PER GRADING AND COMMENTS .	2022.03.17	١
2.	ISSUED FOR PERMIT	2022.02.18	1
1.	ISSUED FOR PRICING	2021.07.16	Ν
NO.	DESCRIPTION	YYYY.MM.DD	
RF	VISIONS		


www.huntdesign.ca 8966 Woodbine Ave, Markham, ON L3R 0J. T 905.737.5133 F 905.737.7326 email: hdai@huntdesign.c. GOLDPARK HOMES - 217014

PINE VALLEY DRIVE, VAUGHAN, ONTARIO BLOCK 5

LOTS 1 to 4

BLOCK PLANS

REV.2022.07.07



BUILDING AREA 5212.07 sq ft

INCLUDING COLD CELLARS 484.22 sq m

GENERAL NOTES 1. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10.10 2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS

DRAWINGS AND SITEPLAN FOR ADDITIONAL INFORMATION AND VERIFICATION. 3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR LAYOUT, SPACING, INSTALLATION

DETAILS AND HANGER SIZES. 4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND

ARE THE PROPERTY OF H.D.A.I.. 5. COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOVE GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF A PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE PROJECTION ON ANOTHER BUILDING ON THE SAME PROPERTY AS PER PART 9 SECTION 9.10.14.5.(5)

WALL TYPE LEGEND

WAL	L TYPE LEGER	ND
FRR	LINE TYPE	DETAILS
45 MIN		SECTION 1, 2 & 3
60 MIN		SECTION 8 (BLOCK) SECTION 9 (WOOD STUD
120 MIN		SECTION 10

DET	AILS
No. NO.DIVISION-PAGE	TITLE
01.1-1	MASONRY VENEER, 2"x6" STUDS, 2 STOREY WALL SECTION
01.1-3	MASONRY VENEER, 2"x4" STUDS, 1 STOREY GARAGE WALL SECTION
08.8-1	TYP. 1HR PARTY WALL SECTION, PARALLEL ROOF TRUSSES, 8" CONC. BLOCK
08.8-2	TYP. 1 HR. PARTYWALL SECTION AT GARAGE, PRALLEL ROOF TRUSSES, 8" CONC. BLO
08.8-3	TYP. UTILITY FROST PROTECTION AT U/S OF GARAGE CEILING SPACE, TYP. BLOCK PARTYWAL
08.8-5	TYP. 8" BLOCK PARTYWALL AT OPEN 2 STOREY CONDITION
08.8-5	8" BLOCK PARTYWALL, BRICK VENEER, FLUSH UNIT
08.8-5	8" BLOCK PARTYWALL, BRICK VENEER, STAGGERED UNIT
08.8-8	8" BLOCK PARTYWALL, FLUSH AT GARAGE, BRICK VENEER
08.8-8	8" BLOCK PARTYWALL, STAGGERED UNIT & GARAGE, BRICK VENEER
08.8-8	8" BLOCK PARTYWALL, STAGGERED GARAGES, BRICK VENEER
08.8-8	REQUIRED FIRE STOPPING AT SOFFITS SECTION

10.10-1 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - 8' FOUNDATIO 10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/ VARIED FLOOR LEV

10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER, STAGGERED UNIT 10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER AT PORCH 10.10-7 TYP. 2 HR. FIREWALL, BRICK VENEER, FLUSH UNIT

10.10-7 TYP. 2 HR. FIREWALL PROJECTION, BRICK VENEER, @ DECK PAIRING COMPLIANCE SB-12 (SECTION 2.1.1)

PACKAGE

115])

100184942 July 15, 2022

FOR STRUCTURAL ONLY. EXCLUDING ENGINEERED ROOF TRUSS, FLOOR JOIST, AND FLOOR LVL BEAM DESIGN.

> It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot. This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of VAUGHAN.

> > DATE: <u>JUL 20, 2022</u>

5.	REISSUED FOR PERMIT .	2022.07.07	AW	
4.	ADDED REAR LOGGIAS .	2022.05.30	WT	
3.	REVISED AS PER GRADING AND COMMENTS .	2022.03.17	WT	
2.	ISSUED FOR PERMIT .	2022.02.18	AW	
1.	ISSUED FOR PRICING .	2021.07.16	NEA	
NO.	DESCRIPTION	YYYY.MM.DD	B	
REVISIONS				
THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN AND HAS THE QUALIFICATIONS AND MEETS THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE TO BE A DESIGNER.				
QUALIFICATION INFORMATION				


IUNT DESIGN ASSOCIATES INC www.huntdesign.ca 8966 Woodbine Ave, Markham, ON L3R 0J. T 905.737.5133 F 905.737.7326 email: hdai@huntdesign.c.


GOLDPARK HOMES - 217014 PINE VALLEY DRIVE, VAUGHAN, ONTARIO

BLOCK 5 LOTS 1 to 4

BLOCK PLANS REV.2022.07.07

NEA





BUILDING AREA 5212.07 sq ft INCLUDING COLD CELLARS 484.22 sq m

GENERAL NOTES

1. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10.1 2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS DRAWINGS AND SITEPLAN FOR ADDITIONAL INFORMATION AND VERIFICATION.

3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR LAYOUT, SPACING, INSTALLATION DETAILS AND HANGER SIZES.

4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF H.D.A.I..

5. COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOVE GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE PROJECTION ON ANOTHER BUILDING ON THE SAME PROPERTY AS PER PART 9 SECTION 9.10.14.5.(5)

WALL TYPE LEGEND

FRR	LINE TYPE	DETAILS	
45 MIN		SECTION 1, 2 & 3	
60 MIN		SECTION 8 (BLOCK) SECTION 9 (WOOD STU	
120 M I N		SECTION 10	

		SECTION 9 (WOOD STO
120 MIN		SECTION 10
DET	AILS	
No. No.DIVISION-PAGE	TITLE	Ī
01.1-1	MASONRY VENEER, 2"x6" STUDS, 2 S	TOREY WALL SECTION
01.1-3	MASONRY VENEER, 2"x4" STUDS, 1 ST	OREY GARAGE WALL SECT
08.8-1	TYP. 1HR PARTY WALL SECTION, PARALLEL ROC	F TRUSSES, 8" CONC. BLOCK
08.8-2	TYP. 1 HR. PARTYWALL SECTION AT GARAGE, PF	NALLEL ROOF TRUSSES, 8" CONC. B

08.8-3 TYP. UTILITY FROST PROTECTION AT U/S OF GARAGE CEILING SPACE, TYP. BLOCK PARTYWA

08.8-5 TYP. 8" BLOCK PARTYWALL AT OPEN 2 STOREY CONDITION 08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, FLUSH UNIT 08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, STAGGERED UNIT

08.8-8 8" BLOCK PARTYWALL, FLUSH AT GARAGE, BRICK VENEER 08.8-8 8" BLOCK PARTYWALL, STAGGERED UNIT & GARAGE, BRICK VENEER

08.8-8 REQUIRED FIRE STOPPING AT SOFFITS SECTION 10.10-1 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - 8' FOUNDATION

08.8-8 8" BLOCK PARTYWALL, STAGGERED GARAGES, BRICK VENEER

10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/ VARIED FLOOR LE 10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER, STAGGERED UNIT 10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER AT PORCH

10.10-7 TYP. 2 HR. FIREWALL, BRICK VENEER, FLUSH UNIT

10.10-7 TYP. 2 HR. FIREWALL PROJECTION, BRICK VENEER, @ DECK PAIRING

COMPLIANCE **PACKAGE**

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot. This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of VAUGHAN. APPROVED BY:

DATE: JUL 20. 2022

This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility.

	ı			
5.	REISSUED FOR PERMIT	2022.07.07	AW	
4.	ADDED REAR LOGGIAS	2022.05.30	WT	
3.	REVISED AS PER GRADING AND COMMENTS .	2022.03.17	WT	
2.	ISSUED FOR PERMIT	2022.02.18	AW	
1.	ISSUED FOR PRICING	2021.07.16	NEA	
NO.	DESCRIPTION	YYYY.MM.DD	BY	
RE	VISIONS			
THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN AND HAS THE QUALIFICATIONS AND MEETS THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE TO BE A DESIGNER.				
QUALIF	QUALIFICATION INFORMATION			

IUNT DESIGN ASSOCIATES INC 8966 Woodbine Ave, Markham, ON L3R 0J T 905.737.5133 F 905.737.7326 email: hdai@huntdesign.c

GOLDPARK HOMES - 217014 PINE VALLEY DRIVE, VAUGHAN, ONTARIO

BLOCK 5 LOTS 1 to 4

All drawings specifications related documents and design are the copyright property of Hunt Design Associates (H.D.A). Reproduction of this property in whole or in part is strictly prohibited without H.D.A.'s written permission (H.D.A. assumes no responsibility or liability for this property unless it bears the appropriate BCIN number and original signature.)

BLOCK ELEVATIONS REV.2022.07.07 NEA