

BUILDING AREA
INCLUDING COLD CELLARS

A FIREWALL IS REQUIRED IF THE BUILDING AREA IS
GREATER THAN 600 m2 (6458 sq ft) AS PER BUILDING
CODE PART 9 LIMITATIONS SECTION 1.1.2.4.(1)

** DEFINITION OF BUILDING AREA AS PER PART 1.4.1.2.
IS THE EXTENT OF THE GREATEST HORIZONTAL
BUILDING EXTERIOR WALLS ABOVE GRADE TO IF REQ'I
THE CENTER OF THE FIREWALL (DEMISING LINE)

BUILDING AREA CALCULATION FOR FIREWALLS AS PE

DOILDING AREA CALCULATION FOR FIREWALLS AS PEOD.

O.B.C. PART 1 SECTION 1.1.2.4.(1), PART 3.1. & 9.10.

SECTION

BUILDING AREA

2855.1 sq ft
265.25 sq m
4128.92 sq ft
383.59 sq m
-

GENERAL NOTES

1. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10.1
2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS DRAWINGS AND SITEPLAN FOR ADDITIONAL INFORMATION AND VERIFICATION.

3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR LAYOUT, SPACING, INSTALLATION DETAILS AND HANGER SIZES.

4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF H.D.A.I..

5. COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOV GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF A PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE PROJECTION ON ANOTHER BUILDING ON THE SAME PROPERTY AS PER PART 9 SECTION 9.10.14.5.(5)

WAL	L TYPE LEGEN	ND
FRR	LINE TYPE	DETA
45 M I N		SECTION 1
60 M I N		SECTION 8 (SECTION 9 (WC

45 MIN SECTION 1, 2 & 3 60 MIN SECTION 8 (BLOCK) SECTION 9 (WOOD STUD) 120 MIN SECTION 10

120 IVIIN		SECTION TO
DET	AILS	
No. No.division-page	TITLE	Ī
01.1-1	MASONRY VENEER, 2"x6" STUDS, 2 S	TOREY WALL SECTION
01.1-3	MASONRY VENEER, 2"x4" STUDS, 1 ST	OREY GARAGE WALL SEC
08.8-1	TYP. 1HR PARTY WALL SECTION, PARALLEL ROO	F TRUSSES, 8' CONC. BLOCK
08.8-2	TYP. 1 HR. PARTYWALL SECTION AT GARAGE, PR	ALLEL ROOF TRUSSES, 8" CONC.
08.8-3	TYP. UTILITY FROST PROTECTION AT U/S OF GARAGE	CEILING SPACE, TYP. BLOCK PART

08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, FLUSH UNIT

08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, STAGGERED UNIT

08.8-5 TYP. 8" BLOCK PARTYWALL AT OPEN 2 STOREY CONDITION

08.8-8 8" BLOCK PARTYWALL, FLUSH AT GARAGE, BRICK VENEER

08.8-8 8" BLOCK PARTYWALL, STAGGERED UNIT & GARAGE, BRICK VENEER

08.8-8 8" BLOCK PARTYWALL, STAGGERED GARAGES, BRICK VENEER

08.8-8 REQUIRED FIRE STOPPING AT SOFFITS SECTION

10.10-1 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - 8" FOUNDATION

10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/VARIED FLOOR LE

10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER, STAGGERED UNIT

10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER AT PORCH

10.10-7 TYP. 2 HR. FİREWALL, BRİCK VENEER, FLUSH UNIT

PACKAGE

10.10-7 TYP. 2 HR. FIREWALL PROJECTION, BRICK VENEER, @ DECK PAIRING

SB-12 (SECTION 2.I.I)

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of VAUGHAN.

5.			
4.	RE-ISSUED FOR PERMIT .	2022.07.07	
3.	REVISED AS PER GRADING AND COMMENTS .	2022.03.17	
2.	ISSUED FOR PERMIT .	2022.02.18	
1.	ISSUED FOR PRICING .	2021.07.21	
NO.	DESCRIPTION	YYYY.MM.DD	Г

REVISIONS

HUNT DESIGN ASSOCIATES INC

NE VISIONS

IE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN AND HAS THE QUALIFICATIONS A

EETS THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE TO BE A DESIGNER.

JAUFICATION INFORMATION

III AN Whiting

SIGNATURE
SIGNATURE

DESIGN ASSOCIATES INC. www.huntdesign.ca 8966 Woodbine Ave, Markham, ON L3R 0J7 T 905.737.5133 F 905.737.7326 email: hdai@huntdesign.c.


GOLDPARK HOMES - 217014 PINE VALLEY DRIVE, VAUGHAN, ONTARIO


BLOCK 15 LOTS 1 to 5 BLOCK ELEVATIONS

REV.2023.09.21

Drawn By Checked By NEA AW

Page Number





BUILDING AREA 6984.07sq ft 648.84 sq m INCLUDING COLD CELLARS A FIREWALL IS REQUIRED IF THE BUILDING AREA IS GREATER THAN 600 m2 (6458 sq ft) AS PER BUILDING CODE PART 9 LIMITATIONS SECTION 1.1.2.4.(1) ** DEFINITION OF BUILDING AREA AS PER PART 1.4.1.2. IS THE EXTENT OF THE GREATEST HORIZONTAL BUILDING EXTERIOR WALLS ABOVE GRADE TO IF REQ'D

THE CENTER OF THE FIREWALL (DEMISING LINE) BUILDING AREA CALCULATION FOR FIREWALLS AS PE O.B.C. PART 1 SECTION 1.1.2.4.(1), PART 3.1. & 9.10. SECTION **BUILDING AREA** 2855.1 sq ft LOTS 1 & 2 265.25 sq m 4128.92 sq ft LOTS 3, 4, & 5 383.59 sq m

GENERAL NOTES

. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10.1 2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS DRAWINGS AND SITEPLAN FOR ADDITIONAL INFORMATION AND VERIFICATION.

3. REFER TO ROOF TRUSS MANUFACTURER'S DRAWINGS FOR LAYOUT, SPACING, INSTALLATION DETAILS AND HANGER SIZES.

4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF H.D.A.I..

5. COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OF A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOVE GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF A PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE PROJECTION ON ANOTHER BUILDING ON THE SAME PROPERTY AS PER PART 9 SECTION 9.10.14.5.(5)

WALL TYPE LEGEND

FRR	LINE TYPE	DETAILS
45 M I N		SECTION 1, 2 & 3
60 MIN		SECTION 8 (BLOCK) SECTION 9 (WOOD STU
120 M I N		SECTION 10

120 MIN		SECTION 10
DET	AILS	
No. No.division-page	TITLE	Ī
04.4.4	MAGONERAL/FEED OF SECTION OF	TODEWALL SECTION

01.1-1 MASONRY VENEER, 2"x6" STUDS, 2 STOREY WALL SECTION 01.1-3 MASONRY VENEER, 2"x4" STUDS, 1 STOREY GARAGE WALL SECTION 08.8-1 TYP. 1HR PARTY WALL SECTION, PARALLEL ROOF TRUSSES, 8" CONC. BLOCK

08.8-2 TYP. 1 HR. PARTYWALL SECTION AT GARAGE, PRALLEL ROOF TRUSSES, 8" CONC. BLO

08.8-3 TYP. UTILITY FROST PROTECTION AT U/S OF GARAGE CEILING SPACE, TYP. BLOCK PARTYW 08.8-5 TYP. 8" BLOCK PARTYWALL AT OPEN 2 STOREY CONDITION 08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, FLUSH UNIT

08.8-5 8" BLOCK PARTYWALL, BRICK VENEER, STAGGERED UNIT 08.8-8 8" BLOCK PARTYWALL, FLUSH AT GARAGE, BRICK VENEER

08.8-8 8" BLOCK PARTYWALL, STAGGERED UNIT & GARAGE, BRICK VENEER

08.8-8 8" BLOCK PARTYWALL, STAGGERED GARAGES, BRICK VENEER 08.8-8 REQUIRED FIRE STOPPING AT SOFFITS SECTION

10.10-1 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - 8' FOUNDATIO 10.10-2 TYP. 2 HR. FIREWALL SECTION PARALLEL ROOF TRUSSES - W/ VARIED FLOOR LEVE

10-3 TYP. 2 HR. FIREWALL, BRICK VENEER, STAGGERED UNIT

10.10-3 TYP. 2 HR. FIREWALL, BRICK VENEER AT PORCH

10.10-7 TYP. 2 HR. FIREWALL, BRICK VENEER, FLUSH UNIT 10.10-7 TYP. 2 HR. FIREWALL PROJECTION, BRICK VENEER, @ DECK PAIRIN

COMPLIANCE **PACKAGE**

> It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot. This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of VAUGHAN.

DEVICIONIC			
NO.	DESCRIPTION	YYYY.MM.DD	BY
1.	ISSUED FOR PRICING	2021.07.21	NEA
2.	ISSUED FOR PERMIT	2022.02.18	AW
3.	REVISED AS PER GRADING AND COMMENTS .	2022.03.17	WT
4.	REVISED UNIT 1 ROOF PLAN TO SHOW 'B' UPG. ELEV.	2022.04.21	AW
5.	RE-ISSUED FOR PERMIT	2022.07.07	AW

REVISIONS

	10
	EVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN AND HAS THE QUALIFICAT S SET OUT IN THE ONTARIO BUILDING CODE TO BE A DESIGNER.
QUALIFICATION INFORMA	ON
Allan Whiting	
NAME	CIGNATURE


IUNT DESIGN ASSOCIATES INC


www.huntdesign.ca 8966 Woodbine Ave, Markham, ON L3R 0J. T 905.737.5133 F 905.737.7326 email: hdai@huntdesign.ca

GOLDPARK HOMES - 217014 PINE VALLEY DRIVE, VAUGHAN, ONTARIO


BLOCK 15 LOTS 1 to 5

BLOCK ELEVATIONS REV.2023.09.2 NEA











REVISIONS FICATION INFORMATION IUNT DESIGN ASSOCIATES INC www.huntdesign.ca

BLOCK 15

LOTS 1 to 5 **BLOCK ELEVATIONS**

BUILDING AREA

SECTION

LOTS 1 & 2

LOTS 3, 4, & 5

GENERAL NOTES

INFORMATION AND VERIFICATION.

DETAILS AND HANGER SIZES.

ARE THE PROPERTY OF H.D.A.I..

INCLUDING COLD CELLARS

A FIREWALL IS REQUIRED IF THE BUILDING AREA IS GREATER THAN 600 m2 (6458 sq ft) AS PER BUILDING CODE PART 9 LIMITATIONS SECTION 1.1.2.4.(1) ** DEFINITION OF BUILDING AREA AS PER PART 1.4.1.2 IS THE EXTENT OF THE GREATEST HORIZONTAL BUILDING EXTERIOR WALLS ABOVE GRADE TO IF REQ'E THE CENTER OF THE FIREWALL (DEMISING LINE) BUILDING AREA CALCULATION FOR FIREWALLS AS PE

O.B.C. PART 1 SECTION 1.1.2.4.(1), PART 3.1. & 9.10.

. PROVIDE FIRESTOPS AS REQUIRED BY O.B.C. 9.10. 2. REFER TO UNIT WORKING DRAWINGS, ENGINEERS

DRAWINGS AND SITEPLAN FOR ADDITIONAL

3. REFER TO ROOF TRUSS MANUFACTURER'S

DESIGN ASSOCIATES INC. (H.D.A.I.) BEFORE

DRAWINGS FOR LAYOUT, SPACING, INSTALLATION

4. CONTRACTOR MUST VERIFY ALL DIMENSIONS ON THE JOB REPORT ANY DISCREPANCIES TO HUNT

PROCEEDING WITH THE WORK. ALL DRAWINGS AND SPECIFICATIONS ARE INSTRUMENTS OF SERVICE AND

5. COMBUSTIBLE PROJECTIONS ON THE EXTERIOR OI A WALL THAT ARE MORE THAN 1100mm (3 ft 3 in) ABOVE

GROUND SHALL NOT BE PERMITTED WITHIN 1.2m (3 ft 11 in) OF A PROPERTY LINE OR CENTRE LINE OF

PUBLIC WAY OR 2.4m (7 ft 10 in) OF A COMBUSTIBLE

PROJECTION ON ANOTHER BUILDING ON THE SAME

6984.07sq ft 648.84 sq m

BUILDING AREA

2855.1 sq ft

265.25 sq m

4128.92 sq ft

383.59 sq m

NEA All drawings specifications related documents and design are the copyright property of Hunt Design Associates (H.D.A.). Reproduction of this property in whole or in part is strictly prohibited without H.D.A.'s written permission (H.D.A. assumes no responsibility or this property unless it bears the appropriate BCIN number and original signature.)

BLOCK 15 - LEFT SIDE ELEVATION