

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO, L4H 5K5

Addendum 06/[06] | STRUCTURAL ORDER ADDITION

STRUCTURAL EXTRA'S

Foyer		
Category	Attribute	Opt. Quantity
FRAMING		1.00
Opt. Description		
S/I COFFERED CEILING	(OPTIONAL PER HALLWAY)	
Notes		

DATE: 08/10/2023

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO, L4H 5K5

This is your direction to install the above extras in accordance with the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra agreement cannot be installed without entailing any unusual expense, this order is to be cancelled and any deposit paid in connection with same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in anyway, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of the Purchase and Sale is not completed by the purchaser, the total cost of the extras ordered are not refundable to the Purchaser(s).
- 4. Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of Gold Park Homes.
- 6. The purchaser(s) and the builder acknowledge and agree that this "Purchaser Extra" form shall not be part of the Agreement of Purchase and Sale entered into between them, nor an addendum thereto.
- 7. Prices are estimates only and guaranteed for a period of 5 business days.
- 8. Post-dated cheques with NOT be accepted.
- 9. Estimates or orders will NOT be accepted once construction has commenced.
- 10. All extras/selections are final, checked and approved by purchaser. Purchaser has reviewed and confirmed there are no missing or outstanding items.
- 11. Any inquiry to re-open a file and/or request a change to any extra or selection is subject to a minimum fee of \$1500.00 (fifteen hundred dollars).
- 12. No estimates will be considered an official order until submitted as a signed Purchaser Extra order, accompanied by payment in full.
- 13. Purchaser has reviewed this addendum for accuracy. There are no outstanding items.
- 14. Once extras/selections are signed, they are considered final. Absolutely no changes or deletions will be accepted regardless of when selections are finalized or the stage of construction.

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO

Addendum 04/[04] | STRUCTURAL ORDER

STRUCTURAL EXT	RA'S	
Principal Bedroom		
Category	Attribute	Opt. Quantity
ELECTRICAL		4.00
Opt. Description		
S/I 4" E/S LED INTERIOR	R POT LIGHT - EACH. WHITE	
Notes		
IN ADDITION TO STD CI	EILING LIGHT. SEE PLAN FOR LOCATION.	
ELECTRICAL		1.00
SWITCHES		
Opt. Description		
S/I ADDITIONAL INTERI	OR SWITCH. SINGLE POLE	
Notes		
FOR POT LIGHTS		
Custom Changes		1.00
Opt. Description		
Custom Option		
Notes		
CUSTOM LAYOUT SPACE. SEE PLAN FOR	DRESSING ROOM: DELETE WALL AND DOOR AT D LOCATION.	RESSING ROOM, CREATING ONE LARGE OPEN
Dining Room		
Category	Attribute	Opt. Quantity
ELECTRICAL		4.00
Opt. Description		
S/I /" E/S I ED INTEDIO	R POT LIGHT - FACH WHITE	

S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE

Notes

IN ADDITION TO STD CEILING LIGHT. SEE PLAN FOR LOCATION.

ELECTRICAL 1.00 **SWITCHES** Opt. Description

S/I ADDITIONAL INTERIOR SWITCH. SINGLE POLE

Notes

FOR POT LIGHTS.

Principal Ensuite		
Category	Attribute	Opt. Quantity
ELECTRICAL		2.00
Opt. Description		

S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE

Notes

IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION.

ELECTRICAL 2.00 Opt. Description

S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE

Notes

WATER COLSET: IN LIEU OF STD CEILING LIGHT, USE STD SWITCH.

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
ELECTRICAL		1.00
Opt. Description		
S/I TUB/SHOWER POT LI	GHT: 4 INCH RECESSED POT LIGHT COMPLETE V	VITH SWITCH
Notes		
IN ADDITION TO STD SH	OWER LIGHT, ADD ANOTHER POTLIGHT ON THE S	SAME SWITCH.
ELECTRICAL OUTLETS		1.00
Opt. Description		
Capped Ceiling Outlet		
Notes		
LOCATE APPROX CENTE	ER ABOVE TUB ON SAME SWITCH AS VANITY LIGH	T. SEE PLAN FOR LOCATION.
FIXTURES		1.00
Opt. Description		
Align 3-Function Rain Shw	r/Hand Shwr/S.Bar - BL	
Notes		
FIXTURES		2.00
Opt. Description		
Align 2-Handle Widesprea	d Lav - BL	
Notes		
FRAMING		2.00
Opt. Description		2.00
Notes SEE PLAN FOR LOCATION	N.	
FIXTURES		1.00
Opt. Description		
Align Free Standing Tub F	iller - BL	
Notes		
Exterior		
Category	Attribute	Opt. Quantity
ELECTRICAL		
		1.00
Opt. Description		1.00
	L	1.00
		1.00
Ext Coach Light, S/Switch Notes	STD COACH LIGHT, SAME HEIGHT AND SWITCH A	
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL	STD COACH LIGHT, SAME HEIGHT AND SWITCH A	
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL Opt. Description		AS STANDARD. SEE PLAN FOR LOCATION
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL Opt. Description S/I EXTERIOR LED SOFF		AS STANDARD. SEE PLAN FOR LOCATION
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL Opt. Description S/I EXTERIOR LED SOFF Notes	IT POT LIGHT - EACH	AS STANDARD. SEE PLAN FOR LOCATION 2.00
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL Opt. Description S/I EXTERIOR LED SOFF Notes GARAGE SOFFIT: IN LIEU		AS STANDARD. SEE PLAN FOR LOCATION 2.00
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL Opt. Description S/I EXTERIOR LED SOFF Notes GARAGE SOFFIT: IN LIEU Freat Room	IT POT LIGHT - EACH J OF STD LIGHT, USE STD SWITCH. LOCATE APPR	AS STANDARD. SEE PLAN FOR LOCATION 2.00 OX CENTERED ABOVE EACH GARAGE DOOR.
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL Opt. Description S/I EXTERIOR LED SOFF Notes GARAGE SOFFIT: IN LIEU Great Room Category	IT POT LIGHT - EACH	AS STANDARD. SEE PLAN FOR LOCATION 2.00 OX CENTERED ABOVE EACH GARAGE DOOR. Opt. Quantity
Ext Coach Light, S/Switch Notes PORCH: IN ADDITION TO ELECTRICAL Opt. Description S/I EXTERIOR LED SOFF Notes GARAGE SOFFIT: IN LIEU Freat Room	IT POT LIGHT - EACH J OF STD LIGHT, USE STD SWITCH. LOCATE APPR	AS STANDARD. SEE PLAN FOR LOCATION 2.00 OX CENTERED ABOVE EACH GARAGE DOOR.



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO

	Opt. Quantity
Notes	
IN LIEU OF STD CIELING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION.	
FRAMING	1.00
Opt. Description	
S/I COFFERED CEILING (OPTIONAL PER ROOM)	
Notes	
WAFFLE CEILING	1.00
Opt. Description	
WAFFLE CEILING, BEAM DETAIL AS PER PLAN (6 BOXES) OPTION # 1 CTRB07	
Notes	
NETWORK AND WIRING Opt. Description	1.00
	TUDOUGU DACEMENT TO
S/I CONDUIT PIPE FOR WALL MOUNT TV LOCATED APPROX. 66" A.F.F. ABOVE FIREPLACE TO CABLE LOCATION. SEE PLAN FOR LOCATION.	THROUGH BASEMENT TO
Notes	
LOCATE APPROX 66" ABOVE FIREPLACE THRU BASEMENT TO CABLE LOCATION. SEE PLAN	FOR LOCATION
ELECTRICAL OUTLETS	1.00
Opt. Description	1.00
S/I 110V WALL RECEPTACLE (NOT ON SEPARATE CIRCUIT)	
Notes	
LOCATE APPROX 66" AFF ABOVE FIREPLACE FOR FUTURE TV	
Hall Main Floor	
Category Attribute (Ont Quantity
Category Attribute (Opt. Quantity 5.00
	Opt. Quantity 5.00
ELECTRICAL	•
ELECTRICAL Opt. Description	•
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes	•
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION.	5.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES	· · · · · · · · · · · · · · · · · · ·
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL	5.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES	5.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description	5.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED)	5.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes	5.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute	5.00 1.00 Opt. Quantity
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND)	1.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM	5.00 1.00 Opt. Quantity
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM Opt. Description	5.00 1.00 Opt. Quantity 19.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM Opt. Description S/I 8FT HIGH DOOR THROUGHOUT SECOND FLOOR IN LIEU OF STANDARD HEIGHT DOOR. F	5.00 1.00 Opt. Quantity 19.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM Opt. Description	5.00 1.00 Opt. Quantity 19.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM Opt. Description S/I 8FT HIGH DOOR THROUGHOUT SECOND FLOOR IN LIEU OF STANDARD HEIGHT DOOR. F Notes ELECTRICAL	5.00 1.00 Opt. Quantity 19.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM) Opt. Description S/I 8FT HIGH DOOR THROUGHOUT SECOND FLOOR IN LIEU OF STANDARD HEIGHT DOOR. F	5.00 1.00 Opt. Quantity 19.00 PRICE IS PER DOOR
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM Opt. Description S/I 8FT HIGH DOOR THROUGHOUT SECOND FLOOR IN LIEU OF STANDARD HEIGHT DOOR. F Notes ELECTRICAL	5.00 1.00 Opt. Quantity 19.00 PRICE IS PER DOOR
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE Notes IN LIEU OF STD CEILING LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION. ELECTRICAL SWITCHES Opt. Description S/I HINGE SWITCH - EACH INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED) Notes SEE PLAN FOR LOCATION Hall 2nd Level Category Attribute (INTERIOR DOORS AND TRIM) Opt. Description S/I 8FT HIGH DOOR THROUGHOUT SECOND FLOOR IN LIEU OF STANDARD HEIGHT DOOR. F Notes ELECTRICAL Opt. Description	5.00 1.00 Opt. Quantity 19.00 PRICE IS PER DOOR

FRAMING

Opt. Description

DATE: 02/17/2023

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
ELECTRICAL		2.00
Opt. Description		
S/I LED POT LIGHT AT C	PEN TO BELOW HIGH CEILING	
Notes		
SEE PLAN FOR LOCATION	ON, SAME SWITCH AS OTHER POTLIGHTS	
Kitchen		
Category	Attribute	Opt. Quantity
ELECTRICAL OUTLETS		1.00
Opt. Description		
Capped Ceiling Outlet		
Notes		
LOCATE APPROX CENT	ERED ABOVE ISLAND. ON SAME SWITCH AS STD	LIGHT. SEE PLAN FOR LOCATION.
GASLINE		1.00
Opt. Description		
GAS LINE ROUGH-IN - N	IAIN FLOOR FOR APPLIANCE	
Notes		
FOR FUTURE GAS APPL	IANCE	
ELECTRICAL OUTLETS		1.00
Opt. Description		
S/I 110V WALL RECEPTA	ACLE ON SEPARATE CIRCUIT	
Notes		
FOR FUTURE GAS APPL	LIANCE	
CENTRAL HEATING, A/C		1.00
Opt. Description		
S/I KITCHEN - UPGRADE	TO 8" DUCT IN LIEU OF STANDARD OFFERING	
Notes		
ELECTRICAL OUTLETS		4.00
Opt. Description		1.00
	PTACLE ON A SEPARATE CIRCUIT	
Notes	1 1/1022 011/1 021/11 011 01110011	
FOR FUTURE WALL OVE	ENI	
	EIN	
ELECTRICAL Opt. Description		1.00
	CEILING MOUNT FIXTURE	
	CEILING MOUNT FIATURE	
Notes	255 DI AN 50D I 00 (5)31	
	SEE PLAN FOR LOCATION	
ELECTRICAL Opt. Description		1.00
Opt. Description BASE STND - 8 INCLUDE ONLY.	ED 4" WHITE E/S LED POT LIGHTS with (1) SWITCH	. TO BE LOCATED ON MAIN FLOOR IN (1) ROOM
Notes		
SEE PLAN FOR LOCATION	ON	
Living Room		
Category	Attribute	Opt. Quantity

1.00



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO

Catagoni	Attailanta	Ont Oversity.
Category	Attribute	Opt. Quantity
S/I COFFERED CEILING (O	PTIONAL PER ROOM)	
Notes		
FLECTRICAL		4.00
ELECTRICAL Opt. Description		4.00
	OT LIGHT - FACH MUITE	
S/I 4" E/S LED INTERIOR PO	JI LIGHT - EACH. WHITE	
Notes		
IN LIEU OF STD CEILING LI	GHT, USE STD SWITCH. SEE PLAN FOR LOCAT	ION.
INTERIOR DOORS AND		1.00
TRIM		
Opt. Description		
S/I - NEW ENCLOSURE W/	DOUBLE FRENCH DOORS	
Notes		
Servery	A ()	0.4.0
Category ELECTRICAL OUTLETS	Attribute	Opt. Quantity
Opt. Description		1.00
	E ON OFFIA DATE OFFICIAL	
S/I 110V WALL RECEPTACL	LE ON SEPARATE CIRCUIT	
Notes		
FOR FUTURE WINE FRIDG	E	
Whole House		
Category	Attribute	Opt. Quantity
NETWORK AND WIRING		1.00
Opt. Description		
S/I CONDUIT PIPE FROM 2	2nd FLOOR TO BASEMENT	
Notes		
LOCATE APPROX CENTER	OF ATTIC, TERMINATING IN BASEMENT NEAR	FLECTRICAL PANEL
LOOK OLIVIER	O. A. HO, I ELIVINA HINO IN DAOLINEN INLAN	

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO

Addendum 02/[02] | PRE-STRUCTURAL ORDER

STRUCTURAL EXTRA'S

incipal Bedroom		
Category	Attribute	Opt. Quantity
Custom Changes		1.00
Opt. Description		
NOTE		
Notes		
*** PLEASE MAKE STANDARD TI	RAY CEILING SQUARE (NOT ANGLED)	
asement (Unfinished) Area		
Category	Attribute	Opt. Quantity
BASEMENT WINDOWS		4.00
Opt. Description		
S/I BASEMENT WINDOW SIZE 30)" X 24" IN LIEU OF STANDARD 10" - WHITE	E. WINDOW WELLS MAY BE REQUIRED
Notes		
CONCRETE AND DRAIN		1.00
Opt. Description		
S/I BACK -FLOW PREVENTER V	ALVE (BASEMENT)	
Notes		
rin Bedroom Sitting Room		
Category	Attribute	Opt. Quantity
FRAMING		1.00
Opt. Description		
PRINCIPAL BEDROOM SITTING	AREA APPROX. 10 FOOT TRAY CEILING	
Notes		
CUSTOM LAYOUTPLEASE I	MAKE TRAY CEILING IN BEDROOM AND SI	TTING ROOM SQUARE(NOT ANGLED)
/hole House		
Category	Attribute	Opt. Quantity
Custom Changes		1.00
Opt. Description		
Custom Option		
Notes		
110100		



Spec Lot Addendum(s)


Project: Pine Valley Forevergreen - Ph 2, Model: 5003(C) - OAKGROVE, Lot: 0005 20, Arbordale Drive, Vaughan, ONTARIO

Addendum 03/[03] | Loggia w/ Cold Cellar

STRUCTURAL EXTRA'S

General		
Category	Attribute	Opt. Quantity
Floor Plan Layout Changes		1.00
Opt. Description		
Optional Loggia With Cold	d Cellar	
Notes		
INCLUDED IN APS		

SCHEDULE'F'



The Oakgrove


EAGLE'S RIDGE COLLECTION


Elevation A - 4,021 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer
Elevation B - 4,004 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer
Elevation C - 4,013 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer







SCHEDULE'F'



The Oakgrove

EAGLE'S RIDGE COLLECTION


Elevation A - 4,021 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer
Elevation B - 4,004 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer
Elevation C - 4,013 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer

* SQUARE TRAY ŒILINGS *







SCHEDULE'F'



The Oakgrove

EAGLE'S RIDGE COLLECTION

Elevation A - 4,021 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer

Elevation B - 4,004 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer

Elevation C - 4,013 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer



BASEMENT | ELEV. A





WORTH MO



EAGLE'S RIDGE COLLECTION

Elevation A - 4,021 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer


Elevation B - 4,004 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer


Elevation C - 4,013 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer











PART. BASEMENT | ELEV. C







PLUMBING UPGRADES

ALIGN

Ceiling Mount: 226651 (12" Arm)			
	E		
	1		
		Brushed Gold	
		Brushed Nickel	
		Chrome Matte Black	
Date: Tal 2003	ll ot:		
LEP + 9092	Lot: 5		
Location: Principal Ensuit			
Signature:	Signatur	e:	


Shower with 3-Function Transfer Valve/Trim and Slide Bar with Hand Shower + 7" Rain Showerhead From Ceiling on 12" Arm

(includes plumbing provision for ceiling mount showerhead) Model T2192EP/UT4191/3887EP/226651/S176/U361CI/ 62320/A725



PLUMBING UPGRADES

ALIGN







ALIGN



	Brushed Gold Brushed Nickel Chrome Matte Black	
Date: Feb 7 2083	Lot: 5	
ocation: Principal Ensuit		
Signature:	Signature:	








JEC 26


2022

The Oakgrove

EAGLE'S RIDGE COLLECTION

Elevation A - 4,021 sq.ft. Plus 102 sq.ft. Fin. Basement Foyer Elevation B - 4,004 sq.ft. Plus 102 sq.ft. Fin. Basement Foyer Elevation C - 4,013 sq.ft. Plus 102 sq.ft. Fin. Basement Foyer







Prices, figures, illustrations, sizes, features and finishes are subject to change without

notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 5003



EAGLE'S RIDGE COLLECTION


Elevation A - 4,021 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer
Elevation B - 4,004 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer
Elevation C - 4,013 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer

* SQUARE TRAY CEILINGS *



SECOND FLOOR | ELEV. A








EAGLE'S RIDGE COLLECTION

Elevation A - 4,021 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer
Elevation B - 4,004 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer
Elevation C - 4,013 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer



BASELLETT | TELEVISION







EAGLE'S RIDGE COLLECTION

Elevation A - 4,021 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer


Elevation B - 4,004 sq.ft.


Plus 102 sq.ft. Fin. Basement Foyer


Elevation C - 4,013 sq.ft.

Plus 102 sq.ft. Fin. Basement Foyer









PART. BASEMENT | ELEV. C

