Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 4003(A) - BROOKSIDE, Lot: 0019 212, Silver Creek Drive, Vaughan, ONTARIO

Addendum 06/[06] | STRUCTURAL ORDER

STRUCTURAL EXTRA'S

General			
Category	Attribute	Opt. Quantity	
NETWORK AND WIRING		1.00	
Opt. Description			
S/I CONDUIT PIPE FROM ATTIC TO BASEMENT APPROX. LOCATION FROM CENTER OF ATTIC TO ELECTRICAL PANEL.			
Notes			
Breakfast Room			
Category	Attribute	Opt. Quantity	
EXT, WINDOWS AND DOORS		1.00	
Opt. Description			
INCREASE EXSITING RE APPLICABLE.	EAR GARDEN DOOR OR FRENCH GARDEN DOOR	HEIGHT TO APPROX. 96" - NO TRANSOM IF	
Notes			
FRENCH DOORS			
Principal Ensuite			
Category	Attribute	Opt. Quantity	
ELECTRICAL		1.00	
Opt. Description			
	IGHT: 4 INCH RECESSED POT LIGHT COMPLETE	WITH SWITCH	
Notes			
IN ADDITION TO STANDA	ARD CEILING, USE SAME SWITCH AS STANDARD.	SEE PLAN FOR LOCATION	
FRAMING		1.00	
Opt. Description S/I RECESSED SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH QUARTZ ON 4 SIDES, STANDARD TILE, APPROX. 12 X 42 INSTALLED VERTICALLY WITH QUARTZ SHELF DIVIDERS. BASED ON STANDARD FINISHES			
Notes			
FIXTURES		1.00	
Opt. Description			
Align 3-Function Rain Shv	vr/Hand Shwr/S.Bar - BG		
Notes			
FIXTURES		1.00	
Opt. Description			
Align 2-Handle Roman Tu	b - BG		
Notes			
FIXTURES		2.00	
Opt. Description		2.00	
Align 2-Handle Widesprea	ad Lav - BG		
Notes			
Great Room			
Category	Attribute	Opt. Quantity	
ELECTRICAL OUTLETS		1.00	
Opt. Description			

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 4003(A) - BROOKSIDE, Lot: 0019 212, Silver Creek Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
S/I 110V WALL RECEPT	ACLE (NOT ON SEPARATE CIRCUIT)	
Notes		
LOCATE APPROX 66" A	.F.F. ABOVE FIREPLACE, SEE PLAN FOR LOCATION	N
ELECTRICAL		6.00
Opt. Description		
S/I 4" E/S LED INTERIO	R POT LIGHT - EACH. WHITE	
Notes		
IN LIEU OF STANDARD	CEILING LIGHT, USE STANDARD SWITCHES	
FRAMING		1.00
Opt. Description	J	
	G (OPTIONAL PER ROOM)	
Notes	J	
NETWORK AND WIRING	i	1.00
Opt. Description		
	R WALL MOUNT TV LOCATED APPROX. 66" A.F.F. A E PLAN FOR LOCATION.	ABOVE FIREPLACE THROUGH BASEMENT TO
Notes		
WAFFLE CEILING		1.00
Opt. Description		
WAFFLE CEILING, BEA	M DETAIL AS PER PLAN (6 BOXES) OPTION # 1 CT	RB07
Notes		
Hall Main Floor		
Category	Attribute	Opt. Quantity
ELECTRICAL		6.00
Opt. Description		
	_	
	R POT LIGHT - EACH. WHITE	
Notes	J	
Notes IN LIEU OF STANDARD	R POT LIGHT - EACH. WHITE CEILING LIGHTS, USE STANDARD SWITCHES. SEE	E PLAN FOR LOCATION
Notes IN LIEU OF STANDARD Hall 2nd Level	CEILING LIGHTS, USE STANDARD SWITCHES. SEE	
Notes IN LIEU OF STANDARD Hall 2nd Level Category	J	Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level	CEILING LIGHTS, USE STANDARD SWITCHES. SEE	
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description	CEILING LIGHTS, USE STANDARD SWITCHES. SEE	Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute	Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute	Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE	Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute	Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category ELECTRICAL OUTLETS	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute	Opt. Quantity 4.00
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category ELECTRICAL OUTLETS Opt. Description	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute	Opt. Quantity 4.00 Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category ELECTRICAL OUTLETS Opt. Description S/I 110V WALL RECEPT	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute	Opt. Quantity 4.00 Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category ELECTRICAL OUTLETS Opt. Description	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute	Opt. Quantity 4.00 Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category ELECTRICAL OUTLETS Opt. Description S/I 110V WALL RECEPT Notes ELECTRICAL OUTLETS	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute CACLE ON SEPARATE CIRCUIT	Opt. Quantity 4.00 Opt. Quantity
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category ELECTRICAL OUTLETS Opt. Description S/I 110V WALL RECEPT Notes ELECTRICAL OUTLETS Opt. Description	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute CACLE ON SEPARATE CIRCUIT	Opt. Quantity 4.00 Opt. Quantity 1.00
Notes IN LIEU OF STANDARD Hall 2nd Level Category ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN LIEU OF STANDARD Kitchen Category ELECTRICAL OUTLETS Opt. Description S/I 110V WALL RECEPT Notes ELECTRICAL OUTLETS	CEILING LIGHTS, USE STANDARD SWITCHES. SEE Attribute R POT LIGHT - EACH. WHITE CEILING LIGHT, USE STANDARD SWITCHES Attribute CACLE ON SEPARATE CIRCUIT	Opt. Quantity 4.00 Opt. Quantity 1.00

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 4003(A) - BROOKSIDE, Lot: 0019 212, Silver Creek Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
LOCATE APPROX CENT LIGHT	ERED ABOVE ISLAND, SEE PLAN FOR LOCATION.	USE SAME SWITCH AS STANDARD CEILING
ELECTRICAL OUTLETS		1.00
Opt. Description		
S/I 240V (50 AMP) RECE	PTACLE ON A SEPARATE CIRCUIT	
Notes		
FOR FUTURE GAS APP	LIANCE	
ELECTRICAL		1.00
Opt. Description		
ONLY.	ED 4" WHITE E/S LED POT LIGHTS with (1) SWITCH	. TO BE LOCATED ON MAIN FLOOR IN (1) ROOM
Notes		
ELECTRICAL		1.00
Opt. Description		
S/I 4" E/S LED INTERIOF	R POT LIGHT - EACH. WHITE	
Notes		
ON SAME SWITCH AS S	TANDARD POTLIGHTS	
GASLINE		1.00
Opt. Description		
GAS LINE ROUGH-IN - N	MAIN FLOOR FOR APPLIANCE	
Notes		
FOR FUTURE GAS APP	LIANCE, SEE PLAN FOR LOCATION	
CENTRAL HEATING, A/C		1.00
Opt. Description		
S/I KITCHEN - UPGRADI	E TO 8" DUCT IN LIEU OF STANDARD OFFERING	
Notes		
Study		
Category	Attribute	Opt. Quantity
ELECTRICAL Opt. Description		4.00
	J R POT LIGHT - EACH. WHITE	
	RPOTEIGHT - EACH. WHITE	
Notes	OFFILING LIGHT LIGHT STANDARD SWITTENES	
	CEILING LIGHT, USE STANDARD SWITCHES	
FRAMING Opt. Description		1.00
	(ODTIONAL DED DOOM)	
	(OPTIONAL PER ROOM)	
Notes		
INTERIOR DOORS AND		1.00
TRIM		
Opt. Description]	
	W/ DOUBLE FRENCH DOORS	
Notes		
WAFFLE CEILING		1.00
Opt. Description		
WAFFLE CEILING , BEA	M DETAIL AS PER PLAN (4 BOXES) OPTION # 1 CT	RB07
<u> </u>		



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 4003(A) - BROOKSIDE, Lot: 0019 212, Silver Creek Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity	
Notes			
Whole House			
Category	Attribute	Opt. Quantity	
INTERIOR DOORS AND		16.00	
TRIM			
Opt. Description			
S/I 8FT HIGH DOOR THROUGHOUT SECOND FLOOR IN LIEU OF STANDARD HEIGHT DOOR. PRICE IS PER DOOR			
Notes			
THRU OUT 2ND FLOOR			



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 4003(A) - BROOKSIDE, Lot: 0019 212, Silver Creek Drive, Vaughan, ONTARIO

Addendum 02/[02] | PRE-STRUCTURAL ORDER

STRUCTURAL EXTRA'S

Category	Attribute	Opt. Quantity
FRAMING		1.00
Opt. Description		
PRINCIPAL BEDROOM APPRO	K. 10 FOOT TRAY CEILING	
Notes		
Basement (Unfinished) Area		
Category	Attribute	Opt. Quantity
BASEMENT WINDOWS		2.00
Opt. Description		
S/I BASEMENT WINDOW SIZE 3	0" X 24" IN LIEU OF STANDARD 10" - WHITE	E. WINDOW WELLS MAY BE REQUIRED.
Notes		
Notes		
		1.00
		1.00
CONCRETE AND DRAIN	ALVE (BASEMENT)	1.00



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 4003(A) - BROOKSIDE, Lot: 0019 212, Silver Creek Drive, Vaughan, ONTARIO

Addendum 03/[03] | Loggia w/ Cold Cellar

STRUCTURAL EXTRA'S

General			
Category	Attribute	Opt. Quantity	
Floor Plan Layout Changes		1.00	
Opt. Description			
Optional Loggia With Cold Cellar			
Notes			
INCLUDED IN APS			




DATE: 02/01/2023

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 4003(A) - BROOKSIDE, Lot: 0019 212, Silver Creek Drive, Vaughan, ONTARIO

This is your direction to install the above extras in accordance with the following terms and conditions:


- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra agreement cannot be installed without entailing any unusual expense, this order is to be cancelled and any deposit paid in connection with same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in anyway, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of the Purchase and Sale is not completed by the purchaser, the total cost of the extras ordered are not refundable to the Purchaser(s).
- 4. Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of Gold Park Homes.
- 6. The purchaser(s) and the builder acknowledge and agree that this "Purchaser Extra" form shall not be part of the Agreement of Purchase and Sale entered into between them, nor an addendum thereto.
- 7. Prices are estimates only and guaranteed for a period of 5 business days.
- 8. Post-dated cheques with NOT be accepted.
- 9. Estimates or orders will NOT be accepted once construction has commenced.
- 10. All extras/selections are final, checked and approved by purchaser. Purchaser has reviewed and confirmed there are no missing or outstanding items.
- 11. Any inquiry to re-open a file and/or request a change to any extra or selection is subject to a minimum fee of \$1500.00 (fifteen hundred dollars).
- 12. No estimates will be considered an official order until submitted as a signed Purchaser Extra order, accompanied by payment in full.
- 13. Purchaser has reviewed this addendum for accuracy. There are no outstanding items.
- 14. Once extras/selections are signed, they are considered final. Absolutely no changes or deletions will be accepted regardless of when selections are finalized or the stage of construction.




DEER RUN COLLECTION

Elevation A - 3,370 sq.ft. 3,362 sq.ft. Opt. Ground Floor Side Entry Plus 93 sq.ft. Fin. Basement Foyer Elevation B - 3,338 sq.ft.


3,330 sq.ft. Opt. Ground Floor Side Entry Plus 93 sq.ft. Fin. Basement Foyer



GROUND FLOOR | ELEV. A









DEER RUN COLLECTION

Elevation A - 3,370 sq.ft.
3,362 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
Elevation B - 3,338 sq.ft.
3,330 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
Elevation C - 3,312 sq.ft.
3,303 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer







PINE VALLEY March oi, 2023


The Brookside

DEER RUN COLLECTION

Elevation A - 3,370 sq.ft.
3,362 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
Elevation B - 3,338 sq.ft.
3,330 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
Elevation C - 3,312 sq.ft.
3,303 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer

(cold collar)

24×304



BASEMENT | ELEV. A

VENDOR PURCHASER

PURCHASER

GOLDPARK



PLUMBING UPGRADES

ALIGN

Ceiling Mount: 226651 (12" Arm)		
	Brushed Gold	
	Brushed Nickel	
	C-1	
	Matte Black	
Date: March 01, 2023	Lot: 10	
Location: Principal Gnsuite		
Signature:	Signature:	

Shower with 3-Function Transfer Valve/Trim and Slide Bar with Hand Shower + 7" Rain Showerhead From Ceiling on 12" Arm (includes plumbing provision for ceiling mount showerhead) Model T2192EP/UT4191/3887EP/226651/S176/U361CI/62320/A725





ALIGN



Signature:	Signature:	
ocation: Principal Ensuite		
Date: March ol, 2033	Lot: 19	
	Chrome Matte Black	
	Brushed Gold Brushed Nickel	□ XJ

GOLDPARK WORTH MORE



ALIGN



*includes Tub Drain Half Kit

Signature:	Signature:	
Location: Principal Ensuite		
Date: March ol, 2023	Lot: 19	
	Matte Black	
	Chrome	
	Brushed Nickel	
	Brushed Gold	U

Two Handle Roman Tub Model T393/4796 GOLDPARK WORTH MORE



DEER RUN COLLECTION


Elevation A - 3,370 sq.ft. 3,362 sq.ft. Opt. Ground Floor Side Entry Plus 93 sq.ft. Fin. Basement Foyer Elevation B - 3,338 sq.ft. 3,330 sq.ft. Opt. Ground Floor Side Entry Plus 93 sq.ft. Fin. Basement Foyer

3,330 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
Elevation C - 3,312 sq.ft.
3,303 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
COVERED LOGGIA


STEPSHAY WARD

GREAT ROOM
12'0" X 18'0"

BREAKFAST II
10'0" X 18'0"



GROUND FLOOR | ELEV. A










DEER RUN COLLECTION

Elevation A - 3,370 sq.ft.
3,362 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
Elevation B - 3,338 sq.ft.
3,330 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer
Elevation C - 3,312 sq.ft.
3,303 sq.ft. Opt. Ground Floor Side Entry
Plus 93 sq.ft. Fin. Basement Foyer









DEER RUN COLLECTION


Elevation A - 3,370 sq.ft. 3,362 sq.ft. Opt. Ground Floor Side Entry Plus 93 sq.ft. Fin. Basement Foyer Elevation B - 3,338 sq.ft. 3,330 sq.ft. Opt. Ground Floor Side Entry Plus 93 sq.ft. Fin. Basement Foyer Elevation C - 3,312 sq.ft. 3,303 sq.ft. Opt. Ground Floor Side Entry

Plus 93 sq.ft. Fin. Basement Foyer

(cold collar)

WINDOW NOT INCLUDED UNFINISHED BASEMENT FIN. FOYER UNFINISHED BASEMENT UNEXCAVATED COLD CELLAR

BASEMENT | ELEV. A





Prices, figures, illustrations, sizes, features and finishes are subject to change without

notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4003