

500 Series, Induction Cooktop, 36", Black NIT5660UC



The 500 Series Induction Cooktop is Sleek in Design and Offers Quick and Even Cooking Results.

- PreciseSelect® direct cooking level selection.
- SpeedBoost® adds even more power to speed up the cooking process.
- **ReStart:** if something boils over, the cooktop automatically turns itself off and saves the last selected setting.
- Induction: faster than gas and electric cooktops. Precise cooking, easy cleaning and more efficient.
- The smooth ceramic glass surface makes cooking and cleaning especially easy.

Technical Data

Sealed Burners: No
Burners with booster: All
Dimension of 1st heating element (in): 7"
Power of heating element (W): 1.8 kW
Dimension of 3rd heating element (in): 7"
Power of 3rd heating element (W): 1.8 kW









500 Series, Induction Cooktop, 36", Black NIT5660UC

The 500 Series Induction Cooktop is Sleek in Design and Offers Quick and Even Cooking Results.

Design

- 5 Induction Cooking Zones
- PreciseSelect® Direct Cooking Level Selection (17 Settings)

Efficiency

- SpeedBoost® Adds Even More Power to Speed Up the Cooking Process
- PotSense™ Automatically Adjusts Cooking Element to the Size of the Pan Bottom

Convenience


- Use the Kitchen Timer to Measure Cooking Time or as a

Safety

- ChildLock Prevents the Cooktop from Being Accidentially Switched on. Locks Temperature Settings if in Use.
- Digital 2-Stage Residual Heat Indicator for Each Cooking Zone
- Wipe Protection Quickly Pauses Settings to Clean as You Go




500 Series, Induction Cooktop, 36", Black NIT5660UC



Measurements in inches (mm)


30" Built-in oven – under induction cooktop




Dimensions based on standard countertop height (36" with 41%" too kick including base plate).

The built-in oven can be installed below the induction cooktop as long as there is a minimum 1* (25) clearance between the bettom of the cooktop and the top of the oven.

measurements in inches (mm



* Minimum distance from the hob cut-out Measurements in inches (mm)



36" Induction Cooktop

500 Series - Black NIT5660UC





NIT5660UC Black

The 500 Series induction cooktop is sleek in design, and offers quick and even cooking results.

Features & Benefits

Induction - faster than gas and electric cooktops. Precise cooking, easy cleaning and more efficient

12" dual-ring center cooking zone for large pots and pans

17 power levels for each cooking zone

The smooth ceramic glass surface makes cooking and cleaning especially easy.

SpeedBoost® - adds even more power to speed up the cooking process

Element Performance	
Power of Front Left heating element	1,800 W
Power of Front Left heating element (in boost)	3,100 W
Power of Back Left heating element	1,800 W
Power of Back Left neating element (in poost)	3,100 W
Power of Center heating element	3,300 / 2,200 W
Power of Center heating element (in boost)	5,400 / 3,700 W
Power of Back Right heating element	1,400 W
Power of Back Right heating element (in boost)	2,200 W
Power of Front Right heating element	2,200 W
Power of Front Right heating element (in boost)	3,700 W
Burners with booster	All
Element Size	
Dimension of Front Left heating element	7"
Dimension of Back Left heating element	7"
Dimension of Center heating element	12", 9"
Dimension of Back Right heating element	6"
Dimension of Front Right heating element	9"

Watts	9,600 W
Circuit breaker	40 A
Volts	208-240 V
Frequency	60 Hz
Plug type	No plug
Power cord length	37"
Energy source	Electric
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	5/16" +4 1/8" x 37" x 21 1/4"
Required cutout size (HxWxD)	4 1/8" x 34 7/8" x 20"
Minimum distance from counter front	2 1/4"
Minimum distance from rear wall	2"
Net weight	53 lbs
Accessories-Optional	





HEZ390230

10" AutoChef® pan



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


36" Induction Cooktop


500 Series - Black NIT5660UC




Installation Details









Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

FRIGIDAIRE

PROFESSIONAL



22.3 Cu. Ft. 36" Counter Depth Side by Side Refrigerator

Side-By-Side Refrigerator

Available Products: PRSC2222AF

Available Colors: Stainless Steel

Version: 05/23

Product Specifications

Dispenser		Refrigerator	
Crushed Ice	Yes	Air Filter	Yes
Cube Ice	Yes	Air Filter Included	Yes
Dispenser	Yes	Air Filtration	Yes
Dispenser Location	External	Crisper Color	Smokey
Dispenser Height	8 3/10"	Dairy Bin	Yes
Light Control	Yes	Deli Drawer	Yes
Water	Yes	Door Bin Color	Smokey
		Humidity Controls	Manual
Freezer		Interior Lighting	LED
Automatic Defrost	Yes	Produce Keeper Ready	Yes
Baskets / Bins Color	Smokev	Produce Keeper Included	Yes
Baskets / Bins Material	Plastic	Shelf Material	Glass
Door Bin Color	Smokey	Water Filter	Yes
Drawer Color	Smokey	Number of Adjustable 2 Liter Door Bins	2
Interior Lighting	LED	Number of Adjustable Condiment Door Bins	1
Pizza / Ice Cream Shelf	Yes	Number of Adjustable Gallon Door Bins	1
Shelf Material	Glass	Total Number of Door Bins	44
Number of Adjustable Door Bins	4	Number of Adjustable Shelves	3
Number of Baskets / Bins	2	Number of Crispers	2
Total Number of Door Bins	4	<u> </u>	
Number of Fixed Shelves	3	Ice Maker	
Total Number of Shelves	3	Ice Maker	Yes
Number of Drawers	2	Ice Maker Location	Frozen Section
		Ice Shape	Pyramid
Controls			
Air Filter Indicator	Yes	Exterior	
Control Location	Side of Door	Counter-Depth	Yes
Digital Display	Yes	Door Finish	Smooth
Door Ajar Alarm	Yes	Door Stops	Yes
Control Lock	Yes	Front Rollers	Yes
Ice Maker On/Off	Yes	Rear Rollers	No
Power Failure Alarm	Yes	Water Inlet Location	Right Bottom Rea
Power On/Off	Yes		
Sabbath Mode	Yes	Electrical Specifications	
Second Control Location	Dispenser	Minimum Circuit Required	15 Amps
Water Filter Indicator	Yes		

22.3 Cu. Ft. 36" Counter Depth Side by Side Refrigerator

Side-By-Side Refrigerator

Available Products: PRSC2222AF	Available Colors: Stainless Steel
Version: 05/23	

Height With Hinge	69 7/8"
Height Without Hinge	68 5/8"
Width	36 1/8"
Width of Cabinet	35 7/8"
Depth of Cabinet	23 7/8"
Depth With Door	28 1/2"
Depth With Door 90° Open	45"
Depth With Door and Handle	31"
Freezer Capacity	8 Cu. Ft.
Fresh Food Capacity	14.3 Cu. Ft.
Total Capacity	22.3 Сц. Ft.
0 10 10 1	
General Specifications	
	615 kWh
Annual Energy	615 kWh Yes
Annual Energy Leveling Legs	
Annual Energy Leveling Legs Prop 65 Label	Yes
General Specifications Annual Energy Leveling Legs Prop 65 Label Refrigerant Type Warranty - Labor	Yes Yes
Annual Energy Leveling Legs Prop 65 Label Refrigerant Type Warranty - Labor	Yes Yes R-600A
Annual Energy Leveling Legs Prop 65 Label Refrigerant Type Warranty - Labor	Yes Yes R-600A 1 Year
Annual Energy Leveling Legs Prop 65 Label Refrigerant Type	Yes Yes R-600A 1 Year 1 Year

Cerunications and Approvais	
ADA Compliant*	Yes
*ADA Compliant Disclaimer	Accessibility pursuant to Uniform Federal Accessibility Standards (UFAS) when used with optional water filter bypass.
Safety Certifications and Approvals UL Listed	Yes

22.3 Cu. Ft. 36" Counter Depth Side by Side Refrigerator


Side-By-Side Refrigerator

Available Products: PRSC2222AF


Available Colors: Stainless Steel

Version: 05/23

Installation Diagram



Standard



24" Pocket Handle Dishwasher

500 Series - Stainless Steel SHP55CM5N





SHP55CM5N Stainless Steel

With PrecisionWash®, intelligent sensors and precision spray arms target every item of every load, so dishes come out sparkling clean every time.

Features & Benefits

So quiet at 46 dBA, InfoLight® shines on the floor so you know the dishwasher is running.

The Flexible 3rd Rack with fold down sides adds 30% more* loading area, perfect for utensils and ramekins.

Enhance your cleaning experience with Wi-Fi enabled Home Connect®. Access additional wash cycles and options or choose the right one for your needs using Smart Cycle.

Number of wash cycles	5 + 3 additional in
	Home Connect®
Number of options	3 + 2 additional in Home Connect°
dBA	46
Wash system	PrecisionWash®
Drying system	PureDry
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic*
Tub material	Stainless Steel
Control type	Touch Controls
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
Home Connect® (WiFi enabled)	Yes
NSF*-certified** sanitize option	Yes
Water softener	No
Five-level wash	Yes
Child Lock button suspension	No
Anti-Fingerprint Finish	Yes
Special features	InfoLight*
Efficiency	
Water usage per cycle	3.2 gal
ENERGY STAR® certified	Yes
Total annual energy consumption	240 kWh
Capacity	
Number of place settings	16

Technical Details	
Watts	1440 W
Current	12 Amps
Volts	120 V
Frequency	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door	Left – 45" Right – 56"
Minimum water pressure	14 lb/sin
Length outlet hose	78 3/4"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD)	33 7/8" x 24" x 24"
Adjustable feet	Yes
Net weight	85 lbs
Accessories-Optional	
Junction Box	SMZPCJB1UC
Junction Box + Supply Hose Kit	SMZ3IN1UC
Bosch Dishwasher Water Supply Hose	SMZSH1ABUC
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC







Accessories: To purchase Bosch accessories, cleaners & parts please call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

8/23 CA


^{*}Compared to a Bosch dishwasher with 2 racks.
**Certification to NSF/ANSI Standard 184 for residential dishwashers.


24" Pocket Handle Dishwasher


500 Series - Stainless Steel SHP55CM5N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


24" Pocket Handle Dishwasher

500 Series - Stainless Steel SHP55CM5N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.



	n	10	r
U	ΙV	E	I

Electric 8.0 Cu. Ft. Front Load Dryer

ELFE753CAT, ELFE753CAW

Available Colors : Titanium, White

Version: 07/21

Dryer Air Flow	200 CFM
	Painted Steel
Drum Back Type Drum Material	Painted Steel
	Yes
Dryness Level Selections Lint Filter	Yes
	Yes
Predictive Dry	162
Dryer Cycles	
Cycle Count	10
Activewear	Yes
Allergen	Yes
Delicates	Yes
Fast Dry	Yes
Heavy Duty	Yes
Instant Refresh	Yes
Mixed Load	Yes
Normal	Yes
Timed Dry Time	Yes
Towels	Yes
Dryer Options	
Anti Static	Yes
Delay Start Time	1-12 Hours
Drum Light	Yes
Dry Boost	Yes
Extended Tumble	Yes
Perfect Steam	Yes
Wrinkle Release	Yes
Drying Temperatures	
Low	Yes

Dryness Level	
Max	Yes
High	Yes
Normal	Yes
Low	Yes
Damp	Yes
Controls	
Cancel	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Estimated Time Remaining	Yes
Control Lock	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes
Exterior	
Door Latch	Yes
Reversible Door	Yes
Dimensions and Volume	
Height	38"
Width	27"
Depth	32"
Dryer Drum Capacity	8 Cu. Ft.
Electrical Specifications	
Minimum Circuit Required	30 Amps
Voltage Rating	208/240v
Energy Data	
kWh/cycle	2.5 kWh
kWh/year	710 kWh

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Installation

Yes

Yes

Yes

Yes

Normal

Eco Dry

High Sanitize

Electric 8.0 Cu. Ft. Front Load Dryer

ELFE753CAT, ELFE753CAW

Version: 07/21

Installation Optional Pedestal Yes General Specifications Chime On / Chime Off Yes Leveling Legs Yes Product Weight 126 lbs Prop 65 Label No Warranty - Labor 1 Year Warranty - Parts 1 Year Performance Certifications and Approvals
ENERGY STAR Certified Yes Safety Certifications and Approvals UL Listed


Yes

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electric 8.0 Cu. Ft. Front Load Dryer

ELFE753CAT, ELFE753CAW

Version: 07/21




Rear

12 1/2"

37/16"

13 1/2"





High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.



		-	
1)	rv	α	r

Electric 8.0 Cu. Ft. Front Load Dryer

ELFE753CAT, ELFE753CAW

Available Colors: Titanium, White

Version: 07/21

Dryor	
Dryer Air Flow	200 CFM
Drum Back Type	Painted Steel
Drum Material	Painted Steel
Dryness Level Selections	Yes
Lint Filter	Yes
Predictive Dry	Yes
r redictive Dry	163
Dryer Cycles	
Cycle Count	10
Activewear	Yes
Allergen	Yes
Delicates	Yes
Fast Dry	Yes
Heavy Duty	Yes
Instant Refresh	Yes
Mixed Load	Yes
Normal	Yes
	Yes
Timed Dry Time	
Towels	Yes
Dryer Options	
Anti Static	Yes
Delay Start Time	1-12 Hours
Drum Light	Yes
Dry Boost	Yes
Extended Tumble	Yes
Perfect Steam	Yes
Wrinkle Release	Yes
Drying Temperatures	
Low	Yes
Normal	Yes
High	Yes
Sanitize	Yes
Eco Dry	Yes

Max	Yes
High	Yes
Normal	Yes
Low	Yes
Damp	Yes
Controls	
Cancel	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Estimated Time Remaining	Yes
Control Lock	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes
Exterior	
Door Latch	Yes
Reversible Door	Yes
Dimensions and Volume	
Height	38"
Width	27"
Depth	32"
Dryer Drum Capacity	8 Cu. Ft.
Electrical Specifications	
Minimum Circuit Required	30 Amps
Voltage Rating	208/240v
Energy Data	

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Installation

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

Electric 8.0 Cu. Ft. Front Load Dryer

ELFE753CAT, ELFE753CAW

Version: 07/21


Installation		
Optional Pedestal	Yes	
General Specifications		
Chime On / Chime Off	Yes	
Leveling Legs	Yes	
Product Weight	126 lbs	
Prop 65 Label	No	
Warranty - Labor	1 Year	
Warranty - Parts	1 Year	
Performance Certifications and Approvals		
ENERGY STAR Certified	Yes	
Safety Certifications and Approvals	V	
UL Listed	Yes	

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electric 8.0 Cu. Ft. Front Load Dryer


ELFE753CAT, ELFE753CAW

Version: 07/21



Rear 12 1/2" 37/16" 13 1/2"

Optional 15" Pedestal Drawer



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.



Front Load Washer

5.2 Cu.Ft. I.E.C Front Load Washer

ELFW7537AT, ELFW7537AW

Available Colors: Titanium, White

Version: 06/21

Washer Drum Light	Yes	Temperature Settings
Drum Material	Stainless Steel	Cool
Maximum Spin Speed	1,300 RPM	Warm
Water Heater	Yes	Hot
Water Level Adjustment	Yes	Sanitize
Washer Cycles ^{Activewear}	Yes	Washer Spin Speeds Spin Speed Selections
Clean Washer	Yes	Max
Colors	Yes	High
Cycle Count	10	Medium
Delicates	Yes	Low
Fast Wash	Yes	No Spin
Heavy Duty	Yes	
Normal	Yes	Controls
Rinse and Spin	Yes	Cancel
Towels	Yes	Cycle Status Lights
Whitest Whites	Yes	Delay Start
Allergen	Yes	Control Lock
		Pause Function
Washer Options		Power On/Off
Delay Start Time	1-12 Hours	Start
Extended Refresh	Yes	
Extra Rinse	Yes	Dispenser
Perfect Steam	Yes	Bleach Dispenser
Pure Rinse	Yes	Detergent Dispenser
Stain Treat II	Yes	Fabric Softener Dispenser
Steam	Yes	Prewash Detergent Dispenser PODs Dispenser
Soil Levels		
Extra Light	Yes	Exterior
Light	Yes	Door Latch
Normal	Yes	Reversible Door
Heavy	Yes	
Solid Soil	Yes	Dimensions and Volume

Temperature Settings	V
	Yes
Cool	Yes
Warm	Yes
Hot	Yes
Sanitize	Yes
Washer Spin Speeds	
Spin Speed Selections	5
Max	Yes
High	Yes
Medium	Yes
Low	Yes
No Spin	Yes
Controls	
Cancel	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Control Lock	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes
Dispenser	
Bleach Dispenser	Yes
Detergent Dispenser	Yes
Fabric Softener Dispenser	Yes
Prewash Detergent Dispenser	Yes
PODs Dispenser	Yes
Exterior	
Door Latch	Yes
Reversible Door	Yes

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

5.2 Cu.Ft. I.E.C Front Load Washer

ELFW7537AT, ELFW7537AW

Version: 06/21


Dimensions and Volume	38"
Height Width	27"
	32"
Depth Washer Drum Canasity LE C	5.2 Cu. Ft.
Washer Drum Capacity I.E.C.	5.2 Cu. Ft.
Flactuical Considirations	
Electrical Specifications	1E Amns
Minimum Circuit Required	15 Amps 120 V
Voltage Rating	120 V
Francis Data	
Energy Data Integrated Water Factor	3.2
kWh/year	85 kWh
Modified Energy Factor	2.92
Water Usage/Year	4.248 Gallons
Water Osage/Tear	4,240 Galloris
Installation	
Optional Pedestal	Yes
Stackable	Yes
Stackable	103
General Specifications	
Chime On / Chime Off	Yes
Leveling Legs	Yes
Product Weight	217 lbs
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Parts	1 Year
Performance Certifications and	
Approvals	
CEE Tier	Tier 2
ENERGY STAR Certified	Yes
ENERGY STAR Most Efficient	Yes
High Efficiency	Yes
Safety Certifications and Approvals	
UL Listed	Yes
NSF Certified	Yes
Sanitization and Allergy Reduction	Yes

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.


5.2 Cu.Ft. I.E.C Front Load Washer

ELFW7537AT, ELFW7537AW


Version: 06/21



Rear 15" Ped



Optional 15" Pedestal Drawer



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca



Front Load Washer

4.5 Cu.Ft. Front Load Washer

ELFW7537AT, ELFW7537AW

Available Colors: Titanium, White

Version: 06/21

Washer	W	Temperature Settings
Drum Light	Yes	Eco Cold
Drum Material	Stainless Steel	Cool
Maximum Spin Speed	1,300 RPM	Warm
Water Heater	Yes	Hot
Water Level Adjustment	Yes	Sanitize
Washer Cycles		Washer Spin Speeds
Activewear	Yes	Spin Speed Selections
Clean Washer	Yes	Max
Colors	Yes	High
Cycle Count	10	Medium
Delicates	Yes	Low
Fast Wash	Yes	No Spin
Heavy Duty	Yes	
Normal	Yes	Controls
Rinse and Spin	Yes	Cancel
Towels	Yes	Cycle Status Lights
Whitest Whites	Yes	Delay Start
Allergen	Yes	Control Lock
3		Pause Function
Washer Options		Power On/Off
Delay Start Time	1-12 Hours	Start
Extended Refresh	Yes	
Extra Rinse	Yes	Dispenser
Perfect Steam	Yes	Bleach Dispenser
Pure Rinse	Yes	Detergent Dispenser
Stain Treat II	Yes	Fabric Softener Dispenser
Steam	Yes	Prewash Detergent Dispenser
Steam		PODs Dispenser
Soil Levels		
Extra Light	Yes	Exterior
Light	Yes	Door Latch
Normal	Yes	Reversible Door
Heavy	Yes	
Solid Soil	Yes	Dimensions and Volume

Cool Warm Hot Sanitize Washer Spin Speeds Spin Speed Selections Max High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	es es es es es es
Warm Hot Sanitize Washer Spin Speeds Spin Speed Selections Max High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	es es es es ées
Hot Sanitize Washer Spin Speeds Spin Speed Selections Max High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	'es 'es
Washer Spin Speeds Spin Speed Selections Max High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	es es es
Washer Spin Speeds Spin Speed Selections Max High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	es es
Spin Speed Selections Max High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	'es 'es
Max High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	'es 'es
High Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	'es
Medium Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	-
Low No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	'es
No Spin Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	
Controls Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	'es
Cancel Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Prewash Detergent Dispenser	'es
Cycle Status Lights Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	
Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Delay Start Control Lock Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Pause Function Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Power On/Off Start Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Dispenser Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Bleach Dispenser Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	
Detergent Dispenser Fabric Softener Dispenser Prewash Detergent Dispenser	
Fabric Softener Dispenser Prewash Detergent Dispenser	'es
Prewash Detergent Dispenser	'es 'es
PODs Dispenser	'es
Exterior	'es 'es
	'es 'es 'es
Reversible Door	'es 'es 'es

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

4.5 Cu.Ft. Front Load Washer

ELFW7537AT, ELFW7537AW

Version: 06/21


Dimensions and Volume	
Height	38"
Width	27"
Depth	32"
Washer Drum Capacity	4.5 Cu. Ft.
Electrical Specifications	
Minimum Circuit Required	15 Amps
Voltage Rating	120 V
Energy Data	
Integrated Water Factor	3.2
kWh/year	85 kWh
Modified Energy Factor	2.92
Water Usage/Year	4,248 Gallons
Installation	
Optional Pedestal	Yes
Stackable	Yes
General Specifications	
Chime On / Chime Off	Yes
Leveling Legs	Yes
Product Weight	217 lbs
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Parts	1 Year
Performance Certifications and	
Approvals	
CEE Tier	Tier 2
ENERGY STAR Certified	Yes
ENERGY STAR Most Efficient	Yes
High Efficiency	Yes
Safety Certifications and Approvals	
UL Listed	Yes
NSF Certified	Yes
Sanitization and Allergy Reduction	Yes

High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.


4.5 Cu.Ft. Front Load Washer

ELFW7537AT, ELFW7537AW


Version: 06/21



Rear



Optional 15" Pedestal Drawer



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive •Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca