

STRIP FOOTINGS -
FOR SINGLES & SEMIS UP TO 2 STOREY
8" OR 10" FOUNDATION WALLS WITH 2"x8" / 2"x10" FLOOR JOISTS
20"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS.
24"x8" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS.
FOUNDATION WALLS WITH ENGINEERED JOISTS OVER 16' SPANS
24"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS.
FOOTINGS ON ENGINEERED FILL
24"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING
BELOW EXTERIOR WALLS.
30"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING
BELOW PARTY WALLS.
(REFER TO FOOTING DETAILS ON ENGINEERED FILL)
ASSUME THE LARGER FOOTING SIZE
WHEN TWO CONDITIONS APPLY
ASSUMED 120 KPA (8 psf) SOIL BEARING CAPACITY OR 90 KPA
ENGINEERED SOIL FILL, TO BE VERIFIED ON SITE.

BRICK VENEER LINTELS
WL1 = 3-1/2"x3-1/2"x1/4" (60x90x6.0) + 2-2"x8" SPR. No.2
WL2 = 4"x3-1/2"x3/8" (100x90x6.0) + 2-2"x8" SPR. No.2
WL3 = 5"x3-1/2"x3/8" (125x90x6.0) + 2-2"x10" SPR. No.2
WL4 = 6"x3-1/2"x3/8" (150x90x6.0) + 2-2"x12" SPR. No.2
WL5 = 6"x4"x3/8" (150x100x6.0) + 2-2"x12" SPR. No.2
WL6 = 5"x3-1/2"x3/8" (125x90x6.0) + 2-2"x12" SPR. No.2
WL7 = 5"x3-1/2"x3/8" (125x90x6.0) + 3-2"x10" SPR. No.2
WL8 = 5"x3-1/2"x3/8" (125x90x6.0) + 3-2"x12" SPR. No.2
WL9 = 6"x4"x3/8" (150x100x6.0) + 3-2"x12" SPR. No.2
LINTELS AND BEAMS
WB1 = 2-2"x8" SPR. No.2 (2-38x104 SPR. No.2)
WB2 = 3-2"x8" SPR. No.2 (3-38x104 SPR. No.2)
WB3 = 2-2"x10" SPR. No.2 (2-38x128 SPR. No.2)
WB4 = 3-2"x10" SPR. No.2 (3-38x128 SPR. No.2)
WB5 = 2-2"x12" SPR. No.2 (2-38x152 SPR. No.2)
WB6 = 3-2"x12" SPR. No.2 (3-38x152 SPR. No.2)
WB7 = 5-2"x12" SPR. No.2 (5-38x152 SPR. No.2)
WB8 = 4-2"x12" SPR. No.2 (4-38x152 SPR. No.2)
WB9 = 4-2"x12" SPR. No.2 (4-38x152 SPR. No.2)
WB10 = 4-2"x12" SPR. No.2 (4-38x152 SPR. No.2)

LAMINATED VENEER LUMBER (LVL) BEAMS
LVL1A = 1-1/2"x4" x 7' 1/4" (4-45x104)
LVL1 = 2-1/2"x4" x 7' 1/4" (2-45x104)
LVL2 = 3-1/2"x4" x 7' 1/4" (3-45x104)
LVL3 = 4-1/2"x4" x 7' 1/4" (4-45x104)
LVL4A = 1-1/2"x4" x 4' 1/2" (1-45x240)
LVL4 = 2-1/2"x4" x 4' 1/2" (2-45x240)
LVL5 = 3-1/2"x4" x 4' 1/2" (3-45x240)
LVL6A = 1-1/2"x4" x 11' 1/8" (1-45x300)
LVL6 = 2-1/2"x4" x 11' 1/8" (2-45x300)
LVL7 = 3-1/2"x4" x 11' 1/8" (3-45x300)
LVL7A = 4-1/2"x4" x 11' 1/8" (4-45x300)
LVL8 = 2-1/2"x4" x 14' (2-45x356)
LVL9 = 3-1/2"x4" x 14' (3-45x356)
LVL10 = 2-1/2"x4" x 16' (2-45x416)
LVL BEAMS SHALL BE VERSA-LAM 2.0E (Fb=2800psi MIN) OR
EQUIVALENT.

LOOSE STEEL LINTELS
LI = 3-1/2"x3-1/2"x1/4" (60x90x6.0)
LI2 = 4"x3-1/2"x3/8" (100x90x6.0)
LI3 = 5"x3-1/2"x3/8" (125x90x6.0)
LI4 = 6"x3-1/2"x3/8" (150x90x6.0)
LI5 = 6"x4"x3/8" (150x100x6.0)
LI6 = 7"x4"x3/8" (175x100x6.0)

PAD FOOTINGS
120 KPA NATIVE SOIL
F1 = 42"x42"x8" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD
F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x18" CONCRETE PAD
F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"x14" CONCRETE PAD
F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD
F5 = 18"x18"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD
(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC.
FOOTING SHALL BE REQUIRED.

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC.
FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAINMENT

DOOR SCHEDULE
1 = 2'-10" x 6'-8" (66x2033) - INSULATED ENTRANCE DOOR
1a = 2'-8" x 6'-8" (81x2033) - INSULATED FRONT DOORS
2 = 2'-8" x 6'-8" (81x2033) - GLASS DOOR
3 = 2'-8" x 6'-8" x 1-3/8" (81x2033x45) - EXTERIOR SLAB DOOR
4 = 2'-8" x 6'-8" x 1-3/8" (81x2033x35) - INTERIOR SLAB DOOR
5 = 2'-6" x 6'-8" x 1-3/8" (76x2033x35) - INTERIOR SLAB DOOR
6 = 2'-2" x 6'-8" x 1-3/8" (66x2033x35) - INTERIOR SLAB DOOR
7 = 1'-6" x 6'-8" x 1-3/8" (46x2033x35) - INTERIOR SLAB DOOR
8 = 2'-8" x 6'-8" x 1-3/4" (81x2033x45) - EXTERIOR SLAB DOOR

SPACE CONVENTIONAL FLOOR JOISTS @ 12"
O.C. BELOW ALL CERAMIC TILE AREAS.
PROVIDE 1 ROW BRIDGING FOR SPANS OF
5'-11"; 2 ROWS FOR SPANS GREATER THAN 1'

REFER TO ROOF TRUSS SHOP DRAWINGS FOR
ALL ROOF FRAMING INFORMATION

PLANS NOT DRAWN TO ACTUAL GRADE. REFER
TO FINAL GRADING PLAN.

REFER TO FLOOR FRAMING SHOP DRAWINGS
FOR ENGINEERED FRAMING LAYOUTS

2-2"x6" STUD WALL NAILED TOGETHER AND
SPACED @ 12" O.C. FULL HT. C/M SOLID
BLOCKING 4'-0" O.C. VERTICAL AND 1/8"
EXT. PLYWOOD SHEATHING.
12" 12"
MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS
10'-0" AND MAXIMUM SUPPORTED LENGTH OF
TRUSS IS 40'-0"
TWO STORY HEIGHT WALL DETAIL

THE MINIMUM THERMAL PERFORMANCE OF BUILDING ENVELOPE AND EQUIPMENT
SHALL CONFORM TO THE FOLLOWING

COMPLIANCE PACKAGE "A1"	
COMPONENT	NOTE
CEILING WITH ATTIC SPACE MINIMUM RSI (R) VALUE	10.57 (R60)
CEILING WITHOUT ATTIC SPACE MINIMUM RSI (R) VALUE	5.46 (R31)
EXPOSE FLOOR MINIMUM RSI (R) VALUE	5.46 (R31)
WALLS ABOVE GRADE MINIMUM RSI (R) VALUE	3.87 (R22)
BASEMENT WALLS MINIMUM RSI (R) VALUE	3.52 (R20 RIGID)
HEATED SLAB OR SLAB ≤ 600mm BELOW GRADE MINIMUM RSI (R) VALUE	1.76 (R10)
WINDOWS & SLIDING GLASS DOORS MAXIMUM U-VALUE	ENERGY RATINGS = 25, MAX. U=0.28
SPACE HEATING EQUIPMENT MINIMUM ARIE	96%
HRV MINIMUM EFFICIENCY	75%
HOT WATER TANK	MIN. EF 0.80

HEMLOCK 5

AREA CALCULATIONS		ELEV. 1
GROUND FLOOR AREA	=	9471 Sq. Ft.
SECOND FLOOR AREA	=	1114 Sq. Ft.
TOTAL FLOOR AREA	=	2061 Sq. Ft.
1ST FLOOR OPEN AREA	=	0 Sq. Ft.
2ND FLOOR OPEN AREA	=	20 Sq. Ft.
ADD TOTAL OPEN AREAS	=	20 Sq. Ft.
ADD FIN. BASEMENT AREA	=	0 Sq. Ft.
GROSS FLOOR AREA	=	2081 Sq. Ft.
GROUND FLOOR COVERAGE	=	143.33 Sq. M.
GARAGE COVERAGE / AREA	=	299 Sq. Ft.
PORCH COVERAGE / AREA	=	60 Sq. Ft.
TOTAL COVERAGE W/ PORCH	=	1306 Sq. Ft.
TOTAL COVERAGE W/O PORCH	=	1246 Sq. Ft.
	=	115.76 Sq. m.

HEMLOCK 5C

AREA CALCULATIONS		ELEV. 1
GROUND FLOOR AREA	=	10081 Sq. Ft.
SECOND FLOOR AREA	=	1114 Sq. Ft.
TOTAL FLOOR AREA	=	21222 Sq. Ft.
1ST FLOOR OPEN AREA	=	0 Sq. Ft.
2ND FLOOR OPEN AREA	=	20 Sq. Ft.
ADD TOTAL OPEN AREAS	=	20 Sq. Ft.
ADD FIN. BASEMENT AREA	=	0 Sq. Ft.
GROSS FLOOR AREA	=	22422 Sq. Ft.
GROUND FLOOR COVERAGE	=	10081 Sq. Ft.
GARAGE COVERAGE / AREA	=	3000 Sq. Ft.
PORCH COVERAGE / AREA	=	242 Sq. Ft.
TOTAL COVERAGE W/ PORCH	=	15471 Sq. Ft.
TOTAL COVERAGE W/O PORCH	=	14372 Sq. m.
	=	1305 Sq. Ft.
	=	121.24 Sq. m.

HEMLOCK 5		ELEV. 1	COMPLIANCE PACKAGE "A1"		
ELEVATION	WALL FT²	WALL MT²	OPENING FT²	OPENING MT²	PERCENTAGE
FRONT	548.00	50.91	72.42	6.71	19.51 %
LEFT SIDE	462.00	84.57	60.83	5.65	6.32 %
RIGHT SIDE	462.00	84.57	0.00	0.00	0.00 %
REAR	516.00	47.44	144.42	13.28	28.46 %
TOTAL	2488.00	271.54	283.17	26.31	9.48 %

HEMLOCK 5		ELEV. 1	COMPLIANCE PACKAGE "A1"		
ELEVATION	WALL FT²	WALL MT²	OPENING FT²	OPENING MT²	PERCENTAGE
FRONT	615.00	57.14	84.61	7.83	14.58 %
LEFT SIDE	1058.00	97.81	0.00	0.00	0.00 %
RIGHT SIDE	1058.00	97.81	142.04	13.20	15.43 %
REAR	583.00	54.16	144.42	13.28	25.63 %
TOTAL	3314.00	307.88	381.13	35.41	11.50 %

HEMLOCK 5

AREA CALCULATIONS		ELEV. 2
GROUND FLOOR AREA	=	9471 Sq. Ft.
SECOND FLOOR AREA	=	1114 Sq. Ft.
TOTAL FLOOR AREA	=	2061 Sq. Ft.
1ST FLOOR OPEN AREA	=	0 Sq. Ft.
2ND FLOOR OPEN AREA	=	20 Sq. Ft.
ADD TOTAL OPEN AREAS	=	20 Sq. Ft.
ADD FIN. BASEMENT AREA	=	0 Sq. Ft.
GROSS FLOOR AREA	=	2081 Sq. Ft.
GROUND FLOOR COVERAGE	=	143.33 Sq. M.
GARAGE COVERAGE / AREA	=	299 Sq. Ft.
PORCH COVERAGE / AREA	=	60 Sq. Ft.
TOTAL COVERAGE W/ PORCH	=	1306 Sq. Ft.
TOTAL COVERAGE W/O PORCH	=	1246 Sq. Ft.
	=	115.76 Sq. m.

HEMLOCK 5C

AREA CALCULATIONS		ELEV. 2
GROUND FLOOR AREA	=	10081 Sq. Ft.
SECOND FLOOR AREA	=	1114 Sq. Ft.
TOTAL FLOOR AREA	=	21222 Sq. Ft.
1ST FLOOR OPEN AREA	=	0 Sq. Ft.
2ND FLOOR OPEN AREA	=	20 Sq. Ft.
ADD TOTAL OPEN AREAS	=	20 Sq. Ft.
ADD FIN. BASEMENT AREA	=	0 Sq. Ft.
GROSS FLOOR AREA	=	22422 Sq. Ft.
GROUND FLOOR COVERAGE	=	10081 Sq. Ft.
GARAGE COVERAGE / AREA	=	3000 Sq. Ft.
PORCH COVERAGE / AREA	=	242 Sq. Ft.
TOTAL COVERAGE W/ PORCH	=	15471 Sq. Ft.
TOTAL COVERAGE W/O PORCH	=	14372 Sq. m.
	=	1305 Sq. Ft.
	=	121.24 Sq. m.

HEMLOCK 5		ELEV. 2	COMPLIANCE PACKAGE "A1"		
ELEVATION	WALL FT²	WALL MT²	OPENING FT²	OPENING MT²	PERCENTAGE
FRONT	510.00	47.38	66.46	6.17	19.03 %
LEFT SIDE	455.00	88.72	60.83	5.65	6.31 %
RIGHT SIDE	455.00	88.72	0.00	0.00	0.00 %
REAR	516.00	47.44	144.41	13.28	28.46 %
TOTAL	2436.00	272.76	276.70	25.71	9.42 %

HEMLOCK 5		ELEV. 2	COMPLIANCE PACKAGE "A1"		
ELEVATION	WALL FT²	WALL MT²	OPENING FT²	OPENING MT²	PERCENTAGE
FRONT	513.00	47.66	66.46	6.17	12.51 %
LEFT SIDE	1028.00	95.81	0.00	0.00	0.00 %
RIGHT SIDE	1028.00	95.81	140.41	13.14	14.51 %
REAR	583.00	54.16	144.42	13.28	25.63 %
TOTAL	3142.00	291.90	362.33	33.66	11.53 %

For conventional framing roof/ceilings
framing shall conform to OBC 9.23

JUL 27 2018

HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"

It is the builder's complete responsibility to
ensure that all plans submitted for approval
fully comply with the Architectural Guidelines
and all applicable regulations and requirements
including zoning provisions and any provisions
in the subdivision agreement. The Control
Architect is not responsible in any way for
examining or approving site (lotting) plans or
working drawings with respect to any zoning or
building code or permit matter or that any
house can be properly built or located on its lot.


This is to certify that these plans comply
with the applicable Architectural Design
Guidelines approved by the City of
BRAMPTON.

The undersigned has reviewed and takes responsibility for this
design, and has the qualifications and meets the requirements set
out in the Ontario Building Code to be a designer.

QUALIFICATION INFORMATION
Required unless design is exempt under Division C, Subsection 3.2.5 of the building code

VIKAS GAJJAR
NAME
SIGNATURE
28770
BCIN

Engineered floor joists shall be installed
in accordance with the supplier's layout and
specifications forming part of the permit application.



AREA CHARTS
SCALE: 3/16"=1'-0"
DATE: MAY 2018
TYPE: VG

CONTRACTOR SHALL CHECK ALL
DIMENSIONS AND ELEVATIONS BEFORE
COMMENCING WITH WORK AND REPORT
ANY DISCREPANCIES TO THE DESIGNER.
PRINTS ARE NOT TO BE SCALED.
AREA: 2081 / 2242
PAGE NO.: 0
PROJECT: XX-XX-XX

PROJECT NAME
MINNISALE

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 10 2019
PLUMBING BY
KOFI MORIEL

ALL PLUMBING SHALL CONFORM TO
THE ONTARIO BUILDING CODE, O.B.C.
332/12, AS AMENDED, DIVISION B, PART 7.

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
OCT 10 2018
BY
KOFI MORIEL

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 17 2019
PLUMBING BY
KOFI MORIEL


CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 09 2019
BY
MARK DERKSEN

ALL PLUMBING SHALL CONFORM TO
THE ONTARIO BUILDING CODE, O.B.C.
332/12, AS AMENDED, DIVISION B, PART 7.



W Architect Inc.
DESIGN CONTROL REVIEW
OCT 17 2018
FINAL BY *W*
JUL 27 2018
This stamp is only for the purposes of design
control and carries no other professional obligations.

HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"



BASEMENT PLAN 2

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for assessing or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

5. _____ 4. _____ 3. _____ 2. _____ 1. NEW MODEL REVISIONS	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code VIKAS GAJJAR NAME SIGNATURE 28770 BCIN MAY 18	REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO L4K 4S6 P (416) 736-4096 F (905) 860-0746 REGION DESIGN INC. SHEET TITLE BASEMENT PLAN ELEV. 2 SCALE 3/16"=1'-0" DATE MAY 2018 BY VG TYPE CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED. AREA 2081 / 2242 PAGE No. 1-2 PROJECT XX-XX-XX PROJECT NAME MINNISALE	July 16, 2018
--	--	---	----------------------

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED

JAN 10 2019

PLUMBING BY
KOFI MORIEL

ALL PLUMBING SHALL CONFORM TO
THE ONTARIO BUILDING CODE, O.B.C.,
332/12, AS AMENDED, DIVISION B, PART 7.

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED

DEC 10 2018

BY
LUIS PAVANE

ALL PLUMBING SHALL CONFORM TO
THE ONTARIO BUILDING CODE, O.B.C.,
332/12, AS AMENDED, DIVISION B, PART 7.

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED

JAN 17 2019

PLUMBING BY
KOFI MORIEL

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED

JAN 09 2019

BY
MARK DERKSEN



W Architect Inc.
DESIGN CONTROL REVIEW

OCT 17 2018

FINAL BY: GEE


This stamp is only for the purpose of design
control and carries no other professional obligations

JUL 27 2018

HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"

Greenpark

PROJECT NAME
MINNISALE



FIRST FLOOR
PLAN 2

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

5.					
4.					
3.					
2.					
1.	NEW MODEL	MAY 18	VIKAS GAJJAR	28770	BCIN
REVISIONS					

The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.

QUALIFICATION INFORMATION
Required unless design is exempt under Division C, Subsection 2.2.5 of the building code

NAME
VIKAS GAJJAR
SIGNATURE

REGION DESIGN INC.
8700 DUFFERIN ST.
CONCORD, ONTARIO
L4K 4S6
P (416) 736-4096
F (905) 660-0748

SHEET TITLE
FIRST FLOOR PLAN
ELEV. 2
SCALE
3/16"=1'-0"
DATE
MAY 2018


CONTRACTOR SHALL CHECK ALL
DIMENSIONS AND ELEVATIONS BEFORE
COMMENCING WITH WORK AND REPORT
ANY DISCREPANCIES TO THE DESIGNER.
PRINTS ARE NOT TO BE SCALED.

AREA
2081 / 2242
PAGE NO.
2-2
PROJECT
XX-XX-XX

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 10 2019
PLUMBING BY
KOEL MORIEL

ALL PLUMBING SHALL CONFORM TO
THE ONTARIO BUILDING CODE, O. REG.
332/12, AS AMENDED, DIVISION B, PART 7.

RECEIVED
CITY OF BRAMPTON
BUILDING DIVISION
JAN 10 2019



HEMLOCK 5C

HEMLOCK 5

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

ALL PLUMBING SHALL CONFORM TO
THE ONTARIO BUILDING CODE, O. REG.
332/12, AS AMENDED, DIVISION B, PART 7.

W Architect Inc.
DESIGN CONTROL REVIEW
OCT 17 2018
FINAL BY: *CGE*
This stamp is only for the purposes of design control and carries no other professional obligations.

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 17 2019
PLUMBING BY
KOEL MORIEL

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 09 2019
BY
MARK DERKSEN



JUL 27 2018

HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"

Greenpark.

NO.	REVISIONS	DATE
1.	NEW MODEL	MAY 18

The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.

QUALIFICATION INFORMATION
Required unless design is exempt under Division C, Subsection 3.2.5 of the building code

VIKAS GAJJAR
NAME
SIGNATURE
28770
BCIN

REGION DESIGN INC.
8700 DUFFERIN ST.
CONCORD, ONTARIO
L4K 4S1
P (416) 736-4099
F (905) 660-0746

REGION DESIGN INC.


SHEET TITLE
SECOND FLOOR PLAN
ELEV. 2
SCALE 3/16"=1'-0"
DATE MAY 2018

CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED.

AREA 2081 / 2242
PAGE NO. 3-2
PROJECT XX-XX-XX

PROJECT NAME
MINNISALE

JUL 18, 2018 1:13:17 PM M:\PROJECTS\MINNISALE - BRAMPTON\HEMLOCK 5/5C - REVISED\HEMLOCK_5/5C_MASTER_0218.DWG



LEFT ELEVATION 2
HEMLOCK 5

ALLOWABLE GLAZING		
WALL AREA	=	455 Sq. Ft.
ALLOWABLE GLAZED AREA @ 7% 1.2 M SIDE YARD	=	66.25 Sq. Ft.
ACTUAL GLAZED AREA	=	46.0 Sq. Ft.
WITH OPTIONAL 30"x24" BASEMENT WINDOW. ACTUAL GLAZED AREA	=	47.4 Sq. Ft.

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
OCT 10 2018
BY
MARK DERKSEN

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 11 9 2019
BY
MARK DERKSEN

W Architect Inc.
DESIGN CONTROL REVIEW
OCT 17 2018
FINAL BY: CTE
This stamp is only for the purpose of design control and carries no other professional obligations.

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for expanding or approving site (setting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.


This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

JUL 27 2018


HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"

5. _____ 4. _____ 3. _____ 2. _____ 1. NEW MODEL MAY 18		REVISIONS		The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code VIKAS GAJJAR 28770 NAME SIGNATURE BCIN		REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO L4K 4S6 P (416) 736-4096 F (905) 660-0746		REGION DESIGN INC.		SHEET TITLE LEFT SIDE ELEVATION ELEV. 2 SCALE 3/16"=1'-0" DATE MAY 2018		CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED. AREA 2081 / 2242 PROJECT XX-XX-XX		PAGE No. 5-2		Greenpark. PROJECT NAME MINNISALE	
---	--	-----------	--	---	--	--	--	---------------------------	--	---	--	---	--	------------------------	--	--	--

JUL 17, 2018 4:54:50 PM M:\PROJECTS\MINNISALE - BRAMPTON\STANDARD\HEMLOCK 5.5C - REG VORHELM LOCK 5.5C MASTER.DWG



SECTION A-A



JUL 27 2018

HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contract Architect is not responsible in any way for examining or approving site (existing) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

1. NEW MODEL REVISIONS	28770 VIKAS GAJJAR NAME SIGNATURE BCIN	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 9.2.5 of the building code REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO L4K 4G6 P (416) 736-4096 F (905) 880-0746	REGION DESIGN INC.	CROSS SECTION ELEV.1 SCALE 3/16"=1'-0" DATE MAY 2018	BY VG TYPE PROJECT XX-XX-XX	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED. PAGE NO. 8 PROJECT NAME MINNISALE
--------------------------------------	--	---	---------------------------	---	--	--



11:26:53 AM M:\PROJECT\SUNNYSIDE - BRAMPTON\STANDARDBLOCK 5-5C - RES-VOL-5EM-001-5-5C_MASTER_2018.DWG



CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
DEC 10 2018
BY
YOUNG HAYNE

CITY OF BRAMPTON
BUILDING DIVISION
REVIEWED
JAN 09 2019
BY
MARK DERKSEN

W Architect Inc.
DESIGN CONTROL REVIEW
OCT 17 2018
FINAL BY: *WAC*
This stamp is only for the purpose of design control and carries no other professional obligations.

STRUDET INC.
REGISTERED PROFESSIONAL ENGINEER
B. MARINKOVIC
PROVINCE OF ONTARIO
FOR STRUCTURE ONLY




JUL 27 2018

HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

5. _____ 4. _____ 3. _____ 2. _____ 1. NEW MODEL REVISIONS	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code VIKAS GAJJAR NAME SIGNATURE 28770 BCIN	REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO L4K 4S6 P (416) 736-4095 F (905) 860-0746 REGION DESIGN INC.	SHEET TITLE DECK PARTIAL PLANS ELEV. 1 SCALE 3/16"=1'-0" DATE MAY 2018 BY VG TYPE	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED. AREA 2081 / 2242 PAGE No. 9	Greenpark. PROJECT NAME MINNISALE
--	--	---	---	--	--



JUL 27 2018

HEMLOCK 5/5C
COMPLIANCE PACKAGE "A1"

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for ensuring or ensuring site (setting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

5. _____ 4. _____ 3. _____ 2. _____ 1. NEW MODEL REVISIONS	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code VIKAS GAJJAR NAME SIGNATURE 28770 BCIN	REGION DESIGN INC. 6700 DUFFERIN ST. CONCORD, ONTARIO L4K 4S6 P (416) 736-4096 F (905) 660-0746 REGION DESIGN INC.	SHEET TITLE DECK ELEVATION ELEV. 2 SCALE 3/16"=1'-0" DATE MAY 2018 BY VG TYPE AREA 2081 / 2242 PROJECT XX-XX-XX	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED. PAGE No. 10-2	Greenpark. PROJECT NAME MINNISALE
--	--	---	---	--	--