

REAR ELEVATION-2 UPGRADE DECK CONDITION

FOR ADDITIONAL DECK STRUCTURE REFER TO PAGE 7 OF THE DETAIL PACKAGE

Lot 66

APPROVED For construction as per the Ontario Building Code Town of Caledon Building Depar MS S. GNEU Date 5FP 3/19 BA/19/05B

A COMPLETE SET OF REVIEWED DRAWINGS & SPECIFICATIONS MUST BE KEPT ON SITE AT ALL."
BLEING CONSTRUCTION AS PER O.B.C.

E & A.11 23 2019 TOWN OF CALEDON EDILLING SECTION

OPENINGS WITHIN GUARDS AND SPACES
BETWEEN GUARDS AND ALL FINISHED
SURFACES SHALL NOT EXCEED 100 MM.
GUARDS SHALL BE DESIGNED TO
NOT FACILITATE CLIMBING

APPLICANT COP

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED. (FOUNDATION PLAN TO BE REVIEWED

IN CONJUNCTION WITH SITE PLAN)

IOHN G. WILLIAMS LTD., ARCHITECT CATE <u>AUG 07, 2019</u> his stamp certifies compliance with the applications only and bears no further archesters in the applications of the applicati

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the Town of CALEDON.



BARTON 3 (GR) ELEVATION 2 ENERGY STAR

2638

11.0m LOTS

O.REG. 332/12

CONTROL O COMMITTAGENT OF MOST ASSETTING THE ACCUPANT ASSETTING AS

	7		
	6		
	5		
	4		
	3	AUG. 6, 2019	ADDED DRAWING TO REISSUED TO CLIENT
Total Control	12	JAN. 17, 2019	ISSUED FOR BUILDING PERMIT
	1	OCT. 15, 2018	COMPLETED TO PRECOORDINA STAGE. ISSUED TO CLIENT
	No:	DATE	WORK DESCRIPTION



64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The understoned has reviewed and takes responsibili

3.2.4 of the had

jardin design group inc. FIRM NAME

REAR ELEVATION 2 LAMBERTS LANE PHASE 2 TOWN OF CALEDON



AREA 3/16"=1'-0" 08-18