

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
1ST FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
KITCHEN	SINK FAUCET	1	HG FOCUS S PULL DOWN KITCHEN CHROME FINISH #04506001	HANSGROHE		
	SINK	1	BLANCO QUATRUS R15 SINGLE 32"X18"X9" #401518	BLANCO		
POWDER 1	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANSGROHE		
	TOILET	1	TOTO LEGATO ONE-PIECE HIGH EFFICIENCY TOILET, 1.28 GPF MS624214CEF(G)	TOTO		
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANSGROHE		
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
1ST FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
POWDER ROOM (BESIDE HOME OFFICE)	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANSGRÖHE		
	TOILET	1	TOTO LEGATO ONE-PIECE HIGH EFFICIENCY TOILET, 1.28 GPF MS624214CEF(G)	TOTO		
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANSGRÖHE		
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			
BAR IN FAMILY ROOM	SINK	1	BLANCO QUATRUS R15 U1 22”X18”X9” #401516	BLANCO		
	SINK FAUCET	1	HG FOCUS BAR/PREP CHROME FINISH #04507001	HANSGRÖHE		

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
2ND FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
MASTER ENSUITE	TOILET	2	AVENUE ST CLAIR TOILET #TL-2012A-WL	AVENUE		
	SINK	2	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	2	METRIS 100 WIDESPREAD FAUCET W POP-UP 1.5 GPM/1.2GPM #31083001 CHROME FINISH	HANS GROHE		
	TUB	1	ARIOS A FREE STANDING TUB 6636	MAAX		
	TUB FAUCET	1	METRIS 4 HOLE ROMAN TUB SET TRIM 5.0 GPM #31442000/#0664600/CHROME FINISH	HANS GROHE		
	LINEAR DRAIN	1				
	SHOWER FAUCET	2 EACH	METRIS SHOWER 2.0 GPM SHOWERHEAD CHROME FINISH – SHOWER SELECT BALANCE TRIM W DIVERTER #15763001/ CROMA E 10” 1-JET SHOWERHEAD #27380001 / STANDARD 15” SHOWERARM W FLANGE #27413001 SLIDE BAR #26521001/28632000/27454002	HANS GROHE	IBOX ROUGH IN #01850181	

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
2ND FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
MASTER ENSUITE	BIDET FAUCET	1	DELTA FAUCET 44LHP CHROME	DELTA		
	URINAL	1	WALL HUNG URINAL #4810BFX	CONTRAC		
	BIDET	1	ST. CLAIR BD-201A-W	AVENUE		
	TOILET HOLDER	2	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANS GROHE		
	TOWEL BAR	2	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
2ND FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
LAUNDRY	SINK FAUCET	1	OSLER CHROME PULL DOWN#976LF	DELTA		
	SINK	1	BLANCO LIVEN 22'X25''X12'' #401927 WHITE FINISH	BLANCO		
ENSUITE 2	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANS GROHE		
	TOILET	1	AVENUE ST CLAIR TOILET #TL-2012A-WL	AVENUE		
	TUB	1	BOSCA 6030 IFS AFR			
	TUB FAUCET	1 EACH	METRIS TUB & SHOWER 2.0 GPM SHOWERHEAD CHROME FINISH #15763001/CROMA E 7'' 1-JET SHOWERHEAD #26528001/STANDARD 9'' SHOWERARM W FLANGE #27422001/E TUB SPOUT #31494001 SLIDE BAR #26521001/28632000/27454002	HANS GROHE	IBOX ROUGH IN #01850181	
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000			
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
2ND FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
ENSUITE 3	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANS GROHE		
	TOILET	1	AVENUE ST CLAIR TOILET #TL- 2012A-WL	AVENUE		
	SHOWER FAUCET	1 EACH	METRIS SHOWER 2.0 GPM SHOWERHEAD/CHROME FINISH/SHOWER SELECT BALANCE TRIM W DIVERTER #15763001/CROMA E 10" 1-JET SHOWERHEAD #2738001/STANDARD 15" SHOWERARM W FLANGE #27413001/SLIDE BAR #26521001/28632000/27454002	HANS GROHE	IBOX ROUGH IN #01850181	
	LINEAR DRAIN	1				
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANS GROHE		
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
2ND FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
ENSUITE 4	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANS GROHE		
	TOILET	1	AVENUE ST CLAIR TOILET #TL- 2012A-WL	AVENUE		
	SHOWER FAUCET	1 EACH	METRIS SHOWER 2.0 GPM SHOWERHEAD/CHROME FINISH/SHOWER SELECT BALANCE TRIM W DIVERTER #15763001/CROMA E 10" 1-JET SHOWERHEAD #2738001/STANDARD 15" SHOWERARM W FLANGE #27413001/SLIDE BAR #26521001/28632000/27454002	HANS GROHE	IBOX ROUGH IN #01850181	
	LINEAR DRAIN	1				
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANS GROHE		
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
2ND FLOOR						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
ENSUITE 5	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANS GROHE		
	TOILET	1	AVENUE ST CLAIR TOILET #TL- 2012A-WL	AVENUE		
	SHOWER FAUCET	1 EACH	METRIS TUB & SHOWER 2.0 GPM SHOWERHEAD CHROME FINISH #15763001/CROMA E 7" 1-JET SHOWERHEAD #26528001/STANDARD 9" SHOWERARM W FLANGE #27422001	HANS GROHE	IBOX ROUGH IN #01850181	
	LINEAR DRAIN	1				
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANS GROHE		
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	


PLUMBING SCHEDULE						
BASEMENT						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
BAR	SINK	1	BLANCO QUATRUS R15 U1 22"X18"X9" #401516	BLANCO		
	SINK FAUCET	1	HG FOCUS BAR/PREP CHROME FINISH #04507001	HANS GROHE		
NANNY ENSUITE	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANS GROHE		
	TOILET	1	AVENUE ST CLAIR TOILET #TL 2012A-WL	AVENUE		
	SHOWER FAUCET	1 EACH	METRIS SHOWER 2.0 GPM SHOWERHEAD/CHROME FINISH/SHOWER SELECT BALANCE TRIM W DIVERTER #15763001/CROMA E 10" 1-JET SHOWERHEAD #2738001/STANDARD 15" SHOWERARM W FLANGE #27413001/SLIDE BAR #26521001/28632000/27454002		IBOX ROUGH IN #01850181	
	LINEAR DRAIN	1				
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANS GROHE		
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	

GREENYORK HOMES	DATE: JULY 24 TH 2020
PROJECT: 18 DENHAM, RICHMOND HILL (CARLO B.)	REVISED: 25AUG20
MODEL: AVIGNON 3	SITE SUPER: MIKE B (647) 212 2344
SQ FOOTAGE: 8,505 SQ FT.	

PLUMBING SCHEDULE						
BASEMENT						
LOCATION	TYPE	QTY	DESCRIPTION	SUPPLIER	ROUGH IN	NOTES
POWDER	SINK	1	CONTRAC COLLETTE RECTANGULAR UNDERMOUNT CHINA LAVATORY SINK #4220CIY	CONTRAC		
	SINK FAUCET	1	METRIS 100 SINGLE-HOLE FAUCET W POP-UP #31080001 CHROME FINISH 1.5 GPM/1.2GPM	HANSGROHE		
	TOILET	1	TOTO LEGATO ONE-PIECE HIGH EFFICIENCY TOILET, 1.28 GPF MS624214CEF(G)	TOTO		
	TOILET HOLDER	1	LOGIS UNIVERSAL – SPARE ROLL HOLDER CHROME – 41726000	HANSGROHE		
	TOWEL BAR	1	LOGIS UNIVERSAL BATH TOWEL RAIL – CHROME - 41716000			
CHEF KITCHEN	SINK	1	HG FOCUS S PULL DOWN KITCHEN CHROME FINISH #04506001	HANSGROHE		
	SINK FAUCET	1	BLANCO QUATRUS R15 SINGLE 32”X18”X9” #401518	BLANCO		

CONTACT: JACK CELLI OFFICE: (4) 661 5329 CELL: (4) 737 6901 EMAIL: JCELLI@GREENPARK.COM	FOR ANY CONCERNS REGARDING THIS COLOUR CHART, PLEASE CONTACT DESIGN TEAM.
ASSISTANT CONTACT: ALEXANDRA AVERSA OFFICE: (4) 661 5329 CELL: (6) 338 9456 EMAIL: AAVERSA@GREENPARK.COM	




8,814 SQ.FT
Including 29
Including 2,

FIRST FLOOR PLAN 1

AVIGNON 3


MODEL	AVIGNON 3	LOT	72
BY V.G.			
PROJECT: PESCA			SCALE 1/8"=1'
			PAGE NO. 1



SECOND FLOOR PLAN 1

AVIGNON 3

MODEL	AVIGNON 3	LOT	72
BY	V.G.	SCALE	1/8"=1'
PROJECT:	PESCA	PAGE NO.	2



BASEMENT PLAN 1
FINISHED AREA= 2,355 SQ.FT.

AVIGNON 3

MODEL	AVIGNON 3	LOT	72
BY	V.G.	SCALE	1/8"=1'
PROJECT:	BALTRIO	PAGE NO.	1

PLUMBING PACKAGE

18 DENHAM



1st Floor: Kitchen & Basement: Chef Kitchen



**HG FOCUS S
PULL DOWN
KITCHEN
04506001**




**BLANCO
QUATRUS R15
SINGLE
#401518**

1st Floor & Basement: Powder Room



**METRIS 100
#31080001**

**CONTRAC COLLETTE
#4220CIY**



LOGIS PAPER HOLDER



LOGIS TOWEL BAR



TOTO LEGATO

PLUMBING PACKAGE

18 DENHAM



1st Floor: Bar (Family Room) & Basement: Bar



BLANCO QUATRUS R15 U1
#401516



HG FOCUS BAR/PREP
#04507001

2nd Floor: Laundry



OSLER DELTA
#976LF




BLANCO LIVEN
WHITE #401927

PLUMBING PACKAGE

18 DENHAM



2nd Floor: Master Ensuite



**CONTRAC COLLETTE
#4220CIY**



ST. CLAIR BIDET



**AVENUE ST CLAIR
TOILET #TL-2012A-WL**



METRIS 100 WIDESPREAD



METRIS ROMAN TUB SET



**ARIOSIA FREE
STANDING TUB 6636**



LOGIS TOWEL BAR



LOGIS PAPER HOLDER




CARLTON URINAL

PLUMBING PACKAGE

18 DENHAM



2nd Floor: All Other Ensuites & Basement: Nanny Ensuite



**CONTRAC COLLETTE
#4220CIY**



**METRIS 100 SINGLE-
HOLE FAUCET**



LOGIS PAPER HOLDER



LOGIS TOWEL BAR



**AVENUE ST CLAIR
TOILET #TL-2012A-WL**



**BOSCA 6030 IFS AFR
*ENSUITE 2 ONLY**

PLUMBING PACKAGE

18 DENHAM



2nd Floor: Ensuite 2 (tub/shower)



CROMA SELECT E
#26528000



METRIS BATH SPOUT
#31494000



SHOWERSELECT
#15763000



SHOWER ARM
#27413000



RAINDANCE SELECT E
#26521000



UNICA
#28632000

2nd Floor: Master Ensuite & Ensuite's 3, 4 & 5 (shower)

RAINDANCE E
#2738001



UNICA
#28632000



SHOWER ARM
#27413000



SHOWERSELECT
#15763000



RAINDANCE SELECT E
#26521000





4.8L/1.28G High efficiency
Vitreous china
Avenue white
Interior of bowl includes Micropolish Glaze
Lined tank
16½" Bowl height
White handle
Concealed skirted trapway
Smooth close, quick release ultra slim design
toilet seat included
Plastic side cap installation





14³/₈" (W) x 27⁵/₈" (D) x x 30"(H)
364mm (W) x 702mm (L) x 764mm (H)



Meets or exceeds the following :
 US EPA WaterSense
 IAPMO cUPC
 ASME A112.19.2 / CSA B45.1-2013
 ADA Guidelines & ANSI A117.1
 MaP tested 1000g



Cube: 7.63 GW: 130 lbs



06.12.17

 5970 Chedworth Way
Unit B, Mississauga
Ontario, Canada
L5R 4G5

 www.avenuecanada.com

ST.CLAIR BD-201A-W



RECTANGULAR SEMI-RECESSED VESSEL SINK



PRODUCT FEATURES:

- Vitreous china
- Avenue white
- Interior of bowl includes Micropolish Glaze
- 15 $\frac{7}{8}$ " Bowl height
- Single faucet hole drilling
- Rear overflow
- Floor mounting hardware included



OVERALL DIMENSIONS:

14 $\frac{1}{8}$ " (W) X 22" (D) x 15 $\frac{7}{8}$ " (H)
360mm (W) x 560mm (D) x 405mm (H)



COMPLIANCE CERTIFICATIONS:

Meets or exceeds the following :
IAPMO cUPC
ASME A112.19.2 / CSA B45.1-2013






SHIPPING:

Cube: 3.51
GW: 44 lbs

Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerance established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



avenue

06.12.17

5970 Chedworth Way
Unit B, Mississauga
Ontario, Canada
L5R 4G5

www.avenuecanada.com

TOTO®

MS624234CEFG(A)

Legato® One-Piece High-Efficiency Toilet, 1.28GPF

FEATURES

- TORNADO FLUSH® system, high-efficiency (1.28 GPF/4.8 LPF)
- CEFIONTECT® ceramic glaze prevents debris and mold from sticking to ceramic surfaces
- Specially designed to accommodate a WASHLET®+
- Skirted design
- Universal Height
- Elongated front bowl and seat
- 12" Unifit Rough-in
- Chrome plated trip lever

MODELS

- **MS624234CEFGA**
With CEFIONTECT ceramic glaze and Auto Flush, includes seat SS234
- **MS624234CEFG**
Same as above but without Auto Flush

OPTIONAL COMPONENTS

- **SS234**
SoftClose® Seat
- **TSU03W.10R**
10" Unifit Rough-In
- **TSU03W.14R**
14" Unifit Rough-In
- **THU312N#CP**
Trip Lever - Polished Chrome
- **THU312N#BN**
Trip Lever - Brushed Nickel
- **THU312N#PN**
Trip Lever - Polished Nickel

COLORS/FINISHES

- #01 Cotton

PRODUCT SPECIFICATION

The one-piece high-efficiency TORNADO FLUSH system toilet shall be 1.28 GPF/4.8 LPF. Toilet shall be 12" Unifit rough-in. Toilet shall have CEFIONTECT ceramic glaze and be at Universal Height. Toilet shall have elongated front bowl with SoftClose seat and Polished Chrome trip lever. Toilet shall be TOTO Model MS624234CEFG#01.



TORNADO FLUSH



Skirted Design



CEFIONTECT



Universal Height

CODES/STANDARDS

- Meets or exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), EPA Watersense, State of Massachusetts, City of Los Angeles, and others
- Code compliance: UPC, IPC, NSPC, NPC Canada, and others
- Legislative Compliance: California AB715, California Green Building Code, City of Los Angeles Water Efficiency Ordinance
- Complies with CA Prop 65 warning requirements



MS624234CEFG(A)


Legato® One-Piece High-Efficiency Toilet, 1.28GPF

SPECIFICATIONS

Water Use	1.28 GPF (4.8 LPF)
Flush System	TORNADO FLUSH®
Min. Water Pressure	8 psi (Flowing)
Water Surface	7-3/4" x 9-3/8"
Trap Diameter	2-1/8"
Rough-in	12" (10" & 14" Optional)
Trap Seal	2-1/8"
Warranty	One Year Limited Warranty
Material	Vitreous China
Shipping Weight	122.5 lbs.
Shipping Dimensions	32" L x 20" W x 17-3/4" H ¹ x 28-3/4" H ²


INSTALLATION NOTES

Back-to-Back Toilet Installations:
TOTO recommends the use of a nationally listed, double sanitary tee-wye only, in vertical waste stacks, in accordance with the stipulations noted in the majority of nationally recognized plumbing codes.




To maintain adequate wall gap between the back of the tank and wall, mount the floor flange at a nominal 12" rough-in distance.

DIMENSIONS




TOTO®

These dimensions and specifications are subject to change without notice




Submitted Model No.: _____

Specific Features: _____



▲ Designate proper finish suffix

Available LHP Handle Options



SPECIALTY FAUCETS

- Three Handle Bidet Valve
- Four Hole Installation

STANDARD SPECIFICATIONS:

- Solid fabricated brass end valves
- Widespread flexible mounting installation
- Clear knob handles with red/blue indicators or LHP-Less Handle Program. See handle options below.
- Directional handle for rim flush or rosette spray.
- Control mechanism is a rotating cylinder type with stainless steel plate and 180° rotation, with replaceable non-metallic seats operating in stainless steel lined sockets.
- Hot and cold stems are interchangeable.
- Temperature and volume controlled with handles.
- All operating parts shall be replaceable from the top.
- 3/8" O.D. copper tube inlets with 1/2"-14 NPSM adapters.
- Metal pop-up drain assembly.
- Model 44 series has vacuum breaker.
- For handle H253 you must also order RP62961, which contains 62480 base and 1713 bonnet.

WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes: or, for commercial users, for 5 years from date of purchase.
- 5 year limited warranty on electronic parts (other than batteries); or, for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries.

COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- Indicates compliance to ICC/ANSI A117.1


Available LHP Handle Accent Options with Matching Lift Knobs



Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.


DSP-S-44 Rev. D

55 E. 111th Street, Indianapolis, Indiana 46280
 350 South Edgeware Road, St. Thomas, ON N5P 4L1
 © 2017 Masco Corporation of Indiana



Submitted Model No.: _____

Specific Features: _____



▲ Designate proper finish suffix

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.specselect.com for finish options and product availability.

DSP-K-976LF Rev. B



KITCHEN FAUCETS

- Pull-Down Kitchen Faucet
- Single Handle Deck Mount

STANDARD SPECIFICATIONS:

- Single handle kitchen faucet.
- 8" centres with optional 10" long escutcheon (ordered separately).
- 15.1" (384 mm) high, 8.94" (227 mm) long spout, swings 360°.
- Pull-down spout operates in an aerated or spray mode via an easy push button.
- Touch-Clean® spray head.
- Quick Snap® hose installation.
- Spout is connected to valve body with a 59" (1499 mm) long hose.
- Ceramic cartridge.
- Standard with 3/8" compression.
- Integral double check valves.
- Maximum flow rate 1.8 gpm @ 60 PSI, 6.8 L/min @ 414 kPa.

WARRANTY

- Lifetime Faucet and Finish Limited Warranty to the original consumer purchaser to be free from defects in material and workmanship.
- 5 Year Limited Warranty for usage in all industrial, commercial and business applications.



COMPLIES WITH:

- Complies to ASME A112.18.1 / CSA B125.1
- Indicates compliance to ICC/ANSI A117.1
- Verified compliant with 0.25% weighted average Pb content regulations.



55 E. 111th Street, Indianapolis, Indiana 46280
350 South Edgeware Road, St. Thomas, ON N5P 4L1
© 2017 Masco Corporation of Indiana



COLLETTE

ITEM DETAILS

OUTER DIMENSIONS 21 $\frac{1}{8}$ " W x 13 $\frac{3}{4}$ " D x 7 $\frac{1}{2}$ " H

INNER DIMENSIONS 19 $\frac{5}{8}$ " W x 13 $\frac{7}{8}$ " D x 5 $\frac{1}{2}$ " H


MATERIAL Vitreous china **COLOUR** Soft white

Rectangular undermount sink | Front overflow hole | Template and mounting hardware supplied | Faucet not included


CERTIFICATIONS

| IAPMO cUPC

| ASME A112.19.2 / CSA B45.1



21 $\frac{1}{8}$ " SINK
4220CIY



ISSUED JULY 2019

CARLTON URINAL

1.9Lpf / 0.5GPF | WALL MOUNTED

□ 4810BFX

Top Inlet

PRODUCT SPECS

- High efficiency urinal
- 1.9Lpf / 0.5Gpf
- Vitreous china
- Washout flush action
- 3/4" Top inlet spud
- Outlet connection threaded 2" inside NPTF
- Flushing rim
- Extended sides for privacy
- Integral trap
- Elongated 14 3/4" rim from finished wall
- For concealed carrier installation
- Includes vitreous china strainer
- Flushometer not included

DIMENSIONS

445mm W x 375mm D x 684mm H

17 1/2" W x 14 3/4" D x 27" H

COMPLIANCE CERTIFICATIONS

Meets or exceeds the following:

- IAPMO cUPC
- US EPA WaterSense
Please note: In order to comply with WaterSense certification this urinal must be used with 1.9Lpf / 0.5Gpf WaterSense labeled flushometer.
- ASME A112.19.2 / CSA B45.1
- LEED Compliant

SHIPPING

Cube 5.27

GW 65 lbs




TO BE SPECIFIED

Colour:

- Soft White

NOTES: Flush Valve is not included and must be ordered separately. Provide suitable reinforcement for all wall supports. Important: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Complies with ADA Section 4.18 when installed per code.



Bosca 6030 IFS

Model number:

106394

Dimensions: 60" x 30" x 18"

Installation: Alcove

Material: Acrylic



Standard Features:

- Rectangular shape bathtub in alcove installation
- Available in Above-the-Floor Rough (AFR) or not
- Right or left-hand drain
- Cubic design
- Integrated flat skirt and tiling flange

Product characteristics:

- Made in North America
- Integrated Tiling Flange and Skirt
- Utile Compatible

Warranty:

25 Years

Standard colors:



White (001)



Bone (004)



Biscuit (007)

Certifications

MAAX products adhere to one or more of the following certifications:



Recommended products (Visit our website for a complete list of our recommended doors)

No	Description
139398	Halo Sliding Tub Door 56 ½-59 x 59 in. 8 mm
136270	Duel Sliding Tub Door 56-59 x 55 ½-59 in. 8 mm
137511	Axial Square Tub Shield 34 x 58 in. 8 mm


Options (Visit our website for a complete list of our options)

No	Description
☐ OPT 20137	Cable-operated waste and overflow

Bosca 6030 IFS

Model number:	106394
---------------	--------

Dimensions:	60" x 30" x 18"	Installation:	Alcove	Material:	Acrylic
-------------	-----------------	---------------	--------	-----------	---------



Dimensions:

59 3/4 x 30 x 18 3/8 in.
(1518 x 762 x 467 mm)

Water capacity:

54 gallons - 205 liters

Weight:

77 lbs - 34.92 kg

Bathing well:

54 3/4 X 23 3/8 in.
(1391 X 594 mm)

Deep sump height:

16 3/4 in. - 425 mm

Deck width:

3 1/8 in. - 79 mm

Drain location:

Left

Right

Wood support design may vary.
Single Integrated tiling flange: 1" height x 1/4" thickness (shown)

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Project:	
Contractor:	
Representative:	
Date:	
Tel:	
Notes:	

Ariosa 6032

Model number:	106266
---------------	--------

Dimensions: 60" x 32" x 28"

Installation: Freestanding

Material: Acrylic



Standard Features:

- 2-piece bathtub with asymmetrical look and concealed seam
- Recessed deck with ample space for faucet installation
- Maximized bathing well with end drain
- Above-the-Floor Rough (AFR) and F² Drain compatible
- MAAX innovative leveling legs for easy installation

Product characteristics:

- Made in North America
- 1 Tub - 2 Pieces
- Above-the-Floor Rough (AFR)

Warranty:

25 Years

Standard colors:

White (001)

Certifications

MAAX products adhere to one or more of the following certifications:

Options (Visit our website for a complete list of our options)

No	Description
☐ OPT 20252	Linear Waste and overflow
☐ OPT 20137	Cable-operated waste and overflow
☐ OPT 20250	Brass waste and overflow for high-rise construction


Ariosa 6032

Model number:	106266
---------------	--------

Dimensions: 60" x 32" x 28"

Installation: Freestanding

Material: Acrylic



(): Recommended facet area of 15" (L) x 4" (W).
Depth recommended for straight pipes 8".

All dimensions are approximate. Structure measurements must be verified against the unit to ensure proper fit.

Dimensions:
60 x 32 x 28 in. (1524 x 813 x 711 mm)
Water capacity:
46 gallons - 173 liters
Weight:
87 lbs - 39.46 kg
Bathing well:
51 3/4 X 49 1/2 in. (1314 X 1257 mm)
Deep sump height:
18 in. - 457 mm
Deck width:
5 3/8 in. - 137 mm
Drain location:
End

Project:	
Contractor:	
Representative:	
Date:	
Tel:	
Notes:	

Logis Universal
Spare roll holder
 Surfaces: **Chrome**

Article Number: **41726000**



Description


product features

- wall-mounted
- material holder: metal

Product image



Scale drawing




Logis Universal
Spare roll holder
 Surfaces: **Chrome**

Article Number: **41726000**



Exploded Drawing

Year of production: >04/18



Logis Universal
Spare roll holder
Surfaces: **Chrome** Article Number: **41726000**



Spare part list

Year of production: >04/18

Pos.	Description	Article Number	Price	PU
1	mounting set	40915000	-	1

Logis Universal

Bath towel rail

Surfaces: **Chrome** Article Number: **41716000**



Description


product features

- drilling distance 600 mm
- wall-mounted
- material holder: metal
- length 644 mm

Product image



Scale drawing



Logis Universal

Bath towel rail


Surfaces: **Chrome**

Article Number: **41716000**



Exploded Drawing

Year of production: **>04/18**



Logis Universal

Bath towel rail

Surfaces: **Chrome** Article Number: **41716000**



Spare part list

Year of production: >04/18

Pos.	Description	Article Number	Price	PU
1	mounting set	40915000	-	1

Metris

Bath spout

Surfaces: **Chrome** Article Number: **31494000**



Description

product features

- projection 165 mm
- wall-mounted
- flow rate: 20 l/min
- spray type: normal spray


Technology




Product image



Scale drawing



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/ in-wall valve) to reflect actual application in practice.

Metris
Bath spout
 Surfaces: **Chrome** Article Number: **31494000**



Exploded Drawing

Year of production: >01/11



Metris

Bath spout

Surfaces: **Chrome** Article Number: **31494000**



Spare part list

Year of production: >01/11

Pos.	Description	Article Number	Price	PU
1	aerator M24x1 (30 l/min)	96512000	-	1
2	hollow set screw M6x6	97660000	-	1
3	O-ring 20x1,5	98197000	-	1
4	escutcheon	95872000	-	1
5	seal	97530000	-	1
6	O-ring 13x2	98128000	-	1
7	connecting thread	97846000	-	1

Metris

4-Hole Roman Tub Set Trim with 1.75 GPM Handshower

Finishes : **chrome** Part no. : **31404001**



Description

Features

- Flow: 5.52 GPM (20.9 L/Min)
- 90° ceramic valves
- Integrated double backflow prevention


Item details

List Price \$ 859.00

Technology




Compliance



Product image



Scale drawing




Metris
4-Hole Roman Tub Set Trim with 1.75 GPM Handshower
 Finishes : **chrome** Part no. : **31404001**



Exploded drawing

Year of production: >07/18



Metris

4-Hole Roman Tub Set Trim with 1.75 GPM Handshower

Finishes : **chrome** Part no. : **31404001**



Spare parts list

Year of production: >07/18

Pos.	Description	Part no.	Price	PU
1	spout cpl.	95799000	-	1
2	diverter knob	98607000	-	1
3	hollow set screw M6x6	97660000	-	1
4	aerator M24x1 (25 l/min)	13956000	-	1
5	handle	95846000	-	1
6	handle fixing set	94184000	-	1
7	escutcheon Ø 70 mm	97779000	-	1
8	escutcheon	31098000	-	1
9	selector assy	96775000	-	1
10	handshower	26036001	-	1
11	filter packing	94246000	-	1
12	shower holder	28071000	-	1
13	set of non return valves DW 15	94074000	-	1
14	escutcheon Ø 52 mm	97159000	-	1
15	O-Ring 14x2,5	98189000	-	1
16	O-Ring 23x2,5	98183000	-	1
17	O-Ring 22x2	98185000	-	1
18	O-ring 9x2,5	98217000	-	1
a	base body	06646000	-	1

Metris

Single-Hole Faucet 100 with Pop-Up Drain, 1.2 GPM

Finishes : **chrome** Part no. : **31088001**



Description

Features

- Aerated spray
- Flow: 1.2 GPM (4.5 L/Min)
- Ceramic cartridge
- Includes pop-up drain

Item details

List Price	\$ 359.00
------------	-----------

Technology




Compliance



Product image



Scale drawing




Metris
Single-Hole Faucet 100 with Pop-Up Drain, 1.2 GPM
 Finishes : **chrome** Part no. : **31088001**



Exploded drawing


Year of production: >07/16



Metris**Single-Hole Faucet 100 with Pop-Up Drain, 1.2 GPM**Finishes : **chrome** Part no. : **31088001****Spare parts list**

Year of production: >07/16

Pos.	Description	Part no.	Price	PU
1	handle	95520000	-	1
2	screw cover	96338000	-	1
3	flange	98863000	-	1
4	O-Ring 22x2	98185000	-	1
5	O-ring 25x1,5	98146000	-	1
6	cartridge, assy	95973001	-	1
7	locking screw for handle	95140000	-	1
8	seal	98865000	-	1
9	adapter for cartridge	98866000	-	1
10	aerator M24x1 (4,5 l/min)	92877000	-	1
11	flat seal	98749000	-	1
12	fixing set (Ø 32)	13961000	-	1
13	connection hose 18½" M8x0,75 3/8"	96321001	-	1
14	pull rod	96657000	-	1
a	pop up waste	88509000	-	1
b	nut	98864000	-	1



Metris


Widespread Faucet 100 with Pop-Up Drain, 1.2 GPM

Finishes : **chrome** Part no. : **31083001**



Exploded drawing

Year of production: >07/16



Metris**Widespread Faucet 100 with Pop-Up Drain, 1.2 GPM**Finishes : **chrome** Part no. : **31083001****Spare parts list**

Year of production: >07/16

Pos.	Description	Part no.	Price	PU
1	handle for cold water	95523000	-	1
2	handle for hot water	95522000	-	1
3	stop valve cpl.	97357001	-	1
4	nut	92854000	-	1
5	O-Ring 32x2,5	96364000	-	1
6	O-ring 40x3	92634000	-	1
7	shut off unit left closing	94008000	-	1
8	shut off unit right closing	94009000	-	1
9	aerator M24x1 (4,5 l/min)	92879000	-	1
10	O-ring 18x2,5	98139000	-	1
11	escutcheon for spout	97505000	-	1
12	O-ring 11x2	98127000	-	1
13	fixing set (Ø 32)	13961000	-	1
14	pull rod	96657000	-	1
15	connection hose 18½" M8x0,75 3/8"	96321001	-	1
a	pop up waste	88509000	-	1
b	spout cpl.	95679000	-	1

Metris
Single-Hole Faucet 110 with Pop-Up Drain, 1.2 GPM
 Finishes : **chrome** Part no. : **31080001**



Description

Features

- Aerated spray
- Flow: 1.2 GPM (4.5 L/Min)
- Ceramic cartridge
- Includes pop-up drain

Item details

List Price \$ 381.00

Technology




Compliance



Product image



Scale drawing




Metris
Single-Hole Faucet 110 with Pop-Up Drain, 1.2 GPM
 Finishes : **chrome** Part no. : **31080001**



Exploded drawing

Year of production: >07/16



Metris**Single-Hole Faucet 110 with Pop-Up Drain, 1.2 GPM**Finishes : **chrome** Part no. : **31080001****Spare parts list**

Year of production: >07/16

Pos.	Description	Part no.	Price	PU
1	handle	95519000	-	1
2	screw cover	96338000	-	1
3	flange	97406000	-	1
4	nut	97209000	-	1
5	cartridge, assy	95646001	-	1
6	locking screw for handle	95140000	-	1
7	seal	95008000	-	1
8	adapter for cartridge	98750000	-	1
9	aerator M24x1 (4,5 l/min)	92877000	-	1
10	fixing set (Ø 32)	13961000	-	1
11	flat seal	98749000	-	1
12	connection hose 18½" M8x0,75 3/8"	96321001	-	1
13	pull rod	96657000	-	1
14	O-Ring 32x2	98193000	-	1
15	O-Ring 30x2	98186000	-	1
a	pop up waste	88509000	-	1
b	aerator M24x1 (3,5 l/min)	92508000	-	1
c	aerator M24x1 (5 l/min)	13185000	-	1
d	aerator swivelling M24x1 (5 l/min)	95928000	-	1

Raindance E
Showerhead 240 1-Jet, 2.5 GPM
 Finishes : **chrome** Part no. : **27380001**



Description

Features

- Spray modes: RainAir
- 141 no-clog spray channels
- Flow: 2.5 GPM (9.5 L/Min)
- Fully-finished matching spray face
- Spray face removable for cleaning


Technology



Product image



Scale drawing




Raindance E
Showerhead 240 1-Jet, 2.5 GPM
 Finishes : **chrome** Part no. : **27380001**



Exploded drawing

Year of production: >05/10



Raindance E
Showerhead 240 1-Jet, 2.5 GPM
 Finishes : **chrome** Part no. : **27380001**



Spare parts list

Year of production: >05/10

Pos.	Description	Part no.	PC	PU
1	filter packing	88649000	0	1
2	lock washer	98942000	0	1
3	filter	97735000	0	1

Raindance E

Overhead shower 240 1jet with ceiling connector

Surfaces: **Chrome** Article Number: **27380000**



Description

product features

- consists of: overhead shower, ceiling connector
- spray type: RainAir
- shower head size: 250 x 150 mm
- ball-joint: overhead shower angle adjustable
- flow rate RainAir spray (at 3 bar): 20 l/min
- material spray disc: metal
- spray disc removable for cleaning
- brass ceiling connector
- ceiling connection length: 100 mm
- installation: ceiling
- connection thread G ½
- connection dimension: DN15


Technology




Product image



Scale drawing



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.


Raindance E

Overhead shower 240 1jet with ceiling connector

Surfaces: **Chrome** Article Number: **27380000**



Installation examples




Raindance E
Overhead shower 240 1jet with ceiling connector
 Surfaces: **Chrome** Article Number: **27380000**



Exploded Drawing

Year of production: >09/09



Raindance E
Overhead shower 240 1jet with ceiling connector
 Surfaces: **Chrome** Article Number: **27380000**



Spare part list

Year of production: >09/09

Pos.	Description	Article Number	Price	PU
1	connecting thread	95188000	-	1
2	mounting kit	95208000	-	1
3	O-ring 34x2	98383000	-	1
4	escutcheon	95514000	-	1
5	shower arm	27479000	-	1
6	O-ring 16x2	98133000	-	1
7	spray body	92294000	-	1
8	filter	97735000	-	1
9	air jet	95416000	-	1
10	O-ring 15x2	98163000	-	1
11	set of screws	92834000	-	1

Raindance Select E

Hand shower 120 3jet EcoSmart 9 l/min

Surfaces: **Chrome** Article Number: **26521000**



Description

product features

- shower head size: 120 mm
- spray type: Rain, RainAir, Whirl
- convenient diversion via Select button
- hand shower with 2-shell construction
- maximum flow rate at 3 bar: 9 l/min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- connection dimension: DN15
- suitable for continuous flow water heaters


Technology





Product image



Scale drawing



Flowchart




Raindance Select E
Hand shower 120 3jet EcoSmart 9 l/min
 Surfaces: **Chrome** Article Number: **26521000**



Exploded Drawing

Year of production: >05/13



Raindance Select E
Hand shower 120 3jet EcoSmart 9 l/min
 Surfaces: **Chrome** Article Number: **26521000**



Spare part list

Year of production: >05/13

Pos.	Description	Article Number	Price	PU
1	flow limiter (9 l/min)	95659000	-	1
2	filter packing	94246000	-	1
3	pivoting connection	93089000	-	1

ShowerSelect Thermostat for concealed installation for 2 functions

Surfaces: **Chrome** Article Number: **15763000**




Description

product features

- 2 functions
- simultaneous use of several outlets
- Select push-button on/off control for 2 outlets
- flow rate upper outlet: 25 l/min
- flow rate lower outlet: 23 l/min
- thermostat cartridge, Select valve
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety lock at 40° C
- temperature limitation adjustable
- connection type: basic set
- Thermostat is delivered with buttons hand shower and Rain large

Technology




Design awards




Product image



Scale drawing



Flowchart




ShowerSelect
Thermostat for concealed installation for 2 functions
 Surfaces: **Chrome** Article Number: **15763000**



Exploded Drawing

Year of production: >02/18



ShowerSelect
Thermostat for concealed installation for 2 functions
Surfaces: **Chrome** Article Number: **15763000**



Spare part list

Year of production: >02/18

Pos.	Description	Article Number	Price	PU
1	handle for thermostat	92215000	-	1
2	handle fixing set	95843000	-	1
3	set of symbols	92218000	-	1
4	escutcheon 155 / 155 mm	92217000	-	1
5	escutcheon for exchanged connections	92393000	-	1
6	O-ring 44x4	98471000	-	1
7	sleeve	92216000	-	1
8	holder for escutcheon	98793000	-	1
9	set of fixing screws	96454000	-	1
10	nut and flange	92696000	-	1
11	Select-adapter	92219000	-	1
12	nut	98368000	-	1
13	shut off unit	95758000	-	1
14	nut	98913000	-	1
15	thermostat cartridge	98282000	-	1
16	cartridge for exchanged connections	92373000	-	1
17	O-ring 25x2,5	92146000	-	1
18	O-ring 25x1,5	98146000	-	1
19	O-ring 20x1,5	98197000	-	1
20	O-ring 36x2	98156000	-	1
21	set of screws	96525000	-	1
22	O-ring 16x2	98133000	-	1
23	noise reduction	94073000	-	1
24	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
25	non return valve	97980000	-	1
26	extension 25 mm	13595000	-	1
27	set of fixing screws	97747000	-	1
28	extension 22 mm	13593000	-	1
29	compensation set 1°	95521000	-	1
30	fit-up aid	92540000	-	1
31	symbol head shower Rain large	93571880	-	1
32	symbol head shower Rain small	93572880	-	1
33	symbol handshower	93573880	-	1
34	symbol Flood jet	93574880	-	1
35	symbol Whirl	93575880	-	1
36	symbol Mono	93576880	-	1
37	symbol tub	93577880	-	1
38	symbol body shower	93578880	-	1
39	symbol ON/OFF	93579880	-	1
a	concealed item	01800180	-	1
b	adapter for exchanged connections	93181000	-	1

ShowerSelect
Thermostat for concealed installation for 2 functions
 Surfaces: **Chrome** Article Number: **15763000**



Spare part list

Year of production: >02/18

Pos.	Description	Article Number	Price	PU
c	shut off unit (special)	92361000	-	1
d	brake disc	92498000	-	1
e	Grease	90920000	-	1

ShowerSelect Thermostat for concealed installation for 2 functions

Surfaces: **Chrome** Article Number: **15763000**



Description

product features

- 2 functions
- simultaneous use of several outlets
- Select push-button on/off control for 2 outlets
- flow rate upper outlet: 25 l/min
- flow rate lower outlet: 23 l/min
- thermostat cartridge, Select valve
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety lock at 40° C
- temperature limitation adjustable
- connection type: basic set
- Thermostat is delivered with buttons hand shower and Rain large

Technology




Design awards




Product image



Scale drawing



Flowchart




ShowerSelect
Thermostat for concealed installation for 2 functions
 Surfaces: **Chrome** Article Number: **15763000**



Exploded Drawing

Year of production: >02/18



ShowerSelect
Thermostat for concealed installation for 2 functions
Surfaces: **Chrome** Article Number: **15763000**



Spare part list

Year of production: >02/18

Pos.	Description	Article Number	Price	PU
1	handle for thermostat	92215000	-	1
2	handle fixing set	95843000	-	1
3	set of symbols	92218000	-	1
4	escutcheon 155 / 155 mm	92217000	-	1
5	escutcheon for exchanged connections	92393000	-	1
6	O-ring 44x4	98471000	-	1
7	sleeve	92216000	-	1
8	holder for escutcheon	98793000	-	1
9	set of fixing screws	96454000	-	1
10	nut and flange	92696000	-	1
11	Select-adapter	92219000	-	1
12	nut	98368000	-	1
13	shut off unit	95758000	-	1
14	nut	98913000	-	1
15	thermostat cartridge	98282000	-	1
16	cartridge for exchanged connections	92373000	-	1
17	O-ring 25x2,5	92146000	-	1
18	O-ring 25x1,5	98146000	-	1
19	O-ring 20x1,5	98197000	-	1
20	O-ring 36x2	98156000	-	1
21	set of screws	96525000	-	1
22	O-ring 16x2	98133000	-	1
23	noise reduction	94073000	-	1
24	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
25	non return valve	97980000	-	1
26	extension 25 mm	13595000	-	1
27	set of fixing screws	97747000	-	1
28	extension 22 mm	13593000	-	1
29	compensation set 1°	95521000	-	1
30	fit-up aid	92540000	-	1
31	symbol head shower Rain large	93571880	-	1
32	symbol head shower Rain small	93572880	-	1
33	symbol handshower	93573880	-	1
34	symbol Flood jet	93574880	-	1
35	symbol Whirl	93575880	-	1
36	symbol Mono	93576880	-	1
37	symbol tub	93577880	-	1
38	symbol body shower	93578880	-	1
39	symbol ON/OFF	93579880	-	1
a	concealed item	01800180	-	1
b	adapter for exchanged connections	93181000	-	1

ShowerSelect
Thermostat for concealed installation for 2 functions
 Surfaces: **Chrome** Article Number: **15763000**



Spare part list

Year of production: >02/18

Pos.	Description	Article Number	Price	PU
c	shut off unit (special)	92361000	-	1
d	brake disc	92498000	-	1
e	Grease	90920000	-	1

Focus

Bar Faucet, 1.5 GPM

Finishes : **chrome** Part no. : **04507001**



Description

Features

- Swivel range 150°
- Aerated spray
- Single-hole installation
- Flow: 1.5 GPM (5.7 L/Min)
- Ceramic cartridge
- $\frac{3}{8}$ " connections


Technology



Product image



Scale drawing




Focus
Bar Faucet, 1.5 GPM
 Finishes : **chrome** Part no. : **04507001**



Exploded drawing

Year of production: >10/18



Focus
Bar Faucet, 1.5 GPM

 Finishes : **chrome** Part no. : **04507001**

Spare parts list

Year of production: >10/18

Pos.	Description	Part no.	PC	PU
1	handle	98460000	0	1
2	screw cover	96338000	0	1
3	flange	95498000	0	1
4	nut	97209000	0	1
5	cartridge, assy	92730000	0	1
6	locking screw for handle	95140000	0	1
7	seal	95008000	0	1
8	sealing set	92646000	0	1
9	screw	97662000	0	1
10	axialring	97558000	0	1
11	fixing set (Ø 34)	95049000	0	1
12	connection hose 35½" M8x0,75 3/8"	96316001	0	1
13	aerator M24x1 (5 l/min)	88744000	0	1



Sink Specifications

QUATRUS R15 U 1

Colour	SKU
brushed finish	401516


Design and planning tips

- Min cabinet size: 24 in (610 mm cm)
- Bowl Depth: 9 in (230.0 mm)

Specifications:

Sink template, Mounting clips, Installation instructions, 3 1/2" (90 mm) stainless steel strainers

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.
Codes/Standards: ASME A112.19.3-2017/ CSA B45.4-17



Optional Accessories

Sink Grid	406460
Cutting Board	406345
CapFlow	517666
Workstation	406344

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos:

<https://www.blanco.com/ca-en/support/how-to-videos/>



BLANCO Canada Inc
100 Corporation Drive
Brampton ON L6S 6B5

Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626

Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.



Sink Specifications

QUATRUS R15 U SUPER SINGLE

Colour	SKU
brushed finish	401518


Design and planning tips

- Min cabinet size: 36 in (915 mm cm)
- Bowl Depth: 9 in (230.0 mm)

Specifications:

Sink template, Mounting clips, Installation instructions, 3 1/2" (90 mm) stainless steel strainers

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



Optional Accessories

Elevated Grid	406346
CapFlow	517666
Workstation	406344
Sink Grid	406347
Cutting Board	406345

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos:

<https://www.blanco.com/ca-en/support/how-to-videos/>



BLANCO Canada Inc
100 Corporation Drive
Brampton ON L6S 6B5

Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626

Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.



Sink Specifications

Colour	SKU
Truffle	401907
White	401908
Anthracite	401902
Biscuit	401903
Café	401904
Cinder	401905
Metallic Gray	401906
Concrete Gray	402297

LIVEN SILGRANIT



Design and planning tips

- Min cabinet size: 27 in (685 mm cm)
- Bowl Depth: 12 in (305.0 mm)

Specifications:

Drop-in clips, Installation template, 3 1/2" (90 mm)
stainless steel strainer, Limited Lifetime Warranty

4 additional knock-out holes for accessories.

Depending on cabinet construction, a different cabinet
size may be required. Consult the cabinet manufacturer.

Codes/Standards: CSA B45.8-18/ IAPMO Z403-2018

Optional Accessories

Laundry Rack	401952
CapFlow	517666

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos:

<https://www.blanco.com/ca-en/support/how-to-videos/>



BLANCO Canada Inc
100 Corporation Drive
Brampton ON L6S 6B5

Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626

Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.