



Products				
PlotID	Length	Product	Piles	Net Qty
J8 DJ	20-00-00	11 7/8" NI-40x	2	8
J1	18-00-00	11 7/8" NI-40x	1	1
J2	16-00-00	11 7/8" NI-40x	1	8
J3	14-00-00	11 7/8" NI-40x	1	2
J4	10-00-00	11 7/8" NI-40x	1	4
J5	8-00-00	11 7/8" NI-40x	1	1
J6	4-00-00	11 7/8" NI-40x	1	1
J7	2-00-00	11 7/8" NI-40x	1	7
J8	20-00-00	11 7/8" NI-80	1	62
B6H	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1

Products				
PlotID	Length	Product	Piles	Net Qty
B1	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B11L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B12L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B5H	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B10L	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B8	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B7	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B4H	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B2H	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B9	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Products				
PlotID	Length	Product	Piles	Net Qty
B3H	4-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1

Connector Summary		
Qty	Manuf	Product
8	H1	IUS2.56/9.8
2	H2	IUS2.56/11.88
8	H2	IUS2.56/11.88
6	H2	IUS2.56/11.88
1	H2	IUS2.56/11.88
15	H3	IUS3.56/11.88
1	H4	HUS1.81/10
3	H5C	HUC410
1	H5	HGUS410



FROM PLAN DATED: FEB 9, 2021

BUILDER: GREENPARK HOMES

SITE: RUSSELL GARDENS

MODEL: GRANDVILLE 2

ELEVATION: 1

LOT:

CITY: HAMILTON

SALESMAN: RICK DICIANO

DESIGNER: L.D.

REVISION:

**NOTES:**  
REFER TO THE **NORDIC INSTALLATION GUIDE** FOR PROPER STORAGE AND INSTALLATION.  
**SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING CANT' OVER BRICK REQ. JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR HOLES INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

**LOADING:**

DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft<sup>2</sup>


DEAD LOAD: 15.0 lb/ft<sup>2</sup>

TILE LOAD: 20.0 lb/ft<sup>2</sup>

DATE: 2021-03-20

**1st FLOOR** STD, GUEST SUITE,  
WALK UP COND

SUBFLOOR: 3/4" GLUED AND NAILED




FROM PLAN DATED: FEB 9, 2021  
BUILDER: GREENPARK HOMES  
SITE: RUSSELL GARDENS  
MODEL: GRANDVILLE 2  
ELEVATION: 1  
LOT:  
CITY: HAMILTON  
SALESMAN: RICK DICIANO  
DESIGNER: L.D.  
REVISION:

NOTES:  
REFER TO THE NORDIC INSTALLATION GUIDE FOR PROPER STORAGE AND INSTALLATION.  
SQUASH BLOCKS OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. MULTIPLE SQUASH BLOCKS REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. CANTILEVERED JOISTS INCLUDING CANT' OVER BRICK REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR HOLES INCLUDING DUCT CHASE AND FIELD CUT OPENINGS SEE FIGURE 7, TABLES 1 & 2. CERAMIC TILE APPLICATION AS PER O.B.C 9.30.6.

LOADING:  
DESIGN LOADS: L/480.000  
LIVE LOAD: 40.0 lb/ft<sup>2</sup>  
DEAD LOAD: 15.0 lb/ft<sup>2</sup>  
TILE LOAD: 20.0 lb/ft<sup>2</sup>

SUBFLOOR: 3/4" GLUED AND NAILED



Products				
PlotID	Length	Product	Piles	Net Qty
J8 DJ	20-00-00	11 7/8" NI-40x	2	6
J1	18-00-00	11 7/8" NI-40x	1	1
J2	16-00-00	11 7/8" NI-40x	1	8
J3	14-00-00	11 7/8" NI-40x	1	2
J4	10-00-00	11 7/8" NI-40x	1	4
J5	8-00-00	11 7/8" NI-40x	1	1
J6	4-00-00	11 7/8" NI-40x	1	1
J7	2-00-00	11 7/8" NI-40x	1	5
J8	20-00-00	11 7/8" NI-80	1	63
B6H	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1

Products				
PlotID	Length	Product	Piles	Net Qty
B3H	4-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B20	4-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2


Products				
PlotID	Length	Product	Piles	Net Qty
B1	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B11L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B12L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B6H	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B10L	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B8	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B7	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B4H	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B2H	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B9	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
8	H1	IUS2.56/9.5
2	H2	IUS2.56/11.88
8	H2	IUS2.56/11.88
4	H2	IUS2.56/11.88
1	H2	IUS2.56/11.88
17	H3	IUS3.56/11.88
1	H4	HUS1.81/10
3	H5C	HUC410
1	H5	HGUS410

DATE: 2021-03-20

1st FLOOR DECK COND






Products				
PlotID	Length	Product	Plies	Net Qty
J1	16-00-00	11 7/8" NI-40x	1	19
J2	12-00-00	11 7/8" NI-40x	1	3
J3	10-00-00	11 7/8" NI-40x	1	2
J4	6-00-00	11 7/8" NI-40x	1	1
J5	4-00-00	11 7/8" NI-40x	1	7
J6	2-00-00	11 7/8" NI-40x	1	11
J7	20-00-00	11 7/8" NI-80	1	78
B15	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B18	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B19	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Products				
PlotID	Length	Product	Plies	Net Qty
B13	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B16	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B17	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B30	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B14	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
7	H2	IUS2.56/11.88
41	H3	IUS3.56/11.88
2	H5C	HUC410
2	H5	HGUS410

DATE: 2021-03-23

2ND FLOOR STD, 5 BED.



FROM PLAN DATED: FEB 9, 2021

BUILDER: GREENPARK HOMES

SITE: RUSSELL GARDENS

MODEL: GRANDVILLE 2

ELEVATION: 1

LOT:

CITY: HAMILTON

SALESMAN: RICK DICIANO

DESIGNER: L.D.

REVISION:

#### NOTES:

REFER TO THE **NORDIC INSTALLATION GUIDE** FOR PROPER STORAGE AND INSTALLATION.

**SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING **CANT' OVER BRICK** REQ. JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR **HOLES** INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

#### LOADING:


DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft²

DEAD LOAD: 15.0 lb/ft²

TILE LOAD: 20.0 lb/ft²

SUBFLOOR: 5/8" GLUED AND NAILED



FROM PLAN DATED: FEB 9, 2021

BUILDER: GREENPARK HOMES

SITE: RUSSELL GARDENS

MODEL: GRANDVILLE 2

ELEVATION: 2

LOT:

CITY: HAMILTON

SALESMAN: RICK DICIANO

DESIGNER: L.D.

REVISION:

NOTES:

REFER TO THE NORDIC INSTALLATION GUIDE FOR PROPER STORAGE AND INSTALLATION.

SQUASH BLOCKS OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. MULTIPLE SQUASH BLOCKS REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. CANTILEVERED JOISTS INCLUDING CANT' OVER BRICK REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR HOLES INCLUDING DUCT CHASE AND FIELD CUT OPENINGS SEE FIGURE 7, TABLES 1 & 2. CERAMIC TILE APPLICATION AS PER O.B.C 9.30.6.

LOADING:


DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft<sup>2</sup>

DEAD LOAD: 15.0 lb/ft<sup>2</sup>

TILE LOAD: 20.0 lb/ft<sup>2</sup>

SUBFLOOR: 3/4" GLUED AND NAILED



Products				
PlotID	Length	Product	Piles	Net Qty
J9 DJ	20-00-00	11 7/8" NI-40x	2	8
J1	18-00-00	11 7/8" NI-40x	1	1
J2	16-00-00	11 7/8" NI-40x	1	8
J3	14-00-00	11 7/8" NI-40x	1	2
J4	10-00-00	11 7/8" NI-40x	1	4
J5	8-00-00	11 7/8" NI-40x	1	1
J6	4-00-00	11 7/8" NI-40x	1	1
J7	2-00-00	11 7/8" NI-40x	1	7
J8	22-00-00	11 7/8" NI-80	1	10
J9	20-00-00	11 7/8" NI-80	1	52

Products				
PlotID	Length	Product	Piles	Net Qty
B9	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B3H	4-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1


Products				
PlotID	Length	Product	Piles	Net Qty
B6H	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B1	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B11E L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B12L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B5H	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B10L	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B8	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B7	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B4H	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B2H	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
8	H1	IUS2.56/9.5
2	H2	IUS2.56/11.88
8	H2	IUS2.56/11.88
6	H2	IUS2.56/11.88
1	H2	IUS2.56/11.88
15	H3	IUS3.56/11.88
1	H4	HUS1.81/10
3	H5C	HUC410
1	H5	HGUS410

DATE: 2021-03-20

1st FLOOR STD, GUEST SUITE,  
WALK UP COND





FROM PLAN DATED: FEB 9, 2021  
BUILDER: GREENPARK HOMES  
SITE: RUSSELL GARDENS  
MODEL: GRANDVILLE 2  
ELEVATION: 2  
LOT:  
CITY: HAMILTON  
SALESMAN: RICK DICIANO  
DESIGNER: L.D.  
REVISION: lbv

**NOTES:**  
REFER TO THE **NORDIC INSTALLATION** GUIDE FOR PROPER STORAGE AND INSTALLATION.  
**SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING **CANT' OVER BRICK** REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR **HOLES** INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

**LOADING:**  
DESIGN LOADS: L/480.000  
LIVE LOAD: 40.0 lb/ft<sup>2</sup>  
DEAD LOAD: 15.0 lb/ft<sup>2</sup>  
TILE LOAD: 20.0 lb/ft<sup>2</sup>

**SUBFLOOR:** 3/4" GLUED AND NAILED

Products				
PlotID	Length	Product	Plies	Net Qty
J9 DJ	20-00-00	11 7/8" NI-40x	2	8
J1	18-00-00	11 7/8" NI-40x	1	1
J2	16-00-00	11 7/8" NI-40x	1	8
J3	14-00-00	11 7/8" NI-40x	1	2
J4	10-00-00	11 7/8" NI-40x	1	4
J5	8-00-00	11 7/8" NI-40x	1	1
J6	4-00-00	11 7/8" NI-40x	1	1
J7	2-00-00	11 7/8" NI-40x	1	7
J8	22-00-00	11 7/8" NI-80	1	10
J9	20-00-00	11 7/8" NI-80	1	52
B6H	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1


Products				
PlotID	Length	Product	Plies	Net Qty
B1	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B11E L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B12L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B5H	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B10L	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B8	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B7	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B4H	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B2H	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B9	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B3H	4-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1

Connector Summary		
Qty	Manuf	Product
8	H1	IUS2.56/9.5
2	H2	IUS2.56/11.88
8	H2	IUS2.56/11.88
6	H2	IUS2.56/11.88
1	H2	IUS2.56/11.88
15	H3	IUS3.56/11.88
1	H4	HUS1.81/10
3	H5C	HUC410
1	H5	HGUS410

DATE: 2021-08-10

1st FLOOR

WALK OUT  
CONDITION



FROM PLAN DATED: FEB 9, 2021

BUILDER: GREENPARK HOMES

SITE: RUSSELL GARDENS

MODEL: GRANDVILLE 2

ELEVATION: 2

LOT:

CITY: HAMILTON

SALESMAN: RICK DICIANO

DESIGNER: L.D.

REVISION:

#### NOTES:

REFER TO THE NORDIC INSTALLATION GUIDE FOR PROPER STORAGE AND INSTALLATION.  
**SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING CANT' OVER BRICK REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR HOLES INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

#### LOADING:


DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft<sup>2</sup>

DEAD LOAD: 15.0 lb/ft<sup>2</sup>

TILE LOAD: 20.0 lb/ft<sup>2</sup>

SUBFLOOR: 5/8" GLUED AND NAILED



PlotID	Length	Product	Plies	Net Qty
J1	16-00-00	11 7/8" NI-40x	1	19
J2	12-00-00	11 7/8" NI-40x	1	3
J3	10-00-00	11 7/8" NI-40x	1	2
J4	6-00-00	11 7/8" NI-40x	1	1
J5	4-00-00	11 7/8" NI-40x	1	7
J6	2-00-00	11 7/8" NI-40x	1	8
J7	20-00-00	11 7/8" NI-80	1	78
B15	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B18	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B19	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

PlotID	Length	Product	Plies	Net Qty
B13	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B16	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B17	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B30	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B14	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2


Connector Summary		
Qty	Manuf	Product
7	H2	IUS2.56/11.88
41	H3	IUS3.56/11.88
2	H4C	HUC410
2	H5	HGUS410

DATE: 2021-03-23

2ND FLOOR STD, 5 BED.







Products				
PlotID	Length	Product	Piles	Net Qty
J8 DJ	20-00-00	11 7/8" NI-40x	2	6
J1	18-00-00	11 7/8" NI-40x	1	1
J2	16-00-00	11 7/8" NI-40x	1	8
J3	14-00-00	11 7/8" NI-40x	1	2
J4	10-00-00	11 7/8" NI-40x	1	4
J5	8-00-00	11 7/8" NI-40x	1	1
J6	4-00-00	11 7/8" NI-40x	1	1
J7	2-00-00	11 7/8" NI-40x	1	5
J8	20-00-00	11 7/8" NI-80	1	63
B6H	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1


Products				
PlotID	Length	Product	Piles	Net Qty
B1	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B11L	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B12EL	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B5H	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B10L	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B8	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B7	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B4H	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B2H	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B9	6-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
8	H1	IUS2.56/9.5
2	H2	IUS2.56/11.88
8	H2	IUS2.56/11.88
4	H2	IUS2.56/11.88
1	H2	IUS2.56/11.88
17	H3	IUS3.56/11.88
1	H4	HUS1.81/10
3	H5C	HUC410
1	H5	HGUS410

Products				
PlotID	Length	Product	Piles	Net Qty
B3H	4-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B20	4-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

DATE: 2021-03-22

1st FLOOR DECK COND



FROM PLAN DATED: FEB 9, 2021

BUILDER: GREENPARK HOMES

SITE: RUSSELL GARDENS

MODEL: GRANDVILLE 2

ELEVATION: 3

LOT:

CITY: HAMILTON

SALESMAN: RICK DICIANO

DESIGNER: L.D.

REVISION:

#### NOTES:

REFER TO THE NORDIC INSTALLATION GUIDE FOR PROPER STORAGE AND INSTALLATION.

SQUASH BLOCKS OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. CANTILEVERED JOISTS INCLUDING CANT' OVER BRICK REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR HOLES INCLUDING DUCT CHASE AND FIELD CUT OPENINGS SEE FIGURE 7, TABLES 1 & 2. CERAMIC TILE APPLICATION AS PER O.B.C 9.30.6.**

#### LOADING:


DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft<sup>2</sup>

DEAD LOAD: 15.0 lb/ft<sup>2</sup>

TILE LOAD: 20.0 lb/ft<sup>2</sup>

SUBFLOOR: 3/4" GLUED AND NAILED



Products				
PlotID	Length	Product	Plies	Net Qty
J8 DJ	20'-00-00	11 7/8" NI-40x	2	8
J1	18'-00-00	11 7/8" NI-40x	1	1
J2	16'-00-00	11 7/8" NI-40x	1	8
J3	14'-00-00	11 7/8" NI-40x	1	2
J4	10'-00-00	11 7/8" NI-40x	1	4
J5	8'-00-00	11 7/8" NI-40x	1	1
J6	4'-00-00	11 7/8" NI-40x	1	1
J7	2'-00-00	11 7/8" NI-40x	1	7
J8	20'-00-00	11 7/8" NI-80	1	62
B6H	14'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B1	14'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2


Products				
PlotID	Length	Product	Plies	Net Qty
B11L	14'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B12E L	14'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B5H	12'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B10L	10'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B8	10'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B7	8'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1
B4H	8'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B2H	6'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B9	6'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B3H	4'-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	1

Connector Summary		
Qty	Manuf	Product
8	H1	IUS2.56/9.5
2	H1	IUS2.56/11.88
2	H2	IUS2.56/11.88
8	H2	IUS2.56/11.88
4	H2	IUS2.56/11.88
1	H2	IUS2.56/11.88
15	H3	IUS3.56/11.88
1	H4	HUS1.81/10
3	H5C	HUC410
1	H5	HGUS410

DATE: 2021-08-10

1st FLOOR

WALK OUT  
CONDITION



FROM PLAN DATED: FEB 9, 2021

BUILDER: GREENPARK HOMES

SITE: RUSSELL GARDENS

MODEL: GRANDVILLE 2

ELEVATION: 3

LOT:

CITY: HAMILTON

SALESMAN: RICK DICIANO

DESIGNER: L.D.

REVISION: lbv

#### NOTES:

REFER TO THE **NORDIC INSTALLATION GUIDE** FOR PROPER STORAGE AND INSTALLATION.

**SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING CANT' OVER BRICK REQ. JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR **HOLES** INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

#### LOADING:

DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft<sup>2</sup>

DEAD LOAD: 15.0 lb/ft<sup>2</sup>

TILE LOAD: 20.0 lb/ft<sup>2</sup>

SUBFLOOR: 3/4" GLUED AND NAILED



FROM PLAN DATED: FEB 9, 2021

BUILDER: GREENPARK HOMES

SITE: RUSSELL GARDENS

MODEL: GRANDVILLE 2

ELEVATION: 3

LOT:

CITY: HAMILTON

SALESMAN: RICK DICIANO

DESIGNER: L.D.

REVISION:

**NOTES:**

REFER TO THE NORDIC INSTALLATION GUIDE FOR PROPER STORAGE AND INSTALLATION.

**SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING CANT' OVER BRICK REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR HOLES INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

**LOADING:**


DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft<sup>2</sup>

DEAD LOAD: 15.0 lb/ft<sup>2</sup>

TILE LOAD: 20.0 lb/ft<sup>2</sup>

SUBFLOOR: 5/8" GLUED AND NAILED



Products				
PlotID	Length	Product	Piles	Net Qty
J1	16-00-00	11 7/8" NI-40x	1	20
J2	12-00-00	11 7/8" NI-40x	1	3
J3	10-00-00	11 7/8" NI-40x	1	2
J4	6-00-00	11 7/8" NI-40x	1	2
J5	4-00-00	11 7/8" NI-40x	1	10
J6	2-00-00	11 7/8" NI-40x	1	10
J7	20-00-00	11 7/8" NI-80	1	78
B15 E	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B17 E	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B18	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Products				
PlotID	Length	Product	Piles	Net Qty
B19	14-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B13	12-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B16 E	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B30	10-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2
B14	8-00-00	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
4	H1	IUS2.56/11.88
7	H2	IUS2.56/11.88
41	H3	IUS3.58/11.88
2	H5C	HUC410
2	H5	HGUS410

DATE: 2021-03-23


2ND FLOOR STD, 5 BED

# NORDIC

## ENGINEERED WOOD

### INSTALLATION GUIDE

#### FOR RESIDENTIAL FLOORS




Distributed by:

#### SAFETY AND HANDLING PRECAUTIONS



Do not walk on I-joists until fully braced and sheathed, or serious injuries can result.




Never stack building materials over unheated I-joists. Once sheathed, do not over-stress I-joist with concentrated loads from building materials.

Improper storage or installation, failure to follow applicable building codes, failure to follow span ratings for Nordic I-joists, failure to follow allowable loads and locations, or failure to use web stiffeners when required can result in serious accidents. Follow these installation guidelines carefully.

#### STORAGE AND HANDLING GUIDELINES

- Bundle wrap can be slippery when wet. Avoid walking on wrapped bundles.
- Store, stock, and handle I-joists vertically and level only.
- Always stack and handle I-joists in the upright position only.
- Do not store I-joists in direct contact with the ground and/or flatwells.
- Protect I-joists from weather, and use spacers to separate bundles.
- Bundled units should be kept intact until time of installation.
- When handling I-joists with a crane on the job site, take a few simple precautions to prevent damage to the I-joists and injury to your work crew:
  - Pick I-joists in bundles or shipped by the supplier.
  - Orient the bundles so that the webs of the I-joists are vertical.
  - Pick the bundles at the 3/4 points, using a spreader bar if necessary.
- Do not handle I-joists in a horizontal orientation.
- NEVER USE OR TRY TO REPAIR A DAMAGED I-JOIST.



#### MAXIMUM FLOOR SPANS

- Maximum clear spans applicable to simple-span or multiple-span residential floor construction with a design live load of 40 psf and dead load of 15 psf. The ultimate limit states are based on the factored loads of 1.5L + 1.25D. The serviceability limit states include the consideration for floor vibration and a live load deflection limit of L/480. For multiple-span applications, the end spans shall be 40% or more of the adjacent span.
- Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 5/8 inch for joist spacing of 19.2 inches or less, or 3/4 inch for joist spacing of 24 inches. Adhesive shall meet the requirements given in CGS-71.26 Standard. No concrete topping or bridging element was assumed. Increased spans may be achieved with the use of gypsum and/or a row of blocking at mid-span.
- Minimum bearing length shall be 1-3/4 inches for the end bearings, and 3-1/2 inches for the intermediate bearings.
- Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
- This span chart is based on uniform loads. For applications with other than uniform loads, an engineering analysis may be required based on the use of the design properties.
- Tables are based on Limit States Design per CAN/CSA C66-09 Standard, and NBC 2010.
- SI units conversion: 1 inch = 25.4 mm  
1 foot = 0.305 m


#### MAXIMUM FLOOR SPANS FOR NORDIC I-JOISTS

Joist Depth	Joist Series	Simple spans				Multiple spans			
		On centre spacing		On centre spacing		On centre spacing		On centre spacing	
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	N-20	14'-1"	14'-2"	13'-5"	13'-5"	15'-3"	15'-4"	14'-10"	14'-7"
	N-40	14'-1"	14'-1"	14'-0"	14'-0"	17'-3"	16'-8"	16'-10"	16'-4"
	N-60	14'-3"	15'-4"	14'-10"	14'-11"	17'-7"	16'-7"	16'-0"	16'-1"
	N-70	17'-1"	16'-1"	16'-6"	16'-7"	18'-7"	17'-4"	16'-5"	16'-10"
11-7/8"	N-20	16'-11"	16'-0"	15'-5"	15'-5"	18'-10"	17'-8"	16'-8"	16'-7"
	N-40	18'-1"	17'-0"	16'-5"	16'-5"	20'-0"	18'-6"	17'-9"	17'-7"
	N-60	18'-4"	17'-3"	16'-7"	16'-9"	20'-3"	18'-9"	18'-0"	18'-1"
	N-70	19'-4"	18'-0"	17'-4"	17'-5"	21'-5"	19'-11"	19'-0"	19'-1"
14"	N-20	19'-9"	18'-3"	17'-6"	17'-7"	21'-9"	20'-2"	19'-3"	19'-4"
	N-40	20'-2"	18'-7"	17'-10"	17'-11"	22'-3"	20'-7"	19'-8"	19'-9"
	N-60	20'-4"	18'-9"	17'-11"	18'-0"	22'-5"	20'-9"	19'-10"	19'-11"
	N-70	20'-5"	18'-11"	18'-1"	18'-2"	22'-7"	20'-11"	20'-0"	20'-1"
16"	N-20	21'-7"	20'-0"	19'-1"	19'-2"	23'-10"	22'-1"	21'-1"	21'-2"
	N-40	21'-11"	20'-3"	19'-4"	19'-5"	24'-3"	22'-5"	21'-5"	21'-6"
	N-60	22'-2"	20'-8"	19'-9"	19'-10"	24'-9"	22'-10"	21'-10"	21'-10"
	N-70	22'-7"	20'-11"	19'-11"	20'-0"	25'-0"	23'-1"	22'-0"	22'-2"

CCAC EVALUATION REPORT 13052-W

#### I-JOIST HANGERS

- Hangers shown illustrate the three most commonly used metal hangers to support I-joists.
- All nailing must meet the hanger manufacturer's recommendations.
- Hangers should be selected based on the joist depth, flange width and load capacity based on the maximum spans.
- Web stiffeners are required when the sides of the hangers do not laterally brace the top flange of the I-joist.




#### WEB STIFFENERS

##### RECOMMENDATIONS:

- A bearing stiffener is required in all engineered applications with factored reactions greater than shown in the I-joist properties table found in the I-joist Construction Guide (CIG). The gap between the stiffener and the flange is at the top.
- A bearing stiffener is required when the I-joist is supported in a hanger and the sides of the hanger do not extend up to, and support, the top flange. The gap between the stiffener and flange is at the top.
- A load stiffener is required at locations where a factored concentrated load greater than 2,370 lbs is applied to the top flange between supports, or in the case of a cantilever, anywhere between the cantilever tip and the support. These values are for standard term load duration, and may be adjusted for other load durations as permitted by the code. The gap between the stiffener and the flange is at the bottom.

SI units conversion: 1 inch = 25.4 mm

#### FIGURE 2 WEB STIFFENER INSTALLATION DETAILS



See table below for web stiffener size requirements

##### STIFFENER SIZE REQUIREMENTS


Flange Width	Web Stiffener Size Each Side of Web
2-1/2"	1" x 2-5/16" minimum width
3-1/2"	1-1/2" x 2-5/16" minimum width

#### INSTALLING NORDIC I-JOISTS


- Before laying out floor system components, verify that I-joist flange widths match hanger widths. If not, consult supplier.
- Except for cutting to length, I-joist flanges should never be cut, drilled, or notched.
- Install I-joists so that top and bottom flanges are within 1/2 inch of true vertical alignment.
- I-joists must be anchored securely to supports before floor sheathing is attached, and supports for multiple spans must be level.
- Minimum bearing lengths: 1-3/4 inches for end bearings and 3-1/2 inches for intermediate bearings.
- When using hangers, seat I-joists firmly in hanger bottoms to minimize settlement.
- Leave a 1/16-inch gap between the I-joist end and a header.
- Concentrated loads greater than those that can normally be expected in residential construction should only be applied to the top surface of the top flange. Normal concentrated loads include track lighting fixtures, audio equipment and security cameras. Never suspend unusual or heavy loads from the I-joist's bottom flange. Whenever possible, suspend all concentrated loads from the top of the I-joist. Or, attach the load to blocking that has been securely fastened to the I-joist webs.
- Never install I-joists where they will be permanently exposed to weather, or where they will remain in direct contact with concrete or masonry.
- Restrain ends of floor joists to prevent rollover. Use rim board, rim joists or I-joist blocking panels.
- For I-joists installed over and beneath bearing walls, use full depth blocking panels, rim board, or squash blocks (ripple members) to transfer gravity loads through the floor system to the wall or foundation below.
- Due to shrinkage, common framing lumber set on edge may never be used as blocking or rim boards. I-joist blocking panels or other engineered wood products - such as rim board - must be cut to fit between the I-joists, and an I-joist-compatible depth selected.
- Provide permanent lateral support of the bottom flange of all I-joists at interior supports of multiple-span joists. Similarly, support the bottom flange of all cantilevered I-joists at the end support near to the cantilever extension. In the completed structure, the gypsum wallboard ceiling provides this lateral support. Until the final finished ceiling is applied, temporary bracing or struts must be used.
- If square-edge panels are used, edges must be supported between I-joists with 2x4 blocking. Glue panels to blocking to minimize squeaks. Blocking is not required under structural finish flooring, such as wood strip flooring, or if a separate underlayment layer is installed.
- Nail spacing: Space nails installed to the flange's top face in accordance with the applicable building code requirements or approved building plans.

#### FIGURE 1 TYPICAL NORDIC I-JOIST FLOOR FRAMING AND CONSTRUCTION DETAILS


Some framing requirements such as section bracing and blocking panels have been omitted for clarity.




All nails shown in the above details are assumed to be common wire nails unless otherwise noted. 3" (0.122") dia. I-joist common wire nails may be substituted for 2-1/2" (0.125") dia. I-joist common wire nails. Framing lumber assumed to be Spruce-Pine-Fir No. 2 or better. Individual components not shown to scale for clarity.




Transfer load from above to bearing below. Install squash blocks per detail 1d. Match bearing area of blocks below to post above.




Wall sheathing, as required. Rim board may be used in lieu of I-joists. Backer is not required when rim board is used. Bracing per code shall be carried to the foundation.




Load-bearing wall above shall align vertically with the bearing below. Other conditions, such as offset bearing walls, are not covered by this detail. Blocking required over all interior supports under load-bearing walls or when floor joists are not continuous over support.




Backer block (see if hanger load exceeds 360 lbs). Before installing a backer block to a double I-joist, drive three additional 3" nails through the webs and filler block where the backer block will fit. Clinch. Install backer right to top flange. Use twelve 3" nails, clinched when possible. Maximum factored resistance for hanger for this detail = 1,620 lbs.




Blocking Panel or Rim Joist	Maximum Factored Uniform Vertical Load* (plf)
Ni Joist	3,300




Blocking Panel or Rim Joist	Maximum Factored Uniform Vertical Load* (plf)
1-1/8" Rim Board Plus	8,090




Pair of Squash Blocks	Maximum Factored Vertical Load* (plf)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300




Pair of Squash Blocks	Maximum Factored Vertical Load* (plf)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300




Pair of Squash Blocks	Maximum Factored Vertical Load* (plf)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300



Pair of Squash Blocks	Maximum Factored Vertical Load* (plf)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300



Pair of Squash Blocks	Maximum Factored Vertical Load* (plf)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300




Pair of Squash Blocks	Maximum Factored Vertical Load* (plf)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300



## CANTILEVER DETAILS FOR BALCONIES (NO WALL LOAD)


### 3a) I-JOIST CANTILEVER DETAIL FOR BALCONIES (No Wall Load)



**CAUTION:** Cantilevers formed this way must be carefully detailed to prevent moisture intrusion into the structure and potential decay of untreated I-joist extensions.

Note: This detail is applicable to cantilevers supporting a maximum specified uniform live load of 60 psf.


### 3b) LUMBER CANTILEVER DETAIL FOR BALCONIES (No Wall Load)



Note: This detail is applicable to cantilevers supporting a maximum specified uniform live load of 60 psf.

## CANTILEVER DETAILS FOR VERTICAL BUILDING OFFSET (CONCENTRATED WALL LOAD)

### 4a) Method 1 — SHEATHING REINFORCEMENT ONE SIDE




### Method 2 — SHEATHING REINFORCEMENT TWO SIDES

- Use same installation as Method 1 but reinforce both sides of I-joist with sheathing.
- Use nailing pattern shown for Method 1 with opposite face nailing offset by 3\".


Note: Canadian softwood plywood sheathing or equivalent (minimum thickness 3/4\" required on sides of joist. Depth shall match the full height of the joist. Nail with 2-1/2\" nails at 6\" o.c., top and bottom flange. Install with face grain horizontal. Attach I-joist to plate at all supports per detail 1b. Verify reinforced I-joist capacity.

### 4b) Alternate Method 2 — DOUBLE I-JOIST



Block I-joists together with filler blocks for the full length of the reinforcement. For I-joist flange width greater than 3 inches place an additional row of 3\" nails along the cantilever of the reinforcing panel from each side. Clinch when possible.

### FIGURE 4 (continued)




### CANTILEVER REINFORCEMENT METHODS ALLOWED

JOIST DEPTH (in.)	ROOF TRUSS SPAN (ft)	ROOF LOADING (UNFACTORED)									
		L = 30 psf, DL = 15 psf					L = 40 psf, DL = 15 psf				
		12	16	20	24	28	12	16	20	24	28
9-1/2"	26	N	N	N	1	2	N	N	N	1	2
	28	N	N	1	1	X	N	N	1	2	X
	30	N	N	1	1	X	N	N	1	2	X
	32	N	N	1	2	X	N	N	2	X	X
	34	N	N	1	2	X	N	N	2	X	X
	36	N	N	1	2	X	N	N	2	X	X
	38	N	N	1	2	X	N	N	2	X	X
	40	N	N	1	2	X	N	N	2	X	X
11-7/8"	26	N	N	N	N	1	N	N	N	1	2
	28	N	N	N	N	1	N	N	N	1	2
	30	N	N	N	N	1	N	N	N	1	2
	32	N	N	N	1	1	N	N	N	1	2
	34	N	N	N	1	2	N	N	N	1	2
	36	N	N	N	1	2	N	N	N	1	2
	38	N	N	N	1	2	N	N	N	1	2
	40	N	N	N	1	2	N	N	N	1	2
14"	26	N	N	N	N	N	N	N	N	N	1
	28	N	N	N	N	N	N	N	N	N	1
	30	N	N	N	N	N	N	N	N	N	1
	32	N	N	N	N	N	N	N	N	N	1
	34	N	N	N	N	N	N	N	N	N	1
	36	N	N	N	N	N	N	N	N	N	1
	38	N	N	N	N	N	N	N	N	N	1
	40	N	N	N	N	N	N	N	N	N	1
16"	26	N	N	N	N	N	N	N	N	N	1
	28	N	N	N	N	N	N	N	N	N	1
	30	N	N	N	N	N	N	N	N	N	1
	32	N	N	N	N	N	N	N	N	N	1
	34	N	N	N	N	N	N	N	N	N	1
	36	N	N	N	N	N	N	N	N	N	1
	38	N	N	N	N	N	N	N	N	N	1
	40	N	N	N	N	N	N	N	N	N	1


- N = No reinforcement required.
- Ni reinforced with 3/4\" wood structural panel on one side only.
- Ni reinforced with 3/4\" wood structural panel on both sides, or double I-joist.
- X = Try a deeper joist or closer spacing.
- Maximum design load shall be 15 psf dead load, 55 psf floor total load, and 80 psf wall load. Wall load is based on 3-0\" maximum width window or door openings.
- For larger openings, or multiple 3-0\" width openings spaced less than 6-0\" o.c., additional joists beneath the opening's eave shall be required.
- Table applies to joists 12\" to 24\" o.c. that meet the floor span requirements for a design live load of 40 psf and dead load of 15 psf, and a live load deflection limit of L/480. Use 12\" o.c. requirements for lesser spacing.
- For conventional roof construction using a ridge beam, the Roof Truss Span column above is equivalent to the distance between the supporting wall and the ridge beam. When the roof is framed using a ridge beam, the Roof Truss Span is equivalent to the distance between the supporting walls as if a truss is used.
- Cantilevered joists supporting girder trusses or roof beams may require additional reinforcing.

## BRICK CANTILEVER DETAILS FOR VERTICAL BUILDING OFFSET (CONCENTRATED WALL LOAD)


### 5a) SHEATHING REINFORCEMENT




### 5b) SET-BACK DETAIL



### 5c) SET-BACK CONNECTION



### FIGURE 5 (continued)



### BRICK CANTILEVER REINFORCEMENT METHODS ALLOWED

JOIST DEPTH (in.)	ROOF TRUSS SPAN (ft)	ROOF LOADING (UNFACTORED)									
		L = 30 psf, DL = 15 psf					L = 40 psf, DL = 15 psf				
		12	16	20	24	28	12	16	20	24	28
9-1/2"	26	1	X	X	X	X	2	X	X	X	X
	28	1	X	X	X	X	2	X	X	X	X
	30	1	X	X	X	X	2	X	X	X	X
	32	2	X	X	X	X	2	X	X	X	X
	34	2	X	X	X	X	2	X	X	X	X
	36	2	X	X	X	X	2	X	X	X	X
	38	2	X	X	X	X	2	X	X	X	X
	40	2	X	X	X	X	2	X	X	X	X
11-7/8"	26	N	2	X	X	1	N	2	X	X	1
	28	N	2	X	X	1	N	2	X	X	1
	30	N	2	X	X	1	N	2	X	X	1
	32	N	2	X	X	1	N	2	X	X	1
	34	N	2	X	X	1	N	2	X	X	1
	36	N	2	X	X	1	N	2	X	X	1
	38	N	2	X	X	1	N	2	X	X	1
	40	N	2	X	X	1	N	2	X	X	1
14"	26	N	1	2	X	N	2	X	N	1	X
	28	N	1	2	X	N	2	X	N	1	X
	30	N	1	2	X	N	2	X	N	1	X
	32	N	2	X	X	1	N	2	X	X	1
	34	N	2	X	X	1	N	2	X	X	1
	36	N	2	X	X	1	N	2	X	X	1
	38	N	2	X	X	1	N	2	X	X	1
	40	N	2	X	X	1	N	2	X	X	1
16"	26	N	1	2	X	N	1	X	N	2	X
	28	N	1	2	X	N	1	X	N	2	X
	30	N	1	2	X	N	1	X	N	2	X
	32	N	1	2	X	N	1	X	N	2	X
	34	N	2	X	X	1	N	2	X	X	1
	36	N	2	X	X	1	N	2	X	X	1
	38	N	2	X	X	1	N	2	X	X	1
	40	N	2	X	X	1	N	2	X	X	1


- N = No reinforcement required.
- Ni reinforced with 3/4\" wood structural panel on one side only.
- Ni reinforced with 3/4\" wood structural panel on both sides, or double I-joist.
- X = Try a deeper joist or closer spacing.
- Maximum design load shall be 15 psf dead load, 55 psf floor total load, and 80 psf wall load. Wall load is based on 3-0\" maximum width window or door openings.
- For larger openings, or multiple 3-0\" width openings spaced less than 6-0\" o.c., additional joists beneath the opening's eave shall be required.
- Table applies to joists 12\" to 24\" o.c. that meet the floor span requirements for a design live load of 40 psf and dead load of 15 psf, and a live load deflection limit of L/480. Use 12\" o.c. requirements for lesser spacing.
- For conventional roof construction using a ridge beam, the Roof Truss Span column above is equivalent to the distance between the supporting wall and the ridge beam. When the roof is framed using a ridge beam, the Roof Truss Span is equivalent to the distance between the supporting walls as if a truss is used.
- Cantilevered joists supporting girder trusses or roof beams may require additional reinforcing.

## WEB HOLES

### RULES FOR CUTTING HOLES AND DUCT CHASE OPENINGS:

- The distance between the inside edge of the support and the centreline of any hole or duct chase opening shall be in compliance with the requirements of Table 1 or 2, respectively.
- I-joist top and bottom flanges must NEVER be cut, notched, or otherwise modified.
- Whenever possible, field-cut holes should be centred on the middle of the web.
- The maximum size hole or the maximum depth of a duct chase opening that can be cut into an I-joist web shall equal the clear distance between the flanges of the I-joist minus 1/4 inch. A minimum of 1/8 inch should always be maintained between the top or bottom of the hole or opening and the adjacent I-joist flange.
- The sides of square holes or longest sides of rectangular holes should not exceed 3/4 of the diameter of the maximum round hole permitted at that location.
- Where more than one hole is necessary, the distance between adjacent hole edges shall exceed twice the diameter of the largest round hole or twice the size of the largest square hole (or twice the length of the longest side of the largest rectangular hole or duct chase opening) and each hole and duct chase opening shall be sized and located in compliance with the requirements of Tables 1 and 2, respectively.
- A knockout is not considered a hole, may be utilized anywhere it occurs, and may be ignored for purposes of calculating minimum distances between holes and/or duct chase openings.
- Holes measuring 1-1/2 inches or smaller shall be permitted anywhere in a cantilevered section of a joist. Holes of greater size may be permitted subject to verification.
- A 1-1/2 inch hole or smaller can be placed anywhere in the web provided that it meets the requirements of rule number 6 above.
- All holes and duct chase openings shall be cut in a workman-like manner in accordance with the restrictions listed above and as illustrated in Figure 7.
- Limit three maximum size holes per span, of which one may be a duct chase opening.
- A group of round holes or approximately the same location shall be permitted if they meet the requirements for a single round hole circumscribed around them.

### FIGURE 7 FIELD-CUT HOLE LOCATOR



A knockout is NOT considered a hole, may be utilized wherever it occurs and may be ignored for purposes of calculating minimum distances between holes.

TABLE 1  
LOCATION OF CIRCULAR HOLES IN JOIST WEBS  
Simple or Multiple Span for Dead Loads up to 15 psf and Live Loads up to 40 psf

Joist Depth	Joist Series	Minimum distance from inside face of any support to centre of hole (in.)												Span Factor	
		Round hole diameter (in.)													
		3	4	5	6	6-1/4	7	8	8-3/4	9	10	10-3/2	11	12	12-3/4
9-1/2"	N-20	0.7	1.0	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6
	N-40	1.0	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9
	N-60	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2
	N-80	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5
	N-100	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5	5.8
11-7/8"	N-20	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8
	N-40	1.2	1.5	1.8	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1
	N-60	1.5	1.8	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4
	N-80	1.8	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7
	N-100	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0
14"	N-20	1.1	1.4	1.7	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0
	N-40	1.4	1.7	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3
	N-60	1.7	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6
	N-80	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6	5.9
	N-100	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.7	5.0	5.3	5.6	5.9	6.2
16"	N-20	1.3	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2
	N-40	1.6	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5
	N-60	1.9	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5	5.8
	N-80	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5	5.8	6.1
	N-100	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.9	5.2	5.5	5.8	6.1	6.4

- Above table may be used for I-joist spacing of 24 inches on centre or less.
- Hole location distance is measured from inside face of supports to centre of hole.
- Distances in this chart are based on uniformly loaded joists.

### OPTIONAL:

The above table is based on the I-joists used at their maximum span. If the I-joists are placed at less than their full maximum span (see Maximum Span Table), the minimum distance from the centreline of the hole to the face of any support (D) can be given above as follows:

$$D_{\text{reduced}} = \text{Actual } D \times \frac{S}{S_{\text{max}}}$$

- Where:
- $D_{\text{reduced}}$  = Distance from the inside face of any support to centre of hole, reduced for less-than-maximum span application.
  - $D$  = Distance from the inside face of any support to centre of hole.
  - $S$  = The actual measured span distance between the inside faces of supports (ft).
  - $S_{\text{max}}$  = Span Adjustment Factor given in this table.
  - $D_{\text{min}}$  = The minimum distance from the inside face of any support to centre of hole from this table.
  - If  $D_{\text{reduced}}$  is greater than 1, use 1 in the above calculation for  $D_{\text{min}}$ .

TABLE 2  
DUCT CHASE OPENING SIZES AND LOCATIONS — Simple Span Only

Joist Depth	Joist Series	Minimum distance from inside face of any support to centre of opening (in.)											
		Duct chuze length (in.)											
		8	10	12	14	16	18	20	22	24	26	28	
9-1/2"	N-20	4-11	4-5	4-10	5-4	5-8	6-11	6-5	7-1	7-5	7-9	7-3	
	N-40	5-4	5-8	6-2	6-7	7-1	7-5	7-9	8-3	8-7	9-1	8-5	
	N-60	6-7	7-1	7-5	7-9	8-3	8-7	9-1	9-5	9-9	10-3	9-7	
	N-80	7-9	8-3	8-7	9-1	9-5	9-9	10-3	10-7	11-1	11-5	10-9	
	N-100	9-1	9-5	9-9	10-3	10-7	11-1	11-5	11-9	12-3	12-7	12-1	
11-7/8"	N-20	5-4	5-8	6-2	6-7	7-1	7-5	7-9	8-3	8-7	9-1	8-5	
	N-40	6-7	7-1	7-5	7-9	8-3	8-7	9-1	9-5	9-9	10-3	9-7	
	N-60	7-9	8-3	8-7	9-1	9-5	9-9	10-3	10-7	11-1	11-5	10-9	
	N-80	9-1	9-5	9-9	10-3	10-7	11-1	11-5	11-9	12-3	12-7	12-1	
	N-100	10-3	10-7	11-1	11-5	11-9	12-3	12-7	13-1	13-5	13-9	13-3	
14"	N-20	6-2	6-7	7-1	7-5	7-9	8-3	8-7	9-1	9-5	9-9	9-3	
	N-40	7-5	7-9	8-3	8-7	9-1	9-5	9-9	10-3	10-7	11-1	10-5	
	N-60	8-7	9-1	9-5	9-9	10-3	10-7	11-1	11-5	11-9	12-3	11-7	
	N-80	10-0	10-4	10-8	11-2	11-6	12-0	12-4	12-8	13-2	13-6	13-0	
	N-100	11-2	11-6	12-0	12-4	12-8	13-2	13-6	14-0	14-4	14-8	14-2	
16"	N-20	7-1	7-5	7-9	8-3	8-7	9-1	9-5	9-9	10-3	10-7	10-1	
	N-40	8-3	8-7	9-1	9-5	9-9	10-3	10-7	11-1	11-5	11-9	11-3	
	N-60	9-5	9-9	10-3	10-7	11-1	11-5	11-9	12-3	12-7	13-1	12-5	
	N-80	10-7	11-1	11-5	11-9	12-3	12-7	13-1	13-5	13-9	14-3	13-7	
	N-100	11-9	12-3	12-7	13-1	13-5	13-9	14-3	14-7	15-1	15-5	14-9	



Refer to the Installation Guide for Residential Floors for additional information.  
CCMC EVALUATION REPORT 13032-R

## WEB HOLE SPECIFICATIONS

### RULES FOR CUTTING HOLES AND DUCT CHASE OPENINGS:

- The distance between the inside edge of the support and the centreline of any hole or duct chase opening shall be in compliance with the requirements of Table 1 or 2, respectively.
- I-joint top and bottom flanges must NEVER be cut, notched, or otherwise modified.
- Whenever possible, field-cut holes should be centred on the middle of the web.
- The maximum size hole or the maximum depth of a duct chase opening that can be cut into an I-joint web shall equal the clear distance between the flanges of the I-joint minus 1/4 inch. A minimum of 1/8 inch should always be maintained between the top or bottom of the hole or opening and the adjacent I-joint flange.
- The sides of square holes or longest sides of rectangular holes should not exceed 3/4 of the diameter of the maximum round hole permitted at that location.
- Where more than one hole is necessary, the distance between adjacent hole edges shall exceed twice the diameter of the largest round hole or twice the size of the largest square hole (or twice the length of the longest side of the longest rectangular hole or duct chase opening) and each hole and duct chase opening shall be sized and located in compliance with the requirements of Tables 1 and 2, respectively.
- A knockout is not considered a hole, may be utilized anywhere it occurs, and may be ignored for purposes of calculating minimum distances between holes and/or duct chase openings.
- Holes measuring 1-1/2 inches or smaller are permitted anywhere in a cantilevered section of a joist. Holes of greater size may be permitted subject to verification.

- A 1-1/2 inch hole or smaller can be placed anywhere in the web provided that it meets the requirements of rule number 6 above.
- All holes and duct chase openings shall be cut in a workman-like manner in accordance with the restrictions listed above and as illustrated in Figure 7.
- Limit three maximum size holes per span, of which one may be a duct chase opening.
- A group of round holes at approximately the same location shall be permitted if they meet the requirements for a single round hole circumscribed around them.

TABLE 1  
LOCATION OF CIRCULAR HOLES IN JOIST WEBS

Simple or Multiple Span for Dead Loads up to 15 psf and Live Loads up to 40 psf

Joist Depth	Joist Series	Minimum Distance from Inside Face of Any Support to Centre of Hole (ft - in.)												
		Round Hole Diameter (in.)												
		2	3	4	5	6	6-1/4	7	8	8-5/8	9	10	10-3/4	11
9-1/2"	NI-20	1'-6"	2'-10"	4'-3"	5'-8"	6'-0"	6'-4"	---	---	---	---	---	---	---
	NI-40x	1'-6"	3'-0"	4'-4"	6'-0"	6'-4"	---	---	---	---	---	---	---	---
	NI-60	1'-3"	2'-6"	4'-0"	5'-4"	7'-0"	7'-5"	---	---	---	---	---	---	---
	NI-70	2'-0"	3'-4"	4'-8"	6'-3"	8'-0"	8'-4"	---	---	---	---	---	---	---
	NI-80	2'-3"	3'-8"	5'-0"	6'-6"	8'-2"	8'-6"	---	---	---	---	---	---	---
11-7/8"	NI-20	0'-7"	0'-8"	1'-0"	2'-4"	3'-8"	4'-0"	5'-0"	6'-2"	7'-9"	---	---	---	---
	NI-40x	0'-7"	0'-8"	1'-3"	2'-6"	4'-0"	4'-4"	5'-5"	7'-0"	8'-4"	---	---	---	---
	NI-60	0'-7"	1'-8"	3'-0"	4'-3"	5'-9"	6'-0"	7'-3"	8'-10"	10'-0"	---	---	---	---
	NI-70	1'-3"	2'-6"	4'-0"	5'-4"	6'-9"	7'-2"	8'-4"	10'-0"	11'-2"	---	---	---	---
	NI-80	1'-6"	2'-10"	4'-2"	5'-6"	7'-0"	7'-5"	8'-6"	10'-3"	11'-4"	---	---	---	---
14"	NI-20	0'-7"	0'-8"	1'-0"	2'-4"	3'-8"	4'-0"	5'-0"	6'-2"	7'-9"	---	---	---	---
	NI-40x	0'-7"	0'-8"	1'-3"	2'-6"	4'-0"	4'-4"	5'-5"	7'-0"	8'-4"	---	---	---	---
	NI-60	0'-7"	1'-8"	3'-0"	4'-3"	5'-9"	6'-0"	7'-3"	8'-10"	10'-0"	---	---	---	---
	NI-70	0'-8"	1'-10"	3'-0"	4'-5"	5'-10"	6'-2"	7'-3"	8'-9"	9'-9"	10'-4"	12'-0"	13'-5"	---
	NI-80	0'-10"	1'-10"	3'-4"	4'-9"	6'-2"	6'-5"	7'-6"	9'-0"	10'-0"	10'-8"	12'-4"	13'-9"	---
16"	NI-20	0'-7"	0'-8"	1'-0"	2'-4"	3'-8"	4'-0"	5'-0"	6'-2"	7'-9"	---	---	---	---
	NI-40x	0'-7"	0'-8"	1'-3"	2'-6"	4'-0"	4'-4"	5'-5"	7'-0"	8'-4"	---	---	---	---
	NI-60	0'-7"	1'-8"	3'-0"	4'-3"	5'-9"	6'-0"	7'-3"	8'-10"	10'-0"	---	---	---	---
	NI-70	0'-7"	1'-10"	3'-0"	4'-5"	5'-10"	6'-2"	7'-3"	8'-9"	9'-9"	10'-4"	12'-0"	13'-5"	---
	NI-80	0'-7"	1'-10"	3'-4"	4'-9"	6'-2"	6'-5"	7'-6"	9'-0"	10'-0"	10'-8"	12'-4"	13'-9"	---

- Above table may be used for I-joint spacing of 24 inches on centre or less.
- Hole location distances are measured from inside face of supports to centre of hole.
- The above table is based on a uniformly loaded joist. For other applications, contact your local distributor.
- The above table is based on the I-joints being used at their maximum spans. The minimum distance as given above may be reduced for shorter spans; contact your local distributor.


TABLE 2  
DUCT CHASE OPENING SIZES AND LOCATIONS

Simple Span Only

Joist Depth	Joist Series	Minimum Distance from Inside Face of Support to Centre of Opening (ft - in.)												
		Duct Chase Length (in.)												
		8	10	12	14	16	18	20	22	24				
9-1/2"	NI-20	4'-1"	4'-5"	4'-10"	5'-4"	5'-8"	6'-1"	6'-4"	7'-1"	7'-5"				
	NI-40x	5'-3"	5'-8"	6'-0"	6'-5"	6'-10"	7'-3"	7'-8"	8'-2"	8'-6"				
	NI-60	5'-4"	5'-9"	6'-2"	6'-7"	7'-1"	7'-5"	8'-0"	8'-3"	8'-8"				
	NI-70	5'-1"	5'-5"	5'-10"	6'-3"	6'-7"	7'-1"	7'-6"	8'-1"	8'-4"				
	NI-80	5'-3"	5'-8"	6'-0"	6'-5"	6'-10"	7'-3"	7'-8"	8'-2"	8'-6"				
11-7/8"	NI-20	5'-9"	6'-2"	6'-6"	7'-1"	7'-5"	7'-9"	8'-3"	8'-9"	9'-4"				
	NI-40x	6'-8"	7'-2"	7'-6"	8'-1"	8'-5"	9'-0"	9'-6"	10'-1"	10'-9"				
	NI-60	7'-3"	7'-8"	8'-0"	8'-6"	9'-0"	9'-5"	9'-9"	10'-3"	11'-0"				
	NI-70	7'-1"	7'-4"	7'-9"	8'-3"	8'-7"	9'-1"	9'-6"	10'-1"	10'-4"				
	NI-80	7'-2"	7'-7"	8'-0"	8'-5"	8'-10"	9'-3"	9'-8"	10'-2"	10'-8"				
14"	NI-20	7'-4"	7'-11"	8'-4"	8'-9"	9'-2"	9'-7"	10'-1"	10'-7"	11'-1"				
	NI-40x	8'-1"	8'-7"	9'-0"	9'-6"	10'-1"	10'-7"	11'-1"	11'-7"	12'-0"				
	NI-60	8'-9"	9'-3"	9'-8"	10'-1"	10'-6"	11'-1"	11'-6"	12'-1"	12'-6"				
	NI-70	8'-7"	9'-1"	9'-5"	9'-10"	10'-4"	10'-8"	11'-2"	11'-7"	12'-3"				
	NI-80	9'-0"	9'-3"	9'-9"	10'-1"	10'-7"	11'-1"	11'-6"	12'-1"	12'-6"				
16"	NI-20	9'-2"	9'-8"	10'-0"	10'-6"	10'-11"	11'-5"	11'-9"	12'-4"	12'-11"				
	NI-40x	9'-4"	9'-9"	10'-3"	10'-7"	11'-1"	11'-5"	11'-9"	12'-4"	12'-11"				
	NI-60	10'-3"	10'-8"	11'-2"	11'-6"	12'-1"	12'-5"	12'-9"	13'-4"	14'-0"				
	NI-70	10'-1"	10'-5"	11'-0"	11'-4"	11'-9"	12'-3"	12'-7"	13'-2"	13'-8"				
	NI-80	10'-4"	10'-9"	11'-3"	11'-8"	12'-2"	12'-7"	13'-1"	13'-6"	14'-0"				

- Above table may be used for I-joint spacing of 24 inches on centre or less.
- Duct chase opening location distance is measured from inside face of supports to centre of opening.
- The above table is based on simple-span joists only. For other applications, contact your local distributor.
- Distances are based on uniformly loaded floor joists that meet the span requirements for a design live load of 40 psf and dead load of 15 psf, and a live load deflection limit of L/480.
- The above table is based on the I-joints being used at their maximum spans. The minimum distance as given above may be reduced for shorter spans; contact your local distributor.

FIGURE 7  
FIELD-CUT HOLE LOCATOR



Knockouts are predrilled holes provided for the contractor's convenience to install electrical or small plumbing lines. They are 1-1/2 inches in diameter, and are spaced 15 inches on centre along the length of the I-joint. Where possible, it is preferable to use knockouts instead of field-cut holes.

Never drill, cut or notch the flange, or over-cut the web.

Holes in webs should be cut with a sharp saw.

For rectangular holes, avoid over-cutting the corners, as this can cause unnecessary stress concentrations. Slightly rounding the corners is recommended. Starting the rectangular hole by drilling a 1-inch diameter hole in each of the four corners and then making the cuts between the holes is another good method to minimize damage to the I-joint.

## SAFETY AND CONSTRUCTION PRECAUTIONS



Do not walk on I-joints until fully fastened and braced, or serious injuries can result.



Never stack building materials over unfastened I-joints. Once sheathed, do not over-stress I-joints with concentrated loads from building materials.

WARNING: I-joints are not stable until completely installed, and will not carry any load until fully braced and sheathed.

### AVOID ACCIDENTS BY FOLLOWING THESE IMPORTANT GUIDELINES:

- Brace and nail each I-joint as it is installed, using hangers, blocking panels, rim board, and/or cross-briding at joint ends. When I-joints are applied continuously over interior supports and a load-bearing wall is planned at that location, blocking will be required at the interior support.
- When the building is completed, the floor sheathing will provide lateral support for the top flanges of the I-joints. Until this sheathing is applied, temporary bracing, often called struts, or temporary sheathing must be applied to prevent I-joint rollover or buckling.
  - Temporary bracing or struts must be 1x4 inch minimum, at least 8 feet long and spaced no more than 8 feet on centre, and must be secured with a minimum of two 2-1/2" nails fastened to the top surface of each I-joint. Nail the bracing to a lateral restraint at the end of each bay. Lap ends of adjoining bracing over at least two I-joints.
  - On sheathing (temporary or permanent) can be nailed to the top flange of the first 4 feet of I-joints at the end of the bay.
- For cantilevered I-joints, brace top and bottom flanges, and brace ends with closure panels, rim board, or cross-briding.
- Install and fully nail permanent sheathing to each I-joint before placing loads on the floor system. Then, stack building materials over beams or walls only.
- Never install a damaged I-joint.

Improper storage or installation, failure to follow applicable building codes, failure to follow span ratings for Nordic I-joints, failure to follow allowable hole sizes and locations, or failure to use web stiffeners when required can result in serious accidents. Follow these installation guidelines carefully.

## PRODUCT WARRANTY

Charters Chibogamun guarantees that, in accordance with our specifications, Nordic products are free from manufacturing defects in material and workmanship.


Furthermore, Charters Chibogamun warrants that our products, when utilized in accordance with our handling and installation instructions, will meet or exceed our specifications for the lifetime of the structure.

## WEB STIFFENERS


### RECOMMENDATIONS:

- A bearing stiffener is required in all engineered applications with factored reactions greater than shown in the I-joint properties table found in the I-joint Construction Guide (C101). The gap between the stiffener and the flange is at the top.
- A bearing stiffener is required when the I-joint is supported in a hanger and the sides of the hanger do not extend up to, and support, the top flange. The gap between the stiffener and flange is at the top.
- A load stiffener is required at locations where a factored concentrated load greater than 2,370 lbs is applied to the top flange between supports, or in the case of a cantilever, anywhere between the cantilever tip and the support. These values are for standard term load duration, and may be adjusted for other load durations as permitted by the code. The gap between the stiffener and the flange is at the bottom.

FIGURE 2  
WEB STIFFENER INSTALLATION DETAILS




## CANTILEVER DETAILS FOR VERTICAL BUILDING OFFSET



NOTE: Canadian softwood plywood sheathing or equivalent (minimum thickness 3/4") required on sides of joist. Depth shall match the full height of the joist. Nail with 2-1/2" nails at 6" o.c., top and bottom flange. Install with face grain horizontal. Attach I-joint to plate of all supports per detail 1b. Verify reinforced I-joint capacity.

## RIM BOARD INSTALLATION DETAILS



# NORDIC STRUCTURES

**COMPANY**  
Mar. 18, 2021 13:34


**PROJECT**  
J9 - 1ST FLOOR

## Design Check Calculation Sheet Nordic Sizer - Canada 7.2

### Loads:

Load	Type	Distribution	Pat-tern	Location [ft] Start End	Magnitude Start End	Unit
Load1	Dead	Full Area			20.00	psf
Load2	Live	Full Area			40.00	psf

### Maximum Reactions (lbs) and Support Bearing (in):



Unfactored:			
Dead	191		191
Live	381		381
Factored:			
Total	811		811
Bearing:			
Capacity			
Joist	2334		2188
Support	-		5573
Des ratio			
Joist	0.35		0.37
Support	-		0.15
Load case	#2		#2
Length	4		2-3/8
Min req'd	1-3/4		1-3/4
Stiffener	No		No
KD	1.00		1.00
KB support	-		1.00
fcp sup	-		769
Kzcp sup	-		1.09

### Nordic Joist 11-7/8" NI-80 Floor joist @ 12" o.c.

Supports: 1 - Steel Beam, W; 2 - Lumber Sill plate, No.1/No.2;

Total length: 19' 5-1/2"; Clear span: 18' 11-1/8"; 3/4" nailed and glued OSB sheathing

**This section PASSES the design code check.**

### Limit States Design using CSA O86-14 and Vibration Criterion:

Criterion	Analysis Value	Design Value	Unit	Analysis/Design
Shear	Vf = 811	Vr = 2336	lbs	Vf/Vr = 0.35
Moment (+)	Mf = 3865	Mr = 11609	lbs-ft	Mf/Mr = 0.33
Perm. Defl'n	0.11 = < L/999	0.64 = L/360	in	0.17
Live Defl'n	0.22 = < L/999	0.48 = L/480	in	0.46
Total Defl'n	0.33 = L/697	0.95 = L/240	in	0.34
Bare Defl'n	0.25 = L/930	0.64 = L/360	in	0.39
Vibration	Lmax = 19'-0.9	Lv = 21'-2.7	ft	0.90
Defl'n	= 0.026	= 0.033	in	0.77



ENG NO. 7415 - 21  
STRUCTURAL  
COMPONENT ONLY



J9 - 1ST FLOOR

Nordic Sizer – Canada 7.2

Page 2

**Additional Data:**

FACTORS:	f/E	KD	KH	KZ	KL	KT	KS	KN	LC#
Vr	2336	1.00	1.00	-	-	-	-	-	#2
Mr+	11609	1.00	1.00	-	1.000	-	-	-	#2
EI	547.1 million	-	-	-	-	-	-	-	#2

**CRITICAL LOAD COMBINATIONS:**

Shear : LC #2 = 1.25D + 1.5L

Moment (+) : LC #2 = 1.25D + 1.5L

Deflection: LC #1 = 1.0D (permanent)

LC #2 = 1.0D + 1.0L (live)

LC #2 = 1.0D + 1.0L (total)

LC #2 = 1.0D + 1.0L (bare joist)

Bearing : Support 1 - LC #2 = 1.25D + 1.5L

Support 2 - LC #2 = 1.25D + 1.5L

Load Types: D=dead W=wind S=snow H=earth, groundwater E=earthquake  
L=live (use, occupancy) Ls=live (storage, equipment) f=fire

Load Patterns: s=S/2 L=L+Ls =no pattern load in this span

All Load Combinations (LCs) are listed in the Analysis output

**CALCULATIONS:**E<sub>I</sub>eff = 625.37 lb-in<sup>2</sup> K= 6.18e06 lbs"Live" deflection is due to all non-dead loads (live, wind, snow...) **CONFORMS TO OBC 2012****Design Notes:****AMENDED 2020**

1. WoodWorks analysis and design are in accordance with the 2015 National Building Code of Canada (NBC), Division B, Part 4, and the CSA O86-14 Engineering Design in Wood standard, Update No. 2 (June 2017).
2. Please verify that the default deflection limits are appropriate for your application.
3. Refer to Nordic Structures technical documentation for installation guidelines and construction details.
4. Nordic I-joists are listed in CCMC evaluation report 13032-R.
5. Joists shall be laterally supported at supports and continuously along the compression edge.
6. The design assumptions and specifications have been provided by the client. Any damages resulting from faulty or incorrect information, specifications, and/or designs furnished, and the correctness or accuracy of this information is their responsibility. This analysis does not constitute a record of the structural integrity of the building nor suitability of the design assumptions made. Nordic Structures is responsible only for the structural adequacy of this component based on the design criteria and loadings shown.



OWG NO. TAM 7415-21  
STRUCTURAL  
COMPONENT ONLY

# NORDIC STRUCTURES

**COMPANY**  
Mar. 20, 2021 10:47

**PROJECT**  
J8 - 1ST FLOOR


## Design Check Calculation Sheet

Nordic Sizer - Canada 7.2

### Loads:

Load	Type	Distribution	Pat-tern	Location [ft] Start End	Magnitude Start End	Unit
Load1	Dead	Full Area			20.00	psf
Load2	Live	Full Area			40.00	psf

### Maximum Reactions (lbs) and Support Bearing (in):




Unfactored:			
Dead	200		200
Live	400		400
Factored:			
Total	851		851
Bearing:			
Capacity			
Joist	2154		2188
Support	-		5573
Des ratio			
Joist	0.40		0.39
Support	-		0.15
Load case	#2		#2
Length	2		2-3/8
Min req'd	1-3/4		1-3/4
Stiffener	No		No
KD	1.00		1.00
KB support	-		1.00
fcp sup	-		769
Kzcp sup	-		1.09

### Nordic Joist 11-7/8" NI-80 Floor joist @ 12" o.c.

Supports: 1 - Hanger; 2 - Lumber Sill plate, No.1/No.2;

Total length: 20' 2-7/8"; Clear span: 19' 10-1/2"; 3/4" nailed and glued OSB sheathing

**This section PASSES the design code check.**



DWG NO. 7416-21  
STRUCTURAL  
COMPONENT ONLY

**Limit States Design using CSA O86-14 and Vibration Criterion:**

Criterion	Analysis Value	Design Value	Unit	Analysis/Design
Shear	$V_f = 851$	$V_r = 2336$	lbs	$V_f/V_r = 0.36$
Moment (+)	$M_f = 4259$	$M_r = 11609$	lbs-ft	$M_f/M_r = 0.37$
Perm. Defl'n	$0.13 = < L/999$	$0.67 = L/360$	in	0.20
Live Defl'n	$0.26 = L/915$	$0.50 = L/480$	in	0.52
Total Defl'n	$0.39 = L/610$	$1.00 = L/240$	in	0.39
Bare Defl'n	$0.30 = L/813$	$0.67 = L/360$	in	0.44
Vibration	$I_{max} = 20' - 0.3$	$L_v = 21' - 2.7$	ft	0.94
Defl'n	$= 0.028$	$= 0.032$	in	0.87

**Additional Data:**

FACTORS:	f/E	KD	KH	KZ	KL	KT	KS	KN	LC#
$V_r$	2336	1.00	1.00	-	-	-	-	-	#2
$M_r$	11609	1.00	1.00	-	1.000	-	-	-	#2
EI	547.1 million	-	-	-	-	-	-	-	#2

**CRITICAL LOAD COMBINATIONS:**

Shear : LC #2 = 1.25D + 1.5L  
 Moment (+) : LC #2 = 1.25D + 1.5L  
 Deflection: LC #1 = 1.0D (permanent)  
               LC #2 = 1.0D + 1.0L (live)  
               LC #2 = 1.0D + 1.0L (total)  
               LC #2 = 1.0D + 1.0L (bare joist)

Bearing : Support 1 - LC #2 = 1.25D + 1.5L  
            Support 2 - LC #2 = 1.25D + 1.5L

Load Types: D=dead W=wind S=snow H=earth, groundwater E=earthquake  
               L=live (use, occupancy) Ls=live (storage, equipment) f=fire

Load Patterns: s=S/2 L=L+Ls \_=no pattern load in this span

All Load Combinations (LCs) are listed in the Analysis output

**CALCULATIONS:**

$E I_{eff} = 625.37 \text{ lb-in}^2$   $K = 6.18 \times 10^6 \text{ lbs}$

"Live" deflection is due to all non-dead loads (live, wind, snow...) **CONFORMS TO OBC 2012**

**Design Notes:****AMENDED 2020**

1. WoodWorks analysis and design are in accordance with the 2015 National Building Code of Canada (NBC), Division B, Part 4, and the CSA O86-14 Engineering Design in Wood standard, Update No. 2 (June 2017).
2. Please verify that the default deflection limits are appropriate for your application.
3. Refer to Nordic Structures technical documentation for installation guidelines and construction details.
4. Nordic I-joists are listed in CCMC evaluation report 13032-R.
5. Joists shall be laterally supported at supports and continuously along the compression edge.
6. The design assumptions and specifications have been provided by the client. Any damages resulting from faulty or incorrect information, specifications, and/or designs furnished, and the correctness or accuracy of this information is their responsibility. This analysis does not constitute a record of the structural integrity of the building nor suitability of the design assumptions made. Nordic Structures is responsible only for the structural adequacy of this component based on the design criteria and loadings shown.



OWG NO. 7AM 7416-21  
 STRUCTURAL  
 COMPONENT ONLY

# NORDIC STRUCTURES

COMPANY  
Mar. 18, 2021 13:40


PROJECT  
J5 - 2ND FLOOR

## Design Check Calculation Sheet Nordic Sizer – Canada 7.2

### Loads:

Load	Type	Distribution	Pat-tern	Location [ft] Start End	Magnitude Start End	Unit
Load1	Dead	Full Area			20.00	psf
Load2	Live	Full Area			40.00	psf

### Maximum Reactions (lbs) and Support Bearing (in):



Unfactored:			
Dead	188		188
Live	376		376
Factored:			
Total	798		798
Bearing:			
Capacity			
Joist	2221		2221
Support	6659		6659
Des ratio			
Joist	0.36		0.36
Support	0.12		0.12
Load case	#2		#2
Length	2-3/4		2-3/4
Min req'd	1-3/4		1-3/4
Stiffener	No		No
KD	1.00		1.00
KB support	-		-
fcp sup	769		769
Kzcp sup	-		-

Bearing for wall supports is perpendicular-to-grain bearing on top plate. No stud design included.

### Nordic Joist 11-7/8" NI-80 Floor joist @ 12" o.c.


Supports: All - Lumber Wall, No.1/No.2

Total length: 19' 1-1/8"; Clear span: 18' 7-5/8"; 5/8" nailed and glued OSB sheathing with 1/2" gypsum ceiling

This section PASSES the design code check.

### Limit States Design using CSA O86-14 and Vibration Criterion:

Criterion	Analysis Value	Design Value	Unit	Analysis/Design
Shear	Vf = 798	Vr = 2336	lbs	Vf/Vr = 0.34
Moment (+)	Mf = 3748	Mr = 11609	lbs-ft	Mf/Mr = 0.32
Perm. Defl'n	0.10 = < L/999	0.63 = L/360	in	0.17
Live Defl'n	0.21 = < L/999	0.47 = L/480	in	0.45
Total Defl'n	0.31 = L/715	0.94 = L/240	in	0.34
Bare Defl'n	0.23 = L/971	0.63 = L/360	in	0.34
Vibration	Lmax = 18'-9.4	Lv = 20'-5.8	ft	0.8
Defl'n	= 0.027	= 0.033	in	



NO. 7417-21  
STRUCTURAL  
COMPONENT ONLY

**Additional Data:**

FACTORS:	f/E	KD	KH	KZ	KL	KT	KS	KN	LC#
Vr	2336	1.00	1.00	-	-	-	-	-	#2
Mr+	11609	1.00	1.00	-	1.000	-	-	-	#2
EI	547.1 million	-	-	-	-	-	-	-	#2

**CRITICAL LOAD COMBINATIONS:**

Shear : LC #2 = 1.25D + 1.5L

Moment(+) : LC #2 = 1.25D + 1.5L

Deflection: LC #1 = 1.0D (permanent)

LC #2 = 1.0D + 1.0L (live)

LC #2 = 1.0D + 1.0L (total)

LC #2 = 1.0D + 1.0L (bare joist)

Bearing : Support 1 - LC #2 = 1.25D + 1.5L

Support 2 - LC #2 = 1.25D + 1.5L

Load Types: D=dead W=wind S=snow H=earth,groundwater E=earthquake  
L=live(use,occupancy) Ls=live(storage,equipment) f=fire

Load Patterns: s=S/2 L=L+Ls =no pattern load in this span

All Load Combinations (LCs) are listed in the Analysis output

**CALCULATIONS:**E<sub>IEff</sub> = 613.27 lb-in<sup>2</sup> K= 6.18e06 lbs

"Live" deflection is due to all non-dead loads (live, wind, snow...)

**CONFORMS TO OBC 2012****Design Notes:****AMENDED 2020**

1. WoodWorks analysis and design are in accordance with the 2015 National Building Code of Canada (NBC), Division B, Part 4, and the CSA O86-14 Engineering Design in Wood standard, Update No. 2 (June 2017).
2. Please verify that the default deflection limits are appropriate for your application.
3. Refer to Nordic Structures technical documentation for installation guidelines and construction details.
4. Nordic I-joists are listed in CCMC evaluation report 13032-R.
5. Joists shall be laterally supported at supports and continuously along the compression edge.
6. The design assumptions and specifications have been provided by the client. Any damages resulting from faulty or incorrect information, specifications, and/or designs furnished, and the correctness or accuracy of this information is their responsibility. This analysis does not constitute a record of the structural integrity of the building nor suitability of the design assumptions made. Nordic Structures is responsible only for the structural adequacy of this component based on the design criteria and loadings shown.



DWG NO. TAM 2417-21  
 STRUCTURAL  
 COMPONENT ONLY



BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 2ND FLR FRAMING\Flush Beams\B16(i8402)

City, Province, Postal Code: HAMILTON

Specifier:


Customer:

Designer: L.D.

Code reports:

CCMC 12472-R

Company:



Total Horizontal Product Length = 09-03-02

**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 2-5/8"	829 / 0	1090 / 0	451 / 0	
B2, 5-1/2"	1287 / 0	2005 / 0	1749 / 0	

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	09-03-02	Top		12			00-00-00
1	E22(i46)	Unf. Lin. (lb/ft)	L	00-00-00	09-03-02	Top		133	100		n/a
2	FC3 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	05-06-04	Top	12	6			n/a
3	B17(i8464)	Conc. Pt. (lbs)	L	05-06-04	05-06-04	Top	2030	1071			n/a
4	E22(i46)	Conc. Pt. (lbs)	L	08-08-02	08-08-02	Top		638	1274		n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	11735 ft-lbs	35392 ft-lbs	33.2%	1	05-06-04
End Shear	3691 lbs	14464 lbs	25.5%	1	07-09-12
Total Load Deflection	L/999 (0.105")	n/a	n/a	35	04-08-09
Live Load Deflection	L/999 (0.06")	n/a	n/a	51	04-08-09
Max Defl.	0.105"	n/a	n/a	35	04-08-09
Span / Depth	8.8				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 2-5/8" x 3-1/2"	3057 lbs	54.1%	27.3%	Spruce-Pine-Fir
B2	Wall/Plate 5-1/2" x 3-1/2"	6417 lbs	54.2%	27.3%	Spruce-Pine-Fir

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Unbalanced snow loads determined from building geometry were used in selected product's verification.


Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 05-01-14.

CONFORMS TO OBC 2012

AMENDED 2020


 OBC NO. TAM 2410-21  
 STRUCTURAL  
 COMPONENT ONLY



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl


Description: 2ND FLR FRAMING\Flush Beams\B16(i8402)

Specifier:

Designer: L.D.

Company:

### Connection Diagram: Full Length of Member



a minimum = 2"  
b minimum = 3"


c = 7-7/8"  
d = 8"

Connectors are: 1 Nails

3/4" ARDOX SPIRAL

### Connection Diagrams: Concentrated Side Loads

Connection Tag: A Applies to load tag(s): 7



a minimum = 2"  
b minimum = 4"  
c minimum = 4"  
d maximum = 12"  
e minimum = 4"

Connectors are: 16d Nails

3/4" ARDOX SPIRAL



### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2.mmdl

Description: 2ND FLR FRAMING\Flush Beams\B17(i8464)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 09-09-06

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 6-7/8"	2245 / 0	1183 / 0		
B2, 4"	2111 / 0	1113 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	09-09-06	Top		12			00-00-00
1	Smoothed Load	Unf. Lin. (lb/ft)	L	00-09-12	08-09-12	Top	363	182			n/a
2	Smoothed Load	Unf. Lin. (lb/ft)	L	00-09-12	08-09-12	Top	73	37			n/a
3	J7(i8447)	Conc. Pt. (lbs)	L	00-01-12	00-01-12	Top	423	212			n/a
4	-	Conc. Pt. (lbs)	L	09-05-12	09-05-12	Top	442	221			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/ Resistance	Case	Location
Pos. Moment	9502 ft-lbs	35392 ft-lbs	26.8%	1	05-05-12
End Shear	3819 lbs	14464 lbs	26.4%	1	01-06-12
Total Load Deflection	L/999 (0.1")	n/a	n/a	4	04-11-12
Live Load Deflection	L/999 (0.065")	n/a	n/a	5	04-11-12
Max Defl.	0.1"	n/a	n/a	4	04-11-12
Span / Depth	9.1				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/ Resistance Support	Demand/ Resistance Member	Material
B1	Wall/Plate 6-7/8" x 3-1/2"	4846 lbs	32.7%	16.5%	Spruce-Pine-Fir
B2	Hanger 4" x 3-1/2"	4557 lbs	n/a	26.7%	HGUS410

### Cautions

Header for the hanger HGUS410 is a Double 1-3/4" x 11-7/8" LVL Beam.

Hanger model HGUS410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity. *OK*

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.


Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 01-00-08.

CONFORMS TO OBC 2012

AMENDED 2020



OWN NO. 21419 -21  
STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report  
Build 7773

Dry | 1 span | No cant

March 23, 2021 14:39:34

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 2ND FLR FRAMING\Flush Beams\B17(i8464)

City, Province, Postal Code: HAMILTON

Specifier:

Customer:


Designer: L.D.

Code reports:

CCMC 12472-R

Company:

### Connection Diagram: Full Length of Member




a minimum = 2"  
b minimum = 3"

c = 7-7/8"  
d = 8"

Calculated Side Load = 1028.5 lb/ft

Connectors are: 1" Nails

3 1/2" ARDOX SPIRAL



STRUCTURAL

COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current installation Guide and applicable building codes. To obtain installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2.mmdl

Description: 2ND FLR FRAMING\Flush Beams\B30(i8606)

Specifier:

Designer: L.D.

Company:



B1

09-07-10

B2

Total Horizontal Product Length = 09-07-10

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 2-1/2"		58 / 0		
B2, 2-1/2"		58 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	09-07-10	Top	1.00	0.65	1.00	1.15	00-00-00

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	184 ft-lbs	23005 ft-lbs	0.8%	0	04-09-13
End Shear	61 lbs	9401 lbs	0.6%	0	01-02-06
Total Load Deflection	L/999 (0.002")	n/a	n/a	1	04-09-13
Max Defl.	0.002"	n/a	n/a	1	04-09-13
Span / Depth	9.4				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1 Hanger	2-1/2" x 3-1/2"	81 lbs	n/a	1.2%	HUC410
B2 Hanger	2-1/2" x 3-1/2"	81 lbs	n/a	1.2%	HUC410

### Cautions

Header for the hanger HUC410 is a Double 1-3/4" x 11-7/8" LVL Beam.  
Hanger model HUC410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 09-07-10.

CONFORMS TO OBC 2012

AMENDED 2020



P.E. No. 7420-21

STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant.

March 23, 2021 14:39:34

File name: GRANDVILLE 2.mmdl


Description: 2ND FLR FRAMING\Flush Beams\B30(i8606)

Specifier:

Designer: L.D.

Company:

### Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Connectors are: 3/4" ARDOX SPIRAL

3/4" ARDOX SPIRAL



OWG NO. TAM 2410 -21  
STRUCTURAL  
COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJST™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2 - EL 3.mmdl

Description: 2ND FLR FRAMING\Flush Beams\B15 E(i4346)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 12-10-06

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 5-1/2"	78 / 0	627 / 0		
B2, 2-7/8"	72 / 0	642 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	12-10-06	Top		12			00-00-00
1	FC3 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	12-07-08	Top	12	6			n/a
2	E42(i4684)	Unf. Lin. (lb/ft)	L	00-05-08	12-10-06	Top		81			n/a
3	E21(i45)	Conc. Pt. (lbs)	L	00-02-12	00-02-12	Top		17			n/a
4	E42(i4684)	Conc. Pt. (lbs)	L	12-10-02	12-10-02	Top		18			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	2614 ft-lbs	23005 ft-lbs	11.4%	0	06-06-08
End Shear	705 lbs	9401 lbs	7.5%	0	01-05-06
Total Load Deflection	L/999 (0.058")	n/a	n/a	4	06-06-08
Live Load Deflection	L/999 (0.006")	n/a	n/a	5	06-06-08
Max Defl.	0.058"	n/a	n/a	4	06-06-08
Span / Depth	12.4				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 5-1/2" x 3-1/2"	877 lbs	11.4%	5.7%	Spruce-Pine-Fir
B2	Wall/Plate 2-7/8" x 3-1/2"	898 lbs	22.3%	11.3%	Spruce-Pine-Fir

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.


Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 12-02-00.

CONFORMS TO OBC 2012

AMENDED 2020



UW NO. TAM 7423-21  
STRUCTURAL  
COMPONENT ONLY



**Double 1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP**  
**2ND FLR FRAMING\Flush Beams\B15 E(i4346) (Flush Beam)**

**PASSED**

BC CALC® Member Report  
Build 7773


Dry | 1 span | No cant.

March 22, 2021 08:24:41

Job name:  
Address:  
City, Province, Postal Code: HAMILTON  
Customer:  
Code reports: CCMC 12472-R

File name: GRANDVILLE 2 - EL 3.mmdl  
Description: 2ND FLR FRAMING\Flush Beams\B15 E(i4346)  
Specifier:  
Designer: L.D.  
Company:

**Connection Diagram: Full Length of Member**



a minimum = 2"  
b minimum = 3"  
c = 7-7/8"  
d = 7-7/8"

Connectors are: 1" Nails

**3/4" ARDOX SPIRAL**



OWG NO. YAM 2423-21  
STRUCTURAL  
COMPONENT ONLY

**Disclosure**

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



# Double 1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP

1ST FLR FRAMING\Flush Beams\B12E L(i6758) (Flush Beam)

**PASSED**

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant.

March 25, 2021 08:21:48


File name: GRANDVILLE 2 - EL 3.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B12E L(i6758)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 12-02-00

## Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 2-1/2"	534 / 0	1441 / 0	1143 / 0	
B2, 3-1/2"	1129 / 0	2677 / 0	1634 / 0	

## Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	12-02-00	Top		12			00-00-00
1	FC2 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	12-02-00	Top	40	20			n/a
2	9(i87)	Unf. Lin. (lb/ft)	L	06-06-00	11-08-08	Top		101			n/a
3	9(i87)	Unf. Lin. (lb/ft)	L	06-09-08	09-03-00	Top		81			n/a
4	9(i87)	Unf. Lin. (lb/ft)	L	06-10-06	08-02-06	Top	112	56			n/a
5	9(i87)	Unf. Lin. (lb/ft)	L	08-02-06	09-06-06	Top	98	49			n/a
6	9(i87)	Conc. Pt. (lbs)	L	06-07-12	06-07-12	Top	77	1783	2361		n/a
7	9(i87)	Conc. Pt. (lbs)	L	09-06-12	09-06-12	Top	803	1028	416		n/a
8	E10(i32)	Conc. Pt. (lbs)	L	11-11-04	11-11-04	Top		46			n/a

## Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	24560 ft-lbs	35392 ft-lbs	69.4%	13	06-07-12
End Shear	6765 lbs	14464 lbs	46.8%	13	10-10-10
Total Load Deflection	L/342 (0.414")	n/a	70.2%	35	06-04-00
Live Load Deflection	L/642 (0.22")	n/a	56.1%	51	06-04-00
Max Defl.	0.414"	n/a	n/a	35	06-04-00
Span / Depth	11.9				

## Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Hanger 2-1/2" x 3-1/2"	4051 lbs	n/a	37.9%	HUC410
B2	Wall/Plate 3-1/2" x 3-1/2"	6925 lbs	91.9%	46.3%	Spruce-Pine-Fir

## Cautions

Header for the hanger HUC410 is a Double 1-3/4" x 11-7/8" LVL Beam.

Hanger model HUC410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.



DESIGN NO. TAM 742-21  
STRUCTURAL  
COMPONENT ONLY



**Double 1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP**  
**1ST FLR FRAMING\Flush Beams\B12E L(i6758) (Flush Beam)**

**PASSED**

BC CALC® Member Report  
Build 7773

Dry | 1 span | No cant.

March 25, 2021 08:21:48

Job name:  
Address:  
City, Province, Postal Code: HAMILTON  
Customer:  
Code reports: CCMC 12472-R

File name: GRANDVILLE 2 - EL 3.mmdl  
Description: 1ST FLR FRAMING\Flush Beams\B12E L(i6758)  
Specifier:  
Designer: L.D.  
Company:


**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.  
Design meets Code minimum (L/360) Live load deflection criteria.  
Hanger Manufacturer: Unassigned  
Resistance Factor phi has been applied to all presented results per CSA O86.  
BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.  
Unbalanced snow loads determined from building geometry were used in selected product's verification.  
Design based on Dry Service Condition.  
Importance Factor : Normal Part code : Part 9  
Calculations assume unbraced length of Top: 00-00-00, Bottom: 11-10-08.

**CONFORMS TO OBC 2012**

**AMENDED 2020**

**Connection Diagram: Full Length of Member**



a minimum = 2"      c = 7-7/8"  
b minimum = 3"      d = 6"

Connectors are: 1 Nails  
**3 1/2" ARDOX SPIRAL**



OWB NO. TAM242-21  
**STRUCTURAL  
COMPONENT ONLY**

**Disclosure**

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA).  
Completeness and accuracy of Input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods.  
Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™,  
ALLJOIST®, BC RIM BOARD™, BCI®,  
BOISE GLULAM™, BC FloorValue®,  
VERSA-LAM®, VERSA-RIM PLUS®.



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2.mmdl

Description: 2ND FLR FRAMING\Flush Beams\B14(i8231)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 06-06-00

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	2378 / 0	1228 / 0		
B2, 5-1/2"	2050 / 0	1090 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	06-06-00	Top	1.00	0.65	1.00	1.15	00-00-00
1	Smoothed Load	Unf. Lin. (lb/ft)	L	00-00-00	05-00-00	Top	382	191			n/a
2	Smoothed Load	Unf. Lin. (lb/ft)	L	00-00-00	05-00-00	Top	371	186			n/a
3	-	Conc. Pt. (lbs)	L	05-06-00	05-06-00	Top	863	331			n/a
4	E15(i42)	Conc. Pt. (lbs)	L	06-03-04	06-03-04	Top		24			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	6991 ft-lbs	35392 ft-lbs	19.8%	1	03-06-00
End Shear	3819 lbs	14464 lbs	26.4%	1	01-03-06
Total Load Deflection	L/999 (0.031")	n/a	n/a	4	03-02-04
Live Load Deflection	L/999 (0.021")	n/a	n/a	5	03-02-04
Max Defl.	0.031"	n/a	n/a	4	03-02-04
Span / Depth	5.9				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 3-1/2" x 3-1/2"	5102 lbs	67.7%	34.1%	Spruce-Pine-Fir
B2	Wall/Plate 5-1/2" x 3-1/2"	4438 lbs	37.5%	18.9%	Spruce-Pine-Fir

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 00-08-08.

CONFORMS TO OBC 2012

AMENDED 2020



UWB NO. TAM 2421 -21  
STRUCTURAL  
COMPONENT ONLY





BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl


Description: 2ND FLR FRAMING\Flush Beams\B14(i8231)

Specifier:

Designer: L.D.

Company:

## Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 6"

Calculated Side Load = 811.8 lb/ft

Connectors are: 16d Nails

3 1/2" ARDOX SPIRAL



UWB NO. 7424-21

STRUCTURAL

COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®



**PASSED**

March 22, 2021 08:24:41

**Company:**



UWD NO. TAM 7424-21  
STRUCTURAL  
COMPONENT ONLY

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant.

March 22, 2021 08:24:41

File name: GRANDVILLE 2 - EL 3.mmdl

Description: 2ND FLR FRAMING\Flush Beams\B17 E(i4445)

Specifier:

Designer: L.D.

Company:

## Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.


Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 01-01-08.

CONFORMS TO OBC 2012

AMENDED 2020

## Connection Diagram: Full Length of Member



a minimum = 2"

c = 7-7/8"

b minimum = 3"

d = 8"

Calculated Side Load = 1028.5 lb/ft

Connectors are: 1 Nails

3/4" ARDOX SPIRAL



DWG NO. YAM 2424-21

STRUCTURAL

COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



**Double 1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP**  
**2ND FLR FRAMING\Flush Beams\B16 E(i4374) (Flush Beam)**

**PASSED**

BC CALC® Member Report

Dry | 1 span | No cant.

March 22, 2021 08:24:40

Build 7773

Job name:

File name: GRANDVILLE 2 - EL 3.mmdl

Address:

Description: 2ND FLR FRAMING\Flush Beams\B16 E(i4374)

City, Province, Postal Code: HAMILTON

Specifier:


Customer:

Designer: L.D.

Code reports:

CCMC 12472-R

Company:



Total Horizontal Product Length = 09-03-08

**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 5-1/2"	804 / 0	861 / 0		
B2, 5-1/2"	1314 / 0	1122 / 0		

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	09-03-08	Top	12				00-00-00
1	E22(i46)	Unf. Lin. (lb/ft)	L	00-00-00	08-10-00	Top	81				n/a
2	FC3 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	08-10-00	Top	17	8			n/a
3	B17 E(i4445)	Conc. Pt. (lbs)	L	05-09-02	05-09-02	Top	1968	1058			n/a
4	E20(i44)	Conc. Pt. (lbs)	L	09-00-12	09-00-12	Top	24				n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	9738 ft-lbs	35392 ft-lbs	27.5%	1	05-09-02
End Shear	3184 lbs	14464 lbs	22.0%	1	07-10-02
Total Load Deflection	L/999 (0.077")	n/a	n/a	4	04-11-07
Live Load Deflection	L/999 (0.043")	n/a	n/a	5	04-11-07
Max Defl.	0.077"	n/a	n/a	4	04-11-07
Span / Depth	8.6				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 5-1/2" x 3-1/2"	2283 lbs	19.3%	9.7%	Spruce-Pine-Fir
B2	Wall/Plate 5-1/2" x 3-1/2"	3374 lbs	28.5%	14.4%	Spruce-Pine-Fir

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.


Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 05-01-14.

CONFORMS TO OBC 2012

AMENDED 2020



UWG NO. 74W 7425-21  
STRUCTURAL  
COMPONENT ONLY

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant

March 22, 2021 08:24:40

File name: GRANDVILLE 2 - EL 3.mmdl


Description: 2ND FLR FRAMING\Flush Beams\B16 E(14374)

Specifier:

Designer: L.D.

Company:

### Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"


d = 6"

Connectors are: 1 - Nails

3 1/2" ARDOX SPIRAL

### Connection Diagrams: Concentrated Side Loads

Connection Tag: A Applies to load tag(s): 3



a minimum = 2"

b minimum = 4"

c minimum = 4"

d maximum = 12"

e minimum = 4"

Connectors are: 16d - Nails

3 1/2" ARDOX SPIRAL



UW NO. TAM 2415-21  
STRUCTURAL  
COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,

BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 1ST FLR FRAMING\Flush Beams\B6H(i8485)

City, Province, Postal Code: HAMILTON

Specifier:


Customer:

Designer: L.D.

Code reports:

CCMC 12472-R

Company:



Total Horizontal Product Length = 13-00-08

**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	288 / 0	207 / 0		
B2, 1-3/4"	197 / 0	138 / 0		

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	13-00-08	Top	1.00	0.65	1.00	1.15	00-00-00
1	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	13-00-08	Top	31	15			n/a
2	E33(i80)	Conc. Pt. (lbs)	L	00-02-12	00-02-12	Top	86	66			n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	1470 ft-lbs	17696 ft-lbs	8.3%	1	06-07-02
End Shear	386 lbs	7232 lbs	5.3%	1	01-03-06
Total Load Deflection	L/999 (0.063")	n/a	n/a	4	06-07-02
Live Load Deflection	L/999 (0.037")	n/a	n/a	5	06-07-02
Max Defl.	0.063"	n/a	n/a	4	06-07-02
Span / Depth	12.9				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 3-1/2" x 1-3/4"	690 lbs	18.3%	9.2%	Spruce-Pine-Fir
B2	Column 1-3/4" x 1-3/4"	468 lbs	18.8%	12.5%	Unspecified

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.  
 Design meets Code minimum (L/360) Live load deflection criteria.  
 Resistance Factor phi has been applied to all presented results per CSA O86.  
 BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.  
 Design based on Dry Service Condition.  
 Importance Factor : Normal Part code : Part 9  
 Calculations assume unbraced length of Top: 00-00-00, Bottom: 12-07-04.

CONFORMS TO CBC 2012

AMENDED 2020


 OWC NO. 246-21  
 STRUCTURAL  
 COMPONENT ONLY

**Disclosure**

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®.



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant.

March 23, 2021 14:39:34


File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B1(i8270) (Flush Beam)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 12-06-14

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 5-1/4"	621 / 0	452 / 0		
B2, 2-1/2"	712 / 0	467 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	12-06-14	Top	1.00	0.65	1.00	1.15	00-00-00
1	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-05-04	07-06-14	Top	23	12			n/a
2	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	07-06-14	12-06-14	Top	20	10			n/a
3	B8(i8197)	Conc. Pt. (lbs)	L	07-08-10	07-08-10	Top	182	151			n/a
4	J4(i8047)	Conc. Pt. (lbs)	L	08-05-04	08-05-04	Top	214	107			n/a
5	J4(i8048)	Conc. Pt. (lbs)	L	09-09-04	09-09-04	Top	263	132			n/a
6	J4(i8049)	Conc. Pt. (lbs)	L	11-01-04	11-01-04	Top	132	66			n/a
7	8(i83)	Conc. Pt. (lbs)	L	00-02-12	00-02-12	Top	268	175			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	4664 ft-lbs	35392 ft-lbs	13.2%	1	07-08-10
End Shear	1582 lbs	14464 lbs	10.9%	1	11-04-08
Total Load Deflection	L/999 (0.081")	n/a	n/a	4	06-09-10
Live Load Deflection	L/999 (0.047")	n/a	n/a	5	06-09-10
Max Defl.	0.081"	n/a	n/a	4	06-09-10
Span / Depth	12.2				

Bearing Supports	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1 Beam	5-1/4" x 3-1/2"	1496 lbs	15.2%	6.7%	Unspecified
B2 Hanger	2-1/2" x 3-1/2"	1652 lbs	n/a	15.5%	HUC410

### Cautions

Header for the hanger HUC410 is a Double 1-3/4" x 11-7/8" LVL Beam.

Hanger model HUC410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.



ENG NO. 2472-21  
STRUCTURAL  
COMPONENT ONLY



1ST FLR FRAMING\Flush Beams\B1(i8270) (Flush Beam)

Dry | 1 span | No cant.

March 23, 2021 14:39:34

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B1(i8270)

Specifier:

Designer: L.D.

Company:

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.


Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 07-01-10.

CONFORMS TO OBC 2012

AMENDED 2020

Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Calculated Side Load = 507.1 lb/ft

Connectors are: 1 Nails

3 1/2" ARDOX SPIRAL



DWG NO. TAM 2427-21

STRUCTURAL

COMPONENT ONLY

Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS® ,





BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 1ST FLR FRAMING\Flush Beams\B11L(i8227)

City, Province, Postal Code: HAMILTON


Specifier:

Customer:

Designer: L.D.

Code reports: CCMC 12472-R

Company:



Total Horizontal Product Length = 13-01-00.

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	2379 / 0	1321 / 0		
B2, 3-1/2"	3002 / 0	2464 / 0	471 / 0	

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	13-01-00	Top		12			00-00-00
1	Smoothed Load	Unf. Lin. (lb/ft)	L	00-06-00	12-06-00	Top	393	197			n/a
2	B12L(i8274)	Conc. Pt. (lbs)	L	12-11-04	12-11-04	Top	661	1215	471		n/a
3	E12(i31)	Conc. Pt. (lbs)	L	00-02-12	00-02-12	Top		53			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	16946 ft-lbs	35392 ft-lbs	47.9%	1	07-00-00
End Shear	4897 lbs	14464 lbs	33.9%	1	01-03-06
Total Load Deflection	L/430 (0.353")	n/a	55.8%	35	06-06-00
Live Load Deflection	L/658 (0.23")	n/a	54.7%	51	06-06-00
Max Defl.	0.353"	n/a	n/a	35	06-06-00
Span / Depth	12.8				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 3-1/2" x 3-1/2"	5220 lbs	69.3%	34.9%	Spruce-Pine-Fir
B2	Column 3-1/2" x 3-1/2"	8054 lbs	81.0%	53.9%	Unspecified

### Cautions

Concentrated side load(s) 14 are closer than 18" from end of member. Please consult a technical representative or Professional of Record.

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.  
 Design meets Code minimum (L/360) Live load deflection criteria.  
 Resistance Factor phi has been applied to all presented results per CSA O86.  
 BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.  
 Unbalanced snow loads determined from building geometry were used in selected product's verification.  
 Design based on Dry Service Condition.  
 Importance Factor : Normal Part code : Part 9  
 Calculations assume unbraced length of Top: 00-00-00, Bottom: 00-08-08.

CONFORMS TO OBC 2012

AMENDED 2020



SWG NO. TAM 24962-21  
STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl


Description: 1ST FLR FRAMING\Flush Beams\B11L(i8227)

Specifier:

Designer: L.D.

Company:

## Connection Diagram: Full Length of Member



a minimum = 2"

c = 7-7/8"


b minimum = 3"

d = 8"

Calculated Side Load = 837.3 lb/ft

Connectors are: 16d Nails

3/4" ARDOX SPIRAL



## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJST™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 1ST FLR FRAMING\Flush Beams\B12L(i8274)

City, Province, Postal Code: HAMILTON


Specifier:

Customer:

Designer: L.D.

Code reports: CCMC 12472-R

Company:



Total Horizontal Product Length = 12-02-00

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 2-1/2"	646 / 0	1212 / 0	469 / 0	
B2, 3-1/2"	745 / 0	1784 / 0	607 / 0	

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	12-02-00	Top		12			00-00-00
1	FC2 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	12-02-00	Top	40	20			n/a
2	9(i87)	Unf. Lin. (lb/ft)	L	06-06-00	11-08-08	Top		101			n/a
3	9(i87)	Unf. Lin. (lb/ft)	L	06-06-00	07-03-12	Top	92	1167	773		n/a
4	9(i87)	Conc. Pt. (lbs)	L	06-07-12	06-07-12	Top	830	1089	450		n/a
5	E9(i22)	Conc. Pt. (lbs)	L	11-11-04	11-11-04	Top		46			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	16961 ft-lbs	35392 ft-lbs	47.9%	1	06-07-12
End Shear	3769 lbs	14464 lbs	26.1%	1	10-10-10
Total Load Deflection	L/489 (0.289")	n/a	49.1%	35	06-04-00
Live Load Deflection	L/1047 (0.135")	n/a	34.4%	51	06-02-00
Max Defl.	0.289"	n/a	n/a	35	06-04-00
Span / Depth	11.9				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Hanger 2-1/2" x 3-1/2"	2953 lbs	n/a	27.7%	HUC410
B2	Wall/Plate 3-1/2" x 3-1/2"	3955 lbs	52.5%	26.5%	Spruce-Pine-Fir

### Cautions

Header for the hanger HUC410 is a Double 1-3/4" x 11-7/8" LVL Beam.

Hanger model HUC410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.



ENG. NO. TAM 7429-21  
STRUCTURAL  
COMPONENT ONLY

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B12L(i8274)

Specifier:

Designer: L.D.

Company:

## Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.


Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 11-10-08.

CONFORMS TO OBC 2012

AMENDED 2020

## Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Connectors are: 1 Nail

3/4" ARDOX SPIRAL



OWG NO. 2429-21  
STRUCTURAL  
COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®.



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant

March 23, 2021 14:39:34


File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B8(i8197) (Flush Beam)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 09-11-02

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 5-1/4"	977 / 0	568 / 0		
B2, 4"	177 / 0	150 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	09-11-02	Top	12				00-00-00
1	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-02-10	01-04-06	Top	14	7			n/a
2	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-02-10	00-09-15	Top	25	12			n/a
3	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	01-04-06	09-11-02	Top	17	9			n/a
4	-	Conc. Pt. (lbs)	L	01-03-01	01-03-01	Top	972	507			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/ Resistance	Case	Location
Pos. Moment	1863 ft-lbs	35392 ft-lbs	5.3%	1	01-03-08
End Shear	1774 lbs	14464 lbs	12.3%	1	01-05-02
Total Load Deflection	L/999 (0.019")	n/a	n/a	4	04-06-13
Live Load Deflection	L/999 (0.011")	n/a	n/a	5	04-06-13
Max Defl.	0.019"	n/a	n/a	4	04-06-13
Span / Depth	9.4				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/ Resistance Support	Demand/ Resistance Member	Material
B1	Beam 5-1/4" x 3-1/2"	2176 lbs	22.2%	9.7%	Unspecified
B2	Hanger 4" x 3-1/2"	453 lbs	n/a	2.7%	HGUS410

### Cautions

Header for the hanger HGUS410 is a Double 1-3/4" x 11-7/8" LVL Beam.

Hanger model HGUS410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.

Concentrated side load(s) 5 are closer than 18" from end of member. Please consult a technical representative or Professional of Record.



DWG NO. YAM 2432-21  
STRUCTURAL  
COMPONENT ONLY

1ST FLR FRAMING\Flush Beams\B8(i8197) (Flush Beam)

Dry | 1 span | No cant.

March 23, 2021 14:39:34

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mxd

Description: 1ST FLR FRAMING\Flush Beams\B8(i8197)

Specifier:

Designer: L.D.

Company:

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA 086.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA 086.

Design based on Dry Service Condition.


Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 08-06-12.

CONFORMS TO OBC 2012

AMENDED 2020

Connection Diagram: Full Length of Member



a minimum = 2"


b minimum = 3"

c = 7-7/8"

d = 8"

Calculated Side Load = 81.5 lb/ft

Connectors are: 3/4" ARDOX SPIRAL Nails



Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,


**Build 7773**
**Job name:**
**File name:** GRANDVILLE 2.mmdl

**Address:**
**Description:** 1ST FLR FRAMING\Flush Beams\B7(i8198)

**City, Province, Postal Code:** HAMILTON

**Specifier:**
**Customer:**
**Designer:** L.D.

**Code reports:** CCMC 12472-R

**Company:**

**Total Horizontal Product Length = 07-06-14**
**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 5-1/4"	864 / 0	455 / 0		
B2, 3"	926 / 0	485 / 0		

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	07-06-14	Top	1.00	0.65	1.00	1.15	00-00-00
1	STAIRS	Unf. Lin. (lb/ft)	L	00-05-04	07-06-14	Top	240	120			n/a
2	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-05-04	07-06-14	Top	11	5			n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	3319 ft-lbs	17696 ft-lbs	18.8%	1	03-10-09
End Shear	1325 lbs	7232 lbs	18.3%	1	01-05-02
Total Load Deflection	L/999 (0.043")	n/a	n/a	4	03-10-09
Live Load Deflection	L/999 (0.028")	n/a	n/a	5	03-10-09
Max Defl.	0.043"	n/a	n/a	4	03-10-09
Span / Depth	7.1				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Beam 5-1/4" x 1-3/4"	1865 lbs	38.0%	16.6%	Unspecified
B2	Hanger 3" x 1-3/4"	1995 lbs	n/a	31.1%	HUS1.81/10

**Cautions**

Header for the hanger HUS1.81/10 is a Double 1-3/4" x 11-7/8" LVL Beam.  
Hanger model HUS1.81/10 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.  
Design meets Code minimum (L/360) Live load deflection criteria.  
Hanger Manufacturer: Unassigned  
Resistance Factor phi has been applied to all presented results per CSA O86.  
BC CALCO analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.  
Design based on Dry Service Condition.  
Importance Factor : Normal Part code : Part 9  
Calculations assume unbraced length of Top: 00-00-00, Bottom: 07-01-10.

**CONFORMS TO OBC 2012**
**AMENDED 2020**

**IWE NO. TAM7433-21  
STRUCTURAL  
COMPONENT ONLY**
**Disclosure**

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA).  
Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods.  
Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALCO®, BC FRAMER®, AJST™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant.

March 23, 2021 14:39:34


File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B10L(i8312)

Specifier:

Designer: L.D.

Company:



B1

B2

Total Horizontal Product Length = 09-01-00

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	1307 / 0	762 / 0		
B2, 5-1/2"	1364 / 0	1038 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	09-01-00	Top		12			00-00-00
1	FC2 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	09-01-00	Top	13	6			n/a
2	Smoothed Load	Unf. Lin. (lb/ft)	L	01-05-08	07-05-08	Top	297	148			n/a
3	3(i77)	Unf. Lin. (lb/ft)	L	05-07-10	09-01-00	Top		20			n/a
4	3(i77)	Unf. Lin. (lb/ft)	L	08-02-04	09-01-00	Top		61			n/a
5	3(i77)	Trapezoidal (lb/ft)	L	05-07-10		Top	30	97			n/a
					08-07-08		35	97			
6	J2(i8173)	Conc. Pt. (lbs)	L	00-11-08	00-11-08	Top	344	172			n/a
7	J2(i8267)	Conc. Pt. (lbs)	L	07-11-08	07-11-08	Top	315	158			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	6557 ft-lbs	35392 ft-lbs	18.5%	1	04-11-08
End Shear	2980 lbs	14464 lbs	20.6%	1	07-07-10
Total Load Deflection	L/999 (0.062")	n/a	n/a	4	04-05-08
Live Load Deflection	L/999 (0.038")	n/a	n/a	5	04-05-08
Max Defl.	0.062"	n/a	n/a	4	04-05-08
Span / Depth	8.5				

			Demand/ Resistance Support	Demand/ Resistance Member	Material	
Bearing Supports	Dim. (LxW)	Demand				
B1	Column	3-1/2" x 3-1/2"	2913 lbs	29.3%	19.5%	Unspecified
B2	Wall/Plate	5-1/2" x 3-1/2"	3343 lbs	28.2%	14.2%	Spruce-Pine-Fir

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 00-10-04.

CONFORMS TO OBC 2012

AMENDED 2020



URG NO. TAM 2431-21  
 STRUCTURAL  
 COMPONENT ONLY





BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl


Description: 1ST FLR FRAMING\Flush Beams\B10L(i8312)

Specifier:

Designer: L.D.

Company:

### Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Calculated Side Load = 630.5 lb/ft

Connectors are: 16d 1 Nails

3 1/2" ARDOX SPIRAL



DWG NO. TAM 7431-21

STRUCTURAL

COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B5H(i8291)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 10-02-10

**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 5-1/4"	2723 / 0	1584 / 0		
B2, 3-1/2"	1557 / 0	1391 / 0		

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	10-02-10	Top		12			00-00-00
1	15(i8601)	Conc. Pt. (lbs)	L	00-01-12	00-01-12	Top	2722	1521			n/a
2	-	Conc. Pt. (lbs)	L	10-00-14	10-00-14	Top	1554	1329			n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	195 ft-lbs	23005 ft-lbs	0.8%	0	05-02-03
End Shear	63 lbs	9401 lbs	0.7%	0	01-05-02
Total Load Deflection	L/999 (0.002")	n/a	n/a	4	05-02-03
Max Defl.	0.002"	n/a	n/a	4	05-02-03
Span / Depth	9.7				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Beam 5-1/4" x 3-1/2"	6065 lbs	61.8%	27.1%	Unspecified
B2	Column 3-1/2" x 3-1/2"	4075 lbs	41.0%	27.3%	Unspecified

**Cautions**

Concentrated side load(s) 6,5 are closer than 18" from end of member. Please consult a technical representative or Professional of Record.

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.  
Resistance Factor phi has been applied to all presented results per CSA O86.  
BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.  
Design based on Dry Service Condition.  
Importance Factor : Normal Part code : Part 9  
Calculations assume unbraced length of Top: 00-00-00, Bottom: 09-05-14.

CONFORMS TO OBC 2012

AMENDED 2020



ENG NO. 7430-21  
STRUCTURAL  
COMPONENT ONLY

BC CALC® Member Report

Dry | 1 span | No cant

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 1ST FLR FRAMING\Flush Beams\B5H(i8291) (Flush Beam)

City, Province, Postal Code: HAMILTON

Specifier:

Customer:


Designer: L.D.

Code reports:

CCMC 12472-R

Company:

### Connection Diagram: Full Length of Member



a minimum = 2"  
b minimum = 3"

c = 7-7/8"  
d = 8"

Connectors are: 1/2" x 3" Nails

3/4" ARDOX SPIRAL



UWG NO. TAM 2430-21  
STRUCTURAL  
COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCi®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B4H(i8455)

Specifier:

Designer: L.D.

Company:



06-08-04

B1

B2

Total Horizontal Product Length = 06-08-04

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 2-1/2"	712 / 0	647 / 0		
B2, 5-1/2"	847 / 0	732 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	06-08-04	Top		12			00-00-00
1	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	06-08-04	Top	23	12			n/a
2	11(i90)	Unf. Lin. (lb/ft)	L	00-01-00	06-02-12	Top		81			n/a
3	11(i90)	Unf. Lin. (lb/ft)	L	00-02-12	01-06-12	Top	198	99			n/a
4	11(i90)	Unf. Lin. (lb/ft)	L	01-00-00	02-01-08	Top	15				n/a
5	-	Unf. Lin. (lb/ft)	L	01-05-08	06-02-12	Top	195	97			n/a
6	11(i90)	Unf. Lin. (lb/ft)	L	02-04-00	03-05-08	Top	15				n/a
7	11(i90)	Unf. Lin. (lb/ft)	L	03-08-00	04-09-08	Top	15				n/a
8	6(i81)	Conc. Pt. (lbs)	L	06-05-08	06-05-08	Top	136	92			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	2898 ft-lbs	35392 ft-lbs	8.2%	1	03-02-02
End Shear	1686 lbs	14464 lbs	11.7%	1	01-02-06
Total Load Deflection	L/999 (0.015")	n/a	n/a	4	03-02-02
Live Load Deflection	L/999 (0.008")	n/a	n/a	5	03-02-02
Max Defl.	0.015"	n/a	n/a	4	03-02-02
Span / Depth	6.2				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Hanger 2-1/2" x 3-1/2"	1876 lbs	n/a	17.6%	HUC410
B2	Wall/Plate 5-1/2" x 3-1/2"	2186 lbs	18.5%	9.3%	Spruce-Pine-Fir

### Cautions

Header for the hanger HUC410 is a Double 1-3/4" x 11-7/8" LVL Beam.

Hanger model HUC410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.



WVG NO. YAM 7434-21  
STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B4H(i8455)

Specifier:

Designer: L.D.

Company:

## Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.


Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 06-02-12.

CONFORMS TO OBC 2012

AMENDED 2020

## Connection Diagram: Full Length of Member



a minimum = 2"


b minimum = 3"

c = 7-7/8"

d = 2"

Connectors are: 3/4" ARDOX SPIRAL Nails

3/4" ARDOX SPIRAL



DWG NO. YAM 2434-21

STRUCTURAL

COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 1ST FLR FRAMING\Flush Beams\B2H(i8324)

City, Province, Postal Code: HAMILTON


Specifier:

Customer:

Designer: L.D.

Code reports: CCMC 12472-R

Company:



Total Horizontal Product Length = 05-07-10

**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 1-3/4"	89 / 0	77 / 0		
B2, 5-1/4"	1963 / 0	1102 / 0		

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	05-07-10	Top	1.00	0.65	1.00	1.15	00-00-00
1	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	05-05-00	Top	32	16			n/a
2	12(i91)	Conc. Pt (lbs)	L	05-05-00	05-05-00	Top	1876	1023			n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	277 ft-lbs	35392 ft-lbs	0.8%	1	02-08-01
End Shear	127 lbs	14464 lbs	0.9%	1	01-01-10
Total Load Deflection	L/999 (0.001")	n/a	n/a	4	02-08-01
Live Load Deflection	L/999 (0.001")	n/a	n/a	5	02-08-01
Max Defl.	0.001"	n/a	n/a	4	02-08-01
Span / Depth	5.2				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Column 1-3/4" x 3-1/2"	229 lbs	4.6%	3.1%	Unspecified
B2	Beam 5-1/4" x 3-1/2"	4323 lbs	44.1%	19.3%	Unspecified

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 05-02-06.

CONFORMS TO OBC 2012

AMENDED 2020



OWG NO. YAM 7435-21  
STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant.

March 23, 2021 14:39:34

File name: GRANDVILLE 2.mmdl


Description: 1ST FLR FRAMING\Flush Beams\B2H(i8324)

Specifier:

Designer: L.D.

Company:

## Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Connectors are: 3/4" ARDOX SPIRAL Nails

3/4" ARDOX SPIRAL



DWG NO. TAM 7435-21

STRUCTURAL

COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJST™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2.mxd

Description: 1ST FLR FRAMING\Flush Beams\B9(i8253)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 04-11-00

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	1884 / 0	1381 / 0	316 / 0	
B2, 3-1/2"	1622 / 0	1250 / 0	316 / 0	

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	04-11-00	Top	1.00	0.65	1.00	1.15	00-00-00
1	Smoothed Load	Unf. Lin. (lb/ft)	L	00-06-00	04-06-00	Top	376	188			n/a
2	FC1 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	02-06-00	03-10-00	Top	26				n/a
3	E1(i24)	Conc. Pt. (lbs)	L	00-02-12	00-02-12	Top	1104	961	316		n/a
4	E4(i21)	Conc. Pt. (lbs)	L	04-08-04	04-08-04	Top	806	812	316		n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	2308 ft-lbs	35392 ft-lbs	6.5%	1	02-06-00
End Shear	1550 lbs	14464 lbs	10.7%	1	01-03-06
Total Load Deflection	L/999 (0.006")	n/a	n/a	35	02-05-09
Live Load Deflection	L/999 (0.004")	n/a	n/a	51	02-05-09
Max Defl.	0.006"	n/a	n/a	35	02-05-09
Span / Depth	4.5				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 3-1/2" x 3-1/2"	4869 lbs	64.6%	32.6%	Spruce-Pine-Fir
B2	Wall/Plate 3-1/2" x 3-1/2"	4312 lbs	57.2%	28.9%	Spruce-Pine-Fir

### Cautions

Concentrated side load(s) 8,13 are closer than 18" from end of member. Please consult a technical representative or Professional of Record.

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 01-00-08.

CONFORMS TO OBC 2012

AMENDED 2020



OWN NO. TAM 7436-21  
STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl


Description: 1ST FLR FRAMING\Flush Beams\B9(i8253)

Specifier:

Designer: L.D.

Company:

### Connection Diagram: Full Length of Member



a minimum = 2"

c = 7-7/8"

b minimum = 3"

d = 8"


Calculated Side Load = 10.6 lb/ft

Connectors are: 1 Nails

3 1/2" ARDOX SPIRAL

### Connection Diagrams: Concentrated Side Loads

Connection Tag: A Applies to load tag(s): 10



a minimum = 2"

b minimum = 4"


c minimum = 4"

d maximum = 12"

Connectors are: 1 Nails

Nails

3 1/2" ARDOX SPIRAL



OWB NO. TAM 249621  
STRUCTURAL  
COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 1ST FLR FRAMING\Flush Beams\B3H(i8281)

City, Province, Postal Code: HAMILTON

Specifier:


Customer:

Designer: L.D.

Code reports:

CCMC 12472-R

Company:



Total Horizontal Product Length = 02-09-00

**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	537 / 0	277 / 0		
B2, 1-3/4"	170 / 0	93 / 0		

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	02-09-00	Top		6			00-00-00
1	J3(i8278)	Conc. Pt. (lbs)	L	00-01-04	00-01-04	Top	342	171			n/a
2	J3(i8275)	Conc. Pt. (lbs)	L	01-04-06	01-04-06	Top	362	181			n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	477 ft-lbs	17696 ft-lbs	2.7%	1	01-04-06
End Shear	417 lbs	7232 lbs	5.8%	1	01-03-06
Total Load Deflection	L/999 (0.001")	n/a	n/a	4	01-05-02
Live Load Deflection	L/999 (0")	n/a	n/a	5	01-05-02
Max Defl.	0.001"	n/a	n/a	4	01-05-02
Span / Depth	2.5				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Column 3-1/2" x 1-3/4"	1153 lbs	23.2%	15.4%	Unspecified
B2	Column 1-3/4" x 1-3/4"	372 lbs	15.0%	10.0%	Unspecified

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 01-03-06.

CONFORMS TO OBC 2012

AMENDED 2020


 DWG NO. TAM 24722-21  
 STRUCTURAL  
 COMPONENT ONLY

**Disclosure**

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2 - DECK COND.mmdl

Description: 1ST FLR FRAMING\Flush Beams\B20(i5169)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 03-01-00

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	1064 / 0	885 / 0	198 / 0	
B2, 3-1/2"	1128 / 0	917 / 0	198 / 0	

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	03-01-00	Top		12			00-00-00
1	E5(i29)	Unf. Lin. (lb/ft)	L	00-00-00	03-01-00	Top	383	408	128		n/a
2	J8(i5163)	Conc. Pt. (lbs)	L	00-11-08	00-11-08	Top	505	253			n/a
3	J8(i5273)	Conc. Pt. (lbs)	L	02-03-08	02-03-08	Top	505	253			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	1753 ft-lbs	35392 ft-lbs	5.0%	1	01-05-12
End Shear	2050 lbs	14464 lbs	14.2%	1	01-03-06
Total Load Deflection	L/999 (0.002")	n/a	n/a	35	01-06-08
Live Load Deflection	L/999 (0.001")	n/a	n/a	51	01-06-08
Max Defl.	0.002"	n/a	n/a	35	01-06-08
Span / Depth	2.7				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 3-1/2" x 3-1/2"	2901 lbs	38.5%	19.4%	Spruce-Pine-Fir
B2	Wall/Plate 3-1/2" x 3-1/2"	3037 lbs	40.3%	20.3%	Spruce-Pine-Fir

### Cautions

Concentrated side load(s) 7,8 are closer than 18" from end of member. Please consult a technical representative or Professional of Record.

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 01-00-08.

CONFORMS TO CBC 2012

AMENDED 2020



OWC NO. TAM 2438-21  
STRUCTURAL  
COMPONENT ONLY

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2 - DECK COND.mmdl


Description: 1ST FLR FRAMING\Flush Beams\B20(i5169)

Specifier:

Designer: L.D.

Company:

## Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Connectors are: 3/4" ARDOX SPIRAL Nails

3/4" ARDOX SPIRAL



OWN NO. TAM 243821  
STRUCTURAL  
COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 2ND FLR FRAMING\Flush Beams\B18(i8301)

City, Province, Postal Code: HAMILTON

Specifier:


Customer:

Designer: L.D.

Code reports:

CCMC 12472-R

Company:



Total Horizontal Product Length = 12-06-14

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 4"	3439 / 0	1794 / 0		
B2, 5-1/2"	2650 / 0	1459 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	12-06-14	Top		12			00-00-00
1	STAIRS	Unf. Lin. (lb/ft)	L	00-00-00	06-03-07	Top	240	120			n/a
2	FC3 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-01-00	12-03-06	Top	13	6			n/a
3	Smoothed Load	Unf. Lin. (lb/ft)	L	01-09-00	11-01-00	Top	363	182			n/a
4	J7(i8272)	Conc. Pt. (lbs)	L	01-01-00	01-01-00	Top	605	302			n/a
5	J7(i8427)	Conc. Pt. (lbs)	L	11-09-00	11-09-00	Top	435	217			n/a
6	B30(i8606)	Conc. Pt. (lbs)	L	12-05-02	12-05-02	Top		58			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	19319 ft-lbs	35392 ft-lbs	54.6%	1	05-06-07
End Shear	6363 lbs	14464 lbs	44.0%	1	01-03-14
Total Load Deflection	L/404 (0.354")	n/a	59.5%	4	06-01-10
Live Load Deflection	L/615 (0.232")	n/a	58.5%	5	06-01-10
Max Defl.	0.354"	n/a	n/a	4	06-01-10
Span / Depth	12.0				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Hanger 4" x 3-1/2"	7402 lbs	n/a	43.3%	HGUS410
B2	Wall/Plate 5-1/2" x 3-1/2"	5799 lbs	49.0%	24.7%	Spruce-Pine-Fir

### Cautions

Header for the hanger HGUS410 is a Double 1-3/4" x 11-7/8" LVL Beam.

Hanger model HGUS410 and seat length were input by the user. Hanger has not been analyzed for adequate capacity.



OWN NO. TAN2441-21  
STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 2ND FLR FRAMING\Flush Beams\B18(i8301)

City, Province, Postal Code: HAMILTON

Specifier:

Customer:

Designer: L.D.

Code reports:

CCMC 12472-R

Company:

## Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.


Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 01-00-08.

CONFORMS TO OBC 2012

AMENDED 2020

## Connection Diagram: Full Length of Member



a minimum = 2"

c = 7-7/8"

b minimum = 3"

d = 8"

Calculated Side Load = 1028.5 lb/ft

Connectors are: 3/4" ARDOX SPIRAL Nails

3/4" ARDOX SPIRAL



OWC NO. TAM 2441-21  
STRUCTURAL  
COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R


File name: GRANDVILLE 2.mmdl

Description: 2ND FLR FRAMING\Flush Beams\B15(i8223)

Specifier:

Designer: L.D.

Company:



Total Horizontal Product Length = 12-10-06

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 5-1/2"	78 / 0	962 / 0	631 / 0	
B2, 2-7/8"	75 / 0	954 / 0	632 / 0	

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	12-10-06	Top		12			00-00-00
1	FC3 Floor Decking (Plan View Fill)	Unf. Lin. (lb/ft)	L	00-00-00	12-10-06	Top	12	6			n/a
2	E22(i46)	Unf. Lin. (lb/ft)	L	00-05-08	12-10-06	Top		133	100		n/a
3	E21(i45)	Conc. Pt. (lbs)	L	00-02-12	00-02-12	Top		36	23		n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/ Resistance	Case	Location
Pos. Moment	6618 ft-lbs	35392 ft-lbs	18.7%	13	06-06-08
End Shear	1785 lbs	14464 lbs	12.3%	13	01-05-06
Total Load Deflection	L/1068 (0.138")	n/a	22.5%	35	06-06-08
Live Load Deflection	L/999 (0.059")	n/a	n/a	51	06-06-08
Max Defl.	0.138"	n/a	n/a	35	06-06-08
Span / Depth	12.4				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/ Resistance Support	Demand/ Resistance Member	Material
B1	Wall/Plate 5-1/2" x 3-1/2"	2227 lbs	18.8%	9.5%	Spruce-Pine-Fir
B2	Wall/Plate 2-7/8" x 3-1/2"	2216 lbs	35.8%	18.1%	Spruce-Pine-Fir

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 12-02-00.

CONFORMS TO OBC 2012

AMENDED 2020



ING NO. 744021  
STRUCTURAL  
COMPONENT ONLY



BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

File name: GRANDVILLE 2.mmdl


Description: 2ND FLR FRAMING\Flush Beams\B15(i8223)

Specifier:

Designer: L.D.

Company:

## Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Connectors are: 1 Nails

3 1/2" ARDOX SPIRAL



3WG KG.TAM2440-21  
STRUCTURAL  
COMPONENT ONLY

## Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®,





BC CALC® Member Report

Dry | 1 span | No cant.

March 22, 2021 10:47:56

Build 7773

Job name:

File name: GRANDVILLE 2 - EL 2.mmdl

Address:

Description: 1ST FLR FRAMING\Flush Beams\B11E L(i5134)

City, Province, Postal Code: HAMILTON


Specifier:

Customer:

Designer: L.D.

Code reports: CCMC 12472-R

Company:



Total Horizontal Product Length = 13-01-00

**Reaction Summary (Down / Uplift) (lbs)**

Bearing	Live	Dead	Snow	Wind
B1, 3-1/2"	2473 / 0	1369 / 0		
B2, 3-1/2"	3100 / 0	2515 / 0	472 / 0	

**Load Summary**

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	13-01-00	Top		12			00-00-00
1	Smoothed Load	Unf. Lin. (lb/ft)	L	00-06-00	11-06-00	Top	411	206			n/a
2	J9(i5635)	Conc. Pt. (lbs)	L	12-00-00	12-00-00	Top	386	193			n/a
3	B12L(i5123)	Conc. Pt. (lbs)	L	12-11-04	12-11-04	Top	661	1216	472		n/a
4	E12(i31)	Conc. Pt. (lbs)	L	00-02-12	00-02-12	Top		53			n/a

**Controls Summary**

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	17744 ft-lbs	35392 ft-lbs	50.1%	1	07-00-00
End Shear	5098 lbs	14464 lbs	35.2%	1	01-03-06
Total Load Deflection	L/411 (0.369")	n/a	58.4%	35	06-06-00
Live Load Deflection	L/628 (0.241")	n/a	57.3%	51	06-06-00
Max Defl.	0.369"	n/a	n/a	35	06-06-00
Span / Depth	12.8				

**Bearing Supports**

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 3-1/2" x 3-1/2"	5422 lbs	71.9%	36.3%	Spruce-Pine-Fir
B2	Column 3-1/2" x 3-1/2"	8265 lbs	83.1%	55.3%	Unspecified

**Cautions**

Concentrated side load(s) 14 are closer than 18" from end of member. Please consult a technical representative or Professional of Record.

**Notes**

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 00-08-08.

CONFORMS TO OBC 2012

AMENDED 2020


 DWG NO. TAN 2439-21  
 STRUCTURAL  
 COMPONENT ONLY



BC CALC® Member Report  
Build 7773


Dry | 1 span | No cant.

March 22, 2021 10:47:56

Job name:  
Address:  
City, Province, Postal Code: HAMILTON  
Customer:  
Code reports: CCMC 12472-R

File name: GRANDVILLE 2 - EL 2.rmdi  
Description: 1ST FLR FRAMING\Flush Beams\B11E L(i5134)  
Specifier:  
Designer: L.D.  
Company:

### Connection Diagram: Full Length of Member



a minimum = 2"  
b minimum = 3"  
c = 7-7/8"  
d = 8"

Calculated Side Load = 879.8 lb/ft  
Connectors are: 16d C Nails

3 1/2" ARDOX SPIRAL



SWG NO. TAM 2439-21  
STRUCTURAL  
COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®.



BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 2ND FLR FRAMING\Flush Beams\B13(i8213)

City, Province, Postal Code: HAMILTON

Specifier:


Customer:

Designer: L.D.

Code reports:

CCMC 12472-R

Company:



Total Horizontal Product Length = 12-00-00

### Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B1, 4-1/2"	4073 / 0	2150 / 0		
B2, 4-1/2"	3804 / 0	2011 / 0		

### Load Summary

Tag	Description	Load Type	Ref.	Start	End	Loc.	Live	Dead	Snow	Wind	Tributary
0	Self-Weight	Unf. Lin. (lb/ft)	L	00-00-00	12-00-00	Top	1.00	0.65	1.00	1.15	00-00-00
1	Smoothed Load	Unf. Lin. (lb/ft)	L	00-00-00	11-10-00	Top	376	189			n/a
2	B18(i8301)	Conc. Pt. (lbs)	L	05-08-10	05-08-10	Top	3367	1756			n/a

### Controls Summary

	Factored Demand	Factored Resistance	Demand/Resistance	Case	Location
Pos. Moment	33635 ft-lbs	35392 ft-lbs	95.0%	1	05-08-10
End Shear	7962 lbs	14464 lbs	55.0%	1	01-04-06
Total Load Deflection	L/274 (0.499")	n/a	87.7%	4	05-10-08
Live Load Deflection	L/418 (0.327")	n/a	86.1%	5	05-10-08
Max Defl.	0.499"	n/a	n/a	4	05-10-08
Span / Depth	11.5				

### Bearing Supports

	Dim. (LxW)	Demand	Demand/Resistance Support	Demand/Resistance Member	Material
B1	Wall/Plate 4-1/2" x 3-1/2"	8796 lbs	90.8%	45.8%	Spruce-Pine-Fir
B2	Wall/Plate 4-1/2" x 3-1/2"	8220 lbs	84.8%	42.8%	Spruce-Pine-Fir

### Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2015 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

Calculations assume unbraced length of Top: 00-00-00, Bottom: 00-08-08.

CONFORMS TO OBC 2012

AMENDED 2020



UWG NO. TAM 2443-21  
STRUCTURAL  
COMPONENT ONLY

BC CALC® Member Report

Dry | 1 span | No cant.

March 23, 2021 14:39:34

Build 7773

Job name:

File name: GRANDVILLE 2.mmdl

Address:

Description: 2ND FLR FRAMING\Flush Beams\B13(i8213)

City, Province, Postal Code: HAMILTON

Specifier:


Customer:

Designer: L.D.

Code reports: CCMC 12472-R

Company:

### Connection Diagram: Full Length of Member



a minimum = 2-1/2"

c = 6-7/8"


b minimum = 3-1/8"

d = 6"

Calculated Side Load = 3622.8 lb/ft

Bolts are assumed to be Grade A307 or Grade 2 or higher.

Connectors are: 5/8 in. Staggered Through Bolt



OWC NO. TAM 2443-21  
STRUCTURAL  
COMPONENT ONLY

### Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®



Double 1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP  
2ND FLR FRAMING\Flush Beams\B19(i8416) (Flush Beam)

PASSED

BC CALC® Member Report

Build 7773

Job name:

Address:

City, Province, Postal Code: HAMILTON

Customer:

Code reports: CCMC 12472-R

Dry | 1 span | No cant.

March 23, 2021 14:39:34

File name: GRANDVILLE 2.mmdl


Description: 2ND FLR FRAMING\Flush Beams\B19(i8416)

Specifier:

Designer: L.D.

Company:

Connection Diagram: Full Length of Member



a minimum = 2"

b minimum = 3"

c = 7-7/8"

d = 8"

Calculated Side Load = 40.6 lb/ft

Connectors are: 1 Nails

3/4" ARDOX SPIRAL



SWG NO. YAM 244221  
STRUCTURAL  
COMPONENT ONLY


Disclosure

Use of the Boise Cascade Software is subject to the terms of the End User License Agreement (EULA). Completeness and accuracy of input must be reviewed and verified by a qualified engineer or other appropriate expert to assure its adequacy, prior to anyone relying on such output as evidence of suitability for a particular application. The output here is based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call (800)232-0788 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, BC FloorValue®, VERSA-LAM®, VERSA-RIM PLUS®

## Maximum Floor Spans

Live Load = 40 psf, Dead Load = 15 psf  
Simple Spans, L/480 Deflection Limit  
5/8" OSB G&N Sheathing



Depth	Series	Bare				1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-1"	14'-2"	13'-9"	N/A	15'-7"	14'-8"	14'-2"	N/A
	NI-40x	16'-1"	15'-2"	14'-8"	N/A	16'-7"	15'-7"	15'-1"	N/A
	NI-60	16'-3"	15'-4"	14'-10"	N/A	16'-8"	15'-9"	15'-3"	N/A
	NI-70	17'-1"	16'-1"	15'-6"	N/A	17'-5"	16'-5"	15'-10"	N/A
	NI-80	17'-3"	16'-3"	15'-8"	N/A	17'-8"	16'-7"	16'-0"	N/A
11-7/8"	NI-20	16'-11"	16'-0"	15'-5"	N/A	17'-6"	16'-6"	16'-0"	N/A
	NI-40x	18'-1"	17'-0"	16'-5"	N/A	18'-9"	17'-6"	16'-11"	N/A
	NI-60	18'-4"	17'-3"	16'-7"	N/A	19'-0"	17'-8"	17'-1"	N/A
	NI-70	19'-6"	18'-0"	17'-4"	N/A	20'-1"	18'-7"	17'-9"	N/A
	NI-80	19'-9"	18'-3"	17'-6"	N/A	20'-4"	18'-10"	17'-11"	N/A
14"	NI-90x	20'-4"	18'-9"	17'-11"	N/A	20'-10"	19'-3"	18'-5"	N/A
	NI-40x	20'-1"	18'-7"	17'-10"	N/A	20'-10"	19'-4"	18'-6"	N/A
	NI-60	20'-5"	18'-11"	18'-1"	N/A	21'-2"	19'-7"	18'-9"	N/A
	NI-70	21'-7"	20'-0"	19'-1"	N/A	22'-3"	20'-7"	19'-8"	N/A
	NI-80	21'-11"	20'-3"	19'-4"	N/A	22'-7"	20'-11"	20'-0"	N/A
16"	NI-90x	22'-7"	20'-11"	19'-11"	N/A	23'-3"	21'-6"	20'-6"	N/A
	NI-60	22'-3"	20'-8"	19'-9"	N/A	23'-1"	21'-5"	20'-6"	N/A
	NI-70	23'-6"	21'-9"	20'-9"	N/A	24'-3"	22'-5"	21'-5"	N/A
	NI-80	23'-11"	22'-1"	21'-1"	N/A	24'-8"	22'-10"	21'-9"	N/A
	NI-90x	24'-8"	22'-9"	21'-9"	N/A	25'-4"	23'-5"	22'-4"	N/A


  

Depth	Series	Mid-Span Blocking				Mid-Span Blocking and 1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	16'-8"	15'-3"	14'-5"	N/A	16'-8"	15'-3"	14'-5"	N/A
	NI-40x	17'-11"	16'-11"	16'-1"	N/A	18'-5"	17'-1"	16'-1"	N/A
	NI-60	18'-2"	17'-1"	16'-4"	N/A	18'-7"	17'-4"	16'-4"	N/A
	NI-70	19'-2"	17'-10"	17'-2"	N/A	19'-7"	18'-3"	17'-7"	N/A
	NI-80	19'-5"	18'-0"	17'-4"	N/A	19'-10"	18'-5"	17'-8"	N/A
11-7/8"	NI-20	19'-6"	18'-1"	17'-3"	N/A	19'-11"	18'-3"	17'-3"	N/A
	NI-40x	21'-0"	19'-6"	18'-8"	N/A	21'-7"	20'-2"	19'-2"	N/A
	NI-60	21'-4"	19'-9"	18'-11"	N/A	21'-11"	20'-4"	19'-6"	N/A
	NI-70	22'-6"	20'-10"	19'-11"	N/A	23'-0"	21'-5"	20'-5"	N/A
	NI-80	22'-9"	21'-1"	20'-1"	N/A	23'-3"	21'-7"	20'-8"	N/A
14"	NI-90x	23'-4"	21'-8"	20'-8"	N/A	23'-10"	22'-2"	21'-2"	N/A
	NI-40x	23'-7"	21'-11"	20'-11"	N/A	24'-3"	22'-7"	21'-7"	N/A
	NI-60	24'-0"	22'-3"	21'-3"	N/A	24'-8"	22'-11"	21'-11"	N/A
	NI-70	25'-3"	23'-4"	22'-3"	N/A	25'-10"	24'-0"	22'-11"	N/A
	NI-80	25'-7"	23'-8"	22'-7"	N/A	26'-2"	24'-4"	23'-2"	N/A
16"	NI-90x	26'-4"	24'-4"	23'-3"	N/A	26'-10"	24'-11"	23'-9"	N/A
	NI-60	26'-5"	24'-6"	23'-4"	N/A	27'-2"	25'-3"	24'-2"	N/A
	NI-70	27'-9"	25'-8"	24'-6"	N/A	28'-5"	26'-5"	25'-2"	N/A
	NI-80	28'-2"	26'-1"	24'-10"	N/A	28'-10"	26'-9"	25'-6"	N/A
	NI-90x	29'-0"	26'-10"	25'-7"	N/A	29'-7"	27'-5"	26'-2"	N/A

- Maximum clear span applicable to simple-span residential floor construction with a design live load of 40 psf and dead load of 15 psf. The ultimate limit states are based on the factored loads of 1.50L + 1.25D. The serviceability limit states include the consideration for floor vibration, a live load deflection limit of L/480 and a total load deflection limit of L/240.
- Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 5/8 inch for a joist spacing of 19.2 inches or less. The composite floor may include 1/2 inch gypsum ceiling and/or one row of blocking at mid-span with strapping. Strapping shall be minimum 1x4 inch strap applied to underside of joists at blocking line or 1/2 inch gypsum ceiling attached to joists.
- Minimum bearing length shall be 1-3/4 inches for the end bearings.
- Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
- This span chart is based on uniform loads. For applications with other than uniformly distributed loads, an engineering analysis may be required based on the use of the design properties. Tables are based on Limit States Design per CSA O86-09, NBC 2010, and OBC 2012.
- Joists shall be laterally supported at supports and continuously along the compression edge. Refer to technical documentation for installation guidelines and construction details. Nordic I-joists are listed in CCMC evaluation report 13032-R and APA Product Report PR-L274C.

### Maximum Floor Spans

Live Load = 40 psf, Dead Load = 15 psf  
Simple Spans, L/480 Deflection Limit  
3/4" OSB G&N Sheathing



Depth	Series	Bare				1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-10"	15'-0"	14'-5"	13'-5"	16'-4"	15'-5"	14'-6"	13'-5"
	NI-40x	17'-0"	16'-0"	15'-5"	14'-9"	17'-5"	16'-5"	15'-10"	15'-2"
	NI-60	17'-2"	16'-2"	15'-7"	14'-11"	17'-6"	16'-7"	15'-11"	15'-3"
	NI-70	18'-0"	16'-11"	16'-3"	15'-7"	18'-5"	17'-3"	16'-7"	15'-11"
	NI-80	18'-3"	17'-1"	16'-5"	15'-9"	18'-8"	17'-5"	16'-9"	16'-1"
11-7/8"	NI-20	17'-10"	16'-10"	16'-2"	15'-6"	18'-6"	17'-4"	16'-9"	16'-1"
	NI-40x	19'-4"	17'-11"	17'-3"	16'-6"	19'-11"	18'-6"	17'-9"	17'-0"
	NI-60	19'-7"	18'-2"	17'-5"	16'-9"	20'-2"	18'-9"	17'-11"	17'-2"
	NI-70	20'-9"	19'-2"	18'-3"	17'-5"	21'-4"	19'-9"	18'-10"	17'-10"
	NI-80	21'-1"	19'-5"	18'-6"	17'-7"	21'-7"	20'-0"	19'-0"	18'-0"
14"	NI-90x	21'-8"	20'-0"	19'-1"	18'-0"	22'-2"	20'-6"	19'-6"	18'-6"
	NI-40x	21'-5"	19'-10"	18'-11"	17'-11"	22'-1"	20'-6"	19'-7"	18'-7"
	NI-60	21'-10"	20'-2"	19'-3"	18'-2"	22'-5"	20'-10"	19'-11"	18'-10"
	NI-70	23'-0"	21'-3"	20'-3"	19'-2"	23'-8"	21'-11"	20'-10"	19'-9"
	NI-80	23'-5"	21'-7"	20'-7"	19'-5"	24'-0"	22'-3"	21'-2"	20'-0"
16"	NI-90x	24'-1"	22'-3"	21'-2"	20'-0"	24'-8"	22'-10"	21'-9"	20'-7"
	NI-60	23'-9"	22'-0"	20'-11"	19'-10"	24'-6"	22'-9"	21'-8"	20'-6"
	NI-70	25'-1"	23'-2"	22'-0"	20'-10"	25'-9"	23'-10"	22'-9"	21'-6"
	NI-80	25'-6"	23'-6"	22'-4"	21'-2"	26'-1"	24'-2"	23'-1"	21'-10"
	NI-90x	26'-4"	24'-3"	23'-1"	21'-10"	26'-11"	24'-11"	23'-8"	22'-5"
Depth	Series	Mid-Span Blocking				Mid-Span Blocking and 1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	16'-10"	15'-5"	14'-6"	13'-5"	16'-10"	15'-5"	14'-6"	13'-5"
	NI-40x	18'-8"	17'-2"	16'-3"	15'-2"	18'-10"	17'-2"	16'-3"	15'-2"
	NI-60	18'-11"	17'-6"	16'-6"	15'-5"	19'-2"	17'-6"	16'-6"	15'-5"
	NI-70	20'-0"	18'-7"	17'-9"	16'-7"	20'-5"	18'-11"	17'-10"	16'-7"
	NI-80	20'-3"	18'-10"	17'-11"	16'-10"	20'-8"	19'-3"	18'-2"	16'-10"
11-7/8"	NI-20	20'-1"	18'-5"	17'-5"	16'-2"	20'-1"	18'-5"	17'-5"	16'-2"
	NI-40x	21'-10"	20'-4"	19'-4"	17'-8"	22'-5"	20'-6"	19'-4"	17'-8"
	NI-60	22'-1"	20'-7"	19'-7"	18'-4"	22'-8"	20'-10"	19'-8"	18'-4"
	NI-70	23'-4"	21'-8"	20'-8"	19'-7"	23'-10"	22'-3"	21'-2"	19'-9"
	NI-80	23'-7"	21'-11"	20'-11"	19'-9"	24'-1"	22'-6"	21'-5"	20'-0"
14"	NI-90x	24'-3"	22'-6"	21'-6"	20'-4"	24'-8"	23'-0"	22'-0"	20'-9"
	NI-40x	24'-5"	22'-9"	21'-8"	19'-5"	25'-1"	23'-2"	21'-9"	19'-5"
	NI-60	24'-10"	23'-1"	22'-0"	20'-10"	25'-6"	23'-8"	22'-4"	20'-10"
	NI-70	26'-1"	24'-3"	23'-2"	21'-10"	26'-8"	24'-11"	23'-9"	22'-4"
	NI-80	26'-6"	24'-7"	23'-5"	22'-2"	27'-1"	25'-3"	24'-1"	22'-9"
16"	NI-90x	27'-3"	25'-4"	24'-1"	22'-9"	27'-9"	25'-11"	24'-8"	23'-4"
	NI-60	27'-3"	25'-5"	24'-2"	22'-10"	28'-0"	26'-2"	24'-9"	23'-1"
	NI-70	28'-8"	26'-8"	25'-4"	23'-11"	29'-3"	27'-4"	26'-1"	24'-8"
	NI-80	29'-1"	27'-0"	25'-9"	24'-4"	29'-8"	27'-9"	26'-5"	25'-0"
	NI-90x	29'-11"	27'-10"	26'-6"	25'-0"	30'-6"	28'-5"	27'-2"	25'-8"

- Maximum clear span applicable to simple-span residential floor construction with a design live load of 40 psf and dead load of 15 psf. The ultimate limit states are based on the factored loads of 1.50L + 1.25D. The serviceability limit states include the consideration for floor vibration, a live load deflection limit of L/480 and a total load deflection limit of L/240.
- Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 3/4 inch for a joist spacing of 24 inches or less. The composite floor may include 1/2 inch gypsum ceiling and/or one row of blocking at mid-span with strapping. Strapping shall be minimum 1x4 inch strap applied to underside of joists at blocking line or 1/2 inch gypsum ceiling attached to joists.
- Minimum bearing length shall be 1-3/4 inches for the end bearings.
- Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
- This span chart is based on uniform loads. For applications with other than uniformly distributed loads, an engineering analysis may be required based on the use of the design properties. Tables are based on Limit States Design per CSA O86-09, NBC 2010, and OBC 2012.
- Joists shall be laterally supported at supports and continuously along the compression edge. Refer to technical documentation for installation guidelines and construction details. Nordic I-joists are listed in CCMC evaluation report 13032-R and APA Product Report PR-L274C.



### Maximum Floor Spans

Live Load = 40 psf, Dead Load = 30 psf  
Simple Spans, L/480 Deflection Limit  
5/8" OSB G&N Sheathing

Depth	Series	Bare				1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-1"	14'-1"	13'-3"	N/A	15'-7"	14'-1"	13'-3"	N/A
	NI-40x	16'-1"	15'-2"	14'-8"	N/A	16'-7"	15'-7"	15'-1"	N/A
	NI-60	16'-3"	15'-4"	14'-10"	N/A	16'-8"	15'-9"	15'-3"	N/A
	NI-70	17'-1"	16'-1"	15'-6"	N/A	17'-5"	16'-5"	15'-10"	N/A
	NI-80	17'-3"	16'-3"	15'-8"	N/A	17'-8"	16'-7"	16'-0"	N/A
11-7/8"	NI-20	16'-11"	16'-0"	15'-5"	N/A	17'-6"	16'-6"	16'-0"	N/A
	NI-40x	18'-1"	17'-0"	16'-5"	N/A	18'-9"	17'-6"	16'-11"	N/A
	NI-60	18'-4"	17'-3"	16'-7"	N/A	19'-0"	17'-8"	17'-1"	N/A
	NI-70	19'-6"	18'-0"	17'-4"	N/A	20'-1"	18'-7"	17'-9"	N/A
	NI-80	19'-9"	18'-3"	17'-6"	N/A	20'-4"	18'-10"	17'-11"	N/A
14"	NI-90x	20'-4"	18'-9"	17'-11"	N/A	20'-10"	19'-3"	18'-5"	N/A
	NI-40x	20'-1"	18'-7"	17'-10"	N/A	20'-10"	19'-4"	18'-6"	N/A
	NI-60	20'-5"	18'-11"	18'-1"	N/A	21'-2"	19'-7"	18'-9"	N/A
	NI-70	21'-7"	20'-0"	19'-1"	N/A	22'-3"	20'-7"	19'-8"	N/A
	NI-80	21'-11"	20'-3"	19'-4"	N/A	22'-7"	20'-11"	20'-0"	N/A
16"	NI-90x	22'-7"	20'-11"	19'-11"	N/A	23'-3"	21'-6"	20'-6"	N/A
	NI-60	22'-3"	20'-8"	19'-9"	N/A	23'-1"	21'-5"	20'-6"	N/A
	NI-70	23'-6"	21'-9"	20'-9"	N/A	24'-3"	22'-5"	21'-5"	N/A
	NI-80	23'-11"	22'-1"	21'-1"	N/A	24'-8"	22'-10"	21'-9"	N/A
	NI-90x	24'-8"	22'-9"	21'-9"	N/A	25'-4"	23'-5"	22'-4"	N/A



  

Depth	Series	Mid-Span Blocking				Mid-Span Blocking and 1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-7"	14'-1"	13'-3"	N/A	15'-7"	14'-1"	13'-3"	N/A
	NI-40x	17'-9"	16'-1"	15'-1"	N/A	17'-9"	16'-1"	15'-1"	N/A
	NI-60	18'-1"	16'-4"	15'-4"	N/A	18'-1"	16'-4"	15'-4"	N/A
	NI-70	19'-2"	17'-10"	16'-9"	N/A	19'-7"	17'-10"	16'-9"	N/A
	NI-80	19'-5"	18'-0"	17'-1"	N/A	19'-10"	18'-3"	17'-1"	N/A
11-7/8"	NI-20	18'-9"	17'-0"	16'-0"	N/A	18'-9"	17'-0"	16'-0"	N/A
	NI-40x	21'-0"	19'-3"	17'-9"	N/A	21'-3"	19'-3"	17'-9"	N/A
	NI-60	21'-4"	19'-8"	18'-5"	N/A	21'-8"	19'-8"	18'-5"	N/A
	NI-70	22'-6"	20'-10"	19'-11"	N/A	23'-0"	21'-4"	20'-0"	N/A
	NI-80	22'-9"	21'-1"	20'-1"	N/A	23'-3"	21'-7"	20'-5"	N/A
14"	NI-90x	23'-4"	21'-8"	20'-8"	N/A	23'-10"	22'-2"	21'-2"	N/A
	NI-40x	23'-7"	21'-5"	19'-6"	N/A	24'-1"	21'-5"	19'-6"	N/A
	NI-60	24'-0"	22'-3"	21'-0"	N/A	24'-8"	22'-5"	21'-0"	N/A
	NI-70	25'-3"	23'-4"	22'-3"	N/A	25'-10"	24'-0"	22'-9"	N/A
	NI-80	25'-7"	23'-8"	22'-7"	N/A	26'-2"	24'-4"	23'-2"	N/A
16"	NI-90x	26'-4"	24'-4"	23'-3"	N/A	26'-10"	24'-11"	23'-9"	N/A
	NI-60	26'-5"	24'-6"	23'-4"	N/A	27'-2"	24'-10"	23'-4"	N/A
	NI-70	27'-9"	25'-8"	24'-6"	N/A	28'-5"	26'-5"	25'-2"	N/A
	NI-80	28'-2"	26'-1"	24'-10"	N/A	28'-10"	26'-9"	25'-6"	N/A
	NI-90x	29'-0"	26'-10"	25'-7"	N/A	29'-7"	27'-5"	26'-2"	N/A

- Maximum clear span applicable to simple-span residential floor construction with a design live load of 40 psf and dead load of 30 psf. The ultimate limit states are based on the factored loads of  $1.50L + 1.25D$ . The serviceability limit states include the consideration for floor vibration, a live load deflection limit of  $L/480$  and a total load deflection limit of  $L/240$ .
- Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 5/8 inch for a joist spacing of 19.2 inches or less. The composite floor may include 1/2 inch gypsum ceiling and/or one row of blocking at mid-span with strapping. Strapping shall be minimum 1x4 inch strap applied to underside of joists at blocking line or 1/2 inch gypsum ceiling attached to joists.
- Minimum bearing length shall be 1-3/4 inches for the end bearings.
- Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
- This span chart is based on uniform loads. For applications with other than uniformly distributed loads, an engineering analysis may be required based on the use of the design properties. Tables are based on Limit States Design per CSA O86-09, NBC 2010, and OBC 2012.
- Joists shall be laterally supported at supports and continuously along the compression edge. Refer to technical documentation for installation guidelines and construction details. Nordic I-joists are listed in CCMC evaluation report 13032-R and APA Product Report PR-L274C.



1W-1



**Notes:**

1. Blocking required at bearing for lateral support, not shown for clarity.
2. The maximum dimensions for a notch on the side of the top flange are 4-inch width by 1/2-inch depth for flange width of 2-1/2 inches, and 4-inch width by 1-inch depth for flange width of 3-1/2 inches.
3. This detail applies to simple-span joists and multiple-span joists where the notch is located at the end half-span.
4. For other applications, contact Nordic Structures.

This document supersedes all previous versions. If the document has been in effect for more than one year, consult [nordic.ca](http://nordic.ca) or contact Nordic Structures.

All nails shown in the details are assumed to be common nails unless otherwise noted. Nails shall have a diameter not less than 0.128 inch for 2-1/2-inch nails, or 0.144 inch for 3-inch nails. Individual components not shown to scale for clarity.

**NORDIC  
STRUCTURES**

T 514-871-8528  
1 866 817-3418  
[nordic.ca](http://nordic.ca)

**TITLE**

Notch in I-joist for Heat Register

**CATEGORY**

I-joist - Typical Floor Framing and Construction Details

**DOCUMENT**

-

**DATE**

2018-04-10

**NUMBER**

1W-1