CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd. RECEIVED

PURCHASER: CHARANJIT KAUR VIRK			MAY 2 6 2022	TEL:
LOT / PHASE	REG. PLAN#	HOUSE TYPE		
607 / 4	62M-1266	Springfield Three (4 Bed with Guest Suite) Elev 3		

CABINETRY
1 - KITCHEN CABINETRY - DIFFERENT COLOUR - FLAT FEE- SEE SKETCH
18May22 Note:
1 - CABINETRY - KITCHEN - UPGRADE 2
18May22 Note:
CABINETRY ACCESSORIES
1 - ENSUITE - 3/4 - VANITY CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT - PRICE IS PER FOOT
18May22 Note:
10//4/22
1 - ENSUITE 2/FLEX - VANITY CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT - PRICE IS PER
FOOT
18May22 Note:
1 - MASTER ENSUITE - VANITY CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT - PRICE IS
1 - MASTER ENSUITE - VANITY CABINETRY - RAISE VANITY TO 36 HIGH VANITY IN EIEO OF STANDARD HEIGHT - I RICE IS PER FOOT
18May22 Note:
1 - GUEST ENSUITE - VANITY CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT - PRICE IS PER
FOOT
18May22 Note:
1 - PANTRY UNIT UPGRADE - TO GO FROM 300MM TO 600MM DEEP - PRICE IS PER FOOT - UPGRADE 2
18May22 Note:
10May22 1000.
THE PROPERTY AND THE PERSON PROPERTY OF THE CARLES COMMANDED TO PACIFIC HOCKARDS
1 - KIYCHEN CABINETRY UPPER - FULL DEPTH ABOVE FRIDGE - WITH GABLES - 600MM - PRICE IS EACH - UPGRADE 2
18May22 Note:
1 - KITCHEN CABINETRY BASE - PULLOUT RECYCLE 2 BIN - PRICE IS EACH
18May22 Note:
4 - KITCHEN CABINETRY BASE - TOP DRAWER SINGLE - PRICE IS PER DRAWER - UPGRADE 2
18May22 Note:
Toniay=2
* WITCHEN ODOUBLE OUT DRICE WITCH LIE A DEB
1 - KITCHEN-CROWN MOULDING WITH HEADER
18May22 Note:
1 - KITCHEN- LIGHT VALANCE-
18May22 Note:
2 - CABINETRY DECORATIVE ITEMS - POSTS - BASE POSTS (80 WIDE) - PRICE IS EACH -
1
18May22 Note: 2 POSTS ON ISLAND
2 - CABINETRY DECORATIVE ITEMS - POSTS - L. POSTS (80 WIDE) - PRICE IS EACH - (NOT AV. IN STANDARD LINE)
2 - CABINETRY DECORATIVE ITEMS - POSTS - WELL POSTS (80 WIDE) - PRICE IS EACH - (NOT AV. IN STANDARD LINE)
18May 22 Note: (2 Posts on store cookfor area) see sketch -
2 - KITCHEN CABINETRY UPPER - ANGLED CORNER CABINET - FITS TALL UPPER CABINETS - PER UNIT - UPGRADE 2
18May22 Note:
6 - KITCHEN CABINETRY ACCESSORY - GLASS SHELVES - STRAIGHT - PRICE IS EACH
18May22 Note:
a Cirawy Man

CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASER: CHARANJII KAOR VIRK				100.
LOT / PHASE	REG. PLAN #	HOUSE TYPE	l	

Springfield Three (4 Bed with Guest Suite) Elev 3 62M-1266 4 - KITCHEN CABINETRY UPPER - GLASS DOOR - GLK340 CORD GLASS - FINISHED INTERIOR - FITS TALL UPPER CABINETS ONLY - PRICE IS PER DOOR - UPGRADE 2 18May22 Note: 1 - KITCHEN CABINETRY - BUILT-IN MICROWAVE/OVEN COMBO - UPGRADE 2 18May22 Note: 2 - KITCHEN CABINETRY BASE - PULLOUT WIRE SPICE RACK - PRICE IS EACH 18May22 Note: 1 - KITCHEN CABINETRY BASE - COOKTOP CABINET WITH POT DRAWERS (2 DRAWERS) - UPGRADE 2 Bumpout on Both Sides:

CERAMIC TILE	
1 - TILE - UPGRADE 4 FLOOR TILE GUEST ENSUITE - WALL	
18May22 Note:	
1 - TILE - UPGRADE 4 FLOOR TILE GUEST ENSUITE - FLOOR AREA	
18May22 Note:	
1 - TILE - UPGRADE 4 WALL TILE ENSUITE BATHROOM -	
18May 22 Note:	
10M4y22 110W	
I - TILE - UPGRADE 4 FLOOR TILE ENSUITE BATHROOM - FLOOR	
18May22 Note:	
1 - TILE - UPGRADE 4 FLOOR WALL - BATHROOM 3/4	
18May22 Note:	
1 - TILE - UPGRADE 4 FLOOR TILE BATHROOM 3/4 - FLOOR	
18May22 Note:	
1 - TILE - UPGRADE 4 FLOOR TILE BATHROOM 2 - FLOOR	
18May22 Note:	
1 - TILE - UPGRADE 4 WALL TILE BATHROOM 2 -	
18May22 Note:	
1 - TILE - UPGRADE 4 FLOOR TILE MAIN HALL	
18May22 Note:	
1 - TILE - UPGRADE 4 FLOOR TILE MUD ROOM	
18May22 Note:	
	. ,

COUNTER TOP

- 1
1
-

DOORS AND TRIM

1 - TRIM - UPGRADE 2- 7-1/4" BASEBOARD AND 3" CASING 18May22 Note:

CONSTRUCTION SUMMARY Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASER: CHARANJIT KAUR VIRK				TEL:
	·	1		
LOT / PHASE	REG. PLAN#	HOUSE TYPE		
607 / 4	62M-1266	Springfield Three (4 Bed with Guest Suite) Elev 3		

LOT / PHASE	REG. PLAN#	HOUSE TYPE	
607 / 4	62M-1266	Springfield Three (4 Bed with Guest Suite) Elev 3	
			 · · · · · · · · · · · · · · · · · · ·

ELECTICAL	Lį

1 - PLUG - ROUGH-IN FOR ELECTRIC CAR PLUG IN GARAGE - FOR FUTURE ELECTRIC CAR - 240V / 40-50 AMPS 18May22 Note: SPECIFICATIONS REQUIRED

ELECTRICAL

1 - PLUG - ELECTRICAL PLUG - TO BE INSTALLED OVER FIREPLACE	
18May22 Note:	
1 - 200 AMP ELECTRICAL SERVICE	
18May22 Note:	
, , , , , , , , , , , , , , , , , , , ,	
1 - BUILT IN OVEN AND COOKTOP PROVISION - PROVISION ONLY - ELECTRICAL ONLY	
18May22 Note:	
11 - KITCHEN - VALANCE LIGHTING - FLORESCENT LIGHTING	
18May22 Note:	

FIREPLACE AND ACCESSORIES

	1 - GAS LINE ROUGH-IN FOR BARBECUE - FIRST FLOOR	
	18May22 Note:	
į		
	1 - GAS LINE ROUGH-IN FOR STOVE (INCLUDES ELECTRICAL OUTLET) - FIRST FLOOR	
	18May22 Note:	

HARDWOOD FLOORING

MIRRORS AND GLASS

TEL:

Greenpa	ark.		•	
	$\overline{\mathbf{C}}$	ONSTRUCTION SUMMARY		•
		ew Heights 3 (G) - Russell Gardens Building Ltd	l.	
PURCHASER: CHARANJ	IT KAUR VIRK			TEL:
LOT / PHASE 607 / 4	REG. PLAN # 62M-1266	HOUSE TYPE Springfield Three (4 Bed with Guest Suite) Elev 3		
1 - MASTER ENSUITE - FI	RAMELESS GLASS SH	OWER DOOR - INCLUDES CHROME KNOB & HINGES		1 1
18May22 Note:				
PLUMBING				
4 - ALL BATHS - MOEN E 18May22 Note:	ATTIROOM ACCESSOR	RIES - MASON CHROME - TOWEL BAR 24" #YB8094/YE	\$8000 - PRICE IS EAC	CH ·
4 - ALL BATHS - MOEN B 18May22 Note:	SATHROOM ACCESSOI	RIES - MASON CHROME - PAPER HOLDER #YB8099/YE	38000 - PRICE IS EAG	СН
1 - WATER LINE FOR FRI	IDGE - ROUGH-IN ONL	Y		-
18May22 Note:				
PROMOTIONAL				
1 - LESS BALANCE OF C	REDIT FROM PURCHA	SER EXTRA SHEET IN OFFER		
18May22 Note:				
STAIRS AND RAILING	SS			
1 - EUROLINE 2				
18May22 Note:				
1 - STAINED STAIRS - ST	TANDARD STAIRCASE	- PRICE IS PER SET		
18May22 Note:				
1 - V GROOVE HANDRAI	(L			
18May22 Note:				
		EXTRAS AS PER OFFER		
(1) The Vendor agrees the	at notwithstanding any	other term or provision in this Agreement included in th	e Purchase Price and	d in
addition to those items de Worksheet Note:	tailed in Schedule GP t	to the Agreement of Purchase and Sale, the Purchaser is	entitled to a credit o	of
If the Purchaser has purch standard basement depth) Worksheet Note:	nased or been provided the depth is measured	with an 8-foot 6-inch basement concrete pour (being an from the top of footing to the top of foundation wall. T	increase from the V he increased depth w	endor?s
standard ceiling height, v. Worksheet Note:	arious modifications to	aser acknowledges that as a result of the increased ceiling the interior and exterior of the dwelling unit may be ma	de, including bu	
		ndows, and the obligation to construct the house with the its sole and unfettered discretion The Purchaser acknow		
Granite kitchen counter to	on from Vendor?s stan	dard samples		
Worksheet Note:	op, mom a ondor to sum	a sumpress		

This Document is Extremely Time Sensitive - Printed 18 May 22 at 15:00

PURCHASER(S) ACKNOWLEDGES THAT THE PURCHASE PRICE IS INCLUSIVE OF ALL CREDITS AND

PROMOTIONAL PACKAGES AVAILABLE AT TIME OF PURCHASE.

Worksheet Note:

INTERIOR COLOUR SCHEME


D	HARANJIT KAUR VIRK		Property:	607		
					ardens Building Ltd	
Telephone Res. / Bus: / Decor Advisor: Id	la Viola	Model and i	•		Three (4 Bed with	
	8-May-22	18-May-22		Plan #:	62M-1266	
			o Exteri	or Colour		
						HAMBORY IN THE PROPERTY OF THE
-1. Cabinetry -	Style and Colour					Hardware
Kitchen / Breakfast	SEE BELOW					468SA
Laundry Room	ELISSE	11.4470				
Powder Room	N/A					
Master Ensuite Bathroom	DORAL H3078 HACIENDA	WHITE				468SA
Guest Ensuite	SABRA 350 PLATINUM SI	LVER				468SA
Ensuite Bath - Bedroom 2	DORAL K44 TITAN GREY					468SA
Ensuite Bath - Bedroom 3/4	DORAL K43 SUMMIT WH	ITE				468SA
			<u>-</u>			
		.	<u>-</u>		11.55	
Appliances:	Built In Appliances	Yes (No			de In Stove Yes Please NOTE: Standard Ca	•
Dishwasher Cabinet	○ Closed ● Open	41" Upper Cabin NOTE: If not specified, opening w	_	$\overline{}$		
Stove Opening						
Fridge Opening	: 	NOTE: If not specified, opening w	viil be set to build	ler's standard op	ening of approximately 37" w	idth x 74" height
			. <u>. </u>			
					1100	- 12 100
2. Counters						
Kitchen / Breakfast	Counter QUARTZ-FUSION WHIT	F ===		tdge #360 EDGE	-WITH RUM	a Aut
Laundry Room	QOARTE-F COIGHT WITH		; ;		see skith	-
Powder Room	N/A					
Master Ensuite Bathroom	LAMINATE-PALOMA PO	LAR 6698-46				
Guest Ensuite	LAMINATE-WHITE CARI	RARA 4924-38				<u></u> .
Ensuite Bath - Bedroom 2	LAMINATE-ELEMENTAL	CONCRETE 8830-58				
Ensuite Bath - Bedroom 3/	4 LAMINATE-LIME STONE	7264-58				
· : !					- Na - C	
** Refer to Construction	Summan		,			· · · -
Rejer to Construction	Summary					
: : :						
!						


Greenpai	rk.	INTERIOR COL	.our s	CHE	ME		
- Purchaser:	CHARANJIT KAUR VIRE	K Pı	roperty:	607			
elephone Res. / Bus:	1	ı	Project:	Russ	sell G	Bardens Building Ltd.	
ecor Advisor:	lda Viola	Model and Ele	evation:	Sprir	ıgfiel	id Three (4 Bed with G	uest Suite
ock Date:	18-May-22	18-May-22		Plan	#:	62M-1266	
3. Ceramic Flooring	a				T1	all all IS A	
	TILE-LITHIUM SILVER	DOLIGHED 24V24		At a 45		eshold-If App. al Strip Where Applic.	
ntrance Vestibule lain Hall	TILE-LITHIUM SILVER] [<u>.</u>]	INICIO	al Outp Where Applic.	
iain ⊓an iitchen / Breakfast	TILE-LITHIUM SILVER				·		
aundry Room	TILE-CONCEPT GREY				<u> </u>		
owder Room	N/A	10/(10		ĬH			
laster Ensuite Bathroom		APHIC POLISHED 24X24					
nsuite Bath - Bedroom 2	·		··	1 🗂			
insuite Bath - Bedroom 3							
Suest Ensuite	TILE-LITHIUM SILVER			ĬĒ			
Mud Room	TILE-LITHIUM SILVER	POLISHED 24X24					
* Refer to Construction	Summary						
4. Ceramic Wall Til	e						
Master Ensuite Bathroon	n Selection		De	scribe			
Tub Dec	k Wall						
	Deck						
Tub Decl				<u> </u>			
	er Stall TILE-MAINSTONE GR	APHIC POLISHED 24X24					
Bathtub Enclosure		POLISHED 24Y24					
Ensuite Bath - Bedroom Ensuite Bath - Bedroom							
Ensuite Bath - Bedroom Guest Ensuite	TILE-LITHIUM SILVER		 				
Mud Room							
illaa 100m							
Kitchen Backsplash	QUARTZ-FUSION WH	ITE					
* Refer to Constructio	n Summary - STANDAR	D GROUT THROUGHOUT	T UNLES	55 SP	ECIF	= ED	
5. Plumbing Fixtur	res						
All Bathrooms	White		irlpool —			Yes) No
				Dist	ıwas	her Rough-In 🌑 Yes (⊃ No
				W	aterli	ine for Fridge 🌑 Yes () No
** Refer to Construction	n Summary	 -					
			-				
-6. Trim Carpentry	<u> </u>						
Interior Doors	As Per Construction						_ :
Interior Trim	3" BB CASING WITH	H 7 1/4" BASEBOARD - COLO	ONIAL				
Door Handles	As Per Construction	·					
Exterior Front Door Ha	andle As Per Construction	Specifications					
			-	_			
** Refer to Construction	on Summary						
			. <u></u>			<u> </u>	
					عر.		
						A	

INTERIOR COLOUR SCHEME

	ŧ					
Purchaser:	CHA	RANJIT KAUR VIRK		Property:	607	
Telephone Res. /	Bus: /			Project:	Russell G	Sardens Building Ltd.
Decor Advisor:	ida \	√iola	Mode	el and Elevation:	Springfiel	ld Three (4 Bed with Guest Sui
Lock Date:	18-1	<i>I</i> lay-22 1	8-May-22		Plan #:	62M-1266
-1. Ouier Flooi	ring		· · · · · · · · · · · · · · · · · · ·			
Main Hall	f	TILE		* **		
Living Room	Ĭ	STRIP-MIRAGE-DRIFTWOOD	RED OAK CHA	ARACTER CORK 5" D	JRAMAT	
Dining Room		STRIP-MIRAGE-DRIFTWOOD	RED OAK CHA	ARACTER CORK 5" D	JRAMAT	
Family Room		STRIP-MIRAGE-DRIFTWOOD	RED OAK CHA	ARACTER CORK 5" D	JRAMAT	4 4 4 4 10 10 10 10 10 10 10 10 10 10 10 10 10
Den / Library / Study		N/A				
Basement Landing(If	Applies)	N/A				
Lower Landing (If App	plies)	N/A				
Upper Landing	L	N/A				
Upper Hall	ŀ	STRIP-MIRAGE-DRIFTWOOD	RED OAK CHA	ARACTER CORK 5" D	JRAMAT	
Master Bedroom		STRIP-MIRAGE-DRIFTWOOD	RED OAK CHA	ARACTER CORK 5" D	JRAMAT	
Bedroom #2	[STRIP-MIRAGE-DRIFTWOOD	RED OAK CHA	ARACTER CORK 5" D	JRAMAT	
Bedroom #3	}	STRIP-MIRAGE-DRIFTWOOD				
Bedroom #4	ļ	STRIP-MIRAGE-DRIFTWOOD	RED OAK CHA	ARACTER CORK 5" D	JRAMAT	
Bedroom #5						
Underpad	Ţ	ype		Area		
	L					
-8. Railings an Railing Type	V-GROOVE	: 		nplimenting Colo		
Picket Type	EUROLINE			nplimenting Colo		
Stringer / Riser	· AS PER C	ONSTRUCTION SPECIF	ICATIO Con	nplimenting Colo	ur DRIFT\	NOOD RED OAK
Treads	AS PER C	ONSTRUCTION SPECIF	ICATIO Con	nplimenting Colo	ur DRIFT\	NOOD RED OAK
	Red Oak S	Stairs 🔘 Yes 🔘 N	0			
** Refer to Con AND RAILS (ST FLOORS.	struction S	Summary THE STAIN (S), WILL NOT BE AN EX	COLOURS (OR FINISH AVAILA I TO PREFINISHE	ABLE ON D HARD\	RISERS, TREADS, PICKETS WOOD OR LAMINATE
-9. Wall Paint l	Flat Finisl	1 	****			
Main & Upper Ha	ı li	22 WARM GREY	Ma	ster Bedroom		22 WARM GREY
Living Room		22 WARM GREY	Be	droom #2		22 WARM GREY
Dining Room		22 WARM GREY	Be	droom #3		22 WARM GREY
Kitchen / Breakfa	ast	22 WARM GREY	Be	droom #4		22 WARM GREY
Family Room		22 WARM GREY	Be	droom #5		
Powder Room				ster Ensuite		22 WARM GREY
Laundry Room		22 WARM GREY		suite Bath - Bedr	oom 2	22 WARM GREY
Den/Library		THE THE WAY OLD THE		suite Bath - Bedr		22 WARM GREY
Den/∟lorary Trim & Door Pain	ıt.Sami Cla	SERIPCH WHITE		iest		22 WARM GREY
	ic-seiili Gi0			1 v 3l		E TYTANI OILE
Guest		22 WARM GREY				
Smooth Ceilings			O No	1		
** Refer to Consti	ruction Sur	mmary				

Greenpa	rk.	INTERIOR COLOUR S	SCHEME
urchaser:	CHARANJIT KAUR VIR	K Property:	- 607
		• •	: Russell Gardens Building Ltd.
Telephone Res. / Bus:		•	: Springfield Three (4 Bed with Guest Suite
Decor Advisor:	Ida Viola		Plan #: 62M-1266
Lock Date:	18-May-22	18-May-22	Pian #: 621VI~1200
Tu. Plaster Woulds Entrance Vestibule	ings and Medallions	Kitchen/Breakfast	
Main Hall		Den/Library	
Living Room	UPDATE - 175	Lower Landing	
Dining Room	UPDATE - 175		
_			
Family Room ** Refer to Construction	UPDATE - 175		
Kelel to constitut	Lion Juminary		
11. Fireplace			
Living Ro		Family Room	Other Room - Specify
	d As Per Plan N/A	Purchased As Per Plan N/A	Purchased As Per Plan N/A
·	_	A- B- Caratantian Specification	
Fireplace Type	ui Al ia	As Per Construction Specifications MANTLE M2-STANDARD	II
Colour / Stain		AS PER CONSTRUCTION SPECIFICA	ATIONS
Surround		BIANCO	
Hearth		NO	
Gas Provisions Dry Comment * Refer to Construction		Gas Prov	risions Barbecue YES
13. Electrical			
Plugs and Switches	White	DECOR Abov	ve Kitchen Cabinet Light 🦳 Yes 🌑 No
Hood Fan		Belo	w Kitchen Cabinet Light 🌑 Yes 🔘 No
Appliances	Built in Cooktop	Built in Oven G	Sas Stove Microwave
	Yes No	● Yes ○ No ● Y	es ○ No ● Yes ○ No
Dishwasher Rough-in	Yes		
** Refer to Construction	on Summary		
14. General Comm			
** Refer to Construction	Summary		
- Disclaimers and N		ossible to builder's selection, bu	nt not necessarily identical due to
variances in mar	rufacturing.		
variances in mar 2) Any extras listed must be paid in t	nufacturing. I above are null and void full.	I unless accompanied by a separ	rate invoice/amendment. Said invoice ges will be permitted, unless required





Anne Federico

Lot 607

From:

Sent:

To: Subject: Anne Federico

Tuesday, May 24, 2022 1:03 PM
Anne Federico
Selba

Gardens



Bumpout. Majestica Selba

Sent from my iPhone

36" Built-In French Door Bottom-Freezer

Benchmark® Series - Stainless Steel B36BT935NS





B36BT935NS Stainless Steel

The 36" French door built-in refrigerator works efficiently to keep food fresh longer, and prevent the transfer of flavors and odors.

Features & Benefits

Remotely monitor and control your refrigerator with the Home Connect™ app.

Bright LED lighting illuminates the entire interior.

Dual evaporators prevent odor transfer and optimize freshness.

Optiflex® hinge allows for flush-mount doors, without damaging surrounding cabinetry.

ENERGY STAR® qualified for energy efficiency.


General Properties	
Home Connect™ (Wi-Fi Enabled)	Yes
Reversible door hinge	No
Water filter	UltraClarityPro [™]
Lighting	LED side wall theater
Defrost process refrigerator section	Frost-free
Number of shelves - refrigerator	3
Adjustable shelves - refrigerator	2
Shelf material - refrigerator	Glass w/ metal trim
Type of shelves - refrigerator	Full width
Gallon storage bins	2
Humidity control drawer	Yes -1
Defrost process freezer section	Automatic
Number of drawers - freezer	·2
Ice maker	Yes
Quick ice	No
Capacity	
Total capacity	19.4 cu. ft







Technical Details	
Watts (W)	350 W 311 %
Current (A)	15 A
Volts (V)	120 V
Frequency (Hz)	60 Fz
Power cord length (in.)	118"
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions (H x W x D) (in.)	84" x 35 3/4" x 24"
Required cutout size (H x W x D) (in.)	84" x 36" x 25"
Net weight (lbs)	540 lbs
Efficiency	
ENERGY STAR® qualified	Yes
Energy consumption (kWh/yr)	579 kWh
Accessories	
UltraClarityPro™ Water Filter	BORPLETR55
Heater Kit may be required when two columns are installed side-by-side. See next page for details.	HEATKITB80



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


36" Built-In French Door Bottom-Freezer


Benchmark® Series - Stainless Steel B36BT935NS




Installation Details









HEATKITB80 Heater Kit

When two appliances are installed side-by-side a sealing kit must be used. For combinations that involve a freezer column, this kit is included. For all other (non-traditional, i.e. two bottom freezers) side-by-side combinations or instances where any appliances are installed less than 6" (152 mm) apart from one another but not connected side-by-side, purchase this kit. This kit is also recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

30" Speed Combination Oven

800 Series - Stainless Steel HBL8753UC





HBL8753UC Stainless Steel

Also available in:

Black HBL8743UC Stainless Steel

Bosch speed combination ovens create an all-in-one cooking center with an upper speed oven and a Genuine European Convection oven below.

Features & Benefits

2-in-1 microwave and convection oven with 9 SpeedChef* programs to simplify cooking with fast results.

Lower oven's convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously.

Oven is equipped with a self-cleaning cycle that easily cleans itself via 2, 3, and 4 hour cycle options.

Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

General Pro	perties	
Home Conn cavity (WiFi	enabled)	Yes
Cooking modes – upper cavity	(including A Butter, Soft 9 Sensor Co SpeedChef Broll, Europ	; 12 Auto Programs uto Defrost, Melt en Ice Cream, Pizza), ook Programs, 9 Programs, Hi & Lo ean Convection, Frozen Foods
Cooking modes – lower cavity	Roast, Warr Dough, Con Convection Roast, Pizza Genuine Fu Convection	ole Broil (hi & low), in Sabbath, Proof vection Bake, Broil, Convection in Multi Rack ropean Convection, Conversion, a Probe, Fast
Cleaning typ	e – lower	Self Clean
Telescopic re	ack	1
Illumination	type	LED (Upper) / Incandescent (Lower)
Interior light	S	1 Upper / 2 Lower
Oven Perfor	mance	
Microwave p		1000 W
upper cavity	ower –	TOUS VV
Bake / broil wattages – u	element	600 / 1,750 W
Bake / broil	element pper cavity	
Bake / broil wattages — u	element ipper cavity element ipper cavity element	600 / 1,750 W
Bake / broil e wattages – u Convection e wattages – u Bake / broil e	element pper cavity element pper cavity element ower cavity	600 / 1,750 W 1,700 W
Bake / broil e wattages - u Convection e wattages - u Bake / broil e wattages - k	element pper cavity element pper cavity element ower cavity element ower cavity	1,700 W 2,400 / 3,800 W
Bake / broil e wattages – u Convection e wattages – u Bake / broil e wattages – k Convection e wattages – k	element pper cavity element pper cavity element ower cavity element ower cavity	1,700 W 2,400 / 3,800 W
Bake / broil a wattages – u Convection a wattages – u Bake / broil a wattages – k Convection a wattages – k	element ipper cavity element ipper cavity element ower cavity element ower cavity	1,700.W 2,400./3;800.W 2,000.W
Bake / broil of wattages — u Convection of wattages — u Bake / broil of wattages — lo Convection of wattages — lo Technical De Watts (W)	element upper cavity element upper cavity element ower cavity element ower cavity element ower cavity	1,700 W 1,700 W 2,400 / 3,800 W 2,000 W 9,600 W
Bake / broil a wattages – u Convection a wattages – u Bake / broil a wattages – k Convection a wattages – k Technical De Watts (W) Circuit break	element pper cavity element pper cavity element ower cavity element ower cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3;800 W 2,000 W 9,600 W
Bake / broil wattages - u Convection e wattages - u Bake / broil wattages - k Convection e wattages - k Technical De Watts (W) Circuit break Volts (V); Fre	element pper cavity element pper cavity element ower cavity element ower cavity element ower cavity element ower cavity	1,700 W 1,700 W 2,400 / 3,800 W 2,000 W 9,600 W 40 A 240 / 208 V; 60 Hz

Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"
Required cutout size Standard (HxWxD) (in)	48 5/8" × 28 1/2" × 23 1/2" × 1
Required cutout size – Flush (HxWxD) (in)	49 ¹ / ₈ " × 30" × 24 ¹ / ₂ "
Speed oven cavity size – upper	1.6 cu. ft.
Overall upper speed oven interior dimensions (HxWxD) (in.)	97/8" x 16 ½".X 16 ½"
Metal turntable diameter (in)	14:1/8" dia.
Ceramic tray diameter (in)	13. <mark>3/4" dia.</mark>
Rack – rectangular cookware max. – upper	15" × 12"
Oven cavity size – lower	4.6 cu. ft.
Overall lower oven interior dimensions (HxWxD) (in)	17 ¹³ /16" × 24 ¹ /8" = × 18" :
Usable lower oven interior dimensions (HxWxD) (in)	12 ½4° × 23 ½4° × 15 ½6°
Net weight (lbs)	259 lbs
Accessories – Included	

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe

Accessories - Optional



30" Telescopic Rack







Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


30" Speed Combination Oven

800 Series - Stainless Steel HBL8753UC



Installation Details





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

30" Speed Combination Oven

800 Series - Stainless Steel HBL8753UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-900-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-900-944-2904


BSH Home Appliances Corporation, All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

06/19

36" Box Canopy Chimney Hood

500 Series - Stainless Steel HCB56651UC





HCB56651UC Stainless Steel

Wall mounted chimney hoods add style and sophistication to the kitchen and give you greater freedom in your kitchen planning.

_	 	enet	

Touch controls with LCD display.

600 CFM centrifugal integrated blower

Four speed touch controls with LCD display.

Dishwasher safe filters with stainless steel covers.

Converts to recirculation mode with accessory kit (separate purchase required).

General Properties	** \$478-:
Operating mode	Convertible:
	ducted / recirculating
NAi	12.00
Maximum CFM	600 CFM
Number of speed	4-stage
settings	
Motor location	Integrated motor
\	in hood chimney
Number of lights	2
Bulb type	Halogen
Total power of the lamps	80 W
(W)	
Damper included	Yes
Grease filter material	Washable stainless
	steel
Grease filter type	Multilayer cassette.
Technical Details	
Volts (V)	-120 V
Frequency (Hz)	60 Hz
Plug type	No plug







Dimensions & Weight	
Overall appliance dimensions (width of canopy included) (HxWxD) (in.)	27 1/16" × 42 1/8" 1/27 1/16" × 45 13/16" //36" × 19 11/16"
Height of the chimney (in.)	25 1/2" × 40 9/16" / 25 1/2" × 44 1/4"
Required distance above cooktop/range cooking surface	24" Electric / 30" Gas
Diameter of air duct (in.) top	8"
Net weight (lbs)	54 lbs 144
Accessories-Optional	



HCBEXT5UC Chimney extension



HCIFILTUC Filter kit



HCREC5UC Recirculation kit

For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product) for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight colour variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty excludes any display, floor, "As Is", or "B" stock appliances.


For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904


36" Box Canopy Chimney Hood


500 Series - Stainless Steel HCB56651UC




Installation Details









For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST


Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product) for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight colour variations due to inherent differences in painted and porcelain parts, as well as differences accessed by kitchen lighting, product location, or other similar factors. This cosmetic warranty excludes any display, floor, "As is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904



800 Series, Gas Cooktop, 36", Stainless steel NGM8658UC



Optional accessories HEZ298102 : Wok ring

The 800® Series stainless steel gas cooktop with control knob LED light line indicator and adjustable FlameSelect®.

- FlameSelect® Allows for a Precise Adjustment of the Flame Size with
- Nine Defined Power Levels
- Control knob with red LED light line indicates if burner is on and the burner's residual heat.
- Dual-flame power burner has two rings for low and high flame settings to go from simmer to sear with ease.
- Dishwasher safe grates and porcleain enameled cooking surface makes the clean-up process faster and easier.
- OptiSim® Burner Simmer delicate sauces and melt chocolate without scorching

Technical Data

Knob Material : Full metal Sealed Burners : Yes Type of grate : Cast iron

Natural Gas Connection Rating: 42700 BTU LP Gas Connection Rating: 41400 BTU Power of heating element (W): 1 kW Power of 1st burner: 3400 BTU

Power of 3rd heating element (W) : 1.75 kW Power of 3rd burner (BTU) : 6000 BTU



800 Series, Gas Cooktop, 36", Stainless steel NGM8658UC

The 800® Series stainless steel gas cooktop with control knob LED light line indicator and adjustable FlameSelect®.

Performance

- 5 high efficiency gas burners
- FlameSelect® (9 power levels)
- 17K dual flame ring power burner
- OptiSim® burner
- STAR-K Sabbath compliant

Convenience

- Sealed burners prevent spills from entering the burner box
- Full width continuous surface enameled cast iron grates can be cleaned in dishwasher
- Push-to-turn knobs with electronic ignition
- LED light line in the control knob for each burner

Design


- Stainless steel cooking surface
- Heavy-duty stainless color metal knobs for a premium look and feel
- Low-profile design for an integrated transition to the counter surface
- Perfect results are within reach with up-front centralized controls
- Cooktop design coordinates with Bosch ovens and ventilation

Safety


- Flame thermocouple sensing device will switch off the supply of gas if flame temporarily extinguishes
- Residual heat indicator on every burner reminds you not to touch the grates when they are still hot
- LP conversion kit included for conversion from natural gas to liquid propane




800 Series, Gas Cooktop, 36", Stainless steel NGM8658UC




Measurements in inches (mm) Cooktop over oven




A: Refer to approved combination matrix



magrainmones in inches (men)






24" Recessed Handle Dishwasher

800 Series - Stainless Steel SHEM78Z55N





SHEM78Z55N Stainless Steel

Also available in:

White Black SHEM78Z52N

k SHEM78Z56N

Patented CrystalDry™ technology transforms moisture into heat to get dishes, including plastics, 60% drier.*

Features & Benefits

42 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

The Flexible 3rd Rack with fold down sides adds 30% more** loading area, perfect for utensils and ramekins.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.


General Properties	
Number of wash cycles	6\\7
Number of options	5
dBA	42
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Touch Control
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
Water softener	No
Five-level wash	Yes
ChildLock	Yes
Special features	CrystalDry™ Option, Speed60®
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	



Number of place settings 16



Technical Details	
Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length - Install length from corner of unit	67" 45"
Minimum water pressure (lb/sin)	IZ
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33.7/8" x 23.9/1 x 23.3/4"
Required cutout size (HxWxD) (in)	33.7/8" x 23.5/8 x 24"
Adjustable feet	Yes
Net weight (lbs)	102 lbs
Accessories-Optional	
Junction Box	SMZPCJB1UC
Bosch Dishwasher Water Supply Hose	SMZSH002⊍€
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000 (2)
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector	SMZEP001UC



^{*}Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry. Drying performance may vary by dish type.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


^{**}Compared to a Bosch dishwasher with 2 racks.


24" Recessed Handle Dishwasher


800 Series - Stainless Steel SHEM78Z55N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


05/19


24" Recessed Handle Dishwasher

800 Series - Stainless Steel SHEM78Z55N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

05/19