RECEIVED

JUL 0 - 2022

CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASERS: James CUNNINGHAM and Melissa D. CUNNINGHAM

TEL: RES.: 647-408-5610

			 	ı
LOT / PHASE	REG. PLAN#	HOUSE TYPE		
564 / 4	62M-1266	Springfield Three (5 Bedroom) Elev 2		
· · · · · · · · · · · · · · · · · · ·				

CABINETRY	
1 - LIGHT VALENCE SHIELD - KITCHEN	
29Jun22 Note:	
1 - VANITY - ENSUITE - UPGRADE 2	
29Jun22 Note:	
1 - KITCHEN - DELETE CABINETS ABOVE STOVE - VENDOR WILL SUPPLY 6 INCH VENT AS PER CONSTRUCTION	
SPECIFICATIONS 29Jun22 Note: PURCHASER UPGRADED TO CYCLONE SC513 CANOPY HOOD FAN - PRICED SEPARATELY.	
1 - BAR FRIDGE PROVISION AT KITCHEN ISLAND ***SEE SKETCH***	
AT END CLOSEST TO KITCHEN SINK NEXT TO POT/PAN DRAWER UNIT - SEE SKETCH 29.Jun22 Note:	:
1 - KITCHEN CABINETRY - TWO COLOUR KITCHEN - FLAT FEE	
29Jun22 Note:	
1 - CABINETRY - KITCHEN - UPGRADE 2	
29Jun22 Note:	
CABINETRY ACCESSORIES	
1 - VANITY CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT	
ENSUITE	
29Jun22 Note:	
1 - SOFT CLOSE DOORS AND DRAWERS	
KITCHEN	
29.Jun22 Note:	
1 - KITCHEN CABINETRY BASE - POT/PAN DRAWERS (CABINET) - UPGRADE 2	
INSTALL AT KITCHEN ISLAND - NEXT TO BAR SINK ***SEE SKETCH***	
29Jun22 Note:	
1 - KITCHEN CABINETRY BASE - PIE CUT CORNER CABINET - BASE CABINETRY - UPGRADE 2	
29.Jun22 Note: AT CORNER CLOSEST TO KITCHEN SINK.	
SEE SKETCH 2 - PANTRY UNIT - 600MM DEEP - UPGRADE 2	
2-PANTRY UNIT - 600MM DEEP - UPGRADE 2 29 Jun 22 Note:	
1 - KITCHEN CABINETRY UPPER - FULL DEPTH ABOVE FRIDGE - WITH GABLES - 600MM - PRICE IS EACH - UPGRADE 2	
29.Jun22 Note:	
1 - KITCHEN CABINETRY - BUILT-IN MICROWAVE/OVEN COMBO - UPGRADE 2 *****SEE SKETCH*******	
**INSTALL NEXT TO FRIDGE	
29Jun22 Note:	

CERAMIC TILE

1 - GROUT COLOUR - UPGRADE GROUT COLOUR THROUGHOUT - FLAT FEE	
29Jun22 Note:	
1 - TILE - UPGRADE 4 FLOOR TILE ENSUITE BATHROOM - SHOWER WALL TILE	
29Jun22 Note:	
1 - TILE - UPGRADE 4 FLOOR TILE ENSUITE BATHROOM - FLOOR	į
29Jun22 Note:	
1 - DELETE ALL CERAMIC BATHROOM ACCESSORIES - DELETE TOWEL BAR, PAPER HOLDER & SOAP DISH THROUGHOUT	
29Jun22 Note:	

CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASERS: James CUNNINGHAM and Melissa D. CUNNINGHAM

TEL: RES.: 647-408-5610

LOT / PHASE	REG. PLAN#	HOUSE TYPE		
564 / 4	62M-1266	Springfield Three (5 Bedroom) Elev 2		
1 - TILE - UPGRADE 4 FLO	OR TILE KITCHEN			
29Jun22 Note:				
•				
1 - TILE - UPGRADE 4 FLO	OR TILE FOYER			į.
29Jun22 Note:			•	-

CONSTRUCTION

1 - SMOOTH CEILINGS ON FIRST FLOOR ONLY - DET 14Jun21 Note:

COUNTER TOP

1 - UPGRADE COUNTERTOP MATERIAL - Powder 29.hun22 Note: 1 - ENSUITE BATHROOM VANITY COUNTER TOP 29Jun22 Note: 1 - UPGRADE COUNTERTOP MATERIAL Full Height Backsplash - Kitchen 29Jun22 Note: 1 - UPGRADE COUNTERTOP MATERIAL - Kitchen 29Jun22 Note: 1 - SHAMPOO NICHE 24" WIDE X 20" HIGH AS PER SKETCH - MARBLE, GRANITE OR QUARTZ - IF CONSTRUCTION PERMITS -REQUIRES PROVISION FROM CONSTRUCTION 14Jun21 Note: SUPPLY & INSTALL MASTER ENSUITE

DOORS AND TRIM

1 - DOOR - EXTERIOR - FRENCH - CLEAR GLASS - BOTH DOORS ARE OPERABLE - IN LIEU OF SLIDING PATIO DOOR 14Jun21 Note:

ELECTRICAL

4 - INSERT - POT LIGHT - LED - FIRST FLOOR INSTALLATION	
4 POTLIGHTS ON 1 SWITCH IN LIBRARY ***SEE SKETCH***	
04Jul22 Note: STANDARD LIGHT TO REMAIN ON A SEPARATE SWITCH - **SEE SKETCH**	
2 - INSERT - POT LIGHT - LED - SECOND FLOOR INSTALLATION	
2 POT LIGHTS ON 1 SWITCH - LAUNDRY RM ***SEE SKETCH FOR APPROXIMATE LOCATION - CONSTRUCTION PERMITTING	
04Jul22 Note:	
STANDARD LIGHT TO REMAIN ON A SEPARATE SWITCH.	<u> </u>
4 - INSERT - POT LIGHT - LED - SECOND FLOOR INSTALLATION	
4 POT LIGHTS ON 1 SWITCH - MASTER ENSUITE ***SEE SKETCH FOR APPROXIMATE LOCATION - CONSTRUCTION PERMITTING	
04Jul22 Note:	
STANDARD LIGHTS TO REMAIN ON A SEPARATE SWITCH.	
4 - INSERT - POT LIGHT - LED - FIRST FLOOR INSTALLATION	T
A DOWN COVER ON A CONCEDENCE OF A DEPONIES AND A CONCEDENCE ON DEPONIES OF A DEPONIES AND A CONCEDENCE ON DEPONIES OF A DEPONIES	
4 POT LIGHTS ON 1 SWITCH - FAMILY RM ***SEE SKETCH FOR APPROXIMATE LOCATION - CONSTRUCTION PERMITTING 04.hul22 Note: STANDARD FAMILY RM LIGHT TO REMAIN ON A SEPARATE SWITCH.	
1043ui22 Now. STAINDARD PAINILT RIVILIOITI TO REIMAIN ON A SELARATE SWITCH.	
4 - INSERT - POT LIGHTS - LED - FIRST FLOOR INSTALLATION	+-
	1

4 POT LIGHTS ON 1 SWITCH -BREAKFAST AREA ***SEE SKETCH FOR APPROXIMATE LOCATION - CONSTRUCTION PERMITTING

04Jul22 Note:

STANDARD BREAKFAST AREA LIGHT TO REMAIN ON A SEPARATE SWITCH.

4 - INSERT - POT LIGHTS - LED - FIRST FLOOR INSTALLATION

4 POT LIGHTS ON 1 SWITCH -KITCHEN WORK AREA ***SEE SKETCH FOR APPROXIMATE LOCATION - CONSTRUCTION PERMITTING

04Jul22 Note: STANDARD KITCHEN AREA WORK LIGHT TO REMAIN ON A SEPARATE SWITCH - STANDARD LIGHT TO BE INSTALLED ABOVE KITCHEN ISLAND.

Page 2 of 5 ConstructionSummaryMS.rpt 21nov17

CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASERS: James CUNNINGHAM and Melissa D. CUNNINGHAM

TEL: RES.: 647-408-5610

LOT / PHASE	REG. PLAN#	HOUSE TYPE		
564 / 4	62M-1266	Springfield Three (5 Bedroom) Elev 2		
1 - RELOCATE STANDARD	LIGHT IN LIVING /DI	NING AS PER ATTACHED SKETCH.		
		GES, UNDERSTANDS AND ACCEPTS THAT LIGI	HT LOCATION CA	NNOT
BE GUA	RANTEED DUE TO	STUD AND MECHANICAL PLACEMENT AND AC	CCEPTS LIGHT	
LOCATI	ON AT VENDORS D	ISCRETION.		
2 - INSERT - POT LIGHT - L	.ED - FIRST FLOOR IN	STALLATION		
2 DOTLICUTE ON 1 SWITC	U ATTUVING/DINING	RM (HALL PORTION) ***SEE SKETCH***		
04Jul22 Note: STANDA	ARD LIGHT TO REM	AIN ON A SEPARATE SWITCH - SEE SKETCH FO	OR APPROXIMATI	E
LOCATI				
0 - ***DELETE 24 POT LIC	GHT LED FIRST FLO	OOR INSTALLATION		
04Jul22 Note: FOR CL	ARIFICATION PURF	OSES (SEE SKETCH FOR REVISIED LOCATIONS	S)	
FOR CLARIFICATION	PURPOSES - SEE S	KETCH FOR REVISED POT LIGHT LOCATION	S	
1 - KITCHEN - CANOPY HO	OOD FAN - 30" CYCLO	NE 550 CFM #SC51330		
29 Jun 22 Note:				
1 - KITCHEN - VALANCE L	JGHTING - LED LIGH	ΓING		
29Jun22 Note:				
A DYLIC ELECTRICAL DI	LIC FOR DAR ERIDGE	AT KITCHEN ISLAND ***SEE SKETCH***		
1 - PLUG - ELECTRICAL PI 	LUG FUR BAR FRIDGE	AT KITCHEN ISLAND *** SEE SKETCH***		
	CHEN SINK NEXT TO	POT/PAN DRAWER UNIT - SEE SKETCH		
29Jun22 Note:				
	uana anavuatani. Pi	AND THE PROPERTY OF THE	· · · · · · · · · · · · · · · · · · ·	
	IICRO PROVISION - PI	ROVISION ONLY - ELECTRICAL ONLY		
29Jun22 Note: NEXT TO FRIDGE *SEI	e cizercii			
1 - PLUG - ELECTRICAL PI		ED OVER FIREPI ACE		
29Jun22 Note:	EOG - TO DE INGIALE	ED OVERTINEI ENCE		
FAMILY RM				
	KITCHEN LIGHT TO	BE CENTERED OVER ISLAND		
29Jun22 Note:				
1 - PLUG - ELECTRICAL PI	LUG WITH GFI AND S	WITCH - FOR FESTIVE LIGHTING		
14Jun21 Note:				
SEE SKETCH FOR APP	ROXIMATE LOCA	TION		
24 - POT LIGHT - LED - FIR	ST FLOOR INSTALLA	TION		
14Jun21 Note:				
SEE REVISED SKETCH		T LIGHT LOCATIONS		
1 - 200 AMP ELECTRICAL	SERVICE			
14Jun21 Note:				
			, <u></u>	
HARDWOOD FLOORIN	G			
	CONTRACT OF THE CONTRACT OF TH			

1 - HARDWOOD - GROUP B SERIES 5 INCH - IN LIEU OF 2 1/4 INCH NATURAL RED OAK FAMILY ROOM	
29Jun22 Note:	
1 - HARDWOOD - GROUP B SERIES 5 INCH - IN LIEU OF 2 1/4 INCH NATURAL RED OAK LIVING AND DINING ROOM	
29Jun22 Note:	
1 - HARDWOOD - GROUP B SERIES 5 INCH - IN LIEU OF 2 1/4 INCH NATURAL RED OAK MAIN HALL	
29Jun22 Note:	
1 - HARDWOOD - GROUP B SERIES 5 INCH - IN LIEU OF 2 1/4 INCH NATURAL RED OAK LIBRARY/DEN	
<i>29Jun22</i> Note:	
	Ì

MIRRORS AND GLASS

1 - FRAMELESS GLASS SHOWER DOOR FOR 5 FOOT PAN - INCLUDES CHROME KNOB & HINGES	
ENSUITE	
29Jun22 Note:	

PAINTING.

CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASERS: James CUNNINGHAM and Melissa D. CUNNINGHAM

TEL: RES.: 647-408-5610

LOT / PHASE 564 / 4	REG. PLAN # 62M-1266	HOUSE TYPE Springfield Three (5 Bedroom) Elev 2	
1 - NOTE: ***CUSTOM*** -	- ***SEE COLOUR CH	ART FOR DESCRIPTION***	
PAINTED RISERS: PREFIN	ISHED WHITE (8200 P.	ARA)	
STAINED HANDRAIL, TRE	ADS AND STRINGER:	BUBBLE BATH	
NOTE: PICKETS ARE PRE- 06Jul22 Note:	FINISHED WHITE (820	0 PARA) - SUPPLIED BY AIRPORT RAILING	
(PRICED	SEPARATELY)		
1 - UPGRADE TRIM PAINT	- WHITE		
29Jun22 Note: INTERIOR DOORS ANI	D TRIM		
DLUMDING	* .		

PLUMBING

1 - SINK - UNDERMOUNT SINK - CONTRAC COLLETTE #4220CIY	
29Jun22 Note: POWDER ROOM	
1 - ARBOR -SINGLE HANDLE PULLDOWN BAR/PREP FAUCET MODEL#5995	
29Jun22 Note: BAR SINK IN ISLAND	
1 - SINK - UNDERMOUNT SINK - BLANCO QUATRUS R15 U2 #401519	
THE COLUMN TO TH	
KITCHEN	
29Jun22 Note:	
2 - SINK - UNDERMOUNT SINK - CONTRAC COLLETTE #4220CIY	
29Jun22 Note: MASTER ENSUITE	
1 - MOEN 90 DEGREE POSI-TEMP SHOWER ONLY WITH 3 FUNCTION TRANSFER VALVE/TRIM AND SLIDE BAR WITH HAND	
SHOWER – CHROME #TS2712EP/U361CI/UTS4172/62320/S3879EP/A721	
14Jun21 Note:	
MASTER ENSUITE	

PROMOTIONAL

1 - LESS CREDIT FROM PURCHASER EXTRA SHEET IN OFFER	
14Jun21 Note:	

STAIRS AND RAILINGS

1-4 X 4 STAR POSTS	
29Jun22 Note:	
TO DEPOSIT DATE OF THE ART TO AND BY OOD.	
1 - MODERN PACKAGE (STAIR - 1ST TO 2ND FLOOR)	
29Jun22 Note:]
The state of the s	<u> </u>
1 - PAINTED RISERS & PICKETS/ STAINED STAIRS, HANDRAIL, TREADS AND STRINGER	1
29Jun22 Note:	
SEE COLOUR CHART FOR DESCRIPTION AND COLOUR	

Page 4 of 5

CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASERS: James CUNNINGHAM and Melissa D. CUNNINGHAM

TEL: RES.: 647-408-5610

LOT / PHASE	REG. PLAN#	HOUSE TYPE	
564 / 4	62M-1266	Springfield Three (5 Bedroom) Elev 2	

EXTRAS AS PER OFFER

(1) The Vendor agrees that notwithstanding any other term or provision in this Agreement included in the Purchase Price and in addition to those items detailed in Schedule GP to the Agreement of Purchase and Sale, the Purchaser is entitled to a credit of Worksheet Note:	
Purchase Price includes 3 enlarged basement windows, and the obligation to construct the house with the enlarged basement windows is subject to the Vendors approval, in its sole and unfettered discretion The Purchaser acknowledges and agrees that the loc Worksheet Note:	
(8?6? Pour) If the Purchaser has purchased or been provided with an 8-foot 6-inch basement concrete pour (being an increase from the Vendor?s standard basement depth) the depth is measured from the top of footing to the top of foundation wall. The incre Worksheet Note:	
Granite kitchen counter top, from Vendor?s standard samples Worksheet Note:	
PURCHASER(S) ACKNOWLEDGES THAT THE PURCHASE PRICE IS INCLUSIVE OF ALL CREDITS AND PROMOTIONAL PACKAGES AVAILABLE AT TIME OF PURCHASE. Worksheet Note:	

This Document is Extremely Time Sensitive - Printed $\underline{6}$ Jul $\underline{22}$ at $\underline{15:15}$

INTERIOR COLOUR SCHEME

		& Melissa D. CUNNINGH.		
Telephone Res. / Bus:	` ,		•	Gardens Building Ltd.
and the second s	Giulia Di Girolamo			ld Three (5 Bedroom) Elev 2
123 (2010) T. 2016 (100 MERC) 230 (100 MERC) 123 (100 MERC)	29-Jun-22	29-Jun-22	Plan #:	62M-1266
Layout Changes: O Ye	es No Sketch	Attached: Yes No	Exterior Colou	r Scheme:
1. Cabinetry				· · · · · · · · · · · · · · · · · · ·
Kitchen / Breakfast	Style and Colour SEE BELOW	· · · · · · · · · · · · · · · · · · ·		Hardware 468SA
Laundry Room	ELISSE			
				Standard
Powder Room	ARUBA 699 PORT BLUI			225SA
Master Ensuite Bathroom	SONATA-SATIN SNOW			226SA
Ensuite Bath - Bed 2/5	SABRA-823 DRIFTWOO	OD		225SA
Ensuite Bath - Bedroom 3/	4 DORAL WHITE W500			226SA
			·	
Appliances:	Built In Appliances	Yes No	S	lide In Stove () Yes No
Dishwasher Cabinet	○ Closed ● Oper			Please NOTE: Standard Cabinet Height is 30"
Stove Opening	STANDARD OPENIN	· · · · · · · · · · · · · · · · · · ·	<u> </u>	pening of approximately 30" width
Fridge Opening				pening of approximately 37" width x 74" height
Friage Opening	STANDARD OPENING	NOTE: If flot specified, opening will	be set to builder's standard o	Jenning of approximately 57 width x 74 height
SONTATA -FOSSIL				
2. Counters				
	Counter		Edge	
Kitchen / Breakfast	QUARTZ-MISTRAL		#360 EDGI	
Laundry Room		FAIR WAS ABOVE 18 JAMES 1 to 19 JAMES 1		
Powder Room	QUARTZ-ISTRIA		#360 EDGI	
Master Ensuite Bathroom	QUARTZ-ISTRIA		#360 EDGI	
Ensuite Bath - Bed 2/5	LAMINATE-CALCUTTA	•		
Ensuite Bath - Bedroom 3/	4 LAMINATE-CARRARA E	BIANCO 6696-46		
	<u> </u>	·		
•				
** Refer to Construction	Summary			
		an A		

INTERIOR COLOUR SCHEME

Purchasers:	James CUNNINGHAM	& Melissa D. CUNNII	NGH.Property:	564
Telephone Res. / Bus:	(647) 408-5610 /	:	Project:	Russell Gardens Building Ltd.
Decor Advisor:	Giulia Di Girolamo	Model a		Springfield Three (5 Bedroom) Elev 2
Lock Date:	29-Jun-22	29-Jun-22		Plan #: 62M-1266
3. Ceramic Flooring			1	At a 45 Threshold-If App.
Entrance Vestibule	TILE- LITIUM PEARL 1	2X24		GROUT- #50 TITANIUM
Main Hall	N/A			
Kitchen / Breakfast	TILE- LITIUM PEARL 2	24X24		GROUT- #50 TITANIUM
Laundry Room	TILE- CONCEPT GRE	Y 13X13		GROUT- #50 TITANIUM
Powder Room	TILE-ESSENZE BIANC	O 13X13		GROUT- #50 TITANIUM
Master Ensuite Bathroom	TILE-VARENNA CARA			GROUT- #50 TITANIUM
Ensuite Bath - Bed 2/5	TILE-ESSENZE BIANC			GROUT- #50 TITANIUM
Ensuite Bath - Bedroom 3/4				GROUT- #50 TITANIUM
Mud Room	TILE- LITIUM PEARL 1	2X24	ALL	GROUT- #50 TITANIUM
** Refer to Construction S				
4. Ceramic Wall Tile				
Master Ensuite Bathroom	Selection		Des	scribe
Tub Deck				
Tub Deck	Deck N/A			
· ·	Stall TILE-VARENNA CARA	RRA MATTE 12X24	NIC	CHE/ QUARTZ-ISTRIA
Bathtub Enclosure V	·····			71117 (67) (712) (67)
Ensuite Bath - Bed 2/5	TILE-EXTRA WHITE G	REY (719) 8X16	GR	OUT- #50 TITANIUM
Ensuite Bath - Bedroom 3/	4 TILE- EXTRA LIGHT G	REY (723) 8X16	GR	OUT- #50 TITANIUM
Mud Room	N/A			
<u> </u>				
Kitchen Backsplash	QUARTZ-MISTRAL			
** Refer to Construction 5. Plumbing Fixtures				
All Bathrooms	White	•	Whirlpool	
	N/A			N/A ○ Yes ● No
	N/A	:		
	N/A			Dishwasher Rough-In Yes No
	N/A			Waterline for Fridge Yes No
	N/A			
** Refer to Construction	Summary			
6. Trim Carpentry				
Interior Doors	As Per Construction S			
Interior Trim	As Per Construction S			
Door Handles	As Per Construction Specifications			The second secon
Exterior Front Door Hand	IIE As Per Construction S	Specifications		·
** Refer to Construction	Summary			
		lr	nitials:	Page 2 of

Printed 2022-06-29 12:35:23

Purchasers:

INTERIOR COLOUR SCHEME

James CUNNINGHAM & Melissa D. CUNNINGH.Property: 564

Telephone Res. /	Bus: (6	47) 408-5610 /			Project:	Russell G	ardens Building Ltd.
Decor Advisor:	Gi	ulia Di Girolamo		Model and El	levation:	Springfiel	d Three (5 Bedroom) Elev 2
Lock Date:	29	-Jun-22	29-Jun-2	22		Plan #:	62M-1266
7. Other Floo	ring		The second secon				
Main Hall		MIRAGE-SWEET MEM	ORIES COLLEC	TION-BUBBLE E	BATH-WHITE	OAK CHA	RACTER BRUSHED-5" DURAMATT
Living Room		MIRAGE-SWEET MEM	ORIES COLLEC	TION-BUBBLE E	BATH-WHITE	OAK CHAI	RACTER BRUSHED-5" DURAMATT
Dining Room		MIRAGE-SWEET MEM	ORIES COLLEC	TION-BUBBLE E	BATH-WHITE	OAK CHAI	RACTER BRUSHED-5" DURAMATT
Family Room		MIRAGE-SWEET MEM	ORIES COLLEC	TION-BUBBLE E	BATH-WHITE	OAK CHA	RACTER BRUSHED-5" DURAMATT
Den / Library / Study		MIRAGE-SWEET MEM	ORIES COLLEC	TION-BUBBLE E	BATH-WHITE	OAK CHA	RACTER BRUSHED-5" DURAMATT
Basement Landing(If		N/A					
Lower Landing (If Ap	plies)	N/A	to destrict our de leur				
Upper Landing		N/A					
Upper Hall		LAMINATE-LEXINGTON					
Master Bedroom		LAMINATE-LEXINGTO					
Bedroom #2		LAMINATE-LEXINGTON					
Bedroom #3		LAMINATE-LEXINGTON					
Bedroom #4		LAMINATE-LEXINGTON					
Bedroom #5		LAMINATE-LEXINGTON	N-CHARLEROI C	DAK-TL-LW1314			
. * :							
							
Underpad		Type		Area		M 77. A 17 b . Life should be com-	
		N/A	<u>-</u>	N/A			
** Refer to Constr	ruction S	ımmary					
				·			THE CONTROL OF STREET STREET STREET, SAID,
8. Railings an							
Railing Type	MODERN	PACKAGE / 4X4 STAF	POSTS	Compliment	•		
Picket Type	MODERN	PACKAGE		Compliment	ing Colou	r PREFIN	ISHED WHITE
Stringer / Riser	AS PER	CONSTRUCTION SE	PECIFICATIO	Compliment	ing Colou	r SEE BE	LOW
Treads	AS PER	CONSTRUCTION SE	PECIFICATIO	Compliment	ing Colou	r BUBBLE	BATH
	Red Oak	Stairs Yes	○ No		4		
AND RAILS (ST	AIRCASE	S), WILL NOT BE A	N EXACT MA	TCH TO PRE	FINISHED	HARDW	RISERS, TREADS, PICKETS OOD OR LAMINATE (ETS - PREFINISHED WHTE
		_					
9. Wall Paint F	-lat Finis	sn —————					
Main & Upper Hal	1	22 WARM GREY		Master Bed	Iroom	. [22 WARM GREY
Living Room		22 WARM GREY		Bedroom #	2	Ī	22 WARM GREY
Dining Room		22 WARM GREY		Bedroom #	3	Ę	22 WARM GREY
Kitchen / Breakfas	st	22 WARM GREY		Bedroom #	4		22 WARM GREY
Family Room		22 WARM GREY		Bedroom #	5	Ī	22 WARM GREY
Powder Room		22 WARM GREY	· · · · · · · · · · · · · · · · · · ·	Master Ens	uite		22 WARM GREY
Laundry Room		22 WARM GREY		Ensuite Bat	th - Bed 2/	L	22 WARM GREY
Den/Library		22 WARM GREY		Ensuite Bat			22 WARM GREY
Trim & Door Paint	t-Semi Gl			Mud Room		Ľ.	22 WARM GREY
<u> 2001</u> 1 ulln		The second secon		:		ř	
		#110 (m)		, ;			
Smooth Cailings	Firet Floo	Voc	(")	i Na		Ĺ.	·
Smooth Ceilings		_	<u>`</u>	No			
** Refer to Constr	uction St	unmary					
					_		

Initials:

Greenpark. INTERIOR COLOUR SCHEME Purchasers: James CUNNINGHAM & Melissa D. CUNNINGH.Property: 564 Telephone Res. / Bus: (647) 408-5610 / Project: Russell Gardens Building Ltd. **Decor Advisor:** Giulia Di Girolamo Model and Elevation: Springfield Three (5 Bedroom) Elev 2 Lock Date: 29-Jun-22 29-Jun-22 Plan #: 62M-1266 10. Plaster Mouldings and Medallions **Entrance Vestibule** Kitchen/Breakfast Main Hall Den/Library Living Room **Lower Landing Dining Room Family Room** ** Refer to Construction Summary 11. Fireplace Living Room **Family Room** Other Room - Specify Purchased As Per Plan N/A N/A Purchased As Per Plan Purchased As Per Plan N/A \bigcirc ()()Fireplace Type FLAT ON WALL Mantle Type MANTLE M2-STANDARD Colour / Stain WHITE Surround GRIGIO CARNICO Hearth NO ** Refer to Construction Summary 12. Heating and Air Conditioning **Air Conditioning Gas Provisions Stove** NO NO **Gas Provisions Dryer** NO Gas Provisions Barbecue NO Comment ** Refer to Construction Summary 13. Electrical **Plugs and Switches** White DECOR Above Kitchen Cabinet Light () Yes (No **Hood Fan** CYCLONE CHIMNEY 30" #SC51330 Below Kitchen Cabinet Light Yes No **Gas Stove Appliances Built in Cooktop Built in Oven Microwave** () Yes Yes () No Yes Yes O No Yes Dishwasher Rough-in ** Refer to Construction Summary 14. General Comments ** Refer to Construction Summary


Disclaimers and Notes

- Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 3) The Purchaser agrees that this colour selection is final and that no changes will be permitted, unless required by the Vendor.
- 4) The Purchaser acknowledges reading and accepting document which contains other miscellaneous disclaimers.

Signature:

Date: <u>Jun 29/22</u> Signature:

Page 4 of 4



Purchaser: James Cunningham & Melissa D. Cunningham Lot: 564. R.G. Dhase 4

Schedule SMART Russell Gardens Building Ltd. (Phase 4)

Smart Home System includes:

- 1. One (1) Smart Home Hub installed in a location as determined by the Vendor;
- 2. One (1) Doorbell camera supplied and installed at front door;
- 3. One (1) smart home thermostat to be installed in a location as determined by the Vendor;
- 4. One (1) smart Flood sensor to be installed in a location as determined by the Vendor which is designed to detect water in the location of the senor only;
- 5. Smart light switches to be installed in such locations as determined by the Vendor;


Certain devices for The Smart Home System require a fully functioning WiFi network and internet connection and others work on the Zwave wireless network. Provision of WiFi, internet access and functionality shall be the sole responsibility of the Purchaser and the Vendor assumes no responsibility or obligation with respect to the functionality or performance of a homeowner's internet or WiFi network. The Vendor does not guarantee that networks, equipment, or services will meet all homeowner needs.

The Purchaser will be required to download the Homewave Smart Connect App (the "App") in order to configure and set up the Smart Home System devices. The Purchaser is responsible to ensure that they have the appropriate technology to download the App and any charges and fees for download and/or data usage shall be at the Purchaser's sole cost and expense. Access to the App shall be provided free of charge for 1 year from the Closing Date and thereafter the Purchaser may enter into an agreement with Homewave Smart Connect to continue the services for a monthly fee (currently \$10.00/month plus HST). Fees subject to change without notice.

Purchasers are responsible for configuring all security features. The Vendor does not warrant or represent that any network or Smart Home System devices are secure or can prevent all privacy intrusions, malware, or cyber-attacks, even when correctly configured. The products and services for the Smart Home System are provided by third parties, and not the Vendor. The Vendor does not guarantee any equipment or services provided by third parties. If the Purchaser contracts with the third-party provider to upgrade or purchase further devices, the Vendor has no responsibly for same, including but not limited to, the installation, service, safety or functionality of said products.

Energy claims are not based upon specific testing of an individual home but are general assumptions. Savings will vary due to many variables, including but not limited to, actual utility rates and fees, actual construction, floor plan, occupancy, appliance usage, thermostat settings, weather conditions, number of individuals occupying the home and orientation of the home.

The Vendor is providing only those Smart Home System's devices and components listed in this Schedule. Please see the balance of your Agreement of Purchase and Sale for additional information, disclosures, and disclaimers relating to your home and its features. The specific features in a home may vary from home to home and from one community to another. The Vendor reserves the right to substitute equipment, material, appliances and brand names with items of equal or higher value, in its sole and unfettered discretion. The Vendor reserves the right, in its sole and absolute discretion, to omit installation of the Smart Home System, in part or in whole, and the Purchaser shall have no claim for abatement or reduction the Purchase Price or to any delay in closing. Installation of the Smart Home System may result in the elimination of other features listed in Schedule GP or other information material, such as but not limited to set back thermostat, rough-in for alarm or other features deemed redundant as a result of the installation of the Smart Home System.



Combi Wall Oven


1.7 cu.ft. Microwave (Speed Oven) Infrared Heating™ 4.7 cu.ft. Oven **Crisp Convection** Self+EasyClean SmartThinQ® Technology



Enjoy new ways to control your home with LG smart appliances

- Start or stop your Oven remotely
- Set your Monitor Status from your smartphone
- Works with the LG SmartThinQ® app


Smart**ThinQ**®













CONTROL	
Oven Control Type	Glass Touch (SmoothTouch™)
Display	White VFD
Language	English / Spanish / French
Smart Function	Wi-Fi / Smart Buzzer
Clock	12 hr or 24 hr (option)
Kitchen Timer	Yes
Timed Cook	Yes
Temperature Unit of Measure	Fahrenheit / Celsius
Cooking Complete Reminder Volume	Beeper (1. Loud, 2. Low, 3. Mute)
APPEARANCE	and the control of the second second second
Available Colors	Stainless Steel / Black Stainless Steel
Handle/Knobs	Stainless Steel Finish (Aluminum)
Aven Deer Control	Black Stainless Steel Finish (Aluminum)
Oven Door Feature	WideView™ Window
Scratch-Resistant	Yes
PrintProof™ Finish	Yes (Only Black Stainless Steel)
SmartThing® SMART FEATURES . ,	i data ini dia mpada sa manganaka ke dapatan ing Pagana
SmartDiagnosis™	Yes
Wi-Fi Connectivity	Yes
Works with	Google Assistant and Amazon Alexa
SmartThinQ® with Innit and SideChef	Yes
DIMENSIONS/CLEARANCES/WEIGHT	
Shipping Weight (lbs)	244 lbs
Product Weight (lbs)	194 lbs
Product (W x H x D)	29 3/4" x 43 13/16" x 24 1/2"
Cut-out (W x H x D)	28 1/2" x 43 8/19" x 23 1/2"
Overall Depth (in) - including handle	26 7/8"
Actual Depth with Door Open (Upper) (in):	37.1"
Actual Depth with Door Open (Lower) (in):	45.7"
Oven interior Dimensions (Upper) (in) (W x H x D)	20 8/11" x 8 9/25" x 17 5/13"
Oven Interior Dimensions (Lower) (in) (W x H x D)	24 1/2" x 17 5/8" x 18 7/8"
Carton Dimensions (in) (W x H x D)	33" x 30" x 50"
POWER/RATINGS	
Amp at 240V	32.5A
kW at 240V	7.8kW
Requirements	120 / 240 VAC, 120 / 208 VAC
ACCESSORIES	
Glass Tray(Upper)	чиния выполня дения спинании дения дени Yes
Metal Tray(Upper)	Yes
Rack(Upper)	Yes
Broiler pan & Grid	Yes
Gliding Rack	1
Heavy Duty Rack	2
* *	
Meat probe	Yes
Scouring Pad	Yes
WARRANTY	
Parts & Labor	1 Year
UPCICODES	
LWC3063ST (Stainless Steel)	048231339810
LWC3063BD (Black Stainless Steel)	048231339827

© 2018 LG Electronics USA, Inc. All rights reserved. *LG Life's Good* is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 10/4/18

HOME APPLIANCES INDEPENDENT DE LE COMPANIE DE LA COMPANIE DE LE CO

LG COOKING -

LWC3063_ Combi Wall Oven


QUICK INSTALL & CLEARANCES


For full installation directions/clearances please refer to the corresponding User Manual and Installation Guide.

25° x 17 5/13° 8° x 18 7/8° 0°
8" x 18 7/8"
8" x 18 7/8"
8" x 18 7/8"
25" x 17 5/13"
MINIMINA DE ASSAULTANA - CONTRACTOR DE LA CONTRACTOR DE L
19" x 23 1/2
3/16" x 24 1/2"

INSTALLATION REQUIREMENTS

- The cabinet base platform must be able to support 202 lbs (91.65 kg) for a
 Microwave Combination Wall Oven. If the cabinet does not have a solid bottom,
 two braces or runners must be installed level with the bottom of the cutout to
 support the weight of the oven. Make sure the base is level and the front of the
 cabinet is square. If the cabinet base is not level, the oven racks will tend to slide
 out when opening the door.
- If marks, blemishes or the cutout opening are visible above the installed oven, it
 may be necessary to add wood shims under the runners and front trim until the
 marks or opening are covered.
- If the cabinet does not have a front frame and the sides are less than 3/4" (1.9 cm) thick, shim both sides equally to establish the cutout width.
- The junction box must be flush with the rear wall of the cabinet as shown below.
- Allow at least a 23" clearance for the door depth when it is open.
- Kitchen cabinets in contact with the oven must be heat resistant up to 194°F (90°C), and fronts of nearby units up to at least 158°F (70°C).








ELECTRICAL CONNECTIONS

- Be sure the wall oven is installed and grounded properly by a qualified installer or service technician.
- This wall oven must be electrically grounded in accordance with local codes or, in their absence, with the National Electrical Code ANSI/NFPA No.70- latest edition in United States, or with CSA Standard C22.1-1982 and C22.2 No.01982 (or latest edition), Canadian Electrical Code, Part1, and all local codes and ordinances.
- This wall oven must be supplied with the proper voltage and frequency, and connected to an individual, properly grounded branch circuit, protected by a circuit breaker or fuse. For the circuit breaker or fuse required by this model, see the rating plate to find the wattage consumption and refer to the table below to get the circuit breaker or fuse amperage.
- A Microwave Combination Wall Oven can consume up to 7,800 W at 240 VAC. A 50 Amp circuit breaker with wire gauge #8 AWG must be used.
- Do Not ground to a gas pipe.
- Do Not have a fuse in the neutral or grounding circuit.
- A U.L.-listed conduit connector must be provided at the junction box.
- Prepare the electrical connection as follows:
- Turn off the circuit breaker or remove fuses to the oven branch circuit.
- With the oven positioned directly in front of the cabinet opening, connect the flexible conduit to the electrical junction box as shown below. Position the conduit in such a manner that it will lie on top of the oven in a natural loop when the oven is installed.




- If local codes permit connection of the frame grounding conductor to the neutral(white) wire, follow the instructions for a 3-wire circuit connection.
- If used in mobile homes or new construction, or a recreational vehicle, or local codes do not permit connection of the frame grounding conductor to the neutral(white) wire, follow the instructions for a 4-wire circuit connection.

INSTALL THE OVEN

- Install the oven into the cabinet as follows:
- Slide the oven into the opening.
 - a. Loop (do not tie) a 36" (91 cm) string around the conduit before the oven is slid into place. Lay the string over the top of the oven and use it to keep the conduit from falling behind the oven.
 - b. Lift oven into cabinet cutout using the oven opening as a grip. Carefully push against the oven front frame. Do not push against outside edges.
 - c. While sliding the oven back, pull the string so that the conduit lies on the top of the oven in a natural loop.
 - d. When you are sure the conduit is out of the way, slide the oven 3/4 way back into the opening. Remove the string by pulling on one end of the loop.
- Secure the oven.
 - Using the mounting holes on the oven side trim as a guide, drill pilot holes for screws provided. (For securing the Combi Oven, use a minimum of 4 screws, one on each side in both the upper and lower ovens.)
 - ovens.)

 b. Secure the oven to the cabinet with screws provided. If the cabinet is particle board, you must use 3/4" particle board screws. These may be purchased at any hardware store.



- Install the metal bottom trim
- a. Place the metal bottom trim centered over the pre-drilled mounting holes on the lower base.
- b. Using 3 screws provided, secure the bottom trim to the bottom edge of the cabinet.
- Reinstall the oven door







LFCC22426

23 pi³ Réfrigérateur à profondeur de comptoir doté de trois portes, dont une porte à deux battants

Finition antisalissure

Machine à glaçons automatique installée

Refroidissement+ de la porte

Tiroir garde-manger Glide N' Serve


Tablettes antidébordement SpillProtector $^{\text{MC}}$ en verre trempé

Conduits plats

Garantie de 10 ans sur le compresseur linéaire à inversion

Système Smart Diagnosis™

Homologué ENERGY STAR™



	CAPACITE	医静脉性阴影性的神经 或类似的
	Réfrigérateur (pi³)	15,5
	Congélateur (pi³)	7,3
	Capacité totale (pi³)	22,8
1	ÉNERGIE	
	Consommation d'énergie (kWh/année)	595
	Homologué ENERGY STAR ^{MD}	Oui
	SYSTÈME DE DISTRIBUTION D'EAU ET DE GLAÇON	S
	Machine à giaçons automatique	Installée
	Filtre à eau	LT1000P
4.4	REFROIDISSEMENT	
	Compresseur linéaire à inversion	Oui
	Débit d'air multiple	Oui
	Capteurs de température	5
-	COMMODITÉ	
	Type d'affichage	Membrane/DEL blanche
	Commandes de température	Électroniques/numériques
	Charnière à fermeture automatique	Oui
	Fonctionnement silencieux LoDecibel ^{MC}	Oui
1	RÉFRIGÉRATEUR	SIGNAL PROPERTY OF STREET
	Nombre de tablettes	4 demi-tablettes
	Tablettes en porte-à-faux	Tablettes en porte-à-faux hybrides
	Matériau des tablettes	Verre trempé avec protection antidébordement SpillProtector ^{MC}
	Bacs à légumes	2 bacs à légumes à humidité contrôlée
	Tiroir garde-manger Glide N' Serve	Oui
	Éclairage dans le réfrigérateur	DEL au plafond
	PORTE DU RÉFRIGÉRATEUR	Spring and the second second
	Nombre de balconnets	6 (dont 2 ajustables pour contenants de 4 litres)
	Matériau des balconnets	1 pièce (transparent)
	Refroidissement+ de la porte	Oui
:	CONGÉLATEUR	
	Type de porte	Tiroir coulissant
	Tiroirs	Organisation à deux étages
	Séparateur de tiroir	Oui
	Éclairage dans le congélateur	Éclairage à DEL
	Poignée de congélateur	Poignée SmartPull ^{MC}

Porte arrondie	Oui
Charnières dissimulées	Oui
Finition antisalissure	Oui
Poignées	Poignées commerciales assorties
Couleurs offertes	Acier inoxydable résistant aux taches
DIMENSIONS/DEGAGEMENTS/POIDS	i primari y republicacio del primario del primario del primario del primario del primario del primario del prim
Profondeur avec les poignées	31 1/4 po
Profondeur sans les poignées	28 3/4 po
Profondeur sans la porte	24 3/4 po
Profondeur (au total, avec la porte ouverte)	43 1/2 po
Hauteur jusqu'au-dessus du caisson	68 3/8 po
Hauteur incluant la charnière de la porte 69 3/4 po	69 3/4 po
Largeur	35 3/4 po
Largeur (porte ouverte à 90 degrés avec poignée)	44 1/4 po
Largeur (porte ouverte à 90 degrés sans poignée)	39 1/4 po
Dégagement du bord de la porte avec la poignée	4 1/2 po
Dégagement du bord de la porte sans la poignée	1 3/4 po
Dégagements pour l'installation	Côtés 1/8 po, dessus 1 po, arrière 2 po
Poids (appareil/boîte)	259 lb. / 289 lb.
Dimensions de la boîte (L x H x P)	38 po x 73 po x 37 po
GARANTIE LIMITÉE	a Salida de Californio de Albada de Lacie.
Pièces et main-d'œuvre	1 an
Système scellé	7 ans
Compresseur linéaire à inversion	10 ans
CUP:	
LFCC22426 (acier inoxydable résistant aux taches)	048231797252

© 2018 LG Electronics Canada inc. Tous droits réservés. « LG Life's Good » est une marque déposée de LG Corp. Les autres noms de produits et de marques sont des marques commerciales ou des marques déposées de leurs propriétaires respectifs. La conception, les caractéristiques et les données techniques peuvent changer sans préavis. Les poids et les mesures non métriques sont approximatifs. Certaines fonctionnalités nécessitent un accès à Internet. Le contenu et les services peuvent varier en fonction du produit et peuvent changer sans préavis. 08/28/2018


Silhouette

SBC057D1BSS

Riccotta - 24" Single Zone Beverage Center

FEATURES

- Built-in under-counter design stores up to 138 beverage cans & up to 11 bottles of wine
- Temperature range: 37F 64F (3C 18C)
- Active cooling maintains an even temperature
- Simple capacitive touch thermostat with through the door display
- Blue LED interior display light, 2 intensity options
- Three adjustable glass shelves with spotless steel trim
- Wave wine storage
- Reversible door
- Temperature recall, Door ajar alarm, temperature alarm





SBC057D1BSS

SPECIFICATIONS

Cooling Zones

Single Zone

Brands

Silhouette

Door Finish

Glass, Stainless Steel

Width

24 inch

SHIPPING INFORMATION

Unit Dimensions:

Width

23.81" 60.48 cm

Depth

21.85"

55.50 cm

Height

34.6"

87.88 cm

Package Dimensions:

Width

26.77"

68.00 cm

Depth

0"

0.00 cm

Height

36.6"

92.96 cm

Weight:

Unit

54.00 kg

119.05 lbs

Shipping

59.00 kg

130.07 lbs

Warranty:

24 month warranty on parts and labor with inhome service. Installation and yearly maintenance (cleaning) are not covered under the warranty.


24" Bar Handle Dishwasher

300 Series - Stainless Steel SHXM63W55N



1440 W 12 Amps

/16"



SHXM63W55N Stainless Steel

The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.

Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

With PrecisionWash®, intelligent sensors and precision spray arms target every item of every load, so dishes come out sparkling clean every time.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	
Number of options	4
dBA	44
Drying system	PureDry
Third rack	Standard 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified* sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	No management
Special features	InfoLight®, Extra Dry Option
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	

Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door (in)**	Left - 45" Right - 56"
Minimum water pressure (lb/sin)	14
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	33 7/8" x 23 9/ x 23 3/4"
Required cutout size (HxWxD)(in)	33 7/8" x 23 5/ x 24"
Adjustable feet	Yes
Net weight (lbs)	91 lbs
Accessories-Optional	
Junction Box	SMZPCJB1UC
Bosch Dishwasher Water Supply Hose	SMZSH002UC
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power	SMZEPCC1UC

Technical Details


Watts (W)


Current (A)



Number of place settings 16







Cord Clip Install Kit

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

 $^{^*}$ Certification to NSF/ANSI Standard 184 for residential dishwashers


^{**}September 2020 running production change to remove adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.


24" Bar Handle Dishwasher


300 Series - Stainless Steel SHXM63W55N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


24" Bar Handle Dishwasher

300 Series - Stainless Steel SHXM63W55N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 $^{\circ}$ (201 cm) and can be extended to a maximum of 155 3/4 $^{\circ}$ (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

6.3 cu ft. Smart wi-fi Enabled ProBake Convection® Electric Slide-In Range with Air Fry













SUMMARY

Series	LG
Fuel Type	Electric
Range Type	Slide-In
Color	PrintProof™ Stainless Steel
Cooktop Type	Radiant, Ceramic Glass
Number of Cooktop Burners	5
Oven Type	Single Oven
Oven Cooking System	ProBake Convection®
Oven Capacity (cu. ft.)	6.3
Oven Cleaning Type	EasyClean® + Self Clean
Drawer Type	Storage
Size in Width (in.)	30
APPEARANCE	
Color	PrintProof™ Stainless Steel
Control Type	SmoothTouch™ Glass
Knobs	Stainless Steel Appearance, Weighted
Oven Door Feature	InstaView & WideView™ Window
Cooktop Finish	Ceramic Glass, Stainless Steel
СООКТОР	
Cooktop Type	Radiant, Ceramic Glass
Number of Cooktop Burners	5
Element/Burner - Left Front	9"/6" Dual, 3200W UltraHeat™
Element/Burner - Left Rear	6" Single, 1200W

LOT 564 R.G. Phase 4	(DAGE 11 OF 12
Element/Burner - Right Front	12"/9"/6" Triple, 3000W	
Element/Burner - Right Rear	6" Single, 1200W	
Element/Burner - Center	7" Single, 100W Warming Zone	kan 1 - André Albanda Ball. Alf 1 - Ball 2007 (1986). 2 75 2 75 2 75 2 75 2 75 2 75 2 75 2 7
Hot Surface Indicator Light	Yes	en version de la membra de activa de l'activation (a de l'Abele de 1902 VISE d' 2007 VISE d' 2007 VISE d' 2007 VI
OVEN		
Oven Type	Single Oven	
Oven Cooking System	ProBake Convection®	desembles of states, when it is a six of the substitute of the six
Convection Conversion Auto-Adjust	Yes	
Oven Cleaning Type	EasyClean® + Self Clean	
Self-Clean Oven Door Lock	Automatic	
Oven Capacity (cu. ft.)	6.3	
Broiler Element Power	4200W	Mariana, and range and As Sales of District adults and J. (2000). In Sales (2000). Sales (2000). In Sales (2000).
Number of Rack Positions	T	YEA (W. IV) SHANNEN WITH AND WANNEN WAS A SECURED TO MENTAGEMENT ON MANUFACTURE AND A SECURED IN SECURIOR AND A
Number of Oven Racks	2	ari saa aa saa ah a
Oven Rack Type	2 Heavy Duty	10 a a militar a salah inak maka maka militar kalahan dalahan makaman akama da makama makabada da ba
Drawer Type	Storage	
Oven Modes	Bake, Conv. Bake, Conv. Roast, Broil, V fry, Slow cook, EasyClean, SelfClean	Varm, Proof, Frozen meal, Air
Oven Light Type	Halogen	
CONTROL FEATURES		
Kitchen Timer	Yes	·
Timed Cook	Yes	
Oven Control Lock	Yes (Cooktop, Key)	The state of the s
Sabbath Mode	Yes	

SMART FEATURES


LOT 564 R.G. Phase 4	PAGE 12 OF 12
Wi-Fi Connect	Yes
ThinQ Care	Yes
Smart Diagnosis™	Yes
Works with	LG ThinQ®, Amazon Alexa, Google Assistant, SIDECHEF, Innit
INCLUDED ACCESSORIES	
Air Fry Tray	Yes
POWER/RATINGS	
Amp Rating at 208V	46.9A
Amp Rating at 240V	54.2A
KW Rating at 208V	9.8kW
KW Rating at 240V	13.0kW
Required Power Supply Amp	40A
DIMENSIONS & WEIGHT	
Cabinet Width (in.)	30
Overall Depth (in.) - including handle	29 9/32" (743.9mm)
Overall Height (in.)	36 1/2" (927.9mm)
Overall Width (in.)	29 7/8" (758.8 mm)
Product Weight (lb)	161.7
Shipping Weight (lb)	221
Shipping Dimensions (W x H x D) (in.)	32 1/2" x 44" x 30 1/2"
UPC CODES	
UPC	048231341844

LOT 564 R.G. Place 4

Arbor®

Traditional | Transitional | Modern

Arbor's smooth profile is tailored to perfection.
This classic transitional look works with a variety of decorating styles.




MotionSense™ Hands-Free Single Handle Pulldown Kitchen Faucet **

Model 7594E

Chrome

Other




MotionSense Wave™ Hands-Free Single Handle Pulldown Kitchen Faucet *

Model 7594EW Available in BL

Chrome

Other



Single Handle Pulldown Kitchen Faucet **

Model 7594

Chrome

STD KITCHEN FAUCET






Single Handle Pulldown Bar/Prep Faucet *

Model 5995 Use model number only for

Chrome

Other




Single Handle Kitchen Faucet with Side Spray **

Model 7790 | Use model number only for C | Available in C and SRS

Chrome

Other



FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s): Chrome (C), Spot Resist™ Stainless (SRS), Oil Rubbed Bronze (ORB) & Matte Black (BL).

- * Deckplate sold separately 141002 series
- ** Deckplate included