DOOR SHEDULE

1 = 2'-10" x 6'-8" INSULATED ENTRANCE DOOR 1A = 2'-8" x 6'-8" INSULATED ENTRANCE DOOR

 $2 = 2'-8" \times 6'-8"$ EXTERIOR GLAZED DOOR

 $3 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/4" EXTERIOR) $4 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $5 = 2'-6" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $6 = 2'-2'' \times 6'-8''$ SLAB DOOR (1 3/8" INTERIOR)

 $7 = 1'-6" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $8 = 2'-6" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$

 $9 = 3'-0" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$

10= 2- 2'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR

11= 2- 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR

 $12 = 2'-6" \times 6'-8"$ FRENCH DOOR (1 3/8" INTERIOR)

PAD FOOTING

120 KPa NATIVE SOIL 90 KPa ENGINEERED FILL SOIL

F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PAD

F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"x14" CONCRETE PAD F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD

F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT.

BRICK VENEER LINTELS:

 $WL1 = 3 \frac{1}{2} \times 3 \frac{1}{2} \times 1 \frac{4}{90 \times 90 \times 6} + 2 - 2 \times 8 \times SPR.$ WL2 = 4" x 3 1\2" x 5\16" (100x90x8) + 2-2" x 8" SPR. $WL3 = 5" \times 3 \ 1\ 2" \times 5\ 16" (125 \times 90 \times 8) + 2 - 2" \times 10" SPR.$

 $WL4 = 6" \times 3 \ 1\ 2" \times 3\ 8" \ (150\times90\times10) + 2-2" \times 12" \ SPR.$ $WL5 = 6" \times 4" \times 3 \times (150 \times 100 \times 10) + 2 - 2" \times 12" SPR.$

WL6 = 5" x 3 1\2" x 5\16" (125x90x8) + 2- 2" x 12" SPR. $WL7 = 5'' \times 3 \times 1^2 \times 5 \times 16'' \times 125 \times 90 \times 8 \times 10'' \times 1$ WL8 = 5" x 3 1\2" x 5\16" (125x90x8) + 3-2" x12" SPR. WL9 = 6" x 4" x 3\8" (150x100x10) + 3- 2" x 12" SPR.

WOOD LINTELS:

WB1 = 2-2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5-2" x 12" SPRUCE BEAM WB3 = 2-2" x 10" SPRUCE BEAM WB10 = 4-2" x 8" SPRUCE BEAM WB4 = 3-2" x 10" SPRUCE BEAM WB11 = 4-2" x 10" SPRUCE BEAM WB5 = 2-2" x 12" SPRUCE BEAM

STEEL LINTELS:

 $L1 = 3.1 \times 3.1 \times 1.4$ (90 x 90 x 6) L4 = 6 x 3.1 \2 x 3 \8 (150 x 90 x 10) L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10) L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

 $LVL1A = 1-1 3/4" \times 7 1/4" (1-45x184)$ LVL1 = 2-1 3/4" x 7 1/4" (2-45x184) $LVL2 = 3-1 3/4" \times 7 1/4" (3-45x184)$ $LVL3 = 4-1 3/4" \times 7 1/4" (4-45 \times 184)$ $LVL4A = 1-1 3/4" \times 9 1/2" (1-45x240)$ LVL4 = 2-1.3/4" x 9 1/2" (2-45x240) LVL5 = 3-13/4" x 9 1/2" (3-45x240) $LVL5A = 4-1.3/4" \times 9.1/2" (4-45x240)$

LVL6A= 1-1 3/4" x 11 7/8" (1-45x300 LVL6 = 2-1 3/4" x 11 7/8" (2-45x300) IVI7 = 3-1 3/4" x 11 7/8" (3-45x300)

LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) LVL8 = 2-13/4" x 14" (2-45x356) NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPEC

LVL9 = 3-1 3/4" x 14" (3-45x356) & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATI BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE TH

CODE AND ANY OTHER REFERENCED REQUIREMENTS

 STEEL LINTEL STEEL LINTEL 3 1/2" x 3 1/2" x 12" LG INVERTED STEEL ANGLE 3 1/2" x 3 1/2" x 12" LG INVERTED STEEL ANGLE - BRICK VENEER WALL BRICK VENEER WALL SECTION **ISOMETRIC**

INVERTED STEEL ANGLE DETAIL

WALL FT²

394.76

1315.55

1315.55

379.06

3404 92

WALL FT²

394.76

1315.55

1315.55

379.06

3404 92

CHERRY 2 ELEV.-1

ELEVAT**I**ON

EFT SIDE

RIGHT SIDE

TO COMPLY WITH THE THERMAL REQUIREMENTS

OF SB-12, MAX U-1.6, ER-25

OORING IN KITCHENS, WASHROOMS, LAUNDR'

AND STORAGE AREAS. SHALL CONSIST OF

FELTED-SYNTHETIC-FIBRE FLOOR COVERING,

CONCRETE, TILE, OR OTHER FLOORING

PROVIDING A SIMILAR WATER RESISTANCE

SIDING MATERIALS SHALL CONFORM TO

OR BMEC APPROVAL, OR A MINISTERS RULING

ELEVATION

FRONT

EFT SIDE

RIGHT SIDE

CHERRY 2 ELEV.-2

MAX. HOT WATER TEMP. SHALL NO

EXCEED 49°C (120°F) EXCEPT FOR

Scale: 3/4'' = 1'-0''

PORCH SLAB SHALL BE REVIEWED PRIOR TO POURING CONRETE (see inspector)

DRAWINGS AND SPECIFICATIONS TO BUILDING INSPECTOR AT FRAMING INSPECTION

INSTALLATION OF FLUSH STEEL BEAMS 9.23.9.2.(3), (4) & (5)

SOILS. SEE FIELD INSPECTOR

FINAL GRADING CERTIFICATE REQ'D BEFORE FINAL INSPECTION SIGN-OFF

GLAZING PRODUCTS IDENTIFYING THE CERTIFIED VALUES SHALL REMAIN ON FOR REVIEW DURING CONSTRUCTION

AREA CALCULATIONS EL-1

FIRST FLOOR AREA 812 Sq. Ft SECOND FLOOR AREA = 1218 Sq. Ft. 2030 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA = 0 Sq. Ft. 2030 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 812 Sq. Ft. GARAGE COVERAGE / AREA = 406 Sg. Ft. PORCH COVERAGE / AREA 61 Sq. Ft. = 1279 Sq. Ft COVERAGE W/ PORCH $= 118.82 \, \text{Sq. m.}$ COVERAGE W/O PORCH = 1218 Sq. Ft. $= 113.16 \, \text{Sg. m.}$

ENERGY EFFICIENCY-SB12

PERCENTAGE

10.47 %

0.00 %

1.60 %

24.48 %

4.56 %

ENERGY EFFICIENCY-SB12

PERCENTAGE

12.92 %

0.00 %

1.60 %

24.48 %

4.84 %

A SEPARATE PERMIT IS REQUIRED FOR THE FINISHING OF ALL ROUGHIN PLUBMING FIXTURES

OPENING FT²

50.99

0.00

21.00

92.78

164.77

155.13

OPENING FT²

41.35

0.00

21.00

92.78

ON MONOXIDE DETECTOR SHALL BE LOCATED ADJACENT TO SLEEPING AREAS

THE ONTARIO BUILDING CODE REQUIRES THAT A SMOKE ALARM BE INSTALL ON EACH FLOOR LEVEL AND WITHIN EACH SLEEPING ROOM. ALL SMOKE ALARMS SHALL BE INTERCONNECTED. EACH DEVICE SHALL HAVE A VISUAL SIGNALING COMPONENT IN ADDITION TO THE TEMPORAL PATTERN IN CONFORMANCE WITH 18.5.3. OF "LIGHT, COLOUR AND PULSE CHARACTERISTICS" OF NEPA 72

AREA CALCULATIONS EL-2

FIRST FLOOR AREA 812 Sa. Ft SECOND FLOOR AREA = 1218 Sq. Ft 2030 Sq. Ft TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft ADD FIN. BASEMENT AREA 0 Sq. Ft GROSS FLOOR AREA 2030 Sa. Ft GROUND FLOOR COVERAGE = 812 Sq. Ft GARAGE COVERAGE / AREA = 406 Sa. Ft PORCH COVERAGE / AREA = 61 Sq. Ft = 1279 Sq. Ft $= 118.82\,\mathrm{Sq.}\,\mathrm{m.}$ = 1218 Sq. Ft COVERAGE W/O PORCH $= 113.16 \, \text{Sq. m}$

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER

NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7'

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER

NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.

SB-12 - COMPLIANCE PACKAGE A1 CEILING WITH ATTIC SPACE R31 CEILING W/O ATTIC SPACE R31 **EXPOSED FLOOR** R22 VALLS ABOVE GRADE R20ci BASEMENT WALLS SLAB > 600mm BELOW GRADE HEATED SLAB OR < 600mm BELOW GRADE R10 R10 EDGE OF SLAB < 600mm BELOW GRADE MAX. U0.28 ER25 WINDOWS AND SLIDING GLASS DOORS MAX. U0.49 SKYLIGHTS MIN. AFUE 96% SPACE HEATING EQUIPMENT MIN. SRE 75% MIN. EF. 0.80 DOMESTIC WATER HEATER MIN. 42% DRAIN WATER HEAT RECOVERY UNIT

OF CAMBRIDGE DING DIVISION

9

9

 $\overline{}$

Units

 $\overline{}$

2

 $\overline{}$

Block

STRUDET INC.



FOR STRUCTURE ONLY

LEGEND:

BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D) INDICATES SOLID BEARING REQUIRED

OR POINT LOAD FROM ABOVE

STL. PLATE FOR STEEL COL'N ABOVE 2.0.3 LVL LAMINATED VENEER LUMBER

S.J. SINGLE JOIST DOUBLE JOIST

D.J. T.J.

TRIPLE JOIST 0 REPEAT NOTE

0 SHOWER WEEPERS 2030

6.10m LOTS CHERRY 2 (GR)

ELEVATION 1 & 2

A1 PACKAGE

O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION NY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU INC. PRIOR TO COMMENCEMENT OF WORK

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ORBININ DESIGN GROUP INC. IN YOUR INSERVING IN POWN IN THE WORD INC. IN YOUR INC. IN YOUR INFORMATION SHOWN OF THESE DRAWINGS OR FOR CONSTRUCTION STATTED PRIOR TO THE SISSUANCE OF A BUILDING PERMIT, REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OU SENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

6		
5		
4	AUG. 31, 2022	ISSUED FOR BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED FLOOR, ROOF AND ENGINEER COMMENTS
2	JUN. 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT
1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHURE

DATE: WORK DESCRIPTION

VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca The undersigned has reviewed and takes responsibility

64 JARDIN DR. SUITE 3A

for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to b a designer

a designer

QUALIFICATION INFORMATION

Required unless design is exempt under Division C, Subsection

3.2.5 of the building C (2)

Walter Botter NAME

REGISTRATION INFORMATION 3.2.4 of the building code 27763

jardin design group inc. FIRM NAME

TITLE PAGE

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE





CHERRY 2


3/16"=1'-0" DWG. No

21-35

DRAWING NAME







NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

62'-3"

58'-5"


11 7/8" ENG. APPR

▼ FLR. JOIST SYSTEM

11'-4"

13'-4"

ROOM



STRUDET INC.



FOR STRUCTURE ONLY

It is the builder's complete responsibility t ensure that all plans submitted for approva fully comply with the Architectural Guideline and all applicable regulations and requirement and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Designation of Guidelines approved by the City of CAMBRIDGE.

IOHN G. WILLIAMS LTD., ARCHITECT DATE: OCT 11, 2022 his stamp certifies compliance with the applicable

2030

6.10m LOTS

CHERRY 2 (GR) **ELEVATION 2**

A1 PACKAGE

O.REG. 332/12

. PRIOR TO COMMENCEMENT OF WORK

ARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN O ESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE UANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE IGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK

S CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

RENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO RRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NO

′		
6		
5		
4	AUG. 31, 2022	ISSUED FOR BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED FLOOR, ROOF AND ENGINEER COMMENTS
2	JUN. 20, 2022	PREPARED TO PRE-COORDINATIC STAGE & ISSUED TO CLIENT
1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHUP

DESIGN GROUP INC

WORK DESCRIPTION:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION Required unless design is ex Walter Botter

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsectio

3.2.4 of the building code jardin design group inc.

FIRM NAME **DECK CONDITION EL-2**

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



CHERRY 2

3/16"=1'-0" ROJ. No. DWG. N 21-35 3A-1

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED. (FOUNDATION PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE PLAN)

NOTE:

REFER TO SHEET NO. 0 - FOR LINTEL. BEAMS AND DOOR SIZE

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER.

NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 3

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER

(45 MIN. FIRE RATING REQ'D) INDICATES SOLID BEARING REQUIRED

- OR POINT LOAD FROM ABOVE 200 STL. PLATE FOR STEEL COL'N ABOVE LVL
 - LAMINATED VENEER LUMBER
- SINGLE JOIST
- D.J. DOUBLE JOIST
- TRIPLE JOIST
- REPEAT NOTE Ó
 - Design Guidelines only and bears no further SHOWER WEEPERS

NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

Type text here

PROFESS/ON

NCE OF ON

This is to certify that these plans comp with the applicable Architectural Designation


Guidelines approved by the City of CAMBRIDGE.

JOHN G. WILLIAMS LTD., ARCHITECT

AND APPROVAL

DATE: OCT 11, 2022

APPROVED BY:



2030

6.10m LOTS

CHERRY 2 (GR) **ELEVATION 2**

A1 PACKAGE

O.REG. 332/12

CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION NY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAC OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN OI THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN BETAINED TO CARRY OF NATION DESIGN ORDOP INC. HAS NOT BEEN HETRINED TO CHARTY OF SENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

7		
6		
5		
4	AUG. 31, 2022	ISSUED FOR BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED FLOOR, ROOF AND ENGINEER COMMENTS
2	JUN. 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT
1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHURE
No:	DATE:	WORK DESCRIPTION:

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

OUALIFICATION INFORMATION

Walter Bottei NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection

3.2.4 of the building code

jardin design group inc. IRM NAME

DECK/WALKOUT BARLASSINA CONSTRUCTION

CITY OF CAMBRIDGE



CHERRY 2

3/16"=1'-0"21-35 3A-2

NOTE:

NOTE:

SUBFLOOR TO BE

3/4" PLYWOOD ON

ALL FLOORS TO BE

NAILED AND GLUED

ON THIS LEVEL

THIS LEVEL

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED. (FOUNDATION PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE PLAN)

[6.10m]

20,-0"

NOTE:

WOOD

DECK

OVER

FOR 30"x30" WINDOW

(SEE BLOCK PLANS)

R22 REQUIRED IN STUD WALL DUE TO WALK-OUT BASEMENT

R10 UNDERSLAB INSULATION

QUIRED WHERE SLAB IS LESS

PIFR

THAN 2'-0" BELOW GRADE 6"x6" WOOD COLUMN ON 12" DIA. CONC.

WB-1 RIM JOIST

ALL AROUND

(PRESSURE

TREATED)

REFER TO SHEET NO. 0 - FOR LINTEL, BEAMS AND DOOR SIZE

NOTE:

HESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER


NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER

- (45 MIN. FIRE RATING REQ'D) INDICATES SOLID BEARING REQUIRED
- OR POINT LOAD FROM ABOVE STL. PLATE FOR STEEL COL'N ABOVE 2.02 LVL
 - LAMINATED VENEER LUMBER
- S.J. SINGLE JOIST
- D.J. DOUBLE JOIST
- T.J. TRIPLE JOIST
- REPEAT NOTE Ò SHOWER WEEPERS
- This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility.



NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

2030

6.10m LOTS

CHERRY 2 (GR) **ELEVATION 2**

A1 PACKAGE

O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT BE SCALED.

ı			
	6		
	5		
	4	AUG. 31, 2022	ISSUED FOR BUILDING PERMIT
	3	AUG. 29, 2022	COORDINATED FLOOR, ROOF AND ENGINEER COMMENTS
	2	JUN. 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT
ı	1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHUR

WORK DESCRIPTION: DATE:



VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION_INFORMATION

Walter Botter NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

iardin design group inc.

IRM NAME

FRONT ELEVATION 2

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



CHERRY 2 SCALE: 3/16"=1'-0" ROJ. No. 21-35

APPROVED BY: DATE: OCT 11, 2022 This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility


It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (Idition) plans or

examining or approving site (lotting) plans of working drawings with respect to any zoning of building code or permit matter or that anhouse can be properly built or located on its lo

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE.

JOHN G. WILLIAMS LTD., ARCHITECT

AND APPROVAL



& DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

ENERGY EFFICIENCY-SB12 WALL FT² OPENING FT² PERCENTAGE 394.76 50.99 12.92 % 1315.55 0.00 0.00 % 1315.55 21.00 1.60 % 94.44 24.91 % 379.06 4.89 % 166.43

> It is the builder's complete responsibility ensure that all plans submitted for approva fully comply with the Architectural Guideline and all applicable regulations and requirement including zoning provisions and any provision in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (lotting) plans o working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE.

JOHN G. WILLIAMS LTD., ARCHITECT APPROVED BY: DATE: OCT 11, 2022 is stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility

2030 6.10m LOTS

CHERRY 2 (GR)

ELEVATION 2

A1 PACKAGE

O.REG. 332/12

CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. IY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUI INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND IS THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N TO BE SCALED.

1			
	6		
	5		
ı	4	AUG. 31, 2022	ISSUED FOR BUILDING PERMIT
ı	3	AUG. 29, 2022	COORDINATED FLOOR, ROOF AND ENGINEER COMMENTS
	2	JUN. 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT
ı	1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHUR

DATE: WORK DESCRIPTION:



VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer QUALIFICATION NFORMATION

Walter Botter NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

iardin design group inc.

IRM NAME


REAR ELEVATION 2

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



CHERRY 2 SCALE:

3/16"=1'-0" ROJ. No. 21-35



ENERGY EFFICIENCY-SB12 6.10m LOTS CHERRY 2 (GR) **ELEVATION 2**

2030

A1 PACKAGE

O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAC OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN O THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE

SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

ISSUED FOR BUILDING PERMIT

STAGE & ISSUED TO CLIENT

ENGINEER COMMENTS PREPARED TO PRE-COORDINATION

MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A

VAUGHAN ONT. L4K 3P3

TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility

for this design and has the qualifications and meets the

requirements set out in the Ontario Building Code to be

OUALIFICATION INFORMATION

REGISTRATION INFORMATION
Required unless design is exempt under Division C, Subsection

3.2.4 of the building code

COORDINATED FLOOR, ROOF AND

WORK DESCRIPTION:

AUG. 31, 2022

JUN. 20, 2022

PERCENTAGE 12.92 % 0.00 % 1.60 % 21.28 % 4.76 %

CHERRY 2 ELEV2 (DECK CONDITION) (30"x30" WINDOW)		ENERGY EFFICIENCY- SB12	
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.76	50.99	12.92 %
LEFT SIDE	1315.55	0.00	0.00 %
RIGHT SIDE	1315.55	21.00	1.60 %
REAR	435.94	95.69	21.95 %
TOTAL	3461.80	167.68	4.84 %

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirement including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way fo examining or approving site (lotting) plans of examining or approving site (lotting) plans working drawings with respect to any zoning building code or permit matter or that an nouse can be properly built or located on its I

This is to certify that these plans comp with the applicable Architectural Designing Guidelines approved by the City of CAMBRIDGE.

JOHN G. WILLIAMS LTD., ARCHITECT AND APPROVAL APPROVED BY: OCT 11, 2022 This stamp certifies compliance with the applicabl Design Guidelines only and bears no further

jardin design group inc. FIRM NAME **DECK CONDITION EL-2** BARLASSINA CONSTRUCTION

a designer

NAME


Required unless design is ex

Walter Bottei

BILD

CITY OF CAMBRIDGE CHERRY 2 3/16"=1'-0" 21-35

DRAWING NAME



CHERRY 2 ELEV.-2 (WALKOUT) **ENERGY EFFICIENCY- SB12** WALL FT² OPENING FT² PERCENTAGE 394.76 50.99 12.92 % 1315.55 0.00 0.00 % 1315.55 21.00 1.60 % 494.61 133.42 26.97 % 3520.47 205.41 5.83 %

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of CAMBRIDGE.

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:
DATE: OCT 11, 2022

This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility.

2030

6.10m LOTS

CHERRY 2 (GR) ELEVATION 2

A1 PACKAGE

O.REG. 332/12

HE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION, WY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUP OF THE PROPERTY OF THE WORK

JAPDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURACY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN ON THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSQUANCE OF A BULDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

IS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING COTINGS.

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT SENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALLINE OF THE CONTRACTOR OF SUB CONTRACTOR TO SARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT JOCUMENTS.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND IS THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT TO BE SCALED.

7		
6		
5		
4	AUG. 31, 2022	ISSUED FOR BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED FLOOR, ROOF AND ENGINEER COMMENTS
2	JUN. 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT
1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHURE

<u>jardin</u>

WORK DESCRIPTION:

DATE:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

DESIGN GROUP INC

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

OLIAI IFICATION INFORMATION

quired unless design is exempt under Division C, Sub

Walter Botter 210
NAME SIGNATURE B

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc.

REAR WALKOUT EL-2

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



MODEL: CHERRY 2 SCALE: 3/16"=1'-0"

21-35 5A-2

