DOOR SHEDULE:

1 = 2'-10" x 6'-8" INSULATED ENTRANCE DOOR 1A = 2'-8" x 6'-8" INSULATED ENTRANCE DOOR

 $2 = 2'-8" \times 6'-8"$ EXTERIOR GLAZED DOOR

 $3 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/4" EXTERIOR

 $4 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $5 = 2'-6'' \times 6'-8''' \text{ SLAB DOOR } (1.3/8''' \text{ INTERIOR})$

 $6 = 2'-2'' \times 6'-8''$ SLAB DOOR (1 3/8" INTERIOR)

 $7 = 1'-6" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $8 = 2'-6'' \times 6'-8'' BI-FOLD (1 3/8'' INTERIOR)$

 $9 = 3'-0" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$

10= 2- 2'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

11= 2- 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

12 = 2'-6" x 6'-8" FRENCH DOOR (1 3/8" INTERIOR)

PAD FOOTING

120 KPa NATIVE SOIL 90 KPa ENGINEERED FILL SOIL

F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PAD

F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"x14" CONCRETE PAD

F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

BRICK VENEER LINTELS:

WL2 = 4" x 3 1\2" x 5\16" (100x90x8) + 2- 2" x 8" SPR.

 $WL3 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 2 - 2" \times 10" SPR.$ $WL4 = 6" \times 3 \times 1 \times 2" \times 3 \times 8" (150 \times 90 \times 10) + 2 - 2" \times 12" SPR.$ $WL5 = 6" \times 4" \times 3\8" (150\times100\times10) + 2-2" \times 12" SPR.$

 $WL6 = 5" \times 3 \text{ 1}\2" \times 5\16" (125\times90\times8) + 2-2" \times 12" \text{ SPR}.$ $WL7 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 3 - 2" \times 10" SPR$ $WL8 = 5'' \times 3 \times 1^2 \times 5 \times 16'' \times 125 \times 90 \times 8) + 3 - 2'' \times 12'' \times 12''$ $WL9 = 6" \times 4" \times 3\8" (150\times100\times10) + 3-2" \times 12" SPR.$

WOOD LINTELS:

WB1 = 2- 2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5- 2" x 12" SPRUCE BEAM WB3 = 2- 2" x 10" SPRUCE BEAM WB10 = 4- 2" x 8" SPRUCE BEAM WB4 = 3- 2" x 10" SPRUCE BEAM WB11 = 4- 2" x 10" SPRUCE BEAM

WB5 = 2- 2" x 12" SPRUCE BEAM

STEEL LINTELS:

 $L1 = 3 \frac{1}{2} \times 3 \frac{1}{4} (90 \times 90 \times 6)$ $L4 = 6'' \times 3 \frac{1}{2} \times 3 \% (150 \times 90 \times 10)$ L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10) L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

 $LVL1A = 1-1 3/4" \times 7 1/4" (1-45x184)$ $LVL1 = 2-1 3/4" \times 7 1/4" (2-45\times184)$ $LVL2 = 3-1 3/4" \times 7 1/4" (3-45 \times 184)$ $LVL3 = 4-13/4" \times 71/4" (4-45\times184)$

 $IVI 4A = 1-1.3/4" \times 9.1/2" (1-45x240)$ $LVL4 = 2-1 3/4" \times 9 1/2" (2-45x240)$

LVL5 = 3-13/4" x 9 1/2" (3-45x240) $LVL5A = 4-1 3/4" \times 9 1/2" (4-45x240)$ LVL6A= 1-1 3/4" x 11 7/8" (1-45x300)

IVI6 = 2-1.3/4" x 11.7/8" (2-45x300) LVL7 = 3-13/4" x 11 7/8" (3-45x300)

LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) $LVL8 = 2-13/4" \times 14" (2-45x356)$ $LVL9 = 3-13/4" \times 14" (3-45x356)$

PROVIDE P.ENG APPROVED TRUSS & FLOOR DRAWINGS AND SPECIFICATIONS TO BUILDING INSPECTOR AT FRAMING INSPECTION


SHALL CONFORM TO THE REQUIREMENTS OF 9.23.9.2.(3), (4) & (5)

SOILS, SEE FIELD INSPECTOR

INAL GRADING CERTIFICATE REO'D BEFORE FINAL INSPECTION SIGN-OFF

ENERGY PERFORMANCE LABELS FOR ALL CERTIFIED VALUES SHALL REMAIN ON FOR REVIEW DURING CONSTRUCTION





INVERTED STEEL ANGLE DETAIL

Scale: 3/4" = 1'-0"

Ŋ

9

တ

4

Units

22

 $\overline{}$

lock

WILLOW 3E ELEV.-1 **ENERGY EFFICIENCY-SB12** WALL FT² ELEVATION OPENING FT² **PERCENTAGE** RONT 431.06 81.89 19.00 % LEFT SIDE 1103.56 71.60 6.49 % RIGHT SIDE 1103.56 0.00 % 0.00 379.06 97.43 25.70 % 3017.24 250.92 8.32 % WILLOW 3E ELEV.-2 **ENERGY EFFICIENCY-SB12** ELEVATION WALL FT² OPENING FT² PERCENTAGE FRONT 425.05 83.19 19.57 % LEFT SIDE 1103.56 71.60 6.49 % RIGHT SIDE 1103.56 0.00 0.00 % 379.06 97.43 25.70 % 3011.23 252.22 8.38 % WILLOW 3E ELEV.-3 **ENERGY EFFICIENCY-SB12** WALL FT² **ELEVATION** OPENING FT PERCENTAGE FRONT 425.05 76.54 18.01 %

LEFT SIDE 1103.56 71.60 6.49 % RIGHT SIDE 1103.56 0.00 0.00 % 379.06 97.43 25.70 % 3011.23 245.57 8.16 %

NOTE:

HESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER

NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER

NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.

LEGEND:

BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D)

INDICATES SOLID BEARING REQUIRED OR POINT LOAD FROM ABOVE

STL. PLATE FOR STEEL COL'N ABOVE ΙVΙ LAMINATED VENEER LUMBER

S.J. SINGLE JOIST

D.J. DOUBLE JOIST

TRIPLE JOIST REPEAT NOTE 0

0 SHOWER WEEPERS

AREA CALCULATIONS EL-1

FIRST FLOOR AREA 802 Sq. Ft. SECOND FLOOR AREA = 973 Sq. Ft. = 1775 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sa. Ft. ADD FIN. BASEMENT AREA = 0 Sq. Ft. = 1775 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 802 Sq. Ft. GARAGE COVERAGE / AREA = 216 Sq. Ft. PORCH COVERAGE / AREA = 67 Sq. Ft. COVERAGE W/ PORCH = 1018 Sq. Ft. = 94.57 Sq. m. = 1085 Sq. Ft. COVERAGE W/O PORCH $= 100.80 \, \text{Sa. m.}$

AREA CALCULATIONS EL-2

FIRST FLOOR AREA 802 Sq. Ft. SECOND FLOOR AREA 963 Sq. Ft. = 1765 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. 1765 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 802 Sq. Ft. GARAGE COVERAGE / AREA = 216 Sq. Ft. PORCH COVERAGE / AREA = 67 Sq. Ft. COVERAGE W/ PORCH = 1018 Sq. Ft = 94.57 Sq. m. = 1085 Sq. Ft COVERAGE W/O PORCH = 100.80 Sq. m

AREA CALCULATIONS EL-

FIRST FLOOR AREA 802 Sq. Ft. SECOND FLOOR AREA = 963 Sq. Ft. = 1765 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. GROSS FLOOR AREA 1765 Sq. Ft. GROUND FLOOR COVERAGE = 802 Sq. Ft. GARAGE COVERAGE / AREA = 216 Sq. Ft. PORCH COVERAGE / AREA = 67 Sq. Ft. = 1018 Sq. Ft COVERAGE W/ PORCH = 94.57 Sq. m. = 1085 Sq. Ft COVERAGE W/O PORCH $= 100.80 \,\mathrm{Sg.\,m.}$

> It is the builder's complete responsibility t ensure that all plans submitted for approve fully comply with the Architectural Guideline and all applicable regulations and requiremen including zoning provisions and any provision in the subdivision agreement. The Contro Architect is not responsible in any way fo examining or approving site (lotting) plans o vorking drawings with respect to any zoning building code or permit matter or that an house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

AMBRIDGE DIVISION OF CA DING I

STRUDET INC.

B. MARINKOVIO

15, 20

FOR STRUCTURE ONLY

WILLOW 3E (GR) **|ELEVATION 1, 2 & 3| A1 PACKAGE** O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK.

1775

6.10m LOTS

IADDIN DESIGN ODDI ID INC. IS NOT DESDONSIDI E COD THE ACCUIDA SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. S CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

ARDIN DESIGN GROUP INC. HAS NOT BEEN BETAINED TO CARRY OF ARDIN DESIGN GHOUP INC. HAS NOT BEEN HETAINED TO CARRY OF ENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT OCHMENTS.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROO

AUG. 29, 2022 & FNGINFER'S COMMENTS PREPARED TO PRE-COORDINATIO JUNE 20, 2022 STAGE & ISSUED TO CLIENT

MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHUR

DATE: WORK DESCRIPTION:

DESIGN GROUP

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

OUALIFICATION-INFORMATION 3.2.5 of

Walter Botteri NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc.

FIRM NAME

TITLE SHEET

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE





WILLOW 3E 3/16"=1'-0"


27763

SCALE ROJ. No. 21-35

DRAWING NAME







NOTE:

ROOF TRUSS DRAWINGS BY MANUFACTURER

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED.

D.J.

0

DOUBLE JOIST

TRIPLE JOIST

REPEAT NOTE

SHOWER WEEPERS

APPROVED BY:

DATE: OCT 11, 2022

is stamp certifies compliance with the applicable Design Guidelines only and bears no further

1775

6.10m LOTS

WILLOW 3E (GR) **ELEVATION 1**

A1 PACKAGE

O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I

HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT BE SCALED.

TO DE SOMEED.		
7		
6		
5		
4	AUG. 31, 2022	ISSUED BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED WITH FLOOR, ROC & ENGINEER'S COMMENTS
2	JUNE 20, 2022	PREPARED TO PRE-COORDINATIO

WORK DESCRIPTION: DATE

STAGE & ISSUED TO CLIENT



64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

OUALIFICATION NFORMATION

Walter Botter

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc.

SEC. FLOOR PLAN EL-1

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



FOR STRUCTURE ONLY

WILLOW 3E SCALE:


3/16"=1'-0" ROJ. No. 21-35

CODE AND ANY OTHER REFERENCED REQUIREMENTS.

& DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION

BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE

OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING



NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

1775

6.10m LOTS

WILLOW 3E (GR) **ELEVATION 1**

A1 PACKAGE

O.REG. 332/12

THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION, ANY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUP INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND IS THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT BE SCALED.

′		
6		
5		
4	AUG. 31, 2022	ISSUED BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED WITH FLOOR, RC & ENGINEER'S COMMENTS
2	JUNE 20, 2022	PREPARED TO PRE-COORDINATI STAGE & ISSUED TO CLIENT

WORK DESCRIPTION: DATE:

MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE



64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION NFORMATION

Walter Botter NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

iardin design group inc.

IRM NAME

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (Idition) plans or

examining or approving site (lotting) plans of working drawings with respect to any zoning or building code or permit matter or that an house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

JOHN G. WILLIAMS LTD., ARCHITECT

OCT 11, 2022

is stamp certifies compliance with the applicabl

Design Guidelines only and bears no further professional responsibility

APPROVED BY:


DATE: ___


FRONT ELEVATION 1

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



WILLOW 3E SCALE: 3/16"=1'-0" ROJ. No. 21-35





- ASPHALT SHINGLES (TYP.)

PRE FINISHED ALUM. FASCIA

VENTED SOFFIT AND EAVES

TOP OF WOOD PLATE

FIN. SECOND FLOOR

_FIN. FIRST FLOOR

10'-1"

TROUGH (TYP.)

TOP OF WINDOW

FACE BRICK (TYP.)

TOP OF WINDOW

OPT. 30" x 24" WINDOW

LARGER WINDOW MAY

GRADE CONDITIONS.

DRAINAGE (TYP.)

(3.6SQFT.)

DRAIN WELL TO FOOTING

REQUIRE WINDOW WELL DEPENDING ONF FINAL O WILLOW 3E (GR)

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (Idition) plans or NAME examining or approving site (lotting) plans o working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

JOHN G. WILLIAMS LTD., ARCHITECT ARCHITECTURAL CONTROL REVIEW APPROVED BY: OCT 11, 2022 his stamp certifies compliance with the applicable Design Guidelines only and bears no further

HE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. IY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUI INC. PRIOR TO COMMENCEMENT OF WORK. JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA JAHUIN DESIGN GHOUP INC. IS NOT HESPONSIBLE FOR THE ACCUMO OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE

1775

6.10m LOTS

ELEVATION 1

A1 PACKAGE

O.REG. 332/12

ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND IS THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT TO BE SCALED.

- 1	TO BE SCALED.			
	7			
	6			
	5			
	4	AUG. 31, 2022	ISSUED BUILDING PERMIT	
	3	AUG. 29, 2022	COORDINATED WITH FLOOR, ROOF & ENGINEER'S COMMENTS	
	2	JUNE 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT	
	1	MAR. 28. 2022	ISSUED TO CLIENT FOR BROCHURE	

DATE: WORK DESCRIPTION:



64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer QUALIFICATION NFORMATION

Walter Botter

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

iardin design group inc.

IRM NAME

REAR ELEVATION 1

WILLOW 3E

3/16"=1'-0"

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



SCALE: ROJ. No. 21-35

BILD

NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

_FIN. BASEMENT SLAB

6:12

TOP OF WINDOW

BRICK SOLDIER (TYP.)

PRECAST CONC SILL (TYP.)

TOP OF TRANSOM

TOP OF DOOR

PRECAST -

CONC. STEPS

POURED CONC.

FOUNDATION WALL

WALL THICKNESS)

(SEE FLOOR PLANS FOR

10'-1"

1/300 VENTILATION

REQUIRED

MAX. 3R OR

REAR ELEVATION 1

LANDING REQUIRED

11

WINDOW WELL INDIRECTLY

CONNECTED TO WEEPING TILE

