### DOOR SHEDULE:

1 = 2'-10" x 6'-8" INSULATED ENTRANCE DOOR 1A = 2'-8" x 6'-8" INSULATED ENTRANCE DOOR

 $2 = 2'-8" \times 6'-8"$  EXTERIOR GLAZED DOOR

 $3 = 2'-8" \times 6'-8"$  SLAB DOOR (1 3/4" EXTERIOR

 $4 = 2'-8" \times 6'-8"$  SLAB DOOR (1 3/8" INTERIOR)

 $5 = 2'-6'' \times 6'-8''' \text{ SLAB DOOR } (1.3/8''' \text{ INTERIOR})$ 

 $6 = 2'-2'' \times 6'-8''$  SLAB DOOR (1 3/8" INTERIOR)

 $7 = 1'-6" \times 6'-8"$  SLAB DOOR (1 3/8" INTERIOR)

 $8 = 2'-6" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$ 

 $9 = 3'-0" \times 6'-8"$  BI-FOLD (1 3/8" INTERIOR)

10= 2- 2'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

11= 2- 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

12 = 2'-6" x 6'-8" FRENCH DOOR (1 3/8" INTERIOR)

# **PAD FOOTING**

120 KPa NATIVE SOIL 90 KPa ENGINEERED FILL SOIL

F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PAD

F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"x14" CONCRETE PAD

F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD

F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

# NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

# NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT.

# **BRICK VENEER LINTELS:**

 $WL1 = 3 \frac{1}{2} \times 3 \frac{1}{2} \times 1 \frac{4}{90 \times 90 \times 6} + 2 - 2 \times 8 \text{ SPR}.$ WL2 = 4" x 3 1\2" x 5\16" (100x90x8) + 2- 2" x 8" SPR.

 $WL3 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 2 - 2" \times 10" SPR.$  $WL4 = 6" \times 3 \times 1 \times 2" \times 3 \times 8" (150 \times 90 \times 10) + 2 - 2" \times 12" SPR.$  $WL5 = 6" \times 4" \times 3\8" (150\times100\times10) + 2-2" \times 12" SPR.$ 

 $WL6 = 5" \times 3 \times 1/2" \times 5/16" (125 \times 90 \times 8) + 2 - 2" \times 12" SPR.$  $WL7 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 3 - 2" \times 10" SPR$ WL8 =  $5'' \times 3 \times 1/2'' \times 5/16'' (125 \times 90 \times 8) + 3 - 2'' \times 12'' SPR$  $WL9 = 6" \times 4" \times 3\8" (150\times100\times10) + 3-2" \times 12" SPR.$ 

## **WOOD LINTELS:**

WB1 = 2- 2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5- 2" x 12" SPRUCE BEAM WB3 = 2- 2" x 10" SPRUCE BEAM WB10 = 4- 2" x 8" SPRUCE BEAM WB4 = 3- 2" x 10" SPRUCE BEAM WB11 = 4- 2" x 10" SPRUCE BEAM

WB5 = 2-2" x 12" SPRUCE BEAM

# **STEEL LINTELS:**

 $L1 = 3 \frac{1}{2} \times 3 \frac{1}{4} (90 \times 90 \times 6)$   $L4 = 6'' \times 3 \frac{1}{2}'' \times 3 \%'' (150 \times 90 \times 10)$ L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10) L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

# LAMINATED VENEER LUMBER (LVL BEAMS)

 $LVL1A = 1-13/4" \times 71/4" (1-45x184)$  $LVL1 = 2-1 3/4" \times 7 1/4" (2-45\times184)$  $LVL2 = 3-1 3/4" \times 7 1/4" (3-45 \times 184)$ LVL3 = 4-13/4" x 7 1/4" (4-45x184)

 $LVL4A = 1-1 3/4" \times 9 1/2" (1-45x240)$  $LVL4 = 2-1 3/4" \times 9 1/2" (2-45x240)$ LVL5 = 3-13/4" x 9 1/2" (3-45x240)

 $LVL5A = 4-1 3/4" \times 9 1/2" (4-45x240)$ LVL6A= 1-1 3/4" x 11 7/8" (1-45x300)

IVI6 = 2-1.3/4" x 11.7/8" (2-45x300) LVL7 = 3-13/4" x 11 7/8" (3-45x300) LVL7A= 4-1 3/4" x 11 7/8" (4-45x300)

 $LVL8 = 2-1 3/4" \times 14" (2-45x356)$  $LVL9 = 3-1 3/4" \times 14" (3-45 \times 356)$ 

DRAWING NAME

DRAWINGS AND SPECIFICATIONS TO BUILDING

NOTE:

NOTE:

NOTE:

NOTE:

ROOF TRUSS DRAWINGS BY MANUFACTURER

FLOOR TRUSS LAYOUT BY MANUFACTURER

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS.

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.


PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7

SHALL CONFORM TO THE REQUIREMENTS OF 9.23.9.2.(3), (4) & (5)

SOILS, SEE FIELD INSPECTOR

BEFORE FINAL INSPECTION SIGN-OFF

ENERGY PERFORMANCE LABELS FOR ALL GLAZING PRODUCTS IDENTIFYING THE CERTIFIED VALUES SHALL REMAIN ON FOR REVIEW DURING CONSTRUCTION



# **INVERTED STEEL ANGLE DETAIL**

Scale: 3/4" = 1'-0"

WILLOW 2 ELEV1 ENERGY EFFICIENCY- SB12				
ELEVATION	WALL FT <sup>2</sup>	OPENING FT <sup>2</sup>	PERCENTAGE	
FRONT	404.59	55.03	13.60 %	
LEFT SIDE	1166.68	0.00	0.00 %	
RIGHT SIDE	1166.68	21.00	1.80 %	
REAR	379.06	102.16	26.95 %	
TOTAL	3117.01	178.19	5.72 %	
WILLOW 2 ELEV2	)	ENER	GY EFFICIENCY- SB12	
ELEVATION	WALL FT <sup>2</sup>	OPENING FT <sup>2</sup>	PERCENTAGE	
FRONT	394.76	61.67	15.62 %	
LEFT SIDE	1159.74	0.00	0.00 %	
RIGHT SIDE	1159.74	21.00	1.81 %	
REAR	379.06	102.16	26.95 %	
TOTAL	3093.30	184.83	5.98 %	
WILLOW 2 ELEV3	}	ENER	GY EFFICIENCY- SB12	
ELEVATION	WALL FT <sup>2</sup>	OPENING FT <sup>2</sup>	PERCENTAGE	
FRONT	394.76	55.03	13.94 %	
LEFT SIDE	1160.64	0.00	0.00 %	
RIGHT SIDE	1160.64	21.00	1.81 %	
REAR	379.06	102.16	26.95 %	
TOTAL	3095.10	178.19	5.76 %	

# Ŋ **Q** တ 4 S $\sim$ 2 $\overline{\phantom{a}}$ Block

# AREA CALCULATIONS EL-1 FIRST FLOOR AREA 733 Sq. Ft.

SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sa. Ft. ADD FIN. BASEMENT AREA = 0 Sq. Ft. = 1795 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. COVERAGE W/ PORCH = 1093 Sq. Ft.  $= 101.54 \,\mathrm{Sg.\,m.}$ = 1155 Sq. Ft. COVERAGE W/O PORCH

# AREA CALCULATIONS EL-2

 $= 107.30 \,\mathrm{Sg.\,m.}$ 

FIRST FLOOR AREA 733 Sq. Ft. SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. 1795 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. = 1093 Sq. Ft COVERAGE W/ PORCH = 101.54 Sq. m. = 1155 Sq. Ft COVERAGE W/O PORCH = 107.30 Sq. m

# AREA CALCULATIONS EL-3

FIRST FLOOR AREA 733 Sq. Ft. SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. GROSS FLOOR AREA 1795 Sq. Ft. GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. COVERAGE W/ PORCH = 1093 Sq. Ft. = 101.54 Sq. m. COVERAGE W/O PORCH = 1155 Sq. Ft  $= 107.30 \, \text{Sg. m.}$ 

**NOT THI** RANTING OF A PERMIT NOR REVIEWING OF SPE HESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPRO**&EDRAW** GS NOR INSPECTIONS MADE DURING INSTALLAT ICIAL HAVING JURISDICTION SHALL RELIEVE TH BY THE M REQUIREMENTS OF THE ONTARIO BUILDING NY OTHER REFERENCED REQUIREMENTS.

# **LEGEND:**

- BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D)
- INDICATES SOLID BEARING REQUIRED OR POINT LOAD FROM ABOVE

STL. PLATE FOR STEEL COL'N ABOVE LVL LAMINATED VENEER LUMBER

- S.J. SINGLE JOIST D.J. DOUBLE JOIST
- T.J. TRIPLE JOIST
- 0 REPEAT NOTE 0 SHOWER WEEPERS

t is the builder's complete responsibility t ensure that all plans submitted for approva fully comply with the Architectural Guideline nd all applicable regulations and requiremen including zoning provisions and any provision in the subdivision agreement. The Contro Architect is not responsible in any way fo examining or approving site (lotting) plans o vorking drawings with respect to any zoning building code or permit matter or that an house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

# CITY OF CAMBRIDGE BUILDING DIVISION

STRUDET INC.

B. MARINKOVIC

ept 15,2022

FOR STRUCTURE ONLY

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK. IADDIN DESIGN ODDI ID INC. IS NOT DESDONSIDI E COD THE ACCUIDA

1795

**6.10m LOTS** 

WILLOW 2 (GR)

**|ELEVATION 1, 2 & 3|** 

**A1 PACKAGE** 

O.REG. 332/12

SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

IARDIN DESIGN GROUP INC. HAS NOT BEEN BETAINED TO CARRY OF ARDIN DESIGN GHOUP INC. HAS NOT BEEN HETAINED TO CARRY OF ENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT OCUMENTS.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROO AUG. 29, 2022 & FNGINFER'S COMMENTS PREPARED TO PRE-COORDINATIO JUNE 20, 2022 STAGE & ISSUED TO CLIENT MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHUR

> DATE: WORK DESCRIPTION:

# DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

a designer **QUALIFICATION INFORMATION** Required unless design is exempt under Division C, Subsection

3.2.5 of

Walter Botter NAME REGISTRATION INFORMATION

Required unless design is exempt under Division C, Subsection 3.2.4 of the building code 27763

jardin design group inc.

FIRM NAME


TITLE SHEET


BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE




WILLOW 2 SCALE

3/16"=1'-0" ROJ. No. 21-35





NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.



WILLOW 2 **SECOND FLOOR PLAN EL-1** 

> examining or approving site (lotting) plans o **LEGEND:** working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D) This is to certify that these plans comply INDICATES SOLID BEARING REQUIRED with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE OR POINT LOAD FROM ABOVE 202 STL. PLATE FOR STEEL COL'N ABOVE LVL LAMINATED VENEER LUMBER IOHN G. WILLIAMS LTD., ARCHITECT S.J. SINGLE JOIST DOUBLE JOIST D.J. TRIPLE JOIST DATE: OCT 11, 2022 90 REPEAT NOTE his stamp certifies compliance with the applicable Design Guidelines only and bears no further 0 SHOWER WEEPERS

STRUDET INC. B. MARINKOVIO

FOR STRUCTURE ONLY

1795

**6.10m LOTS** 

WILLOW 2 (GR) **ELEVATION 1** 

**A1 PACKAGE** 

O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

TO E	BE SCALED.		
7			
6			
5			
4	AUG. 31, 2022	ISSUED BUILDING PERMIT	
3	AUG. 29, 2022	COORDINATED WITH FLOOR, ROC & ENGINEER'S COMMENTS	
2	JUNE 20, 2022	PREPARED TO PRE-COORDINATIC STAGE & ISSUED TO CLIENT	

MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE DATE: WORK DESCRIPTION:



VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

**QUALIFICATION INFORMATION** 

Walter Botter NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc.

FIRM NAME

SEC. FLOOR PLAN EL-1 BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



WILLOW 2


3/16"=1'-0" ROJ. No. 21-35

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER

t is the builder's complete responsibility t

In sime builder's completed responsioning of ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (Intition) plans or



NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

1795

**6.10m LOTS** 

WILLOW 2 (GR) **ELEVATION 1** 

A1 PACKAGE

O.REG. 332/12

THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION, ANY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUP INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA-ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND IS HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NO O BE SCALED.

7		
6		
5		
4	AUG. 31, 2022	ISSUED BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED WITH FLOOR, ROO & ENGINEER'S COMMENTS
2	JUNE 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT

DATE: WORK DESCRIPTION:

MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE



64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer QUALIFICATION INFORMATION

Required unless design is exempt under Division C, Subsection

Walter Bottei NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

iardin design group inc.

IRM NAME

FRONT ELEVATION 1

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



WILLOW 2 SCALE: 3/16"=1'-0" ROJ. No.

21-35

**BILD** 

DATE: OCT 11, 2022 This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (Idition) plans or

examining or approving site (lotting) plans of working drawings with respect to any zoning or building code or permit matter or that an house can be properly built or located on its lo

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

JOHN G. WILLIAMS LTD., ARCHITECT

AND APPROVAL

APPROVED BY:



WILLOW 2 ELEV.-1

NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS

BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE

OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING

CODE AND ANY OTHER REFERENCED REQUIREMENTS.

& DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION

1795 **6.10m LOTS** WILLOW 2 (GR) **ELEVATION 1 A1 PACKAGE** O.REG. 332/12 CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. IY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUI INC. PRIOR TO COMMENCEMENT OF WORK. JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA-JAHUIN DESIGN GHOUP INC. IS NOT HESPONSIBLE FOR THE ACCUMO OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND IS HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT BE SCALED. AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROOI AUG. 29, 2022 & ENGINEER'S COMMENTS PREPARED TO PRE-COORDINATION JUNE 20, 2022 STAGE & ISSUED TO CLIENT MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE WORK DESCRIPTION: DATE: 64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (Idition) plans or

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

IOHN G. WILLIAMS LTD., ARCHITECT APPROVED BY: \_ DATE: OCT 11, 2022 is stamp certifies compliance with the applica

Design Guidelines only and bears no furthe professional responsibility.

3.2.4 of the building code iardin design group inc. IRM NAME

REGISTRATION INFORMATION

Required unless design is exempt under Division C, Subsection

Walter Botter

NAME

**REAR ELEVATION 1** 

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



WILLOW 2 SCALE: 3/16"=1'-0" ROJ. No.

21-35

10'-1"

