DOOR SHEDULE:

1 = 2'-10" x 6'-8" INSULATED ENTRANCE DOOR 1A = 2'-8" x 6'-8" INSULATED ENTRANCE DOOR

 $2 = 2'-8" \times 6'-8"$ EXTERIOR GLAZED DOOR

 $3 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/4" EXTERIOR

 $4 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $5 = 2'-6'' \times 6'-8''' \text{ SLAB DOOR } (1.3/8''' \text{ INTERIOR})$

 $6 = 2'-2'' \times 6'-8''$ SLAB DOOR (1 3/8" INTERIOR)

 $7 = 1'-6" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $8 = 2'-6" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$

 $9 = 3'-0" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$

10= 2- 2'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

11= 2- 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR) 12 = 2'-6" x 6'-8" FRENCH DOOR (1 3/8" INTERIOR)

PAD FOOTING

120 KPa NATIVE SOIL 90 KPa ENGINEERED FILL SOIL

F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PAD

F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"x14" CONCRETE PAD

F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT.

BRICK VENEER LINTELS:

WL2 = 4" x 3 1\2" x 5\16" (100x90x8) + 2- 2" x 8" SPR.

 $WL3 = 5'' \times 3 \times 12'' \times 5 \times 16'' \times 125 \times 90 \times 8) + 2 - 2'' \times 10'' \text{ SPR}.$ $WL4 = 6" \times 3 \times 1 \times 2" \times 3 \times 8" (150 \times 90 \times 10) + 2 - 2" \times 12" SPR.$ $WL5 = 6" \times 4" \times 3\8" (150\times100\times10) + 2-2" \times 12" SPR.$

 $WL6 = 5" \times 3 \times 1/2" \times 5/16" (125 \times 90 \times 8) + 2 - 2" \times 12" SPR.$ $WL7 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 3 - 2" \times 10" SPR$ WL8 = $5'' \times 3 \times 1/2'' \times 5/16'' (125 \times 90 \times 8) + 3 - 2'' \times 12'' SPR$ $WL9 = 6" \times 4" \times 3\8" (150\times100\times10) + 3-2" \times 12" SPR.$

WOOD LINTELS:

WB1 = 2-2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5- 2" x 12" SPRUCE BEAM WB3 = 2- 2" x 10" SPRUCE BEAM WB10 = 4- 2" x 8" SPRUCE BEAM WB4 = 3- 2" x 10" SPRUCE BEAM WB11 = 4- 2" x 10" SPRUCE BEAM

WB5 = 2-2" x 12" SPRUCE BEAM

STEEL LINTELS:

 $L1 = 3 \frac{1}{2} \times 3 \frac{1}{4} (90 \times 90 \times 6)$ $L4 = 6'' \times 3 \frac{1}{2}'' \times 3 \%'' (150 \times 90 \times 10)$ L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10) L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

LVL1A = 1-1 3/4" x 7 1/4" (1-45x184) $LVL1 = 2-1 3/4" \times 7 1/4" (2-45\times184)$ $LVL2 = 3-1 3/4" \times 7 1/4" (3-45 \times 184)$ LVL3 = 4-13/4" x 7 1/4" (4-45x184) $LVL4A = 1-1 3/4" \times 9 1/2" (1-45x240)$

 $LVL4 = 2-1 3/4" \times 9 1/2" (2-45x240)$ LVL5 = 3-13/4" x 9 1/2" (3-45x240)

 $LVL5A = 4-1 3/4" \times 9 1/2" (4-45x240)$ LVL6A= 1-1 3/4" x 11 7/8" (1-45x300)

IVI6 = 2-1.3/4" x 11.7/8" (2-45x300) LVL7 = 3-13/4" x 11 7/8" (3-45x300)

LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) $LVL8 = 2-1 3/4" \times 14" (2-45x356)$ $LVL9 = 3-1 3/4" \times 14" (3-45 \times 356)$


DRAWINGS AND SPECIFICATIONS TO BUILDING


SHALL CONFORM TO THE REQUIREMENTS OF 9.23.9.2.(3), (4) & (5)

ENG SOILS REPORT <u>MAY</u> BE REQ'D T CONFIRM BEARING CAPACITY OF SOILS, SEE FIELD INSPECTOR

BEFORE FINAL INSPECTION SIGN-OFF

ENERGY PERFORMANCE LABELS FOR ALL GLAZING PRODUCTS IDENTIFYING THE CERTIFIED VALUES SHALL REMAIN ON FOR REVIEW DURING CONSTRUCTION





INVERTED STEEL ANGLE DETAIL

Scale: 3/4" = 1'-0"

WILLOW 2 ELEV1 ENERGY EFFICIENCY-SB			GY EFFICIENCY- SB12
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	404.59	55.03	13.60 %
LEFT SIDE	1166.68	0.00	0.00 %
RIGHT SIDE	1166.68	21.00	1.80 %
REAR	379.06	102.16	26.95 %
TOTAL	3117.01	178.19	5.72 %
WILLOW 2 ELEV2 ENERGY EFFICIENCY- SB12			
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.76	61.67	15.62 %
LEFT SIDE	1159.74	0.00	0.00 %
RIGHT SIDE	1159.74	21.00	1.81 %
REAR	379.06	102.16	26.95 %
TOTAL	3093.30	184.83	5.98 %
WILLOW 2 ELEV3 ENERGY EFFICIENCY- SE			GY EFFICIENCY- SB12
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.76	55.03	13.94 %
LEFT SIDE	1160.64	0.00	0.00 %
RIGHT SIDE	1160.64	21.00	1.81 %
REAR	379.06	102.16	26.95 %
TOTAL	3095.10	178.19	5.76 %

∞ 4 9 3 4 nits \sim 3 숭 BO

AREA CALCULATIONS EL-1

FIRST FLOOR AREA 733 Sq. Ft. SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sa. Ft. ADD FIN. BASEMENT AREA = 0 Sq. Ft. = 1795 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. COVERAGE W/ PORCH = 1093 Sq. Ft. $= 101.54 \,\mathrm{Sg.\,m.}$ = 1155 Sq. Ft. COVERAGE W/O PORCH = 107.30 Sq. m.

AREA CALCULATIONS EL-2

FIRST FLOOR AREA 733 Sq. Ft. SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. 1795 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. = 1093 Sq. Ft COVERAGE W/ PORCH = 101.54 Sq. m. = 1155 Sq. Ft COVERAGE W/O PORCH = 107.30 Sq. m

AREA CALCULATIONS EL-3

FIRST FLOOR AREA 733 Sq. Ft. SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. GROSS FLOOR AREA 1795 Sg. Ft. GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. COVERAGE W/ PORCH = 1093 Sq. Ft. = 101.54 Sq. m. COVERAGE W/O PORCH = 1155 Sq. Ft $= 107.30 \, \text{Sg. m.}$

NOTE:

NOTE:

NOTE:

HESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROSEDRAW ROOF TRUSS DRAWINGS BY MANUFACTURER

NOT THI RANTING OF A PERMIT NOR REVIEWING OF SPE GS NOR INSPECTIONS MADE DURING INSTALLAT ICIAL HAVING JURISDICTION SHALL RELIEVE TH BY THE M REQUIREMENTS OF THE ONTARIO BUILDING NY OTHER REFERENCED REQUIREMENTS.

BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D)

INDICATES SOLID BEARING REQUIRED OR POINT LOAD FROM ABOVE

STL. PLATE FOR STEEL COL'N ABOVE LVL LAMINATED VENEER LUMBER

S.J. SINGLE JOIST

D.J. DOUBLE JOIST

LEGEND:

T.J. TRIPLE JOIST 0 REPEAT NOTE

0 SHOWER WEEPERS

t is the builder's complete responsibility t ensure that all plans submitted for approva fully comply with the Architectural Guideline nd all applicable regulations and requiremen including zoning provisions and any provision in the subdivision agreement. The Contro Architect is not responsible in any way fo examining or approving site (lotting) plans o vorking drawings with respect to any zoning building code or permit matter or that an house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

OF CAMBRIDGE DING DIVISION

STRUDET INC.

B. MARINKOVIC

ept 15,2022

FOR STRUCTURE ONLY

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK. IADDIN DESIGN ODDI ID INC. IS NOT DESDONSIDI E COD THE ACCUIDA

1795

6.10m LOTS

WILLOW 2 (GR)

ELEVATION 1, 2 & 3

A1 PACKAGE

O.REG. 332/12

SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

IARDIN DESIGN GROUP INC. HAS NOT BEEN BETAINED TO CARRY OF ARDIN DESIGN GHOUP INC. HAS NOT BEEN HETAINED TO CARRY OF ENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT OCUMENTS.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROO AUG. 29, 2022 & FNGINFER'S COMMENTS PREPARED TO PRE-COORDINATIO JUNE 20, 2022 STAGE & ISSUED TO CLIENT

> MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHUR DATE: WORK DESCRIPTION:

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsectio 3.2.5 of

Walter Botter NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

27763

jardin design group inc. FIRM NAME

TITLE SHEET

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



WILLOW 2 SCALE

3/16"=1'-0" ROJ. No.

21-35


THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER


SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS.

PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7


NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.





1795 NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION **6.10m LOTS** BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS. WILLOW 2 (GR) **ELEVATION 2 A1 PACKAGE** 55'-0" O.REG. 332/12 51'-4" - WOOD FRAME PARTY WALL - REINFORCED STUDS WITH BLOCKING FOR FUTURE GRAB BARS ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION (SEE TYP. DETAIL) DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU IC. PRIOR TO COMMENCEMENT OF WORK. JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE 11'-0" 7'-4" NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. ENSUITE SHOWER AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING 4,-0, JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT NATURAL LIGHTING OK 2,-0,, 11'-2" LAUNDRY BEDROOM 2 WALK-IN CLOSE1 THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT BE SCALED. 2'-8" 12'-4" 1,-8 SCUPPER اکَ "0−3 NATURAL LIGHTING OK 3,-0, AUG. 31, 2022 ISSUED BUILDING PERMIT 11'-2" COORDINATED WITH FLOOR, ROO AUG. 29, 2022 MASTER & ENGINEER'S COMMENTS 6,-0, BEDROOM 3 PREPARED TO PRE-COORDINATION **BEDROOM** JUNE 20, 2022 RAILING @ 24" oc MAX ENGINEERED APPROVED STAGE & ISSUED TO CLIENT FLAT \ MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE ROOF TRUSSES BY MANUF ROOF NATURAL LIGHTING OK COD SM BELOW WORK DESCRIPTION: DATE: **MEDIA** - ENG. APPR.\ROOF **HALLWAY** 19¹-6" 13'-8" 17'-0" TRUSSES BY MANU 3'-3" 1 WINDOW SHALL PROVIDE AN UNOBSTRUCTED ARE OF 3.8SF w/ NO DIMENSION LESS THAN 15". WINDOW WOOD FRAME PARTY WALL LINE OF STONE 64 JARDIN DR. SUITE 3A PLINTH BELOW SILL TO BE MAX 39-3/8" ABOVE FINISHED FLOOR. 55'-0" VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca WILLOW 2 FLAT ROOF MEMBRANE CONFORMING TO The undersigned has reviewed and takes responsibility T-9.26.2.1.B OR HAVE A CCMC OR BMEC **SECOND FLOOR PLAN EL-2** for this design and has the qualifications and meets the APPROVAL FOR USE IN ONTARIO. MINIMUM requirements set out in the Ontario Building Code to be ROOF SLOPE TO COMPLY WITH T-9.26.3.1. a designer **QUALIFICATION INFORMATION** Required unless design is exempt under Division C, Subsection t is the builder's complete responsibility t In sime builder's completed responsioning of ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (Intition) plans or Walter Botter NAME REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection STRUDET INC. 3.2.4 of the building code examining or approving site (lotting) plans o **LEGEND:** working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo jardin design group inc. FIRM NAME BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D) SEC. FLOOR PLAN EL-2 This is to certify that these plans comply INDICATES SOLID BEARING REQUIRED with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE OR POINT LOAD FROM ABOVE B. MARINKOVIC BARLASSINA CONSTRUCTION 202 STL. PLATE FOR STEEL COL'N ABOVE CITY OF CAMBRIDGE ep 15,202 LVL LAMINATED VENEER LUMBER JOHN G. WILLIAMS LTD., ARCHITECT S.J. SINGLE JOIST WILLOW 2 DOUBLE JOIST D.J. NOTE: APPROVED BY: 3/16"=1'-0" OCT 11, 2022 TRIPLE JOIST FOR STRUCTURE ONLY DATE: ___ THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED. 90 REPEAT NOTE ROJ. No. is stamp certifies compliance with the applicable **BILD** 21-35 ROOF TRUSS DRAWINGS BY MANUFACTURER Design Guidelines only and bears no further 0 SHOWER WEEPERS professional responsibility DRAWING NAME



1795

6.10m LOTS

WILLOW 2 (GR) **ELEVATION 2**

A1 PACKAGE

O.REG. 332/12

CONDITIONS ON STEELECTIES AND VEHT ALL DIVENSIONS AND CONDITIONS ON STEELECOPE PROCEEDING AITH CONSTRUCTION. ANY DISCREPANCIES SHALL BE REPORTED TO JARDIN DES ON GROU √C. PRIO⊇ TO COVMENCEMENT OF WORK.

, ARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCUPAC OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN OF THESE DRAWINGS OF FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE. ENGINEERING CRAWINGS BEFORE PROCESSING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARTY OUT CENTRAL REVIEW OF THE NORK AND ASSUMES NO RESTONSIBILITY FOR THE FAILURE OF THE CONTRACTOR OR SUB-CONTRACTOR TO CARTY OUT THE MORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND IS THE PROPERTY OF JARRIN DESIGN CROUPLING. THIS DRAWING IS NOT OF SEAL FD.

MAR. 8, 2023 REV. STUCCO NOTE AS PER CIT COMMENT, REISSUED FOR PERMI AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROOF AUG. 29, 2022 & ENGINEER'S COMMENTS PREPARED TO PRE-COORDINATION JUNE 20, 2022

WORK DESCRIPTION: DATE:

MAR. 28, 2022 ISSUED TO CLIENT FOR BROC-URI

TAGE & ISSUED TO CLIENT

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer QUALIFICATION INFORMATION

Nalter Botte NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

ardin design group inc.

It is the builder's complete responsibility

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

IRM NAME

FRONT ELEVATION 2

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE




CALE:

WILLOW 2

3/16"=1'-0" PROJ. No. 21-35

NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.



OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING

CODE AND ANY OTHER REFERENCED REQUIREMENTS.

DRAWING NAME:

is stamp certifies compliance with the applicate Design Guidelines only and bears no further professional responsibility

BILD

WILLOW 2 SCALE:

3/16"=1'-0" ROJ. No. 21-35

