

BUILDING PERMIT COVER PAGE

Development Services Department Building Permit and Inspection Services

SOIL CONDITIONS

SOIL CONDITIONS SHALL BE VERIFIED BY A PROFESSIONAL ENGINEER COMPETENT IN THE FIELD OF SOIL ENGINEERING, PRIOR TO PLACING ANY FOUNDATION.

THE PERMIT PLANS HAVE BEEN **ANY FUTURE CHANGES WILL REQUIRE A SEPARATE BUILDING PERMIT**

ACCEPTED AS NOTED PERMIT PLANS **REVIEWED BY** DATE REVIEW **ZONING** PLANNING **ARCHITECTURAL** CM**DEC 6, 2023** STRUCTURAL FIRE CARD PLUMBING MECHANICAL PLANS REVIEW CM**DEC 6, 2023** COMPLETED

PLUMBING INSTALLATIONS

ALL PLUMBING INSTALLATIONS ARE TO BE DONE BY A PLUMBING CONTRACTOR POSSESSING AN ONTARIO COLLEGE OF TRADES MEMBERSHIP, NO PLUMBING IS TO BE COVERED UNTIL INSPECTED AND APPROVED BY A PLUMBING INSPECTOR. TELEPHONE 905-436-5658 WHEN READY FOR AN INSPECTION AND TESTING.

ALL STANDARDS REFERRED TO IN THESE BUILDING PERMIT DOCUMENTS SHALL BE THE **EDITION** DESIGNATED IN OBC 2012 AS AMENDED.

RAIN WATER DOWNSPOUTS ARE TO BE DISCHARGED AT GRADE AND NOT CONNECTED TO WEEPING TILES

FUTURE ALTERATIONS

A SEPARATE BUILDING PERMIT IS REQUIRED FOR ANY PROPOSED INTERIOR PARTITIONS AND/OR ALTERATIONS.

COPY OF THE STAMPED/REVIEWED DRAWINGS MUST REMAIN ON SITE DURING CONSTRUCTION.

NOTE:

IT IS RECOMMENDED THAT CRUSHED CONCRETE OR SLAG AGGREGATE **NOT** TO BE USED FOR BACKFILL UNDER CONCRETE SLABS, AROUND SEWER LATERALS OR WEEPERS.

MHP CERTIFICATION

ALL MARKUPS AND STAMPS APPLIED TO BASE MODEL AND BASE ELEVATION SHALL APPLY AS APPLICABLE TO THE ENTIRE MODEL HOUSE

AS BUILT SURVEY

UPON COMPLETION OF THE FOUNDATION, A SURVEY PREPARED BY AN ONTARIO LAND SURVEYOR INDICATING THE LOCATION OF THE **BUILDING TO ALL PROPERTY LINES IS** REQUIRED TO BE SUBMITTED TO THE BUILDING **DEPARTMENT**

IMPORTANT NOTE

NEITHER THE ISSUANCE OF A PERMIT NOR THE CARRYING OUT OF INSPECTIONS BY THE CITY RELIEVE THE APPLICANT FROM FULL RESPONSIBILITY FOR COMPLIANCE WITH THE PROVISIONS OF THE BUILDING CODE ACT AND THE ONTARIO BUILDING CODE, BOTH AS AMENDED, AS WELL AS OTHER APPLICABLE STATUES AND REGULATIONS OF THE PROVINCE OF ONTARIO AND ALL RELEVANT BY-LAWS OF THE CITY OF OSHAWA AND THE REGIONAL MUNICIPALITY OF DURHAM.

ALL ELECTRICAL WIRING MUST BE INSPECTED BY THE ELECTRICAL SAFETY AUTHORITY. SEPARATE INSPECTION APPLICATIONS (PERMITS) MUST BE FILED. WE RECOMMEND YOU USE A QUALIFIED ELECTRICAL CONTRACTOR. FOR MORE **INFORMATION PLEASE CALL:**



1-877-ESA-SAFE OR VISIT WWW.ESASAFE.COM

OBC 9.10.14.5 - CLADDING

CLADDING ON THE EXPOSING BUILDING FACE IS PERMITTED TO BE VINYL WHEN WITHIN 600mm OF PROPERTY LINE, PROVIDED THAT THE VINYL CONFORMS TO OBC DIV. B. 9.27.13, IS INSTALLED OVER SHEATHING PAPER AND12.7mm DRYWALL, HAS A FLAME SPREAD RATING NOT GREATER THAN 25, AND IS NOT MORE THAN 2mm THICK AND THE ENTIRE EXTERIOR WALL HAS A MINIMUM FIRE RESISTANCE RATING OF 3/2 HOURS

RETURN AIR INLET FROM ANYROOM
PROVISIONS SHALL BE MADE FOR THE RETURN OF AIR FROM ANY ROOM OR
SPACE WITHOUT A RETURN AIR INLET, BY LEAVING GAPS BENEATH DOORS,
USING LOUVERED DOORS, OR INSTALLING RETURN AIR DUCT INLETS.

BEDROOM WINDOWS

(1) EVERY FLOOR LEVEL CONTAINING BEDROOMS IN A SUITE SHALL BE PROVIDED WITH AT LEAST 1 OUTSIDE WINDOW THAT CAN BE OPENED FROM THE INSIDE WITHOUT THE USE OF TOOLS, AND EACH SUCH WINDOW SHALL PROVIDE AN INDIVIDUAL, UNOBSTRUCTED OPEN PORTION HAVING A MINIMUM AREA OF 0.35M2 (3.8 SQ.FT.) WITH NO DIMENSION LESS THAN 380 MM (15 IN).

(2) EXCEPT FOR BASEMENT AREAS. THE WINDOW DESCRIBED IN SENTENCE (1) SHALL HAVE A MAXIMUM SILL HEIGHT OF 1M (3 FT 3 IN) ABOVE THE FLOOR. (3) WHEN SLIDING WINDOWS ARE USED, THE MINIMUM DIMENSION DESCRIBED IN SENTENCE (1) SHALL APPLY TO THE OPENABLE PORTION OF THE WINDOW.

PREFABRICATED WOOD TRUSSES

FABRICATION AND ERECTION DRAWINGS WITH DESIGN DATA, PREPARED AND SEALED BY A PROFESSIONAL ENGINEER, MUST BE AVAILABLE ON SITE FOR REVIEW BY THE BUILDING INSPECTOR

ROOF CEILING INSULATION

ROOF FRAMING OR TRUSS HEEL JOINT MUST PERMIT SUFFICIENT SPACE FOR THE EXTENSION OF THE ROOF-CELLING INSULATION OVER EXTERIOR WALLS MINIMIZE THERMAL BRIDGES. AN UNOBSTRUCTED VENTILATION SPACE MUST BE PROVIDED OVER EXTERIOR WALLS TO ALLOW UNIMPEDED AIR FLOW FORM SOFFIT

LESS THAN 550mm (21 5") BY 900mm (35")

ATTIC HATCHES SHALL NOT BE

OBC 9.26.4.1.

FLASHING REQUIRED AT ALL **ROOF-WALL JUNCTIONS**

INTERIOR FINISH OF EXITS

THE FLAME SPREAD RATING OF WALL OR CEILING FINISH IN AN **EXIT MUST NOT EXCEED 25.**

INTERIOR FINISH (EXCEPT EXITS)

FLAME SPREAD RATING OF INTERIOR FINISH MATERIALS SHALL NOT EXCEED $\underline{150}$ ON WALLS AND $\underline{150}$ ON CEILINGS. COMBUSTIBLE WALL AND CEILING FINISHES SUCH AS WOOD, PLYWOOD, PLASTIC, FABRIC, CARPET, ETC. MUST BE APPROVED BY THE INSPECTOR PRIOR TO THE INSTALLATION.

DIV.B. 9.10.14.1 EXPOSING BUILDING FACE OF HOUSES

UNPROTECTED OPENINGS IN THE EXPOSING BUILDING FACE SHALL NOT BE PERMITTED IF THE LIMITING DISTANCE IS LESS THAN 1.2m (3'11") AND SHALL BE LIMITED IN CONFORMANCE WITH THE REQUIREMENTS FOR UNPROTECTED OPENINGS IN DIV. B ARTICLE 9.10.15.1. WHERE THE LIMITING DISTANCE IS 1.2m (3'11") OR GREATER.

THE EXPOSING BUILDING FACE SHALL HAVE A FIRE RESISTANCE RATING OF NOT LESS THAN 45 MINUTES WHERE THE LIMITING DISTANCE IS LESS THAN

ATTACHED OR BUILT-IN GARAGE

THE SEPARATION BETWEEN THE GARAGE AND DWELLING UNIT SHALL BE CONSTRUCTED AS AN EFFECTIVE BARRIER TO GAS AND EXHAUST FUMES. THE DOOR BETWEEN THE GARAGE AND DWELLING UNIT SHALL BE EXTERIOR TYPE, TIGHT FITTING AND WEATHER-STRIPPED TO PROVIDE AN EFFECTIVE BARRIER AGAINST THE PASSAGE OF GAS AND EXHAUST FUMES AND SHALL BE FITTED WITH AN APPROVED SELF CLOSING DEVICE

MAX. RISE, MIN. RISE, MAX. RUN, mm MIN. RUN, mm STAIR HEAD

2012 OBC DIV. B, 9.8.2.1. to 9.8.4.7. STAIR DIME

	mm, ALL STEPS	mm, ALL STEPS	RECTANGULAR TREADS	RECTANGULAR TREADS	WIDTH, mm	mm
PRIVATE STAIRS	200	125	355	255	860	1950
PUBLIC STAIRS	180	125	NO LIMIT	280	900	2050
SERVICE STAIRS	NO LIMIT	125	355	NO LIMIT	900	2050
STAIR TO UNOCCUPIED ATTIC SPACE	NO LIMIT	125	355	NO LIMIT	860	1950
STAIRS TO CRAWL SPACE	NO LIMIT	125	355	NO LIMIT	860	1950
STAIRS THAT SERVE MEZZANINES NOT EXCEEDING 20 m2 WITHIN LIVE/WORK UNITS	NO LIMIT	125	355	NO LIMIT	WIDTH AS PER DIV B 9.8.2.1.(3)	2050
NOTE			ADS SHALL NOT RE			EPTH

STRUCTURAL ALTERATIONS

ALL STRUCTURAL ALTERATIONS MUST BE FIELD REVIEWED BY A PROFESSIONAL ENGINEER IF REQUIRED BY THE BUILDING INSPECTOR

FINISHED SITE GRADING

THE BUILDING SHALL BE LOCATED AND THE BUILDING SITE GRADED SO THAT WATER WILL NOT ACCUMULATE AT OR NEAR THE BUILDING AND WILL NOT ADVERSELY AFFECT ANY ADJACENT PROPERTIES.

> **A CURSORY REVIEW OF THE** STRUCTURAL ELEMENTS HAS **BEEN COMPLETED AND IS RELIANT ON ENGINEER'S CERTIFICATION OF**

RESISTANCE TO FORCED ENTRY 2012 O.B.C. DIV B. 9.7.5.2. & 9.7.5.3. A return air inlet shall be located in any room where at least 1/2 of the floor area is located over an unconditioned space (e.g. room over a garage)

- 1. SWINGING DOORS PROVIDING ACCESS TO DWELLING UNITS SHALL SATISFY THE REQUIREMENTS FOR RESISTANCE TO FORCED ENTRY AS DESCRIBED IN SUBSECTION 9.7.5.2.
- 2. WINDOWS IN DWELLING UNITS THAT ARE LOCATED WITHIN 2M OF ADJACENT GROUND LEVEL SHALL CONFORM TO THE REQUIREMENTS FOR RESISTANCE TO FORCED ENTRY AS DESCRIBED IN CLAUSE 5.3.5.OF AAMA/WDMA/CSA 101/I.S.2/A440.

2012 Code

9.8.8.1.(8)(a)(b) Windows over Stairs, Ramps and Landings

(2) In dwelling units, glazing installed over stairs, ramps and landings that extend to less than 900 mm (2 ft 11 in) above the surface to the treads, ramp or landing shall be,

- (a) protected by guards, in accordance with this Subsection, or
- (b) non-openable and designed to withstand the specified lateral loads for guards as provided in Article 4.1.5.14.

9.5.2.3. STUD WALL REINFORCEMENT

- (1) IF WOOD WALL STUDS OR SHEET STEEL WALL STUDS ENCLOSE THE MAIN BATHROOM IN A DWELLING UNIT, REINFORCEMENT SHALL BE INSTALLED TO PERMIT THE FUTURE INSTALLATION OF A GRAB BAR ON A WALL ADJACENT TO,
 - (a) A WATER CLOSET IN THE LOCATION REQUIRED BY CLAUSE 3.8.3.8.(1)(d), AND
 - (b) A SHOWER OR BATHTUB IN THE LOCATION BY CLAUSE 3.8.3.13.(1)(f).

(SEE APPENDIX A.)

The Corporation of the City of Oshawa, 50 Centre Street South, Oshawa, Ontario L1H 3Z7 Phone 905.436.5658 1.800.667.4292 Fax 905.436.5623

STRIP FOOTINM HP 2301
FOR SINGLES & SEMIS UP TO 2 STOREY

8" OR 10" FOUNDATION WALLS WITH 2"x8" / 2"x10" FLOOR JOISTS 20"x6" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS. 24"x8" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS.

FOUNDATION WALLS WITH ENGINEEED JOISTS OVER 16' SPANS 24"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS.

FOOTINGS ON ENGINEERED FILL

24"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW EXTERIOR WALLS.

30"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS.

(REFER TO FOOTING DETAILS ON ENGINEERED FILL)

ASSUME THE LARGER FOOTING SIZE

WHEN TWO CONDITIONS APPLY

ASSUMED 120 KPa (16 p.s.1.) SOIL BEARING CAPACITY OR 90 KPa ENGINEERED SOIL FILL, TO BE VERIFIED ON SITE.

PAD FOOTINGS

120 KPa NATIVE SOIL

90 KPa ENGINEERED FILL SOIL FI = 42"x42"xI8" CONCRETE PAD FI = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F3 = 30"x30"x12" CONCRETE PAD F4 = 24"x24"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD

F2 = 40"x40"x16" CONCRETE PAD
F3 = 34"x34"x14" CONCRETE PAD
F4 = 28"x28"x12" CONCRETE PAD
F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

BRICK VENEER LINTELS

 $\begin{array}{l} \text{NL} b = 5^{\circ} \times 3 - 1/2^{\circ} \times 5/16^{\circ} \text{L} & (125 \times 40 \times 8.0 \text{L}) + 3 - 2^{\circ} \times 12^{\circ} & \text{SPR. No.2} \\ \text{WL} q = 6^{\circ} \times 4^{\circ} \times 3/8^{\circ} \text{L} & (150 \times 100 \times 10.0 \text{L}) + 3 - 2^{\circ} \times 12^{\circ} & \text{SPR. No.2} \\ \end{array}$

LINTELS AND BEAMS

WBI = 2-2"x8" SPR. No.2 (2-38x184 SPR. No.2) MB2 = 3-2"x0" SPR. No.2 (3-36x184 SPR. No.2) MB3 = 2-2"x10" SPR. No.2 (2-36x235 SPR. No.2) MB4 = 3-2"x10" SPR. No.2 (3-38x235 SPR. No.2)

MB5 = 2-2"x|2" SPR. No.2 (2-36x266 SPR. No.2) MB6 = 3-2"x|2" SPR. No.2 (3-36x266 SPR. No.2) MB7 = 5-2"x|2" SPR. No.2 (5-36x266 SPR. No.2)

WBII = 4-2"xIO" SPR. No.2 (4-38x235 SPR. No.2) WBI2 = 4-2"x|2" SPR. No.2 (4-38x286 SPR. No.2)

LAMINATED VENEER LUMBER (LVL) BEAMS

LVLIA = I-I 3/4" x 7 I/4" (I-45xl84) LVLI = 2-I 3/4" x 7 I/4" (2-45xl84) LVL2 = 3-I 3/4" x 7 I/4" (2-45xl84) LVL3 = 4-I 3/4" x 7 I/4" (4-45xl84) LVL4A = I-I 3/4" x 9 I/2" (I-45x240) LVL4 = 2-I 3/4" x 9 I/2" (3-45x240) LVL5 = 3-I 3/4" x 9 I/2" (3-45x240) LVL5 = 3-I 3/4" x 9 I/2" (3-45x240)

LVL5 = 3-1 3/4" x 9 1/2" (3-45x240) LVL5A = 4-1 3/4" x 9 1/2" (4-45x240) LVL6A = 1-1 3/4" x 11 7/8" (1-45x300) LVL6 = 2-1 3/4" x 11 7/8" (2-45x300) LVL7 = 3-1 3/4" x 11 7/8" (3-45x300) LVL7A = 4-1 3/4" x 11 7/8" (4-45x300) LVL8 = 2-1 3/4" x 14" (2-45x356) LVL9 = 3-1 3/4" x 14" (3-45x356)

LVLIO = 2-1 3/4" x 18" (3-45×456)

LVL BEAMS SHALL BE VERSA-LAM 2.0E (Fb=2800psi MIN.) OR EQUIVALENT.

LOOSE STEEL LINTELS

LI = 3-1/2"x3-1/2"x1/4"L (90x90x6.0L)

L2 = 4"x3-1/2"x5/16"L (100x90x8.0L) L3 = 5"x3-1/2"x5/16"L (125x90x8.0L)

L4 = 6"x3-1/2"x3/8"L (150x90x10.0L)

L5 = 6"x4"x3/8"L (150x100x10.0L)

L6 = 7"x4"x3/8"L (175x100x10.0L)

DOOR SCHEDULE

NOS.	WIDTH	HEIGHT 8'-9' CEILING	HEIGHT IO' OR MORE CEILING	TYPE
1 a 2 3 4 5	2'- 0" 2'-8" 2'-8" 2'-8" 2'-8" 2'-6"	6'-8" 6'-8" 6'-8" 6'-8"	8'-0" 8'-0" 8'-0" 8'-0" 8'-0"	INSULATED ENTRANCE DOOR INSULATED FRONT DOORS WOOD & GLASS DOOR EXTERIOR SLAB DOOR INTERIOR SLAB DOOR INTERIOR SLAB DOOR
6 7	2'-2" I'-6"	6'-8" 6'-8"	8'-0" 8'-0"	INTERIOR SLAB DOOR INTERIOR SLAB DOOR


SPACE CONVENTIONAL FLOOR JOISTS @ 12' O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE I ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7'

REFER TO ROOF TRUSS SHOP DRAWINGS FOR ALL ROOF FRAMING INFORMATION

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.

REFER TO FLOOR FRAMING SHOP DRAWINGS FOR ENGINEERED FRAMING LAYOUTS


2-2"x6" STUD WALL NAILED TOGETHER AND SPACED @12" O.C. FULL HT C/M SOLID BLOCKING 4'-0" O.C. VERTICAL AND 7/16" EXT. PLYMOOD SHEATHING.



NOTE: MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 18'-0"

TWO STORY HEIGHT WALL DETAIL

2 - | |/2" x 5 |/2" TIMBERSTRAND (LSL) | 1.5E STUD WALL GLUED AND NAILED TOGETHER AND SPACED MAX. @IO"O.C. FULL HT C/W SOLID BLOCKING MAX. 8'-0"O.C. VERTICAL AND 7/16" EXT. OSB SHEATHING.



NOTE: MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 20'-2" AND MAXIMUM WIDTH IS 40'-0"

TWO STORY HEIGHT WALL DETAIL

THE MINIMUM THERMAL PERFORMANCE OF BUILDING ENVELOPE AND EQUIPMENT SHALL CONFORM TO THE

COMPLIANCE PACKAGE "AL"

HOT WATER TANK

COMPLIANCE PACKAGE	Al		
COMPONENT	NOTE		
CEILING WITH ATTIC SPACE MINIMUM RSI (R) VALUE	10.57 (R60)		
CEILING WITHOUT ATTIC SPACE MINIMUM RSI (R) VALUE	5.46 (R31)		
EXPOSE FLOOR MINIMUM RSI (R) VALUE	5.46 (R31)		
WALLS ABOVE GRADE MINIMUM RSI (R) VALUE	3.87 (R22)		
BASEMENT WALLS MINIMUM RSI (R) VALUE	3.52 (R20 BLANKET)		
HEATED SLAB OR SLAB <u>≤ 600mm BELOW G</u> RADE MINIMUM RSI (R) VALUE	1.76 (RIO)		
WINDOWS & SLIDING GLASS DOORS MAXIMUM U-VALUE	ENERGY RATING = 25, MAX. U=0.28		
SPACE HEATING EQUIPMENT MINIMUM AFUE	96%		
HRV MINIMUM EFFICIENCY	75%		

MIN. EF 0.80

PENROSE	I	ELEV.I		COMPLIANCE PACKAGE "AI"		
ELEVATION	WALL FT ²	WALL MT ²	OPENING FT ²	OPENING MT2	PERCENTAGE	
FRONT	729.09	67.73	101.46	9.43	13.92 %	
LEFT SIDE	1100.75	102.26	98.53	9.15	8.95 %	
RIGHT SIDE	1155.58	107.36	34.17	3.17	2.96 %	
REAR	628.95	58.43	135.78	12.61	21.59 %	
TOTAL	3614.37	335.79	369.94	34.37	10.24 %	


PENROSE	I	ELEV.2		COMPLIANCE I	COMPLIANCE PACKAGE "AI"		
ELEVATION	WALL FT ²	WALL MT2	OPENING FT2	OPENING MT2	PERCENTAGE		
FRONT	723.09	67.18	70.74	6.57	9.78 %		
LEFT SIDE	1100.75	102.26	98.53	9.15	8.95 %		
RIGHT SIDE	1155.58	107.36	34.17	3.17	2.96 %		
REAR	628.95	58.43	135.78	12.61	21.59 %		
TOTAL	3608.37	335.23	339.22	31.51	9.40 %		

PENROSE	I	ELEV.3 COMPLIANCE PACKAGE "/			PACKAGE "AI"
ELEVATION	WALL FT ²	WALL MT ²	OPENING FT2	OPENING MT2	PERCENTAGE
FRONT	680.42	63.21	114.08	10.60	16.77 %
LEFT SIDE	1100.75	102.26	98.53	9.15	8.95 %
RIGHT SIDE	1155.58	107.36	34.17	3.17	2.96 %
REAR	628.95	58.43	135.78	12.61	21.59 %
TOTAL	3565.70	331.26	382.56	35.54	10.73 %

1					/ 1
AREA CALCULATIONS				ELE\	/. I
GROUND FLOOR AREA			=	1298	Sq. Ft.
SECOND FLOOR AREA			=	1626	Sq. Ft.
TOTAL FLOOR AREA			=	2924	Sq. Ft.
				271.65	Sq. M.
Ist FLOOR OPEN AREA	=	0		Sq. Ft.	
2nd FLOOR OPEN AREA	=	12		Sq. Ft.	
ADD TOTAL OPEN AREAS			=	12	Sq. Ft.
ADD FIN. BASEMENT AREA			=	0	Sq. Ft.
ADD THE DASEFIER AREA			_		
GROSS FLOOR AREA			=	2936	Sq. Ft.
			_	_	Sq. Ft.
			_	2936	Sq. Ft. Sq. M. Sq. Ft.
GROSS FLOOR AREA			=	2936 272.76	Sq. Ft. Sq. M. Sq. Ft.
GROSS FLOOR AREA GROUND FLOOR COVERAGE			=	2936 272.76 1298	Sq. Ft. Sq. M. Sq. Ft. Sq. Ft.
GROSS FLOOR AREA GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA			=	2936 272.76 1298 408	Sq. Ft. Sq. M. Sq. Ft. Sq. Ft.
GROSS FLOOR AREA GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA			= = =	2936 272.76 1298 408	Sq. Ft. Sq. M. Sq. Ft. Sq. Ft. Sq. Ft.
GROSS FLOOR AREA GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA			= = =	2936 272.76 1298 408 75	Sq. Ft. Sq. M. Sq. Ft. Sq. Ft. Sq. Ft. Sq. Ft.

AREA CALCULATIONS				ELEV	/. 2
GROUND FLOOR AREA			=	1298	Sq. Ft.
SECOND FLOOR AREA			=	1628	Sq. Ft.
TOTAL FLOOR AREA			=	2926	Sq. Ft.
				271.83	Sq. M.
Ist FLOOR OPEN AREA	=	0		Sq. Ft.	
2nd FLOOR OPEN AREA	=	12		Sq. Ft.	
ADD TOTAL OPEN AREAS			=	12	Sq. Ft.
ADD FIN. BASEMENT AREA			=	0	Sq. Ft.
GROSS FLOOR AREA			=	2938	Sq. Ft.
				272.95	Sq. M.
GROUND FLOOR COVERAGE			=	1298	Sq. Ft.
GARAGE COVERAGE / AREA			=	408	Sq. Ft.
PORCH COVERAGE / AREA			=	75	Sq. Ft.
TOTAL COVERAGE W/ PORCH			=	1781	Sq. Ft.
			=	165.46	Sq. m.
TOTAL COVERAGE WO PORCH			=	1706	Sq. Ft.
			=	158.49	Sq. m.

AREA CALCULATIONS				ELEV	<i>1</i> . 3
GROUND FLOOR AREA			=	1298	Sq. Ft.
SECOND FLOOR AREA			=	1629	Sq. Ft.
TOTAL FLOOR AREA			=	2927	Sq. Ft.
				271.93	Sq. M.
Ist FLOOR OPEN AREA	=	0		Sq. Ft.	
2nd FLOOR OPEN AREA	=	12		Sq. Ft.	
ADD TOTAL OPEN AREAS			=	12	Sq. Ft
ADD FIN. BASEMENT AREA			=	0	Sq. Ft
GROSS FLOOR AREA			=	2939	Sq. Ft
				213.04	Sq. M.
GROUND FLOOR COVERAGE	:		=	1298	Sq. Ft
GARAGE COVERAGE / AREA			=	408	Sq. Ft
PORCH COVERAGE / AREA			=	75	Sq. Ft
TOTAL COVERAGE W/ PORCH			=	1781	Sq. Ft.
			=	165.46	5q. m.
TOTAL COVERAGE WO PORCH			=	1706	Sq. Ft
			=	158.49	5q. m.





PENROSE 1 **COMPLIANCE PACKAGE "A1"**

5.						
4.						
3.						
2.						
1.	UPDATED FROM PINEBROOK 1A	APR 2022				
	REVISIONS					

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of

The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.


QUALIFICATION INFORMATION Required unless design is exem der Division C, Subsection 3.2.5 of the building code 28770 VIKAS GAJJAR < NAME

REGION DESIGN INC 8700 DUFFERIN ST **EGION** CONCORD, ONTARIO **ESIGN** L4K 4S6 P (416) 736-4096 F (905) 660-0746

SHEET TITLE AREA C	CHARTS	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED.				
SCALE NA	by VG	^{AREA} 2938	PAGE No.	PRO		
APR 2022	TYPE	PROJECT XXX	U			

*	Gre	en	pa	ark
PROJECT	NAME			

ZADORRA





UPDATED FROM PINEBROOK 1A


REVISIONS

APR 2022

VIKAS GAJJAR

NAME

MHP 23018



ESIGN

3/16"=1'-0"

APR 2022

2936

PROJECT NAME

ZADORRA

L4K 4S6

P (416) 736-4096

F (905) 660-0746

28770

2 11:24:59 AM M:/PROJECTS/ZADORRA OSHAWA\STANDA



UPDATED FROM PINEBROOK 1A


REVISIONS

APR 2022

VIKAS GAJJAR

NAME

MHP 23018



ESIGN

3/16"=1'-0"

APR 2022

2936

L4K 4S6

P (416) 736-4096


F (905) 660-0746


28770


ZADORRA


PROJECT NAME

1-3









ESIGN

L4K 4S6

P (416) 736-4096

F (905) 660-0746

28770

1. UPDATED FROM PINEBROOK 1A

REVISIONS

APR 2022

VIKAS GAJJAR

NAME

SIGNATURE

3/16"=1'-0"

APR 2022

2936

XXX


3

VG

***Greenpark**

PROJECT NAME **ZADORRA**





fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any bouse can be properly full for forested on its of


This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa



FOR STRUCTURE ONLY

I	5.	The undersigned has reviewed and takes responsibility for		SHEET TITLE	CONTRACTOR SHALL CHECK ALL	
	4.	design, and has the qualifications and meets the requiremer out in the Ontario Building Code to be a designer.	s set 8700 DUFFERIN ST.	SECOND FLOOR PLAN	DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER.	#Groomsalk
	3.	QUALIFICATION INFORMATION	CONCORD, ONTARIO	FIUN ELEV. 2	PRINTS ARE NOT TO BE SCALED.	*Greenpark.
ı	2.	Required unless design is exempt under Division C, Subsection 3.2.5 of the build	g code	SCALE SCALE BY	AREA PAGE No.	- I
ı	UPDATED FROM PINEBROOK 1A AP	2022 VIKAS GAJJAR 287	/() TI	3/10 -1-0	2936	PROJECT NAME
ı	REVISIONS	NAME \$IGNATURE	P (416) 736-4096 BCIN F (905) 660-0746	APR 2022	PROJECT XXX	ZADORRA

25:08 AM M:\PROJECTS\ZADORRA OSHAWA\STANDARD\PENROSE 1\PENROSE 1.



28770

P (416) 736-4096

F (905) 660-0746

1. UPDATED FROM PINEBROOK 1A

REVISIONS

APR 2022

VIKAS GAJJAR

NAME

SIGNATURE

PROJECT NAME **ZADORRA**

2936


XXX


3-3

VG

APR 2022







Scale:N.T.S.

t is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements ncluding zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (totting) plans or working drawings with respect to any zoning or poulding code or permit matter or that any nouse can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Desigr Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:
DATE: DEC 05. 2023


This stamp certifies compliance with the applicable
Design Guidelines only and bears no further
professional responsibility.

FRONT ELEVATION I

PENROSE 1
COMPLIANCE PACKAGE "A1"

The undersigned has reviewed and takes responsibility for this CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED. REGION DESIGN INC. REGION FRONT ELEVATION design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. ***Greenpark** 8700 DUFFERIN ST. ELEV. 1 QUALIFICATION INFORMATION CONCORD, ONTARIO **ESIGN** L4K 4S6 3/16"=1'-0" VG 2936 28770 . UPDATED FROM PINEBROOK 1A APR 2022 VIKAS GAJJAR PROJECT NAME P (416) 736-4096 4 **ZADORRA** NAME REVISIONS APR 2022 F (905) 660-0746 XXX





6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12 6.12

ROOF PLAN 2 Scale: N.T.S.

FRONT ELEVATION 2

It is the Bulloter's Complete responsionly to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:

DATE: DEC 05, 2023

This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility.

PENROSE 1
COMPLIANCE PACKAGE "A1"

The undersigned has reviewed and takes responsibility for this CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED. REGION DESIGN INC. REGION FRONT ELEVATION design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. Greenpark 8700 DUFFERIN ST. ELEV. 2 QUALIFICATION INFORMATION CONCORD, ONTARIO **ESIGN** L4K 4S6 3/16"=1'-0" VG 2936 28770 . UPDATED FROM PINEBROOK 1A APR 2022 VIKAS GAJJAR 4-2 PROJECT NAME P (416) 736-4096 **ZADORRA** NAME APR 2022 **REVISIONS** F (905) 660-0746 XXX




2. UPDATED FOR LOT 110

. UPDATED FROM PINEBROOK 1A

REVISIONS

MHP 23018



8700 DUFFERIN ST.

CONCORD, ONTARIO

P (416) 736-4096

F (905) 660-0746

L4K 4S6

ESIGN

ELEV. 2

VG

2936

XXX

4-2

PROJECT NAME

3/16"=1'-0"

APR 2022

design, and has the qualifications and meets the requirem out in the Ontario Building Code to be a designer.

APR 2022

VIKAS GAJJAR


NAME


QUALIFICATION INFORMATION

28770

***Greenpark ZADORRA**







ROOF PLAN 3 Scale: N.T.S.

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:

DATE: DEC 05. 2023

This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility.


FRONT ELEVATION 3

PENROSE 1
COMPLIANCE PACKAGE "A1"

5. 4. 3.	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION	REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO	EGION	FRONT ELEVATION ELEV. 3	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED.	*Greenpark
UPDATED FROM PINEBROOK 1A APR 2022 REVISIONS	Required unless design is exempt under Division C, Subsection 3.2.5 of the building code VIKAS GAJJAR SIGNATURE BCIN	L4K 4S6 P (416) 736-4096 F (905) 660-0746		SCALE 3/16"=1'-0" BY VG DATE APR 2022 TYPE	2936 PROJECT XXX PAGE No. 4-3	PROJECT NAME ZADORRA

DRRA OSHAWA\STANDARD\PENROSE 1\PENROSE 1.DWG





ALLOWABLE GLAZING			
WALL AREA	=	1100	Sq. Ft.
ALLOWABLE GLAZED AREA @ 7 % I.2 M SIDE YARD	=	77.00	Sq. Ft.
ACTUAL GLAZED AREA	=	68.1	Sq. Ft.

LEFT SIDE ELEVATION I

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:

DATE: JUL 31, 2023

This stamp certifies compliance with the applicable
Design Guidelines only and bears no further
professional responsibility.

PENROSE 1
COMPLIANCE PACKAGE "A1"

5.					
4.					
3.					
2.					
1.	UPDATED FROM PINEBROOK 1A	APR 2022			
	REVISIONS				

The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.

QUALIFICATION INFORMATION

Required unless design is exempt \(\psi\) nder Division C, Subsection 3.2.5 of the building code

Required unless design is exempt under Division C, Subsection 3.2.5 of the building code

VIKAS GAJJAR

NAME

SIGNATURE


BCIN




	ELEVATION IV. 1	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED.				
3/16"=1'-0"	by VG	^{AREA} 2936	PAGE No.	L		
APR 2022	TYPE	PROJECT XXX	5			



PROJECT NAME ZADORRA







LEFT SIDE ELEVATION 3

ALLOWABLE GLAZING			
WALL AREA B	=	1086	Sq. Ft.
ALLOWABLE GLAZED AREA @ 7 % 1.2 M SIDE YARD	=	76.02	Sq. Ft.
ACTUAL GLAZED AREA	=	67.1	Sq. Ft.
	=		

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:

DATE: JUL 31. 2023

This stamp certifies compliance with the applicable


npliance with the applicable only and bears no further all responsibility.

PENROSE 1
COMPLIANCE PACKAGE "A1"

	5.	The undersigned has reviewed and takes responsibility for this	REGION DESIGN INC.	Ъ	LEFT SIDE ELEVATION	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE	
	4.	design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.	8700 DUFFERIN ST.	REGION	ELEV. 3	COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER.	#Greennark
L	3.	QUALIFICATION INFORMATION	CONCORD, ONTARIO		ELEV. 3	PRINTS ARE NOT TO BE SCALED.	Talcella K
L	2.	Required unless design is exempt under Division C, Subsection 3.2.5 of the building code	L4K 4S6	DESIGN	SCALE 3/16"=1'-0" BY VG	AREA 2936 PAGE No.	502
	1. UPDATED FROM PINEBROOK 1A APR 2022	vikas gajjar 28770	P (416) 736-4096	INC.	3/10 - 1 - 0 V G	<u> </u>	PROJECT NAME
-	REVISIONS	NAME \$IGNATURE BCIN	F (905) 660-0746	IIIV.	APR 2022	PROJECT J-J	ZADORRA

11:25:19 AM M:/PROJECTS/ZADORRA OSHAWA\STANDARD\PENROSE 1\PENROSE





RIGHT SIDE ELEVATION I

ALLOWABLE GLAZING

WALL AREA B 1155 Sq. Ft. = 80.85 Sq. Ft. ALLOWABLE GLAZED AREA @ 7 % I.2 M SIDE YARD 23.2 Sq. Ft. 🗸 ACTUAL GLAZED AREA

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT ARCHITECTURAL CONTROL REVIEW APPROVED BY: _ DATE: JUL 31, 2023 is stamp certifies compliance with the applic

1. UPDATED FROM PINEBROOK 1A

REVISIONS

The un design,

APR 2022

NAME

The undersigned has reviewed and takes responsibility for this					
design, and has the qualifications and meets the requirements set					
out in the Ontario Building Code to be a designer.					
QUALIFICATION INFORMATION					
Required unless design is exempt under Division C, Subsection 3.2.5 of the building cod	de				
VIKAS GAJJAR 28770)				

REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO L4K 4S6 P (416) 736-4096 F (905) 660-0746

REGION	F
DESIGN	5
I NC.	


SHEET TITLE RIGHT SIDE ELEVATION ELEV. 1			CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED.			
3/16"=1'-0"	by VG	AREA	2936	PAGE No.		
APR 2022	TYPE	PROJEC	XXX	O		

*	Greenpark
PROJECT	NAME


COMPLIANCE PACKAGE "A1"

PENROSE 1

ZADORRA







RIGHT SIDE ELEVATION 3

ALLOWABLE GLAZING WALL AREA B

 WALL AREA B
 =
 II32
 Sq. Ft.

 ALLOWABLE GLAZED AREA ● 7 % I.2 M SIDE YARD
 =
 79.24
 Sq. Ft.

 ACTUAL GLAZED AREA
 =
 I4.7
 Sq. Ft.
 ✓

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:


DATE: JUL 31. 2023

This stamp certifies compliance with the applicable Design Guidelines only and bears no further

PENROSE 1
COMPLIANCE PACKAGE "A1"

									8
	5. 4.	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.	REGION DESIGN INC. 8700 DUFFERIN ST.	EGION	RIGHT SIDE ELEVA ELEV. 3	ANY DISCREPANCIES	VATIONS REFORE	*Greenpark	11:25:
ŀ	3.	QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code	CONCORD, ONTARIO		LLLV. 0	PRINTS ARE NOT TO		T GI CCI PCI N™	00
\vdash	UPDATED FROM PINEBROOK 1A APR 2022	VIKAS GAJJAR 28770	P (416) 736-4006	ESIGN	3/16"=1'-0" BY VC	G AREA 2936	PAGE No.	PROJECT NAME	200
	REVISIONS	NAME SIGNATURE BCIN	F (905) 660-0746	NC.	APR 2022	PROJECT XXX	6-3	ZADORRA	Ine 1


2022 11:26:23 AM M:PROJECTS/ZADORRA OSHAWA\STANDARD\PENROSE 1\PE



JOHN G. WILLIAMS LTD., ARCHITECT ARCHITECTURAL CONTROL REVIEW DATE: JUL 31, 2023 stamp certifies compliance with the applicable esign Guidelines only and bears no further

PENROSE 1 COMPLIANCE PACKAGE "A1"

5. 4. 3.	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code	REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO	EGION	REAR ELEVAT	COMMENCING WITH	LEVATIONS BEFORE WORK AND REPORT S TO THE DESIGNER.	#Greenpark
2.		L4K 4S6	DESIGN	SCALE 3/16"=1'-0" BY	VG AREA 2936	PAGE No.	
1. UPDATED FROM PINEBROOK 1A APR 2022	vikas gajjar 🔑 28770	P (416) 736-4096	T	3/10 -1-0	VG 2930	7	PROJECT NAME
REVISIONS	NAME SIGNATURE BCIN	F (905) 660-0746	I NC.	APR 2022	PROJECT XXX		ZADORRA



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:

DATE: JUL 31. 2023


This stamp certifies compliance with the applicable
Design Guidelines only and bears no further
professional responsibility.

REAR ELEVATION 2

PENROSE 1
COMPLIANCE PACKAGE "A1"

professional responsibility.							1 %
5. 4. 3.	The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code	CONCORD, ONTARIO	REGION	REAR ELEVATION	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER PRINTS ARE NOT TO BE SCALED.	*Greenpark	2 11:25:
UPDATED FROM PINEBROOK 1A APR 2022	VIKAS GAJJAR 28770		ESIGN	SCALE 3/16"=1'-0" BY VG	2936 PAGE No.	PROJECT NAME	13, 202
REVISIONS	NAME SIGNATURE BCIN	F (905) 660-0746	NC.	APR 2022	PROJECT XXX	ZADORRA	, aun

25:26 AM M:/PROJECTS/ZADORRA OSHAWA\STANDARD\PENROSE 1/PEN



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:

DATE:

JUL 31. 2023

This stamp certifies compliance with the applicable
Design Guidelines poly and bears no further.


REAR ELEVATION 3

PENROSE 1
COMPLIANCE PACKAGE "A1"

5. 4. 3.		The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.5 of the building code	REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO	EGION	REAR ELEVATION	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFOR COMMENCING WITH WORK AND REPO ANY DISCREPANCIES TO THE DESIGN PRINTS ARE NOT TO BE SCALED.	
UPDATED FROM PINEBROOK 1A APF	R 2022	VIKAS GAJJAR 28770	L4K 4S6 P (416) 736–4096	DESIGN	3/16"=1'-0" BY VG	AREA 2936 PAGE No. 7	PROJECT NAME
REVISIONS		NAME SGNATURE BCIN	F (905) 660-0746	I NC.	APR 2022	PROJECT XXX	ZADORRA

11:25:27 AM M:\PROJECTS\ZADORRA OSHAWA\STANDARD\PENROSE 1\PENRO





It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any bouse each appropriate built or located on its lot

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa



PENROSE 1
COMPLIANCE PACKAGE "A1"

REVISIONS						
1.	UPDATED FROM PINEBROOK 1A	APR 2022	,			
2.			F			
3.						
4.			ľ			
5.						

The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.

QUALIFICATION INFORMATION

QUALIFICATION INFORMATION
Required unless design is exempt under Division C, Subsection 3.2.5 of the building code

VIKAS GAJJAR

NAME

QUALIFICATION INFORMATION
28770
BCIN

REGION DESIGN INC.

8700 DUFFERIN ST.

CONCORD, ONTARIO

L4K 4S6

P (416) 736-4096
F (905) 660-0746


N	CROSS S	SECTION	CONTRADIMENS COMME ANY DI PRINTS
N	3/16"=1'-0"	by VG	AREA 2
	APR 2022	TYPE	PROJECT X

CONTRACTOR SHALL DIMENSIONS AND EL COMMENCING WITH ANY DISCREPANCIES PRINTS ARE NOT TO	EVATIONS BEFORE WORK AND REPORT TO THE DESIGNER.	1
^{AREA} 2936	PAGE No.	F
PROJECT	0	




PROJECT NAME
ZADORRA

une 13, 2022



PARTIAL BASEMENT PLAN FOR DECK CONDITION



FIRST FLOOR PLAN FOR DECK CONDITION



PENROSE 1 **COMPLIANCE PACKAGE "A1"**

5.						
4.						
3.						
2.						
1.	UPDATED FROM PINEBROOK 1A	APR 2022				
	REVISIONS					

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW

amp certifies compliance with the applic

DATE: JUL 31, 2023

The undersigned has reviewed and takes responsibility for this design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer. QUALIFICATION INFORMATION

NAME

28770 VIKAS GAJJAR


REGION DESIGN INC. 8700 DUFFERIN ST. CONCORD, ONTARIO L4K 4S6 P (416) 736-4096 F (905) 660-0746



1		L PLANS CONDITION	CONTRACTOR SHALL DIMENSIONS AND EL COMMENCING WITH ANY DISCREPANCIES PRINTS ARE NOT TO	EVATIONS BEFORE WORK AND REPORT TO THE DESIGNER.	ļ
	3/16"=1'-0"	by VG	^{AREA} 2935	PAGE No.	f
	APR 2022	TYPE	PROJECT XXX	9	
l	3/16"=1'-0"	VG	2935 PROJECT	PAGE No.	



ZADORRA



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW
AND APPROVAL

APPROVED BY:

DATE: JUL 31, 2023


This stamp certifies compliance with the applicable

REAR ELEVATION I FOR DECK CONDITION

PENROSE 1
COMPLIANCE PACKAGE "A1"

5.		The undersigned has reviewed and takes responsibility for this design, and has the gualifications and meets the requirements set	REGION DESIGN INC.	D	REAR ELEVATION	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE	
4.		out in the Ontario Building Code to be a designer.	8700 DUFFERIN ST.	KEGION	FOR DECK CONDITION	COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER. PRINTS ARE NOT TO BE SCALED.	*Greenpark.
2.		QUALIFICATION INFORMATION Required unless design is exempt ynder Division C, Subsection 3.2.5 of the building code	CONCORD, ONTARIO	DESIGN	SCALE BY	ARFA PAGE NO	
UPDATED FROM PINEBROOK 1A	APR 2022	vikas gajjar 28770	P (416) 736-4096	T	3/16"=1'-0" VG	2935	PROJECT NAME
REVISIONS		NAME SIGNATURE BCIN	F (905) 660-0746	I NC.	APR 2022	PROJECT XXX	ZADORRA

I:PROJECTS\ZADORRA OSHAWA\STANDARD\PENROSE 1\PENROS



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of




REAR ELEVATION 2 FOR DECK CONDITION

PENROSE 1
COMPLIANCE PACKAGE "A1"

5.		The undersigned has reviewed and takes re		REGION DESIGN INC.	D	SHEET TITLE	EV / A TION	CONTRACTOR SI	HALL CHECK ALL		
4.		design, and has the qualifications and meets t out in the Ontario Building Code to be		8700 DUFFERIN ST.	KEGION		EVATION	COMMENCING W	D ELEVATIONS BEFORE ITH WORK AND REPORT	A CHOOMAN	, [
3.		QUALIFICATION INFORMAT	v	CONCORD, ONTARIO	HEGIO!	FOR DECK	CONDITION	PRINTS ARE NO	CIES TO THE DESIGNER. T TO BE SCALED.	*Greenpark	T _M
2.		Required unless design is exempt under Division C, Subsection	on 3.2.5 of the building code		DESIGN	SCALE	BY	AREA	PAGE No.		
UPDATED FROM PINEBROOK 1A	APR 2022	VIKAS GAJJAR	28770	P (416) 736-4096	T	3/16"=1'-0"	VG	2935	0.0	PROJECT NAME	
REVISIONS		NAME \$IGNATURE	BCIN	` '	IINC.	DATE A D.D. COCCO	TYPE	PROJECT		ZADORRA	
INLVISIONS		4		F (905) 660-0746	1110.	APR 2022		XXX		2/130/1101	

8:52 PM M:/PROJECTS/ZADORRA OSHAWA\STANDARD\PENROSE 1\PENROSE





It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirement including zoning provisions and any provision in the subdivision agreement. The Contro Architect is not responsible in any way fo examining or approving site (lotting) plans o working drawings with respect to any zoning o building code or permit matter or that any

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of



REAR ELEVATION 3 FOR DECK CONDITION

PENROSE 1
COMPLIANCE PACKAGE "A1"

5.	The undersigned has reviewed and takes responsibility for this	REGION DESIGN INC.	D	SHEET TITLE	CONTRACTOR SHALL CHECK ALL DIMENSIONS AND ELEVATIONS BEFORE	
4.	design, and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer.	8700 DUFFERIN ST.	KEGION	REAR ELEVATION FOR DECK CONDITION	COMMENCING WITH WORK AND REPORT ANY DISCREPANCIES TO THE DESIGNER.	*Greennark
3.	QUALIFICATION INFORMATION	CONCORD, ONTARIO	Γ	FOR DECK CONDITION	PRINTS ARE NOT TO BE SCALED.	*ureenpark
2.	Required unless design is exempt under Division C, Subsection 3.2.5 of the building code	L4K 4S6	DESIGN	SCALE 3/16"=1'-0" BY VG	AREA 2935 PAGE No.	
1. UPDATED FROM PINEBROOK 1A APR 2022	vikas gajjar 28770	P (416) 736-4096	NO	3/10 = 1 - 0	Q_1	PROJECT NAME
REVISIONS	NAME \$IGNATURE BCIN	F (905) 660-0746	LNC.	APR 2022	PROJECT XXX	ZADORRA

2.28:53 PM M:\PROJECTS\ZADORRA OSHAWA\STANDARD\PENROSE 1\PENROS