

referred to town of Richmond Hill benchmark No. 78-125 having a published elevation of 202.911m

Reference Documents

- Site engineering, servicing and utilities from "Lot Grading Plan" and "Utility Coordination Plan" prepared by SCS Consulting Group Limited, project no. 2310.
- Survey information from "Plan of Subdivision" by Schaeffer Dzaldov Purcell Limited, Job no. 20-156-05D dated May 10, 2023.

- Notes

 4. The contractor shall take all precautionary measures under the occupational health and safety act as required by the Ministry of Labour.
- All work shall be done in accordance with the minimum standards and specifications of the municipality's engineering department.
- Driveways are to be 1.0m clear of utility structures and hydrants.
- The builder must measure the invert elevations and verify that adequate fall is available for the storm and sanitary sewer pipes prior to the pouring of footings.
- Builder to verify location of all hydrants, street lights, transformers and other services. If minimum dimensions are not maintained, builder is to relocate at his own expense.
- The contractor shall verify all dimensions, levels, and datums on site and report any discrepancies or omissions to the designer prior to construction. This drawing is to be read and understood in
- conjunction with all other plans and documents applicable to this project.
- Do not scale the drawings
- All existing underground utilities to be verified in the field by the contractor prior to construction.
- 13. Builder to ensure 1.25m cover on all footings. Footings to bear on undisturbed native soil or engineer fill.

Revisions

Description Date 2024-01-10 Issued for review JM Revised and issued for permit 2024-02-20

It is the builder's complete responsibility to ensure all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Richmond Hill.



30 Aug 2024

By: James Paulidis



PROFESSIONAL CHARLES 100515333 NO WCE OF ONTARIO

Consultants Declaration

hereby certify that the building type, appurtenant grading, drainage and servicing works proposed for Lot 108 Plan 65M-4818 complies with sound engineering design and that the proposed grading is in conformity with the Master Lot Grading Plan reviewed as appendices to the subdivision agreement and with adjacent lands for both drainage and relative elevations. Date: 2024-03-05

Reviewed by:

C.J.C.

Legend

ZBL 55-15, MZO 698-20

330.00 sq m

162.39 sa m

49.2 %

first floor elevation top of foundation wall TFW RF basement floor elevation UF underside of footing ΑD area drain

.8

211.62

6.35

Infiltration trench (see

108 ₩

detail on SCS DWG. 903) \(\frac{1}{12}\)

212.02[~]/

Villa 6

Elev. 3

8'-6" pour

sunken 1R __ mudroom 213.04

SILL 212.60

1.5m c.s.w.

5.72

Boccella Crescent

Initials:

 \otimes

M

 \bigvee

В

С

(PB)

(B)

FTG

0.64

212.72

9.12

.64 *

17.35

tration trench (see

109 🛞 211.04 211.04

/illa 5

1R 213.08

9.12

1.00

No unprotected openings

Site Plan Statistics

Lot coverage (55% max.)

Storeys (4 storeys max.)

Zoning Lot area

Buildina area

permitted within 1.2 metres of the lot line as per 9.10.14 of the Ontario Building Code.

ක්**ට** 213.11

212.57

5.0%

1. 1 Rev.

ail on SCS DWG. 903) 芸

90L

44.115.80.2 (qd)52.112

85

4.65

212.08-

18.80

213.07

3R

212.53

212.54(hp)

 \otimes

90 L

66

3.4%

16.112,

(qh)27.11S

211.76(hp)(s) 2.0 Infiltration trench (se

detail on SCS DWG. §

213.00 E

212.05 ▲ 1R

Villa 12

E<u>lev. 3 Re</u>v.

8'-6" pour

FF 213.15 TFW 212.80 BF 210.31 UF 210.03

212.65

9.30

mudroom'

212.53

1.5m c.s.w

5.74

Richmond Hill _City of Richmond Hill

ZONING REVIEWED

JW

☐ RLCB / DICB catch basin

valve chamber

CMB community mail box

hydro service

bell pedestal

cable pedestal

lighting service

regulatory signs

GLB grade level box (bell)

pipe bumber

vault (cable)

switch gear

street trees

pole breaker for street

connect pedestal and

flush to grade (cable)

Lot 108, 65M-

hydro transformer

valve box

streetlight

hydrant and valve

Building Division

×2R ×212.79

107 ﴿

СВ catch basir curb cut existing ΕX

INV invert #R risers sanitary SAN STM storm

swale

SW

 \oplus engineered fill direction of drainage <100.00 proposed elevation

ППП 45 min. fire rated wall downspout & splash pad sanitary sewer / manhole

> dual service connect water service connection

storm sewer / manhole

= single service connection CITY OF RICHMOND HILL **BUILDING DIVISION**



Siting and Grading Plan

Trinigroup Development Inc.

Richmond Hill, ON 2024-02-20 1:250 22-016-SITE-GRADING

nation Mackitecture 103532

www.mackitecture.ca