Greenpark.

Revision

	Charisma Cond	TRUCTION SUMMARY dominiums - Granerola Residence	ces Ltd.	Fauce, 318US.: 416-520-5092
PURCHASERS: Antonio S	STANCATI and Laura STANCAT	T	TEL: RES.: 416-418-9113 E	BUS.: 416-520-5092
LOT / PHASE	REG. PLAN #	HOUSE TYPE		
530 / South		B646		
CABINETRY				
1 - KITCHEN - LIGHT VA	LANCE			
05Jul22 Note:	EANCE			
0304122				
CONSTRUCTION				
1 - BEDROOM - SMOOTH	LCEILING			
05Jul22 Note:				
COUNTER TOP				
	D EDGE ON COUNTERTOP			
05Jul22 Note:	D LDGE ON COUNTERTO			
ELECTRICAL				
	G ABOVE STOVE FOR MICRO/	HOOD COMBO		
05Jul22 Note:	TABO TE STO TE FOR IMERON	neob ce.mbe		
	ABINET LIGHTING - FLOURES	CENT STRIP		
05Jul22 Note:				
1 - ADD LIGHT IN LIVING	G ROOM			
22Mar22 Note:	o Room			
MISCELLANEOUS				
	NGE OF STANDARD PACKAG	E		
05Jul22 Note:		_		
	EXTI	RAS AS PER OFFER		
1 Parking Unit - location	to be selected by the Vendor at	their sole discretion.		
Worksheet Note:		•		

This Document is Extremely Time Sensitive - Printed <u>5 Aug 22</u> at <u>11:24</u>


RECEIVED AUG 5 - 2022





STANCATI, LAURA

CHARISMA PHASE 2



Location

Vaughan 905-303-6909

REMINDER: To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.

Powered by SteelCod

Full Spec Package

CHARISMA PHASE 2

STANCATI, LAURA

CHARISMA PHASE 2 UNIT 530 VAUGHAN, ON TBA TBA (416) 520-5092

YKMHS120ES 3-4
KitchenAid Microwave



Coast Appliances

coastappliances.com

Andrew Haidari

Commercial Sales Representative 905-303-6909

Inv **S03549258**

Version 1.1

Fri, Aug 5, 2022 11:12 AM EDT

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.



enterprise.steelcod.com/sp/csta/9TRLGPJ1

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

YKMHS120ES



KitchenAid® 950-Watt Microwave with 7 Sensor Functions - 30"

www.kitchenaid.ca



Specifications

Configuration and Overview Fan CFM: 300

Venting Type: Exterior or Recirculating

Ventilation Features Odor Removal Filter (charcoal): Charcoal Odor Removing Filter

Controls Number of Speeds: 3

Color

Stainless Steel

Dimensions

Depth: 16 1/8

Height: 17 1/8


Width: 30

Product dimension, cutout and installation specifications are provided for planning purposes only. Before installing any product, be sure to verify cutout dimensions and electrical/gas connections with the installation

® Registered trademark/TM Trademark of Whirlpool, U.S.A. © Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies.
Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice.


Installation Dimensions:

NOTE: The grounded 3 prong outlet must be inside the upper cabinet. See "Electrical Requirements" section.



A. 2" x 4" wall stud
B. Grounded 3 prong outlet

*30" (76.2 cm) is typical for 66" (167.6 cm) installation height. Exact dimensions may vary depending on type of range/cooktop below.



*Overall depth of product will vary slightly depending on door design.

Electrical Requirements

AWARNING



Electrical Shock Hazard

Plug into a grounded 3 prong outlet.

Do not remove ground prong.

Do not use an adapter.

Do not use an extension cord.

Failure to follow these instructions can result in death, fire, or electrical shock.

Observe all governing codes and ordinances.

Required:

 A 120 volt, 60 Hz, AC only, 15- or 20-amp electrical supply with a fuse or circuit breaker.

Recommended:

- A time-delay fuse or time-delay circuit breaker.
- A separate circuit serving only this microwave oven.

GROUNDING INSTRUCTIONS

■ For all cord connected appliances:

The microwave oven must be grounded. In the event of an electrical short circuit, grounding reduces the risk of electric shock by providing an escape wire for the electric current. The microwave oven is equipped with a cord having a grounding wire with a grounding plug. The plug must be plugged into an outlet that is properly installed and grounded.

WARNING: Improper use of the grounding plug can result in a risk of electric shock. Consult a qualified electrician or serviceman if the grounding instructions are not completely understood, or if doubt exists as to whether the microwave oven is properly grounded.

Do not use an extension cord. If the power supply cord is too short, have a qualified electrician or serviceman install an outlet near the microwave oven.

SAVE THESE INSTRUCTIONS