

CONSTRUCTION SUMMARY

Charisma Condominiums - Granerola Residences Ltd.

PURCHASER: Joaquim F. DAVID

TEL:

Unit 13, Level 17 (1814-South)

Floor Plan
C969

CABINETS

1 -	The Purchaser acknowledges being advised by the Vendor that the current colour selections for the kitchen, specifically surrounding the refrigerator will not be aesthetically pleasing. The Purchaser has selected a Navy Blue refrigerator and gable, but the upper cabinets above the refrigerator will be white. This will result in a blue gable abutting the white cabinets in the area of the refrigerator. The Vendor has advised against this colour combination, but the Purchaser insisted and has made his final selections as noted on the colour chart. The Purchaser shall accept the refrigerator, cabinets and gable colours as noted on the colour chart and shall not make any claims, including claims to the Tarion Warranty Corporation, in respect of the colour selections of the refrigerator, upper cabinets and gabling. The Purchaser's selections are final.	
10Nov22	Note:	
3 - ALL BATHS - UPGRADE HARDWARE - 563SB		
13Oct22	Note:	
3 - KITCHEN - UPGRADE APPLIANCE PULLS - 563SB		
13Oct22	Note: 3 APPLIANCE PULLS FOR FRIDGE TO MATCH ALL CABINET HARDWARE - 563SB	
1 - KITCHEN - UPGRADE HARDWARE - ALL KITCHEN CABINETS - 563SB		
13Oct22	Note:	
1 - POWDER ROOM - INCREASE VANITY TO 36" HEIGHT		
26Sep22	Note:	
1 - ENSUITE 2 BATH - INCREASE VANITY TO 36" HEIGHT		
26Sep22	Note:	
1 - KITCHEN - SOFT CLOSE DOORS AND DRAWERS		
26Sep22	Note:	
1 - ENSUITE 2 - SONATA SATIN SNOW		
26Sep22	Note:	
1 - POWDER ROOM - UP 5 MISSION - 715 SIMPLY NAVY		
26Sep22	Note:	
1 - MASTER ENSUITE - UP 5 - MISSION - 715 SIMPLY NAVY		
26Sep22	Note:	
1 - MASTER ENSUITE - INCREASE VANITY HEIGHT TO 36"		
26Sep22	Note:	
1 - CABINETS - KITCHEN - LIGHT VALENCE SHIELD.		
26Sep22	Note:	
1 - KITCHEN - EXTENDED UPPERS - UP 5		
26Sep22	Note:	
1 - KITCHEN - UPGRADE 5 CABINETS		
26Sep22	Note:	
INCLUDES 2 TONE KITCHEN		

CONSTRUCTION SUMMARY

Charisma Condominiums - Granerola Residences Ltd.

PURCHASER: Joaquim F. DAVID

TEL:

Unit 13, Level 17 (1814-South)

Floor Plan
C969

CABINETRY ACCESSORIES

1 - FOR CONFIRMATION ONLY - 2 GLASS SHELVES IN THE GLASS DOOR UPPER ABOVE FRIDGE

10Nov22 Note: AS PER PURCHASER REQUEST

1 - KITCHEN CABINETRY - BUILT-IN FRIDGE CABINET

13Oct22 Note:

1 - CABINETRY FEE FOR FLUSH INSTALLATION - INTEGRATED FRIDGE

13Oct22 Note: APPLIANCE DOOR PANELS - PRICED SEPARATELY.

1 - KITCHEN CABINETRY ACCESSORY - GLASS SHELVES - STRAIGHT

INSTALL GLASS SHELVES AT CABINETS WITH GLASS DOORS - SEE SKETCH

26Sep22 Note: GLASS DOORS PRICED SEPARATELY

1 - KITCHEN - ADD PANEL TO DISHWASHER

26Sep22 Note:

1 - KITCHEN - ADD PANELS TO FRIDGE

26Sep22 Note:

4 - KITCHEN - ADD 4 GLASS CABINET DOORS - PRAIRIE GLK 338

***SEE SKECH FOR LOCATION.

26Sep22 Note:

CONSTRUCTION

1 - DELETE MIRROR IN ALL 3 WASHROOMS

26Sep22 Note:

1 - 2 BEDROOMS - SMOOTH CEILING

26Sep22 Note:

COUNTER TOP

1 - POWDER ROOM - UPGRADE COUNTERTOP EDGE

26Sep22 Note:

1 - ENSUITE 2 - UPGRADE COUNTERTOP EDGE

26Sep22 Note:

1 - MASTER ENSUITE - UPGRADE COUNTERTOP EDGE

26Sep22 Note:

1 - POWDER ROOM - COUNTERTOP

26Sep22 Note:

1 - ENSUITE 2 - UPGRADE COUNTERTOP

26Sep22 Note:

1 - MASTER ENSUITE - UPGRADE COUNTERTOP

26Sep22 Note:

1 - KITCHEN - UPGRADE EDGE

26Sep22 Note:

CONSTRUCTION SUMMARY

Charisma Condominiums - Granerola Residences Ltd.

PURCHASER: Joaquim F. DAVID

TEL:

Unit 13, Level 17 (1814-South)

Floor Plan
C969

1 - KITCHEN - UPGRADE COUNTERTOP AND BACKSPLASH

26Sep22 Note:

DOORS AND TRIM

1 - DELETE MASTER BEDROOM WALK IN CLOSET AND ADD A CLOSET WITH SLIDING MIRROR DOORS

26Sep22 Note:

ELECTRICAL

1 - KITCHEN - ADD ELECTRICAL PLUG FOR FUTURE OVER THE RANGE MICROWAVE/HOOD FAN

26Sep22 Note:

2 - ADD 2 LIGHTS AT MAIN HALL AREA - SEE SKETCH

26Sep22 Note: STANDARD LIGHTS TO REMAIN ON SEPARATE SWITCHES - SEE SKETCH

1 - ADD LIGHT IN DINING ROOM

26Sep22 Note: STANDARD CAPPED LIGHT ABOVE ISLAND TO REMAIN ON A SEPARATE SWITCH.

1 - LIVING ROOM ADD A LIGHT

26Sep22 Note:

FLOORING

1 - LAMINATE - PARK LANE SERIES IN LIEU OF STANDARD

26Sep22 Note:

MIRRORS AND GLASS

1 - BEDROOM 2 - CLOSET SLIDER - FRAMELESS MIRROR SLIDING DOOR WITH MIRRORED FASCIA IN LIEU OF STANDARD

26Sep22 Note:

1 - MASTER ENSUITE - SHOWER - FRAMELESS CLEAR GLASS SHOWER DOOR WITH SIDE PANEL TO CEILING FOR 5 FOOT SHOWER ? INCLUDES CHROME KNOB & HINGES

26Sep22 Note:

PLUMBING

1 - KITCHEN - WATERLINE ROUGH-IN FOR FRIDGE

26Sep22 Note:

3 - ALL BATHS - AVENAL TOILET - 4772 HNW/4771HHVU SINGLE FLUSH

26Sep22 Note:

1 - POWDER ROOM - MOEN BATHROOM ACCESSORIES - METHOD - PAPER HOLDER - CHROME #YB2408

26Sep22 Note:

1 - ENSUITE 2 - MOEN BATHROOM ACCESSORIES - METHOD - PAPER HOLDER - CHROME #YB2408

26Sep22 Note:

1 - MASTER ENSUITE - MOEN BATHROOM ACCESSORIES - METHOD - PAPER HOLDER - CHROME #YB2408

26Sep22 Note:

1 - POWDER ROOM - MOEN BATHROOM ACCESSORIES - METHOD - 18 INCH TOWEL BAR - CHROME #YB2418

26Sep22 Note:

CONSTRUCTION SUMMARY**Charisma Condominiums - Granerola Residences Ltd.****PURCHASER:** Joaquim F. DAVID**TEL:****Unit 13, Level 17 (1814-South)****Floor Plan**
C969**1 - ENSUITE 2 - MOEN BATHROOM ACCESSORIES - METHOD - 18 INCH TOWEL BAR - CHROME #YB2418**
26Sep22 Note:**1 - MASTER ENSUITE - MOEN BATHROOM ACCESSORIES - METHOD - 18 INCH TOWEL BAR - CHROME #YB2418**
26Sep22 Note:**PROMOTIONAL****1 - PROMO AS PER OFFER**
26Sep22 Note:**EXTRAS AS PER OFFER****1 Parking Unit - location to be selected by the Vendor at their sole discretion.**
Worksheet Note:**The Purchaser acknowledges that the Purchase Price is inclusive of all credits and promotional packages available at the time of purchase.**
Worksheet Note:**The Vendor agrees that notwithstanding any other term or provision in this Agreement included in the Purchase Price and in addition to those items detailed in Schedule D to the Agreement of Purchase and Sale, the Purchaser is entitled to a credit of Five**
Worksheet Note:**This Document is Extremely Time Sensitive - Printed 17 Nov 22 at 11:23**

FILE NAME: GREENPARK CHARISMA LOT 1814 OCT 24 22

* 2 TONE Kitchen - See colour chart for Colour Details.


* Soft Close Door & Drawers

* Light Valve Shield


* Extended Uppers.

* upgrade hardware

PROTOTYPE



* 36" vanity height for all bathrooms



2 GLASS DOORS

GLK 338 - Pair

3 GLASS SHELVES

DW DOOR PNL

FRIDGE DOOR PNLS

2 GLASS DOORS

GLK 338 - Pair

3 GLASS SHELVES

KITCHEN

BASE & VANITY CABINETS ON ADJUSTABLE LEGS

TOWER & PODIUM SUITES
NORTH TOWER X14
SOUTH TOWER X18

Selba Industries			J#
W WDTH	W HGT	W CNT	
FLOOR HGT	DOOR HGT		
ST CENT	2X4	VENT BOX COVER	
This drawing is the intellectual property of SELBA INDUSTRIES INC. and is an original design which must not be released or copied unless applicable fee has been paid or job order placed.			JOB NUMBER:
DESIGNER: KS			BUILDER: GREENPARK
DATE: JAN 6 22/			SITE: GRANEROLA NORTH & SOUTH
rev'd Sept 6-22 arch review			MODEL: C969
			LOT #: 1814

Purchaser: Joaquim F. DAVID

Const. No.: Unit 13, Level 17

Telephone Res. / Bus: /

Municipal: 1814

Decor Advisor: Ida Viola

Suite Type: C969

Lock Date: 9/26/2022 11:05:00

Project/Phase: Granerola Residences Ltd./South

Layout Changes: ☐ Yes ☒ NoSketch Attached: ☒ Yes ☐ No**1. Kitchen and Vanities**

	Style and Colour	Hardware
Kitchen	SEE BELOW	563SB
Main Bathroom	N/A	N/A
Master Ensuite Bathroom	MISSION 715 SIMPLY NAVY	563SB
Bedroom 2 Ensuite	SONATA SATIN SNOW	563SB
Powder Room	MISSION 715 SIMPLY NAVY	563SB

Built In Appliances ☒ Yes ☐ NoKitchen Extended Upper Cabinets ☒ Yes ☐ No**Comment**

KITCHEN- BASE CABINETS INCLUDING D/W PANEL, ISLAND, FRIDGE&FREEZER DOOR PANELS ONLY & FRIDGE GABLE ONLY-MISSION 715 SIMPLY NAVY

KITCHEN- UPPERS CABINETS & ABOVE FRIDGE UPPER ONLY-MISSION 614 CRISP WHITE

NOTE: INTEGRATED FRIDGE PROVISION & DOOR PANELS HARDWARE #BP873304195 / DISHWASHER DOOR PANEL HARDWARE #563SB

2. Counters

	Counter	Edge
Kitchen	CALACATTA QUARTZITE	#360
Main Bathroom	N/A	N/A
Master Ensuite Bathroom	CALACATTA QUARTZITE	#360
Bedroom 2 Ensuite	CALACATTA QUARTZITE	#360
Powder Room	CALACATTA QUARTZITE	#360
Kitchen Backsplash	CALACATTA QUARTZITE	

Comment

** Refer to Construction Summary

3. Flooring

	Selection
Vestibule/Main Hall	LAMINATE-PARKLANE - VENICE OAK TL-EL3990
Kitchen	LAMINATE-PARKLANE - VENICE OAK TL-EL3990
Living Room/Dining Room	LAMINATE-PARKLANE - VENICE OAK TL-EL3990
Den/Office	N/A
Master Bedroom	LAMINATE-PARKLANE - VENICE OAK TL-EL3990
Bedroom #2	LAMINATE-PARKLANE - VENICE OAK TL-EL3990
Bedroom #3	N/A
Powder Room	TILE-CITY WHITE MATTE 12X24
Laundry Room	TILE-WHITE MATTE 8X8
Main Bath	N/A
Master Ensuite Bathroom	TILE-CITY WHITE MATTE 12X24
Bedroom 2 Ensuite	TILE-CITY WHITE MATTE 12X24

Comment

** Refer to Construction Summary - Standard Grout throughout unless specified

4. Wall Tile

	Selection	Describe
Main Bath	N/A	
Master Ensuite Bathroom	TILE-GLOSSY WHITE 8X16	
Bedroom 2 Ensuite	TILE-GLOSSY WHITE 8X16	
Kitchen Backsplash	CALACATTA QUARTZITE	

Comment

** Refer to Construction Summary - Standard Grout throughout unless specified

Initial: 

Page 1 of 2

Purchaser: Joaquim F. DAVID
Telephone Res. / Bus: /
Decor Advisor: Ida Viola
Lock Date: 9/26/2022 11:05:00

Const. No.: Unit 13, Level 17
Municipal: 1814
Suite Type: C969
Project/Phase: Granerola Residences Ltd./South

5. Misc

Water Line Rough-in for Fridge ☒ Yes ☐ No

Upgrade Bathroom Accessories ☒ Yes ☐ No

Comment

** Refer to Construction Summary

6. Wall, Trim and Door Paint - Birch White Paint Throughout unless specified below.

Entrance Vestibule

Main Hall

Kitchen

Laundry Room

Main Bathroom

Master Ensuite Bathroom

Living Room

Dining Room

Den/Library

Master Bedroom

Bedroom #2

Bedroom #3

Comment

** Refer to Construction Summary

7. General Comments

** Refer to Construction Summary

Disclaimers and Notes

- 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) The selection images are digital photographs of the Vendor's samples at its Decor Centre. Such images when displayed on your computer monitor may not match Decor Centre samples due to the hardware/software configuration of the computer. In the event of conflict between selection images and the Décor Centre samples, Décor Centre samples shall prevail.
- 3) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 4) The Purchaser agrees that this colour selection is final and that no changes will be permitted, unless required by the Vendor.
- 5) The Purchaser acknowledges reading and accepting document which contains other miscellaneous disclaimers.

Signature: 


Date: Nov 16/2022

Signature: _____

Date: _____

Colour Only *

2 shelves
2 shelves



This drawing is the intellectual property of SELBA INDUSTRIES INC. and is an artistic interpretation of the general appearance of the design. It is not meant to be an exact rendition.

2020 TECHNOLOGIES


Designed: 18/10/2022
Printed: 24/10/2022

September 26, 2019

SCHEDULE 'A'

Charisma²

ON THE PARK




C 969
TOWER SUITE
SOUTH TOWER
9' CEILING

969 sq. ft.
2-BEDROOM



LEVEL 9-23



Purchaser Initials

Purchaser Initials

Date

OCT 7/19

Unit No. 13

Level No. 17

Suite No. 1814

Dimensions, specifications, layouts, location of materials and fixtures, tile floor patterns and architectural detailing (including window size and location and door size, location and swing) are approximate only and are subject to change or modifications, without notice. Actual usable floor space varies from stated floor area. Ceiling height measured from top of floor slab to underside of floor slab above and excludes finishes, bulkheads and drop ceilings. Orientation of suite may be reversed and Purchaser agrees to accept same. Balconies decks and terraces are exclusive use common elements shown for display purposes only and location and size are subject to change without notice. All illustrations are artist concept only. The provisions of the Agreement of purchase and sale apply to this Schedule, E. & O.E.


SUITE 1814

DAVID, JACK

SUITE 1814

VAUGHAN, ON TBA TBA

(416) 231-7535


COAST
 APPLIANCES
Coast Appliances

coastappliances.com

Andrew Haidari
 Commercial Sales Representative
 905-303-6909
Inv **S03562890**

Version 1.1

Fri, Sep 23, 2022

2:10 PM EDT

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.



enterprise.steelcod.com/sp/csta/01E68BUD

*Contents**Page no.***RS32A72J1**

3-11

Fisher & Paykel Refrigeration

 → Integrated French Door Refrigerator Freezer,
 32", Ice
CCHS900P2MS1

12-13

Cafe Range

SHVM63W53N

14-16

Bosch Dishwasher

300 Series Dishwasher 24"

WFW560CHW

17-20

Whirlpool Washer

 4.3 cu. ft. Closet-Depth Front Load Washer
 with Intuitive Controls
YWED5620HW

21-27

Whirlpool Dryer

EAL330S2

28-29

Elica Ventilation

ALLASIO Under Cabinet | 30" SS LED

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.


All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

Integrated French Door Refrigerator Freezer, 32", Ice

Series 7 | Integrated

Panel Ready




Designed to seamlessly integrate into your kitchen. With minimal gaps and no visible hinges, this model has a flush fit to suit any kitchen layout.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory.
- With SmartTouch control panel for ease of use
- Spacious bottom freezer with full extension drawer and ice maker with boost function

DIMENSIONS

Height	71 ⁷ / ₈ "
Width	31 ¹ / ₈ "
Depth	23 ¹¹ / ₁₆ "



FEATURES & BENEFITS

Perfect Fit

These models fit flush and have minimal gaps, with no visible hinges. Our Integrated refrigeration can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. By understanding how you use your fridge and adjusting temperature, airflow and

humidit

Flexibl

Designe
food. St
open ar
shelving

Ice mal

Fresh ic
Simply
you car

Beautif

LED ligl
enhanc
compar

Easy C

Secure,
and car

Clever

This fric
when n
comprc

SPECI

Access

Conter

Conter

Matchii

Profess

Profess

Capaci

Freeze

FISHER & PAYKEL

Refrigerator 10.3cu ft

Consumption

Energy star rating	Yes
Energy usage	540kWh/year

Freezer features

Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Ice Boost	•
LED lighting	•
Large plastic bin	•
Slide Out Pastry Tray	•
Small plastic bins	•

Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Frost free freezer	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•

Power Requirements

Rated current	10A
Supply frequency	60Hz
Supply voltage	115V

Product dimensions

Depth	23 11/16"
Height	71 7/8"
Width	31 1/8"

Refrigerator features

Adjustable door shelves	6
Adjustable glass shelves	3
Covered door shelves	2
Door alarm	•
Fruit and vegetable bins	2
LED lighting	•
SmartTouch control panel	•
Soft close doors	•
Stackable bottle holders	4

Warranty


Parts and labor	2 years
Sealed system parts only	5 years

SKU 25619


The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2019.

Other p
↓
↓
↓



**IMPORTANT!**

For ease of installation, ensure cavity top to bottom and height is consistent



Flush install
Framed: Finished return top and sides


APPLIANCE DIMENSIONS	RS32A		RS36A	
	in	mm	in	mm
(A) Overall height of appliance*	71 7/8"	1825"	71 7/8"	1825**
(B) Overall width of appliance	31 1/8"	790	35 1/16"	890
(C) Overall depth of appliance (without door panels and hanging brackets)	23 11/16"	602	23 11/16"	602
(D) Overall depth of appliance (with hanging brackets only)	23 3/4"	604	23 3/4"	604
(E) Depth of toe kick (excluding front of door panel)	2"	50	2"	50

* Includes mounted rollers (20mm adjustment upwards)


CAVITY DIMENSIONS

(F) Overall height of cavity
(G) Overall width of cavity
(H) Overall depth of cavity
(I) Minimum cabinetry gap clearance from edge of appliance
(J) Minimum required finished return

FRAMELESS CABINETRY
(Aligns the appliance with the cabinetry)




FRAI
(Aligns the appliance)



Note: Drawings are only for reference and not the actual cavity width of the cabinetry.

IMPORTANT!

- Custom door panels can only be used for non-Water dispensing models.
- Custom door panels to be manufactured and fitted by cabinetmaker.
- Door handle kit must be purchased separately.

**STAINLESS STEEL/CUSTOM DOOR PANELS****DIMENSIONS**


(A)	Height of each top door panel	4
(B)	Width of each top door panel	
(C)	Gap between top door panels	
(D)	Height of bottom drawer panel	2
(E)	Height from bottom of product to top of drawer panel	
(F)	Width of bottom drawer panel	3
(G)	Gap between top door panels and bottom drawer panel	
(H)	Depth of door and drawer panels (excluding handle)	
	Stainless steel	
	Custom	5/8

(I) Height of toe kick (from bottom of drawer to floor)


DOOR PANEL WEIGHT

Maximum weight of each top door panel (with handle)


Maximum weight of bottom drawer panel (with handle)





Dimensions apply for the preparation and installation of custom door panels. For Dwg and Dxf files of the below panel preparation download com/downloads/.



TOP PANEL — REAR VIEW





- ① Oper
② Inser

		RS32A72	
DIMENSIONS		in	mm
Ⓐ	Depth of door (widest opening) measured from front of door	15 9/16"	399
Ⓑ	Depth of drawer (open) measured from front of drawer, including handle	15 3/4"	400
Ⓒ	Depth of drawer (open) measured from front of drawer, excluding handle	14 3/16"	360
Ⓓ	Minimum door clearance* to adjacent wall (115° — full internal access)	11"	279
Ⓔ	Minimum door clearance* to adjacent wall (90° — reduced internal access)	3 15/16"	98


* Measured from front cabinetry edge, includes 2mm cabinetry gap.

IMPORTANT!

- Electrical connection should be located in an adjacent cabinet to either side of the appliance or above the appliance cavity.
- We recommend to use an isolating switch that is easily accessible to the user after the appliance is installed.

WARNING!

- Electrical shock hazard. Assume all parts are live.
- Disconnect supply before servicing.

**ELECTRICAL AND PLUMBING CONNECT**

- ① Recommended location for connect
- ② Alternative location for connections
- ③ Alternative location for connections

Left side
of cavity

Optional electrical
and water connection
location*

Floor

Electrical and water conn
behind the appliance ar

ELECTRICAL AND PLUMBING DIMENSIO

- Ⓐ Overall height of supply area
- Ⓑ Overall width of supply area
- Ⓒ Distance from left side of cavity
- Ⓓ Distance from the floor

Note: Dimensions are based on minimum depth of

✗ Do not locate water or electricity in this area.

⚠ CAUTION: Central area can only fit water outl

* In this location the water tap needs to be recessed the water tube.

Maximum distance of hose and power cord


Checking your appliance

- ① Detach accessories box taped to back panel of appliance.

Refer to 'Components' (page 5).

IMPORTANT!

Be aware when removing the carton that the accessories box may have dislodged from the rear of the appliance during transit.



ELECTRICAL SPECIFICATIONS

Supply
Service

115VAC, 60Hz
10 amp circuit

PLUMBING SPECIFICATIONS

Supply
Pressure

Café™ 30" Slide-In Front Control Induction and Convection Range with Warming Drawer

CCHS900P4MW2 / CCHS900P3MD1 / CCHS900P2MS1

11 of 17
C A F É
DISTINCT BY DESIGN™



ALSO
AVAILABLE IN



CCHS900P2MS1
Stainless Steel with
Brushed Stainless
handles and knobs



CCHS900P4MW2
Matte White with
Brushed Bronze
handles and knobs



FEATURES & BENEFITS

Gourmet results without any guesswork - Take culinary skills to the next level with Gourmet Guided Cooking, which combines video-guided recipes from chefs with a system that automatically adjusts the time, temperature and cooking pace for perfect results

Enjoy total control in the kitchen and beyond - Control your oven with your smart device or simply your voice using WiFi Connect

An attractive appearance at all times - Every detail of your kitchen is designed to delight, thanks to a sleek backlit glass touch control panel that visually disappears when not in use and wakes up when prompted

The perfect combination of power & precision - Stun guests by showing off your 11" 3,700-watt induction element, which uses chef-preferred induction cooktop technology to deliver precise heat to cookware only. That means you can do everything from boiling a quart of water in 101 seconds to melting butter at exact temperatures with amazing efficiency

Precise control for flawless results - Delight guests with the precision of sous vide cooking or perfectly prepared fondues and delicate sauces using a precision cooking probe that is sold separately.

Ensure consistent temperatures across a large area - Evenly heat large griddles or enamel cookware across two 8" synchronized elements

Create a look that matches your personal style - Select any combination of premium finishes and hardware options to create a stunning look customized to any owner's taste

Allow your appliances to interact with one another - Create a chef-like experience with Chef Connect, which can synchronize your appliance clocks and surface lights and vent when a range burner is in use, and even your microwave and range clocks

APPEARANCE

Installation	Flush Appearance; Free-standing cut-out
Oven Door Features	Big View Oven Window; Full-Wrapped Metal Frame
Handle	Professional Style; Customizable; Consumer Removable

FEATURES

Configuration	Range with Warming Drawer
Cooking System	True European Convection with Precise Air
Cooking Technology	Convection
Oven Cleaning Type	Self-Clean with Steam Clean Option
Cooktop Burner Type	Induction
Cooktop Surface	Edge-to-Edge; Black Ceramic Glass
Control Location	Front controls
Control Type	White Backlit; Glass Touch
Oven Control Features	Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Recipe Conversion; Auto Self Clean; C° or F° Programmable; Certified Sabbath Mode; Chef Connect; Control Lock Capability; Delay Bake Option (Time Bake); Delay Clean Option; Electronic Clock & Kitchen Timer; Fast Preheat; Hi / Low Broil; Oven "ON" Light; Self-Clean Cool Down Time Display; Steam Clean; Temperature Probe
Oven Cooking Modes	Baked Goods (No Preheat); Convection Bake; Convection Roast; Frozen Pizza Multi Rack (No Preheat); Frozen Pizza Single Rack (No Preheat); Frozen Snacks Multi Rack (No Preheat); Frozen Snacks Single Rack (No Preheat); Proof; Warming
Oven Features	8-Pass Broil Element; Hidden Bake
Self-Clean Oven Door Lock	Automatic
Oven Rack Features	1 Self-Clean Heavy-Duty Roller Rack; 2 Self-Clean Heavy-Duty Oven Racks; 6 Rack Positions
Oven Interior	Black; 1 Incandescent
Connected Capabilities	Amazon Alexa; The Google Assistant; Hestan Cue; IFTTT; Nest; Drop; Innit; DiGiorno
WiFi Connect	Built-In
Element - Left Front	8" 2500W Sync Element
Element - Left Rear	8" 2500W Sync Element
Element - Right Front	11" 3700W Power Boil
Element - Right Rear	6" 1800W
Element - Center	6" 100W Warming Zone
Hot Surface Indicator Lights	1
Heating Element "ON"	5
Indicator Light	
Warming Drawer Features	(3) levels

CAPACITY

Total Capacity (cubic feet)	5.7 cu ft
-----------------------------	-----------

ACCESSORIES

Trim Kit	Optional; JXFILLR1BB
Cooktop Cleaning	Included; Cream; Sponge
Probe Accessory	Optional; JXPROBE1

WEIGHTS & DIMENSIONS

Depth with Door Open	47-1/2 in
Approximate Shipping Weight	256 lb
Net Weight	236 lb
Height to Top of Rear Vent Trim	37-3/8 in
Overall Height	37-3/8 in
Height to Cooking Surface (in.)	36-1/4 +/- 1/4
Overall Width	29-7/8 in
Cabinet Width	30 in
Overall Depth	29-1/2 in
Depth Without Handle	26-7/8 in
Oven Interior Dimensions (W x H x D) (in.)	24 x 19-7/8 x 20-5/8

Café™ 30" Slide-In Front Control Induction and Convection Range with Warming Drawer

CCHS900P4MW2 / CCHS900P3MD1 / CCHS900P2MS1

POWER/RATINGS

Amp Rating at 208V	40
Amp Rating at 240V	40
Convection Wattage	2500W
Bake Wattage	2850W
Broiler Wattage	4000W
KW Rating at 208V	11.3
KW Rating at 240V	13.6

WARRANTY


Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance

DIMENSIONS


Receptacle Locations: Locally approved flexible service cord or conduit must be used because terminals are not accessible after range installation. See shaded area in drawing for location of electrical outlet box. Recommended outlet locations allow range to be installed directly against rear wall.

Note: This appliance has been approved for 0" spacing to adjacent surfaces above the cooktop. However, a 6" minimum spacing to surfaces less than 15" above the cooktop and adjacent cabinet is recommended to reduce exposure to steam, grease splatter and heat.

Installation Information: Before installing, consult installation instructions for current dimensional data and additional requirements.




*Depth including door handle is approximately 29 1/2".




Note A: 30" Minimum to bare cabinet, see installation instructions heights less than 30"


ADDITIONAL ACCESSORIES




CXFCHHKPMBZ
Brushed Bronze
2 handles; 6 knobs



CXFCHHKPMSS
Brushed Stainless
2 handles; 6 knobs



CXFCHHKPMBT
Brushed Black
2 handles; 6 knobs



CXFCHHKPMCU
Brushed Copper
2 handles; 6 knobs




JXPROBE1
Probe Accessory

For answers to your Café™ product questions, visit our website at cafeappliances.ca.

24" Custom Panel Dishwasher

300 Series – Custom Panel SHVM63W53N

13 of 17
BOSCH
Invented for life



SHVM63W53N
Custom Panel

The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.

Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

With PrecisionWash®, intelligent sensors and precision spray arms target every item of every load, so dishes come out sparkling clean every time.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	5
Number of options	4
dBA	44
Drying system	PureDry
Third rack	Standard 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified* sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	No
Special features	InfoLight®, Extra Dry Option

Efficiency

Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5

Capacity

Number of place settings	16
--------------------------	----

Technical Details


Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door (in)**	Left – 45" Right – 56"
Minimum water pressure (lb/sin)	14
Length outlet hose (in)	79"

Dimensions & Weight

Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 1/16"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"
Adjustable feet	Yes
Net weight (lbs)	88 lbs

Accessories—Optional

Junction Box	SMZPCJB1UC
Bosch Dishwasher Water Supply Hose	SMZSH002UC
Drain Hose Extension Kit	SGZ1010UC
Stainless Steel Straight Bosch Bar Handle	SMZ1007UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC



*Certification to NSF/ANSI Standard 184 for residential dishwashers
**September 2020 running production change to remove adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

24" Custom Panel Dishwasher


300 Series – Custom Panel SHVM63W53N



BOSCH

Invented for life

Installation Details





* measured from the bottom edge of the countertop panel thickness recommended 3/4" (20 mm).

This dishwasher can accept custom door panel weights ranging from 7 to 24 lbs; however, the dishwasher comes from the factory ready for custom panel door weights from 11 to 18 lbs.


If you plan on using a door panel that is not 11 to 18 lbs. please contact customer service at (800) 944-2904.

** 24" (610 mm) wide panel may be used depending on cabinet design
Note: Refer to installation template for mounting hardware locations
measurements in inches (mm)




All connections are at the rear of the appliance.
Extension for drain hose available as accessory.
Junction Box for hard wired connection available as an accessory.

Measurements in inches (mm)



Example of Hardwire Installation



Example of an Electrical Receptacle Installation

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



24" Custom Panel Dishwasher

300 Series – Custom Panel SHVM63W53N



BOSCH
Invented for life

Installation Details




Note: Plumbing installations will vary - refer to local codes.
Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).


Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

ALLASIO UNDER-CABINET



COMFORT SERIES



The slim Allasio with 4 ³/₄" height is ideal where under-cabinet space is limited, plus the contemporary styling and gleaming colors will compliment other appliances and most cabinetry. Allasio features a 3-speed, 300 CFM internal blower, which provides sufficient ventilating power for most kitchens. The attractive, electronic push button controls illuminate an elegant blue glow when activated and allows the user to manage blower speeds and dual halogen lamps.

Dishwasher-safe anodized aluminum mesh filters are easy to clean and a snap to remove and replace. Available in 30" or 36" widths, Allasio is designed for standard ducted installation, and can be installed as a recirculating system, using the Recirculating Kit.

MODELS


EAL330B2	Allasio 30" Black
EAL330W2	Allasio 30" White
EAL330S2	Allasio 30" Stainless
EAL336S2	Allasio 36" Stainless

DIMENSIONS


30"W x 20"D x 4 ³/₄"H)
36"W x 20"D x 4 ³/₄"H)



Halogen Lamps



Electronic Push Button Controls




Anodized Aluminum Mesh Filters

FEATURES


Size (in) & Type Finish	30" or 36" Wide Under-Cabinet Black (30" only), White (30" only), Stainless Steel (30" or 36")
Controls	Electronic Push Button
Illumination	2, 40 Watt Halogen Lamps, 1 Light Intensity (bulbs included)
Installation Type	Ducted or Recirculating Installation Recirculating Kit Sold Separately
Blower Type	300 CFM, 3-Speed Internal
Blower Performance	Speed 1, 120 CFM, 1.6 Sones Speed 2, 210 CFM, 3.5 Sones Speed 3, 300 CFM, 5.0 Sones
Filter Type	2, Dishwasher-Safe, Aluminum Mesh Grease Filters
Duct Transition	3 1/4" x 10" with Back Draft Damper (top or rear) or 7" Round (top) Sold Separately
Electrical	120V-60Hz 360 Watts at 4.3 Amps
Warranty	2 Year Parts & Labor, In-Home Service

ACCESSORIES



Optional Back Draft Damper, 7" Round

CODE: KIT02723
 MODEL: EXXNRVRD



Optional Recirculating Kit for 30" & 36" Units


CODE: KIT02178 / MODEL: EBLRCK02 (30")
 CODE: KIT02179 / MODEL: EBLRCK03 (36")



Optional Stainless Steel Mesh Grease Filter

CODE: KIT02591 / MODEL: EBLGFK30 (30")
 CODE: KIT02592 / MODEL: EBLGFK36 (36")

LINE DRAWING



CONSUMABLE PARTS

Replacement Grease Filter (1)
 CODE: GF04BA (30")
 CODE: GF04BB (36")

Replacement Carbon Filter (1)
 CODE: TM01FA (30")
 CODE: TM01FB (36")

Replacement Light Bulb (1)
 CODE: 2006DX

Consumable parts are sold in units of one (1). Order accordingly.