



Sales Selection Sheet

Wallaceton

50 of 57

PURCHASERS: SEMINA, SHOUKATALI MOMIN and MOHISH MUBARAK KAREEDIA

TEL:

LOT / UNIT	PHASE	MODEL
284C-12	2	20-2095 END A The Forbes

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

APPLIANCES

1	- PLEASE SEE FINAL UPGRADED APPLIANCE SPECS FOR SAMSUNG WASHER /DRYER PAGES 51 - 54	Qty: 1
54,085	Note:	
2	KITCHEN - MODIFICATION TO ORIGINAL MICROWAVE SPECS- NEW MICROWAVE IS PANASONIC NN-ST775S SEE SPECS PAGES 55 - 56 TRIM KIT PAGE 57 Revised from original Samsung Spec Pages 34 - 35.	Qty: 1
54,086	Note: 27" TRIM KIT AS PER ORIGINAL PAGE 36 OF 42 REMAINS THE SAME	

Sub Total
HST
Total

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Payment Summary	Amount
Paid By	
Total Payment:	

PURCHASER: Signatures on file 18-Dec-20 RIT SALEM 18-Dec-20
SEMINA, SHOUKATALI MOMIN DATE Decor Consultant
by e-mail **APPROVED**
PURCHASER: MOHISH MUBARAK KAREEDIA 18-Dec-20 DATE
Date Approved Mubarak 18-Dec-20
Heathwood Homes (Huron) Limited

TAX#:1

PREPARED BY: Marilyn Rosen

PE 727-1

Invoice rpt 28may19

UK-75 WALLACETON
LOT 284C-12
20-2095 END ELEV A
THE FORBES


51 of 57

WF45R6100AP

SAMSUNG

Samsung Front Load Washer with Steam

4.5 cu. ft. Capacity DOE



Signature Features

Steam

- Powerful stain removal without pretreatment, while still gentle on your clothing.

Self Clean+

- Keeps your washer drum fresh and clean by eliminating 99% of bacteria*. Will also send a reminder to clean the drum every forty wash cycles.

Smart Care

- Easy troubleshooting from the convenience of your smartphone². Smart Care interacts with your washer and dryer to perform an immediate diagnosis and offer quick solutions.

Available Colors



Platinum (shown)




Champagne



White



Steam



Self Clean+

Features

- Steam
- Self Clean+
- Smart Care
- VRT Plus™ Technology
- Swirl+ Drum Design
- Closet-Depth Fit³
- Stackability
- Internal Water Heater
- 1200 RPM Maximum Spin Speed
- Direct Drive Motor
- 10 Preset Washing Cycles
- 7 Additional Washing Options
- 5 Temperature Levels
- LED Display: Ice Blue
- 24-Hour Delay End

Convenience

- Child Lock
- Delay End
- Dispenser Trays: Main Wash, Softener, Bleach



ADA Compliant⁴

Rating



ENERGY STAR®-rated
CEE Tier 2
IMEF = 2.92
IWF = 2.9

¹Based on testing by Intertek of the Self Clean+ cycle on the WF6000R.

²Requires Samsung Smart Washer/Dryer App. The Samsung Smart Washer/Dryer app supports Android OS 2.3.6 or later and iOS 3 or later for iPhone models. Smart Washer/Dryer app available in App Store and Play Store.

³Designed to fit a 40" installation depth.

⁴ADA Compliant when using a Samsung 27" wide riser (WE777NMV or WF777NMV).

UK-75 WALLACETON
LOT 284C-12
20-2095 END ELEV A
THE FORBES

52 of 57

WF45R6100AP

Samsung Front Load Washer with Steam

4.5 cu. ft. Capacity DOE

SAMSUNG

Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch² (see stacked build below). Your washer alone does not require a specific air opening.


*Required spacing (External exhaust elbow may require additional space)

1. Alcove or closet installation


Minimum Clearance for Closet and Alcove Installations:

Recessed Area

Side View Confined



2. With stacked washer and dryer



Dimensions

Required Dimensions for Installation with Pedestal:

10 Preset Washing Cycles:
Normal, Heavy Duty, Bedding, Quick Wash, Permanent Press, Delicates, Whites, Sanitize, Rinse and Spin, Self Clean+

7 Additional Washing Options:
Presoak, Steam, Delay End, Alarm Off, Child Lock, Smart Care, Spin Only

5 Temperature Levels:
Hot, Warmer, Warm, Cool, Cold

5 Spin Speeds:
High, Medium High, Medium, Low, No Spin

5 Soil Levels:
Heavy, Medium Heavy, Normal, Medium Low, Light

Dispenser Trays:
Main Wash, Softener, Bleach

Warranty
One (1) Year Parts and Labor
Three (3) Years Stainless Steel Drum (Part Only)
Ten (10) Years Direct Drive Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 3/4" x 31 3/8"
Weight: 201 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 42 3/8" x 34 1/8"
Weight: 205 lbs

Color	Model #	UPC Code
Platinum	WF45R6100AP	887276299464
Champagne	WF45R6100AC	887276305295
White	WF45R6100AW	887276299471

Matching Dryer (Electric/Gas)

Platinum	DVE45R6100P	887276300443
Champagne	DVE45R6100C	887276305943
White	DVE45R6100W	887276300450

Platinum	DVG45R6100P	887276300481
Champagne	DVG45R6100C	887276305271
White	DVG45R6100W	887276300498

Pedestal

Platinum	WE402NP	887276310138
Champagne	WE402NC	887276310121
White	WE402NW	887276310152

Accessories

Stacking Kit	SKK-7A	887276146423
--------------	--------	--------------

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
©2019 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

UK-75 WALLACETON
LOT 284C-12
20-2095 END ELEV A
THE FORBES


53 of 57

DVE/G45T6100P

SAMSUNG

Samsung Front Load Electric/Gas Dryer with Steam Sanitize+

7.5 cu. ft. Capacity DOE



Signature Features

Steam Sanitize+

- The Steam Sanitize+ cycle removes 99.9% of germs and bacteria, over 95% of pollen, and kills 100% of dust mites¹. Multi-Steam Technology steams away wrinkles, odors, and static.

Sensor Dry

- Automatically optimizes the time and temperature of your drying cycle to protect your clothes from heat damage, while avoiding excess energy use.

Smart Care

- Easy troubleshooting from the convenience of your smartphone². Smart Care interacts with your washer and dryer to perform an immediate diagnosis and offer quick solutions.


Available Colors



Platinum (shown)



Steam Sanitize+



Sensor Dry

Features

- Steam Sanitize+
- Sensor Dry
- Smart Care
- Interior Drum Light
- 10 Preset Drying Cycles
- 9 Additional Drying Options
- 5 Temperature Levels
- 4-Way Venting (Electric)
- 3-Way Venting (Gas)
- Reversible Tinted Door
- LED Display: Ice Blue

Convenience

- Child Lock
- Lint Filter Indicator

Rating



ENERGY STAR[®]-rated
608 kwh/yr

¹Based on internal testing and independently verified by Intertek. Individual results may vary.
²Requires Samsung Smart Washer/Dryer App. The Samsung Smart Washer/Dryer app supports Android OS 2.3.6 or later and iOS 3 or later for iPhone models. Smart Washer/Dryer app available in App Store and Play Store.

UK-75 WALLACETON
LOT 284C-12
20-2095 END ELEV A
THE FORBES

54 of 57

DVE/G45T6100P

SAMSUNG

Samsung Front Load Electric/Gas Dryer with Steam Sanitize+
7.5 cu. ft. Capacity DOE

Installation Specifications


If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch² (see stacked build below). Your washer alone does not require a specific air opening.

*Required spacing (Extends below may require additional space.)


1. Alcove or closet installation

Minimum Clearance for Closet and Alcove Installations:


Recessed Area



Side View Confined




2. With stacked washer and dryer



Dimensions

Required Dimensions for Installation with Pedestal:



Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
© 2020 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

4-Way Venting (Electric)

3-Way Venting (Gas)

10 Preset Drying Cycles:

Refresh, Steam Sanitize+, Normal, Heavy Duty, Permanent Press, Bedding, Delicates, Time Dry, Air Fluff, Quick Dry

9 Additional Drying Options:

Damp Alert, Wrinkle Prevent, Adjust Time (Up), Adjust Time (Down), Eco Dry, Child Lock, Smart Care, Alarm Off, Drum Light

5 Temperature Levels:

High, Medium High, Medium, Medium Low, Low

5 Dry Levels:

More Dry, Normal-More Dry, Normal Dry, Normal-Less Dry, Less Dry

Warranty

One (1) Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 3/4" x 31 1/2"

Weight: 123 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 42 9/16" x 33 1/2"

Weight: 130 lbs

Colour

Model #

UPC Code

Platinum

DVE45T6100P

887276390369

Platinum

DVG45T6100P

887276390390

Matching Washer

Platinum

WF45R6100AP

887276299464

Pedestal

Platinum

WE402NP

887276310138

Accessories

Stacking Kit

SKK-8K

887276344034

UK-75 WALLACETON
LOT 284C-12
20-2095 END ELEV A
THE FORBES

55 of 57

12/7/2020



Microwave Ovens Countertop

Countertop NN-ST775S

MODEL & SIZE	Model Number	NN-ST775S
	Type	Family-size
PANASONIC TECHNOLOGY	Installation	Countertop or built-in
	Oven Capacity	1.6 cu. ft.
	Cooking Power	1200W
	Turntable Diameter	380mm
	Panasonic Inverter	Cyclonic Inverter
DESIGN	Genius Sensor	Genius®
	Color	Stainless Steel
	Control Panel	6 Button (Chrome)
STYLE	Display Panel	New 4 Digit + Icon LCD / Green
	Door Window	Smoked Glass
	Door Release	Push Open
PERFORMANCE	Oven Interior	Paint White
	Multi-stage Cooking	3 stage
PROGRAMMABLE FEATURES	Sensor Cook	Yes
	Sensor Reheat	Yes
	Auto Cook/Reheat	Yes
	More / Less Control	Yes
	Inverter Turbo Defrost	Yes
	Keep Warm Button	Yes
	Popcorn Button	Yes

UK-75 WALLACETON
LOT 284C-12
20-2095 END ELEV A
THE FORBES

56 of 57

12/7/2020

		Quick Minute	Yes
SPECIFICATIONS		Cavity Dimensions (W x D x H)	Approx. 418 x 470 x 228 mm 15.7 x 18.5 x 8.3 inch
		Unit Dimensions (W x D x H)	555 x 493 x 304 mm 21.9 x 19.4 x 12 inch
		Carton Dimensions (W x D x H)	627 x 540 x 360 mm
		27" Model Number	NN-TK722S
ACCESSORIES	TRIM KITS	30" Model Number	NN-TK732S
	Accessory		Glass Tray

Copyright ©Panasonic Canada Inc.

UK-75 WALLACETON
LOT 284C-12
20-2095 END ELEV A
THE FORBES



NNT7753 + NNTK722S.

MWO TRIM KIT SPECIFICATION

Trim kit #	Applied Model	Outside frame		Inside frame DIM		Inside flange to flange		Cabinet cut out DIM		Gap	Y
		W	H	Thickness D	W	H	W	H	W	H	X
NNTK903SM/C/BC	NNC994, CD989	27"	19 9/16"	1"	25	14 3/8	24 1/4	14 5/16	24 7/8	18 1/16	5/8
NNTK913SM/C/BC	NNC994, CD989	30"	19 9/16"	1"	25	14 3/8	24 1/4	14 5/16	24 7/8	18 1/16	5/8
NNTK922S	900 series non-convex	27"	18 5/8"	3/4"	24 5/8"	13 5/8"	24 7/8	13 5/8"	25 1/2	17 3/8	1/2
NNTK932S	900 series non-convex	30"	18 5/8"	3/4"	24 5/8"	13 5/8"	24 7/8	13 5/8"	25 1/2	17 3/8	1/2
NNTK722S	700 series non-convex	27"	16 1/2"	3/4"	22 5/8"	11 3/8	22 5/8"	11 3/8	25 1/2*	15 5/16	1/2
NNTK732S	700 series non-convex	30"	16 1/2"	3/4"	22 5/8"	11 3/8	22 5/8"	11 3/8	28 1/2	15 5/16	1/2
NNTK929	NNS9xx	27"	18 5/8"	1"	25 1/8	13 7/16	24 1/8	13 3/8	24 7/8	17 3/8	5/8
NNTK939	NNS9xx	30"	18 5/8"	1"	25 1/8	13 7/16	24 1/8	13 3/8	24 7/8	17 3/8	5/8
NNTK729	NNS7xx	27"	16 1/2"	3/16	23 5/16	11 5/16	22 1/8	11 1/4	24 7/8	15 5/16	1/4
NNTK739	NNS7xx	30"	16 1/2"	3/16	23 5/16	11 5/16	22 1/8	11 1/4	24 7/8	15 5/16	1/4
NNTK529SSAW	NNS615,SA616,SN67	27"	16 1/2"	3/16	21 1/2	11 1/2	20 3/8	11 1/4	22 11/16	15 5/16	5/8
NNTK623GSAP	NNGD693S	27"	16 1/2"	3/16	21 1/2	11 1/2	20 3/8	11 1/4	22 11/16	15 5/16	5/8
NNTK621SSAP	NNST6x1,SD6x1	27"	16 1/2"	3/4"	21"	12 1/4	21"	12 1/4	25 1/2	15 5/16	7/16
NNTK510CS	NNCF770M,781S	23 1/2"	16"	13/16	20 13/16	11 5/8	20 13/16	11 5/8	22 1/4 +1/16	15 1/2 +1/16	7/32

Note: Trim kit NNTK909 / 909W for NNC980B / W

2012 models
2013 models



Updated Mar. 21 '13