



Sales Selection Sheet

Wallaceton

39 of 46

PURCHASER: SAMANTHA LOUISE SANTOS

TEL:

| LOT / UNIT | PHASE | MODEL                 |
|------------|-------|-----------------------|
| 285C-17    | 2     | 20-1456 A The Hampton |

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

APPLIANCES

|        |                                                                                                                                                                                        |        |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1      | - SEE NEW APPLIANCE SPECS UPGRADED AT APPLIANCE CANADA FROM ORIGINAL STANDARD SPECS AS PER SCHEDULE E FOR TOWNHOMES ( to replace Appliance Specs Pages 21-34 of Original Colour Chart) | Qty: 1 |
| 54,498 | Note: SEE NEW SPECS PAGES 40-46                                                                                                                                                        |        |

CABINETRY / ELECTRICAL

|        |                                                                                              |        |
|--------|----------------------------------------------------------------------------------------------|--------|
| 2      | - NO CHANGES TO KITCHEN LAYOUT OR MEASUREMENTS FOR NEW UPGRADED APPLIANCES SPECS PAGES 40-46 | Qty: 1 |
| 54,499 | Note:                                                                                        |        |

|           |
|-----------|
| Sub Total |
| HST       |
| Total     |

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

| Payment Summary | Amount |
|-----------------|--------|
| Paid By         |        |
| Total Payment:  |        |

PURCHASER: Signature on file 29-Jan-21 IRIT SALEM 29-Jan-21  
SAMANTHA LOUISE SANTOS DATE Decor Consultant DATE

- APPROVED -  
29 JAN 2021  
M. Rosen

Date Approved Heathwood Homes (Huron) Limited

UK-75 WALLACETON  
LOT 285C-17  
20-1456 ELEV A  
THE HAMPTON

40 of 46


HOME APPLIANCES

LG REFRIGERATION

LFCC22426

23 cu.ft. Counter Depth 3-Door French Door Refrigerator

- Smudge Resistant Finish
- Automatic Ice Maker Installed
- Door Cooling+
- Glide N' Serve Pantry Drawer
- SpillProtector™ Tempered Glass
- Flat Duct Design
- 10 Year Warranty on Inverter Linear Compressor
- SmartDiagnosis® System
- ENERGY STAR® Qualified



KEY FEATURES

|                               |                                     |
|-------------------------------|-------------------------------------|
| CAPACITY                      |                                     |
| Refrigerator (cu.ft.)         | 15.5                                |
| Freezer (cu.ft.)              | 7.3                                 |
| Total Capacity (cu.ft.)       | 22.8                                |
| ENERGY                        |                                     |
| Energy Consumption (kWh/Year) | 595                                 |
| ENERGY STAR® Qualified        | Yes                                 |
| WATER & ICE SYSTEM            |                                     |
| Automatic Ice Maker           | Installed                           |
| Water Filter                  | LT1000P                             |
| COOLING                       |                                     |
| Inverter Linear Compressor    | Yes                                 |
| Multi-Air Flow                | Yes                                 |
| CONVENIENCE                   |                                     |
| Temperature Sensors           | 5                                   |
| Display Type                  | Membrane / White LED                |
| Temperature Controls          | Electronic/Digital                  |
| Auto Closing Door Hinge       | Yes                                 |
| LoDecibel™ Quiet Operation    | Yes                                 |
| REFRIGERATOR                  |                                     |
| No. of Shelves                | 4 Split                             |
| Cantilevered Shelves          | Hybrid Cantilevered                 |
| Shelf Construction            | Spill Protector™ Tempered Glass     |
| Crisper Bins                  | 2 Humidity Crispers                 |
| Glide N' Serve Pantry Drawer  | Yes                                 |
| Refrigerator Light            | Ceiling LED                         |
| REFRIGERATOR DOOR             |                                     |
| No. of Bins                   | 6 Total (2 Adjustable Gallon Sized) |
| Door Bin Construction         | 1 Piece (Clear)                     |
| Door Cooling+                 | Yes                                 |
| FREEZER                       |                                     |
| Door Type                     | Pull Drawer                         |
| Drawers                       | 2-Tier Organization                 |
| Drawer Divider                | Yes                                 |
| Freezer Light                 | LED Lighting                        |
| Freezer Handle                | Smart-Pull™ Handle                  |

PRODUCT FEATURES

|                                              |                                  |
|----------------------------------------------|----------------------------------|
| MATERIALS AND FINISHES                       |                                  |
| Contour Door                                 | Yes                              |
| Hidden Hinges                                | Yes                              |
| Smudge Resistant Finish                      | Yes                              |
| Handles                                      | Matching Commercial              |
| Available Colours                            | Smudge Resistant Stainless Steel |
| DIMENSIONS/CLEARANCES/WEIGHTS                |                                  |
| Depth with Handles                           | 31 1/4"                          |
| Depth without Handles                        | 28 3/4"                          |
| Depth without Door                           | 24 3/4"                          |
| Depth (Total with Door Open)                 | 43 1/2"                          |
| Height to Top of Case                        | 69 3/8"                          |
| Height to Top of Door Hinge                  | 69 3/4"                          |
| Width                                        | 35 3/4"                          |
| Width (Door Open 90° with Handle)            | 44 1/4"                          |
| Width (Door Open 90° without Handle)         | 39 1/4"                          |
| Door Edge Clearance with Handle              | 4 1/2"                           |
| Door Edge Clearance without Handle           | 1 3/4"                           |
| Installation Clearance                       | Sides 1/8", Top 1", Back 2"      |
| Weight (Unit/Carion)                         | 259 lbs. / 289 lbs.              |
| Carton Dimensions (WxHxD)                    | 38" x 73" x 37"                  |
| LIMITED WARRANTY                             |                                  |
| Parts & Labour                               | 1 Year                           |
| Sealed System                                | 7 Years                          |
| Inverter Linear Compressor                   | 10 Years                         |
| UPC CODES                                    |                                  |
| LFCC22426 (Smudge Resistant Stainless Steel) | 048231797252                     |

© 2018 LG Electronics Canada, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 08/20/2018

20 Norelco Drive, North York, Ontario M3L 2X6 Tel: 647-253-6300 | Customer Service & Parts 1-888-542-2623

LG.com

UK-75 WALLACETON  
LOT 285C-17  
20-1456 ELEV A  
THE HAMPTON

41 of 46

HOME APPLIANCES

LG COOKING

LREL6323\_

6.3 cu. ft. Electric Convection Smart Range with Air-Fry

AirFry

Fan Convection

ThinQ® & Proactive Customer Care

9" & 12" Dual Elements

Self Clean & EasyClean®

Stainless Trim Cooktop

AVAILABLE COLORS



STAINLESS STEEL



PRINTPROOF™ BLACK STAINLESS STEEL

Enjoy new ways to control your home with LG smart appliances

- Install Setup Quick Check
- Preventative Alerts & Guidance
- Performance & Usage Reports




LG ThinQ®

SMART APPLIANCE

PRODUCT FEATURES

| CAPACITY                           |                                                 | DRAWER FEATURES                 |                                               |
|------------------------------------|-------------------------------------------------|---------------------------------|-----------------------------------------------|
| Oven Capacity (cu. ft.)            | 6.3 cu. ft.                                     | Type                            | Storage                                       |
| Storage Drawer Capacity (cu. ft.)  | 0.8 (No Handle)                                 | CONTROL                         |                                               |
| COOKTOP                            |                                                 | Cooktop Control Type            | Front Control Knobs                           |
| Type                               | Radiant                                         | Oven Control Type               | Keypad                                        |
| No. of Radiant Elements            | 5                                               | Display                         | White LED                                     |
| Element Size/Wattage - Left Rear   | 1200 (6")                                       | Language                        | English                                       |
| Element Size/Wattage - Right Rear  | 1200 (6")                                       | Clock                           | 12 hr or 24 hr (option)                       |
| Element Size/Wattage - Left Front  | 3200 (9") / 1400 (6") (Ultra-Heat™)             | Kitchen Timer                   | Yes                                           |
| Element Size/Wattage - Right Front | 3000 (12") / 1700 (9")                          | Timed Cook                      | Yes                                           |
| Center (Warming Zone)              | 100 (7")                                        | Temperature Unit of Measure     | Fahrenheit / Celsius                          |
| Hot Surface LED Indicator          | Yes                                             | Cooking Complete Reminder       | Beeper (Hi, Lo, Off)                          |
| OVEN FEATURES                      |                                                 | Volume                          | Yes                                           |
| Broil Element (Watt)               | Sheath 4200 / 6 Pass                            | Certified Sabbath mode          | Yes                                           |
| APPEARANCE                         |                                                 | APPEARANCE                      |                                               |
| Oven Bake Element Wattage          | 3400                                            | All Available Colors            | Stainless Steel,                              |
| Convection (Watt)                  | Sheath 700W / Sheath 3400W (6 Pass Hidden Bake) |                                 | PrintProof™ Black Stainless Steel             |
| Convection Fan                     | Single Speed                                    | Knobs                           | Stainless Steel,                              |
| Convection Type                    | Fan Convection                                  | Handle                          | PrintProof™ Black Stainless Steel             |
| Oven Modes                         | Bake, Broil, Air Fry, Easy&Self Clean,          | PrintProof                      | PrintProof™ Black Stainless Steel             |
|                                    | Convection Bake, Convection Roast               | Oven Door Feature               | Yes (PrintProof™ Black Stainless Steel)       |
|                                    | Keep Warm                                       | Cooktop Trim                    | WideView™ Window (Smog Glass) Stainless Steel |
| Oven Control Features              | Keypad                                          | SMART FEATURES                  | Stainless Steel                               |
|                                    | Yes                                             |                                 |                                               |
| Convection Conversion              | Yes                                             | Wi-Fi Connectivity              | Yes                                           |
| EasyClean®                         | Yes (10 min)                                    |                                 |                                               |
| Self Clean                         | Yes                                             | ThinQ®                          | Yes                                           |
| Oven Light                         | 1 Light                                         | Works with                      | Google Assistant & Amazon Alexa               |
| No. of Rack Positions              | 7                                               | SmartDiagnosis™                 | Yes                                           |
| Door Lock                          | Yes                                             | 3rd Party Recipe App            | SideChef, Initit, Drop, Tovola                |
| Automatic Safety Shut-Down         | After 12 Hours                                  | Proactive Customer Care Service | Yes                                           |



| DIMENSIONS/CLEARANCES/WEIGHTS                 |                             |
|-----------------------------------------------|-----------------------------|
| Shipping Weight (lbs)                         | 198                         |
| Product Weight (lbs)                          | 164                         |
| Cabinet Width (in)                            | 30"                         |
| Overall Depth (in) - Including handle         | 28 15/16"                   |
| Overall Height (in)                           | 47 5/16"                    |
| Overall Width (in)                            | 29 7/8"                     |
| Oven Interior Dimensions (in) (W x H x D)     | 24 7/8" x 21 3/8" x 20"     |
| Height to Cooking Surface (in)                | 36"                         |
| Drawer Dimensions (in) (W x H x D)            | 22 3/16" x 4 1/2" x 16 3/8" |
| Carton Dimensions (in) (W x H x D)            | 31 1/2" x 51" x 30 17/32"   |
| POWER/RATINGS                                 |                             |
| Amp Rating at 208V                            | 48 6A                       |
| Amp Rating at 240V                            | 56 3A                       |
| KW Rating at 208V                             | 10.1kW                      |
| KW Rating at 240V                             | 13.5kW                      |
| Required Power Supply (amp)                   | 40A                         |
| ACCESSORIES                                   |                             |
| Standard Rack                                 | 2                           |
| Spray Bottle                                  | Yes                         |
| Scouring Pad                                  | Yes                         |
| LIMITED WARRANTY                              |                             |
| Parts & Labor                                 | 1 Year                      |
| UPC CODES                                     |                             |
| LREL6323S (Stainless Steel)                   | 048231341431                |
| LREL6323D (PrintProof™ Black Stainless Steel) | 048231341448                |

© 2019 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 3/9/20

UK-75 WALLACETON  
LOT 285C-17  
20-1456 ELEV A  
THE HAMPTON

42 of 46


HOME APPLIANCES

LG DISHWASHERS



## LDF5545ST

Front Control Dishwasher w/ QuadWash™



15 Place Settings

QuadWash™

9 Wash Cycles

EasyRack™ Plus

48 dBA LoDecibel™ Quiet Operation

NeveRust™ Stainless Steel Tub

ENERGY STAR® Qualified

KEY FEATURES

PRODUCT FEATURES

| CAPACITY                              |                                                       |
|---------------------------------------|-------------------------------------------------------|
| Total Place Settings                  | 15                                                    |
| Upper Rack Dish Height Limit          | 7 1/8"                                                |
| Lower Rack Dish Height Limit          | 12.5"                                                 |
| RACKS AND BASKETS                     |                                                       |
| Cutlery Baskets                       | •                                                     |
| Fold Down Tines                       | •                                                     |
| BPA-Free Nylon Coated Racks and Tines | •                                                     |
| Rack Handle                           | No                                                    |
| Slide Rail                            | No                                                    |
| Height Adjustability                  | • Easy One Touch (3 Level)                            |
| EasyRack™ Plus System                 | •                                                     |
| Height Adjustable Upper Rack          | •                                                     |
| STYLE AND DESIGN                      |                                                       |
| Electronic Controls                   | Touch                                                 |
| Tub Material                          | NeveRust™ Stainless Steel                             |
| Tub Insulation                        | Dampening Sheet, Sound Absorbing Material (Tet), Base |
| Handle                                | Flush Handle                                          |
| Available Colors                      | Stainless Steel                                       |
| FEATURES                              |                                                       |
| LoDecibel™ Quiet Operation            | 48 dBA                                                |
| Slim Direct Drive Motor               | •                                                     |
| Overflow Detector                     | •                                                     |
| 120°F Inlet Water Capability          | •                                                     |
| 3-Stage Filtration System             | •                                                     |
| SenseClean™ Wash System               | •                                                     |
| Vario Wash                            | •                                                     |
| Variable Spray Intensities            | •                                                     |
| No. of Spray Nozzles                  | 3 (Top, Upper, Lower)                                 |
| Multi-Level Water Direction           | •                                                     |
| Hybrid Condensing Drying System       | •                                                     |
| Detergent and Rinse-Aid Dispenser     | •                                                     |
| Rinse-Aid Indicator                   | •                                                     |
| Hidden Water Heater                   | •                                                     |
| Safety Float Switch (Leak)            | •                                                     |
| Soil (Turbidity) Sensor               | •                                                     |
| End of Cycle Indicator                | Beeper + EVD Indication on Display                    |

Stainless steel model shown

| PERFORMANCE                     |                                                                                                                   |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Number of Wash Cycles           | 9 (Auto, Heavy, Delicate, Normal, Turbo, Download Cycle, Machine Clean, Rinse, Express)                           |
| Number of Wash Options          | 8 (Dual Zone, Half Load, Energy Saver, High Temp, Extra Dry, Delay Start (up to 12 hrs), Control Lock, Night Dry) |
| QuadWash™                       | •                                                                                                                 |
| ENERGY/WATER                    |                                                                                                                   |
| Water Factor (WF)               | 2.8                                                                                                               |
| Energy Use (kWh/Year)           | 258 kWh/Year                                                                                                      |
| ENERGY STAR® Qualified          | •                                                                                                                 |
| CEE Tier                        | 1                                                                                                                 |
| DIMENSIONS                      |                                                                                                                   |
| Unit Dimensions (WxHxD)         | 23.75" x 33.6" x 24.6"                                                                                            |
| Depth with Door Closed (Handle) | 27 1/8"                                                                                                           |
| Depth with Door Open            | 56.5"                                                                                                             |
| Carton Dimensions (WxHxD)       | 28" x 34.7" x 29.6"                                                                                               |
| Clearances (WxHxD)              | 24" x 33.5" x 24"                                                                                                 |
| Weight (Unit / Carton)          | 75 lbs / 86.2 lbs                                                                                                 |
| LIMITED WARRANTY                |                                                                                                                   |
| Limited Warranty                | 1 Year Labor & Parts, 5 Years Control Board/Rack, 10 Year Motor, Lifetime on Stainless Steel Door Liner or Tub    |
| UPC CODES                       |                                                                                                                   |
| LDF5545ST Stainless Steel       | 048231015097                                                                                                      |

© 2016 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other products and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 5/27/16

UK-75 WALLACETON  
LOT 285C-17  
20-1456 ELEV A  
THE HAMPTON

43 of 46

HOME APPLIANCES

LG LAUNDRY

## WM3700H\_A

4.5 cu. ft. Front Load Washer

- 12 Wash Programs
- 6 Motion™ Technology
- Inverter Direct Drive Motor with 10-Year Warranty
- Steam Technology
- TWINWash™ Compatibility
- SmartThinQ® (Wi-Fi Enabled)
- SmartDiagnosis™
- ColdWash™ Option
- ENERGY STAR® Most Efficient 2019
- NeverRust™ Stainless Steel Drum




Enjoy new ways to control your home with LG smart appliances

- Start the laundry while you're out shopping
- Get alerts when the cycle is finished
- Works with the LG SmartThinQ® app

SmartThinQ® works with the Google Assistant



Life's Good



| SUMMARY                              |                                                                                                                                     | FABRIC CARE FEATURES               |                                               |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-----------------------------------------------|
| Capacity (cu.ft.)                    | 4.5 cu. ft.                                                                                                                         | Steam Technology                   | Yes                                           |
| Matching Electric Dryer              | DLEX3700L                                                                                                                           | Allergiene™ Cycle                  | Yes                                           |
| Matching Gas Dryer                   | DLGX3701L                                                                                                                           | Sanitary Cycle                     | Yes                                           |
| Color                                | White (W), Graphite Steel (V)                                                                                                       | ColdWash™ Option                   | Yes                                           |
| APPEARANCE                           |                                                                                                                                     | SenseClean™ System                 | Yes                                           |
|                                      |                                                                                                                                     | CONVENIENCE FEATURES               |                                               |
| Hard Buttons                         | Yes                                                                                                                                 | TrueBalance™ Anti-Vibration System | Yes                                           |
| Touch Buttons                        | Yes                                                                                                                                 |                                    |                                               |
| Dial A-Cycle™                        | Yes                                                                                                                                 | 4 Tray Dispenser                   |                                               |
| ENERGY                               |                                                                                                                                     | LoDecibel™ Quiet Operation         | Yes                                           |
|                                      |                                                                                                                                     | End of Cycle Signal                | Yes                                           |
| ENERGY STAR®                         | Yes                                                                                                                                 | LoadSense                          | Yes                                           |
| Most Efficient 2019                  | 2                                                                                                                                   | Child Lock*                        | Yes                                           |
| ENERGY STAR® Qualified               | 2.92                                                                                                                                | Auto Suds Removal                  | Yes                                           |
| CEE Tier                             | 2.9                                                                                                                                 | Leveling Legs                      | 4 Adjustable Legs                             |
| IMEF                                 |                                                                                                                                     | Easy Loading Tub™                  | Yes                                           |
| IWF                                  |                                                                                                                                     | SMARTTHINQ® TECHNOLOGY             |                                               |
| WASH PROGRAMS                        |                                                                                                                                     | SmartDiagnosis™ (v3.0)             | Yes                                           |
|                                      |                                                                                                                                     | Wi-Fi                              | Yes                                           |
| No. of Programs                      | 12                                                                                                                                  | Energy Monitoring                  | Yes                                           |
|                                      | Normal, Heavy Duty, Bedding, Sanitary, Allergiene™, Tub Clean, Bright White, Perm. Press, Delicates, Towels, Speed Wash, Downloaded | Cycle Monitoring and Notification  | Yes                                           |
| WASH OPTIONS                         |                                                                                                                                     | MOTOR                              |                                               |
|                                      |                                                                                                                                     | Motor Type                         | Inverter Direct Drive Motor                   |
| No. of Options                       | 11                                                                                                                                  | Axis                               | Horizontal                                    |
|                                      | Steam, Fresh Care, Prewash, Remote Start, Delay Wash, Wi-Fi, Add Garments, ColdWash, Extra Rinse, Rinse-Spin, Child Lock            | MATERIALS AND FINISHES             |                                               |
| WASH DETAILS                         |                                                                                                                                     |                                    |                                               |
|                                      | No. of Wash/Rinse Temps                                                                                                             | Drum                               | NeverRust™ Stainless Steel                    |
| Wash/Rinse Temps                     | 5                                                                                                                                   | Cabinet                            | PCM                                           |
| No. of Spin Speeds                   | 5                                                                                                                                   | Control Panel                      | Plastic                                       |
| Spin Speeds                          | Extra High, High, Medium, Low, No Spin                                                                                              | Top Panel                          | Painted                                       |
| Max RPM                              | 1300                                                                                                                                | Door / Rim                         | Glass/Chrome                                  |
| Water Levels                         | Load Sensing                                                                                                                        | Door Cover                         | Clear Round Cover                             |
| No. of Soil Levels                   | 5                                                                                                                                   | All Available Colors               | White (W), Graphite Steel (V), Cherry Red (R) |
|                                      |                                                                                                                                     | CERTIFICATION                      | Yes                                           |
|                                      |                                                                                                                                     | AFFA                               |                                               |
| POWER SOURCE                         |                                                                                                                                     | UPC CODES                          |                                               |
| UL Listed                            | Yes                                                                                                                                 | WM3700HVA                          | 048231024500                                  |
| Electrical Requirements              | 120V, 10 Amps                                                                                                                       | (Washer-Graphite Steel)            |                                               |
| Type                                 | Electric                                                                                                                            | DLEX3700V                          | 048231024921                                  |
| OPTIONS/ACCESSORIES                  |                                                                                                                                     | (Electric Dryer-Graphite Steel)    |                                               |
|                                      |                                                                                                                                     | DLGX3701V                          | 048231024938                                  |
| Pedestal                             | WDPA_                                                                                                                               | (Gas Dryer Graphite Steel)         |                                               |
| Pedestal (WxHxD)                     | 27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)                                                                                     | WDPAW                              | 048231011198                                  |
| LG SideKick™ Pedestal Washer (WxHxD) | 27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)                                                                                     | (Pedestal Graphite Steel)          |                                               |
| LG SideKick™ Pedestal Washer (WxHxD) | 27 x 14 1/8 x 30 3/4 (50 9/16 D with door open)                                                                                     | WD100CV                            | 048231019185                                  |
| Stacking Kit                         | KSTK1                                                                                                                               | (LG SideKick™ Graphite Steel)      |                                               |
| DIMENSIONS                           |                                                                                                                                     | WA3700HVA                          | 048231024624                                  |
|                                      |                                                                                                                                     | (Washer White)                     |                                               |
| Product (WxHxD)                      | 27 x 39" x 38 1/4"                                                                                                                  | DLEX3700W                          | 048231024989                                  |
| Depth with Door Open                 | (55" D with door open)                                                                                                              | (Electric Dryer White)             |                                               |
| Carton (WxHxD)                       | 29 23/32" x 41 27/32" x 31 17/32"                                                                                                   | DLGX3701W                          | 048231024976                                  |
| Weight (Product/Carton)              | 202.8 / 224.8 lbs                                                                                                                   | (Gas Dryer White)                  |                                               |
| LIMITED WARRANTY                     |                                                                                                                                     | WDPAW                              | 048231011211                                  |
| Parts and Labor                      | 3 Years                                                                                                                             | (Pedestal White)                   |                                               |
| Direct Drive Motor                   | 10 Years                                                                                                                            | WD100CW                            | 048231015172                                  |
| Drum                                 | Limited Lifetime                                                                                                                    | (LG SideKick™ White)               |                                               |

© 2018 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Drawings, features and specifications are subject to change without notice. Approximate weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 5/21/19

UK-75 WALLACETON  
LOT 285C-17  
20-1456 ELEV A  
THE HAMPTON

44 of 46

HOME APPLIANCES

LG LAUNDRY

WM3700H\_A

4.5 cu. ft. Front Load Washer



QUICK INSTALL & CLEARANCES

For full installation directions/clearances please refer to the corresponding User Manual and Installation Guide.

| DIMENSIONS                                          |               |
|-----------------------------------------------------|---------------|
| A Width                                             | 27"           |
| B Height                                            | 39"           |
| C Depth                                             | 30 1/4"       |
| D Depth with Door Open                              | 55"           |
| Carton (WxHxD)<br>29 23/32" x 41 27/32" x 31 17/32" |               |
| POWER SOURCE                                        |               |
| UL Listed                                           | Electric      |
| Electrical Requirements                             | 120V, 10 Amps |
| Type                                                | Electric      |


ELECTRICAL REQUIREMENTS

- The washer should be plugged into a 120-VAC, 60-Hz grounded 3-prong outlet. Plug in the washer. Improper connection of the equipment-grounding conductor can result in risk of electric shock. Check with a qualified electrician or service technician if you are in doubt as to whether the appliance is properly grounded. Do not modify the plug provided with the appliance. If it does not fit the outlet, have a proper outlet installed by a qualified electrician. Failure to follow these warnings can cause serious injury, fire, electrical shock, or death.
- The power outlet must be within 60 inches (1.5 m) of either side of the washer.
- The appliance and outlet must be positioned so that the plug is easily accessible.
- Do not overload the outlet with more than one appliance.
- The outlet must be grounded in accordance with current wiring codes and regulations.
- Time-delay fuse or circuit breaker is recommended.
- It is the personal responsibility and obligation of the product owner to have a proper outlet installed by a qualified electrician.



© 2018 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 5/21/19


DIMENSIONS AND CLEARANCES



- Install the washing machine on a solid floor that is strong and rigid enough to support the weight of the washing machine, even when fully loaded, without flexing or bouncing. If the floor has too much flex, you may need to reinforce it to make it more rigid. If the floor is not solid, it may cause severe vibration and noise.

CONNECTING THE WATER LINES

- LG recommends the use of LG hoses. Any leaking, property damage, or damage to the washing machine caused by an improper installation or by the use of non-LG hoses is not covered under the terms of the LG warranty and is the sole responsibility of the customer and/or an installer.
- Water supply pressure must be between 20 psi and 120 psi (1.36-8.27 MPa). If the water supply pressure is more than 120 psi, a pressure-reducing valve must be installed.
- Inspect the threaded fitting on each hose and make sure there is a rubber seal in place in both ends of each hose.
- Connect the water supply hoses to the HOT and COLD water faucets tightly by hand and then tighten another 2/3 turn with pliers.
- Always run a gallon or two of water through each inlet hose to flush dirt, scale and other debris out of the water lines. Doing so will help prevent future problems with clogged filter screens, and will also allow you to verify which water line is hot and which is cold.
- Attach the hot water line to the hot water inlet on the back of the washer. Attach the cold water line to the cold water inlet on the back of the washer. Tighten the fittings securely. Turn ON both faucets all the way and check for leaks at both ends of the hoses.



CONNECTING THE DRAIN HOSE


- The drain hose should always be properly secured. Failure to properly secure the drain hose can result in flooding and property damage.
- The drain must be installed in accordance with any applicable local codes and regulations.
- Make sure that the drain hose is not stretched, pinched, crushed, or kinked.
- Normal height of the end of the hose should be approximately 35"-47" (0.9-1.2 m) from the floor.
- Do not install the end of the drain hose lower than 29 in. (73.7 cm) or higher than 96 in. (243.8 cm) above the bottom of the washer or more than 60 in. (152.4 cm) away from the washer.
- Never create an airtight seal between the hose and the drain with tape or other means. If no air gap is present, water can be siphoned out of the tub, resulting in poor wash/rinse performance or clothing damage.



Drain Hose



- STANDPIPE Option**
- Do not insert the end of the drain hose into the standpipe more than 8 inches (20cm). Doing so can cause siphoning, odors, or improper draining.



LAUNDRY TUB Option

- Do not use this drain hose with a floor drain. The end of the drain hose must be at least 29 inches above the floor for proper draining to occur.



UK-75 WALLACETON  
LOT 285C-17  
20-1456 ELEV A  
THE HAMPTON


45 of 46

HOME APPLIANCES

LG LAUNDRY

DLEX3700\_/DLGX3701\_  
7.4 cu. ft. Front Load Dryer

7.4 cu. ft. Capacity  
12 Dryer Programs  
TurboSteam™  
SmartThinQ® Technology  
Wi-Fi Connectivity  
SmartDiagnosis™  
ENERGY STAR® Qualified



Enjoy new ways to control your  
home with LG smart appliances

- Start the laundry while you're out shopping
- Get alerts when the cycle is finished
- Works with the LG SmartThinQ® app

works with  
Google Assistant



KEY FEATURES

SMART APPLIANCE

PRODUCT FEATURES

| SUMMARY                                                                                                                                                            |                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Capacity                                                                                                                                                           | 7.4 cu. ft.                                                      |
| Matching Washer                                                                                                                                                    | WM3700H_A                                                        |
| Sensor Dry                                                                                                                                                         | Yes                                                              |
| Steam                                                                                                                                                              | Yes                                                              |
| Colors                                                                                                                                                             | White (W), Graphite Steel (V)                                    |
| APPEARANCE                                                                                                                                                         |                                                                  |
| Intelligent Electronic Controls with LED Display                                                                                                                   | Yes                                                              |
| Dial-A-Cycle™                                                                                                                                                      | Yes                                                              |
| Touch Buttons                                                                                                                                                      | Yes                                                              |
| DRYER PROGRAMS                                                                                                                                                     |                                                                  |
| No. of Programs                                                                                                                                                    | 12                                                               |
| Normal, Heavy Duty, Bedding, Anti Bacterial, SteamSanitary™, SteamFresh™, Perm. Press, Delicates, Towels, Speed Dry (Manual Dry), Air Dry (Manual Dry), Downloaded |                                                                  |
| DRYER OPTIONS                                                                                                                                                      |                                                                  |
| No. of Options                                                                                                                                                     | 12                                                               |
| More Time, Less Time, Damp Dry Signal, Wrinkle Care, Control Lock, Custom Program, PGM Save, Wi-Fi Connect, Energy Saver, TurboSteam™, Reduce Static, Remote Start |                                                                  |
| Temperature Settings                                                                                                                                               | High, Medium High, Medium, Low, Ultra Low                        |
| Drying Levels                                                                                                                                                      | Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry               |
| Manual Dry Times                                                                                                                                                   | 60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time |
| FABRIC CARE FEATURES                                                                                                                                               |                                                                  |
| Sensor Dry                                                                                                                                                         | Yes                                                              |
| Precise Temperature Control with Variable Heater                                                                                                                   | Yes                                                              |
| Steam                                                                                                                                                              | TurboSteam™                                                      |

| CONVENIENCE FEATURES                       |                                               |
|--------------------------------------------|-----------------------------------------------|
| 3 Minute Installation Check                | Yes                                           |
| LoDecibel™ Quiet Operation                 | Yes                                           |
| End of Cycle Signal                        | Yes                                           |
| Drum Light                                 | Yes                                           |
| Reversible Door                            | Yes                                           |
| FlowSense™ Duct Clogging Indicator         | Yes                                           |
| Wrinkle Care Option                        | Yes                                           |
| Child Lock                                 | Yes                                           |
| Venting Option                             | Gas: 3 Way Venting<br>Electric: 4 Way Venting |
| 4 Adjustable Legs                          | Yes                                           |
| Remaining Time Display/Status Indicator(s) | Yes                                           |
| SMARTTHINQ® TECHNOLOGY                     |                                               |
| SmartDiagnosis™                            | Yes                                           |
| Wi-Fi                                      | Yes                                           |
| Remote Control                             | Yes                                           |
| Cycle Monitoring and Notification          | Yes                                           |
| Energy Monitoring                          | Yes (Wi-Fi)                                   |
| ENERGY STAR® Qualified                     | Yes                                           |
| MATERIALS AND FINISHES                     |                                               |
| Aluminized Alloy Steel Drum                | Yes                                           |
| Tub Rear                                   | Painted                                       |
| Cabinet                                    | Painted Steel                                 |
| Door                                       | Round w/ Chrome trim                          |
| All Available Colors                       | White (W), Graphite Steel (V)                 |
| POWER/SOURCE                               |                                               |
| Ratings                                    | CSA Listed                                    |
| Electrical Requirements                    | 120V, 15 Amps (Gas) / 240V 30 Amps (Electric) |
| Type                                       | Gas (DLGX3701_)<br>Electric (DLEX3700_)       |
| BTU Rating                                 | 10,000 Feet                                   |

| OPTIONS                                       |                                                   |
|-----------------------------------------------|---------------------------------------------------|
| LP Conversion Kit                             | LPKIT                                             |
| Side Venting Kit                              | 383EELS001B                                       |
| Pedestal                                      | WDP4W                                             |
| Pedestal (WxHxD)                              | 27 x 14 1/8 x 30 3/4<br>(50 1/2 D with door open) |
| DIMENSIONS                                    |                                                   |
| Product (WxHxD)                               | 27" x 38 11/16" x 30"                             |
| Depth with Door Open                          | 51"                                               |
| Carton (WxHxD)                                | 29 19/32" x 43 3/8" x 31 3/8"                     |
| Weight (Product)                              | Gas: 125.7<br>Electric: 123                       |
| Weight (Carton)                               | Gas: 138.9<br>Electric: 136.2                     |
| WARRANTY                                      |                                                   |
| Parts and Labor                               | 1 Year                                            |
| UPC CODES                                     |                                                   |
| DLEX3700W<br>(Electric Dryer, White)          | 048231024969                                      |
| DLGX3701W<br>(Gas Dryer, White)               | 048231024976                                      |
| WM3700HWA<br>(Washer, White)                  | 048231024624                                      |
| WDP4W (pedestal, White)                       | 048231011211                                      |
| DLEX3700V<br>(Electric Dryer, Graphite Steel) | 048231024921                                      |
| DLGX3701V<br>(Gas Dryer, Graphite Steel)      | 048231024938                                      |
| WM3700HVA<br>(Washer, Graphite Steel)         | 048231024600                                      |
| WDP4V<br>(Pedestal, Graphite Steel)           | 048231011198                                      |

© 2018 LG Electronics USA, Inc. All rights reserved. LG Life's Good® is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 10/2/19

UK-75 WALLACETON  
LOT 285C-17  
20-1456 ELEV A  
THE HAMPTON

46 of 46

HOME APPLIANCES

LG COOKING



## DLEX3700\_/DLGX3701\_

7.4 cu. ft. Front Load Dryer

### QUICK INSTALL & CLEARANCES


For full installation directions/clearances please refer to the corresponding User Manual and Installation Guide.

| DIMENSIONS                                    |           |
|-----------------------------------------------|-----------|
| A Width                                       | 27"       |
| B Height                                      | 38 11/16" |
| C Depth                                       | 30"       |
| D Depth with Door Open                        | 51"       |
| Carton (WxHxD)                                |           |
| ENERGY STAR® POWER SOURCE                     |           |
| ENERGY STAR® Qualified                        | Yes       |
| Ratings                                       |           |
| CSA Listed                                    |           |
| Electrical Requirements                       |           |
| 120V, 15 Amps (Gas) / 240V 30 Amps (Electric) |           |
| Type                                          |           |
| Gas (DLGX3701_) / Electric (DLEX3700_)        |           |
| BTU Rating                                    |           |
| 10,000 Feet                                   |           |

29 19/32" x 43 3/8" x 31 3/8"

IMPORTANT

#### DIMENSIONS AND CLEARANCES




- \* Required spacing
- \*\* For side or bottom venting, 2-inch (5.1 cm) of spacing is allowed.

#### VENTING / DUCTWORK


**NOTE:** Follow the guidelines below to maximize drying performance and reduce lint buildup and condensation in the ductwork. Ductwork and fittings are NOT included and must be purchased separately.

- Use 4-inch (10.2 cm) diameter rigid, semi-rigid or flexible metal ductwork.
- The exhaust duct run should be as short as possible.
- Use as few elbow joints as possible.
- The male end of each section of exhaust duct must point away from the dryer.
- Use duct tape on all duct joints.
- Insulate ductwork that runs through unheated areas in order to reduce condensation and lint buildup on duct surfaces.
- Incorrect or inadequate exhaust systems are not covered by the dryer warranty. Dryer failures or service required because of such exhaust systems will not be covered by the dryer warranty.

##### Correct Venting



##### Incorrect Venting




- Ductwork is not provided with the dryer. You should obtain the necessary ductwork locally. The vent hood should have hinged dampers to prevent backdraft when the dryer is not in use.
- The total length of flexible metal duct must not exceed 8 ft. (2.4 m).
- Deduct 6 ft. (1.8 m) for each additional elbow. Do not use more than four 90° elbows.

- All connections must be in accordance with local codes and regulations. Gas dryers MUST exhaust to the outdoors.

#### CONNECTING THE GAS SUPPLY

- Installation and service must be performed by a qualified installer, service agency, or the gas supplier.
- Use only a new stainless steel flexible connector and a new AGA-certified connector.
- A gas shutoff valve must be installed within 6 ft. (1.8 m) of the dryer.
- The dryer is configured for natural gas when shipped from the factory. Make sure that the dryer is equipped with the correct burner nozzle for the type of gas being used (natural gas or propane gas).
- If necessary, the correct nozzle (for the LP nozzle kit, order part number 383EE13002D) should be installed by a qualified technician and the change should be noted on the dryer.



#### CONNECTING ELECTRIC DRYERS

- A 4-wire connection is required for all mobile and manufactured home installations, as well as all new construction after January 1, 1996.
- A 3-wire connection is NOT permitted on new construction after January 1, 1996.
- A UL-listed strain relief is required.
- Use a 30-amp, 240-volt, 4-wire, UL-listed power cord with #10 AWG-minimum copper conductor and closed loop or forked terminals with upturned ends.

