

Sales Selection Sheet  
Checklist

1 of 47

LOT 356 Model: 28-2797 B THE WESTWOOD

PURCHASERS: OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN

VENDOR: Heathwood Homes (Huron) Limited

GREAT ROOM- BUILT OUT WALL ABOVE FIREPLACE

- ☐ WOB  
☐ DECK  
☒ FINISHED BASEMENT  
☐ COLD CELLAR

UPGRADED / MODIFIED ELEVATION

- ☐ CORNER UPGRADE  
☐ REAR UPGRADE  
☐ SIDE UPGRADE

CEILING UPGRADE - SMOOTH

- ☒ MAIN FLOOR  
☐ SECOND FLOOR  
☐ BASEMENT

ADDITIONAL ROUGH-INS

- ☒ 200 AMP SERVICE (STD IN SINGLES)  
☐ WET BAR ROUGH-IN  
☐ HUMIDIFIER  
☒ AIR CONDITIONING (SITE STD)

GAS ROUGH-IN

- ☒ STOVE  
☐ DRYER  
☐ BBQ  
☐ ADDITIONAL FIREPLACE

KITCHEN: HOODFAN VENTING SIZE

- ☒ 6 IN ROUND DUCT  
☐ 7 IN ROUND DUCT

|                               |              |
|-------------------------------|--------------|
| FULL BASEMENT STAIRS:         | N/A          |
| UPPER BASEMENT STAIRS:        | N/A          |
| LOWER LEVEL STAIRS:           | Carpet Grade |
| MAIN STAIRS:                  | All Oak      |
| MEDIA STAIRS (if applicable): | N/A          |
| LOFT STAIRS (if applicable):  | N/A          |

OCT 4/22  
Date Purchaser: *Signatures*

OCT 4/22  
Date Decor Consultant: BRENOA LUKER

OCT 4/22  
Date Purchaser: *on file*

~~10-04-2022~~  
-10- 04 2022  
Date Heathwood Homes (Huron) Limited

Locked Date:

Approved


Customer Colours

OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

Kitchen

|                             |      |                                                                                    |
|-----------------------------|------|------------------------------------------------------------------------------------|
| Cabinet Colour/Style        | 9111 | Viking III-SIMCOE ORCHID 3DL ***STD***                                             |
| Island Cabinet Colour/Style | 9157 | Viking III-SIMCOE-MOONLIGHT-3DL ***STD***                                          |
| Cabinet Hardware            | 7667 | 12881-HARDWARE ***STD***                                                           |
| Countertop                  | 8613 | Group 6-Quartz-Caesarstone-WHITE ATTICA # 5143-3/4 inch with built-up edge ***6*** |
| Island Countertop           | 8613 | Group 6-Quartz-Caesarstone-WHITE ATTICA # 5143-3/4 inch with built-up edge ***6*** |
| Countertop Edge             | 4005 | DOUBLE MITRE 1 1/2 INCH ***UPG***                                                  |



- Please note some islands may require a seam as per manufacturer and fabricator discretions.

|                         |      |                                                                                                                                        |          |  |  |  |  |  |  |  |  |
|-------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------|----------|--|--|--|--|--|--|--|--|
| Sink                    | 9487 | Plumbing-KINDRED Kitchen Sink Collection - Reginox ND1831 U/9-Double (equal size) Bowl Undermount Sink (or equivalent)-Stainless Steel | PG 29    |  |  |  |  |  |  |  |  |
| HoodFan                 | 9118 | SCB51436-CYCLONE 36 inch CANOPY CHIMNEY HOODFAN-STAINLESS STEEL                                                                        | PG 40-41 |  |  |  |  |  |  |  |  |
| Backsplash              | 9006 | KV.LN.SWT.0206-Linen-Super White-2 x 6 ***5***                                                                                         |          |  |  |  |  |  |  |  |  |
| Backsplash Grout        | 2226 | Grout-(00) White ***STD***                                                                                                             |          |  |  |  |  |  |  |  |  |
| Backsplash Tile Pattern | 3070 | HORIZONTAL STACKED ***STD***                                                                                                           |          |  |  |  |  |  |  |  |  |
|                         |      | <table><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>            |          |  |  |  |  |  |  |  |  |
|                         |      |                                                                                                                                        |          |  |  |  |  |  |  |  |  |
|                         |      |                                                                                                                                        |          |  |  |  |  |  |  |  |  |
|                         |      |                                                                                                                                        |          |  |  |  |  |  |  |  |  |
|                         |      |                                                                                                                                        |          |  |  |  |  |  |  |  |  |

- Purchasers have been advised: standard fridge opening is a minimum 37 3/8 x 73 3/8 inches. Ice Waterline Rough-In is included.
- Standard stove opening is 30 inches and standard dishwasher opening is 24 inches. Any gas stove will require backsplash or stainless steel backing to avoid fire hazards.
- Purchasers acknowledge: Heathwood Homes and its contractors will not be responsible for any kitchen cabinet changes due to appliances dimension changes after sign-off.

Kitchen / Breakfast

|                    |      |                                                                           |
|--------------------|------|---------------------------------------------------------------------------|
| Flooring           | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***UPG*** |
| Floor Tile Grout   | 1111 | N/A *****                                                                 |
| Floor Tile Pattern | 1111 | N/A *****                                                                 |

Comment

Servery


|                                    |      |                                        |
|------------------------------------|------|----------------------------------------|
| Cabinet Colour/Style - Base        | 9111 | Viking III-SIMCOE ORCHID 3DL ***STD*** |
| Opt. Cabinet Colour/Style - Uppers | 9111 | Viking III-SIMCOE ORCHID 3DL ***STD*** |
| Cabinet Hardware                   | 7667 | 12881-HARDWARE ***STD***               |

Handwritten signatures and initials.

Customer Colours


OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

|                              |       |                                                                                                                        |
|------------------------------|-------|------------------------------------------------------------------------------------------------------------------------|
| Cabinet Hardware             | 12007 | 12007-HARDWARE STD                                                                                                     |
| Countertop                   | 8613  | Group 6-Quartz-Caesarstone-WHITE ATTICA # 5143-3/4 inch with built-up edge ***6***                                     |
| Island Countertop            | 1111  | N/A *****                                                                                                              |
| Countertop Edge              | 4005  | DOUBLE MITRE 1 1/2 INCH ***UPG***<br> |
| Opt. Servery Sink            | 1111  | N/A *****                                                                                                              |
| Opt. Backsplash              | 9006  | KV.LN.SWT.0206-Linen-Super White-2 x 6 ***5***                                                                         |
| Opt. Backsplash Grout        | 2226  | Grout-(00) White ***STD***                                                                                             |
| Opt. Backsplash Tile Pattern | 3070  | HORIZONTAL STACKED ***STD***<br>     |
| Flooring                     | 9358  | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***UPG***                                              |
| Floor Tile Grout             | 1111  | N/A *****                                                                                                              |
| Floor Tile Pattern           | 1111  | N/A *****                                                                                                              |


Comment

Foyer

|                    |      |                                                                                                               |
|--------------------|------|---------------------------------------------------------------------------------------------------------------|
| Flooring           | 8243 | OV.CX.WHT.1224.MT-Carrara X-White Matte-12 x 24 See Tile Direction on Sketch2 Page ***5*** S 2                |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                                                                   |
| Floor Tile Pattern | 3050 | SIDE TO SIDE ***STD***<br> |

Comment

Powder Room

|                    |      |                                                                                                               |
|--------------------|------|---------------------------------------------------------------------------------------------------------------|
| Flooring           | 8243 | OV.CX.WHT.1224.MT-Carrara X-White Matte-12 x 24 See Tile Direction on Sketch2 Page ***5*** S 2                |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                                                                   |
| Floor Tile Pattern | 3050 | SIDE TO SIDE ***STD***<br> |

of  
key

Customer Colours

OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |

|                           |      |                                   |
|---------------------------|------|-----------------------------------|
| Plumbing Fixture (Colour) | 1737 | Plumbing Fixtures-WHITE ***STD*** |
| Comment                   |      |                                   |

Mud Room / Closet

|                    |      |                                                                    |
|--------------------|------|--------------------------------------------------------------------|
| Flooring           | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1*** |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                        |
| Floor Tile Pattern | 3000 | STANDARD SQUARE ***STD***                                          |
|                    |      |                                                                    |
|                    |      |                                                                    |
|                    |      |                                                                    |

|         |  |
|---------|--|
| Comment |  |
|---------|--|

Main Hall

|          |      |                                                                           |
|----------|------|---------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***STD*** |
| Comment  |      |                                                                           |

Dining Room

|          |      |                                                                           |
|----------|------|---------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***STD*** |
| Comment  |      |                                                                           |

Great Room

|          |      |                                                                           |
|----------|------|---------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***STD*** |
| Comment  |      |                                                                           |

Great Room Fireplace

|                 |      |                                                    |
|-----------------|------|----------------------------------------------------|
| Type            | 8869 | Majestic MERC32 ***STD***                          |
| Mantle          | 1439 | NF 17-Paint Grade Mantle-Flat Wall-WHITE ***STD*** |
| Surround (Opt.) | 1111 | N/A *****                                          |

PG 27-28

- Purchasers have been advised: heat from the FP can damage TV above a FP and items placed on mantle.  
- Heathwood and its contractors will not be liable for any damage on items placed/@installed above a FP after closing.

|         |                                                             |
|---------|-------------------------------------------------------------|
| Comment | NOTE: WALL BUILT OUT FLOOR TO CEILING SKETCHES PG 24 AND 27 |
|---------|-------------------------------------------------------------|

of  
key

OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN

Project: Wallaceton

Unit: 356, Phase: 3

Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52

Locked:

Closed:

Laundry Room

|                                                                                                                             |      |                                                                    |  |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------|------|--------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| Flooring                                                                                                                    | 5589 | GE.BY.PEN.1313 New Byzantine Pentalic (Grey) 13 x13<br>*** STD *** |  |  |  |  |  |  |  |  |  |
| Floor Tile Grout                                                                                                            | 2225 | Grout-(27) Silver ***STD***                                        |  |  |  |  |  |  |  |  |  |
| Floor Tile Pattern                                                                                                          | 3000 | STANDARD SQUARE ***STD***                                          |  |  |  |  |  |  |  |  |  |
| <table><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> |      |                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                                                                             |      |                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                                                                             |      |                                                                    |  |  |  |  |  |  |  |  |  |
|                                                                                                                             |      |                                                                    |  |  |  |  |  |  |  |  |  |
| Opt. Cabinet Colour/Style - Uppers                                                                                          | 9111 | VIKING III SIMCOE ORCHID 3DL ***UPG***                             |  |  |  |  |  |  |  |  |  |
| Opt. Cabinet Hardware - Uppers                                                                                              | 7667 | 12881-HARDWARE ***STD***                                           |  |  |  |  |  |  |  |  |  |
| Opt. Countertop                                                                                                             | 1111 | N/A *****                                                          |  |  |  |  |  |  |  |  |  |
| Opt. Countertop Edge                                                                                                        | 1111 | N/A *****                                                          |  |  |  |  |  |  |  |  |  |

Comment

Upper Hall

|          |      |                                                                              |
|----------|------|------------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3<br>1/4 inch ***STD*** |
|----------|------|------------------------------------------------------------------------------|

Comment

Master Bedroom / Walk-in Closet

|          |      |                                                                              |
|----------|------|------------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3<br>1/4 inch ***UPG*** |
|----------|------|------------------------------------------------------------------------------|

Comment

Bedroom 2

|          |      |                                                                              |
|----------|------|------------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3<br>1/4 inch ***UPG*** |
|----------|------|------------------------------------------------------------------------------|

Comment

Bedroom 3

|          |      |                                                                              |
|----------|------|------------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3<br>1/4 inch ***UPG*** |
|----------|------|------------------------------------------------------------------------------|

Comment

Bedroom 4 / Walk-in Closet

Customer Colours

OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

|          |      |                                                                           |
|----------|------|---------------------------------------------------------------------------|
| Flooring | 9358 | Red Oak Pearl-Vintage Engineered-TITANIUM-3/4 inch x 3 1/4 inch ***UPG*** |
| Comment  |      |                                                                           |

Master Ensuite

|                      |      |                                            |
|----------------------|------|--------------------------------------------|
| Cabinet Colour/Style | 9156 | Viking III-SIMCOE-RAIN CLOUD-3DL ***STD*** |
| Cabinet Hardware     | 7667 | 12881-HARDWARE ***STD***                   |
| Countertop           | 9069 | MSI Quartz GROUP 1 ICED WHITE ***STD***    |
| Countertop Edge      | 1111 | N/A *****                                  |

|                    |      |                                                                                                           |  |  |  |  |  |  |  |  |
|--------------------|------|-----------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|
| Floor Tile         | 8243 | OV.CX.WHT.1224.MT-Carrara X-White Matte-12 x 24 See Tile Direction on Sketch, Page 54 ***5***             |  |  |  |  |  |  |  |  |
| Floor Tile Grout   | 2225 | Grout-(27) Silver ***STD***                                                                               |  |  |  |  |  |  |  |  |
| Floor Tile Pattern | 3040 | FRONT TO BACK ***STD***                                                                                   |  |  |  |  |  |  |  |  |
|                    |      | <table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |
|                    |      |                                                                                                           |  |  |  |  |  |  |  |  |
|                    |      |                                                                                                           |  |  |  |  |  |  |  |  |

|                          |      |                                                                                                           |  |  |  |  |  |  |  |  |
|--------------------------|------|-----------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|
| Shower Wall Tile         | 9018 | TH.BR.WHT.0812.GL-Brick Series-White Glossy-8 x 12 ***2***                                                |  |  |  |  |  |  |  |  |
| Shower Wall Tile Grout   | 2226 | Grout-(00) White ***STD***                                                                                |  |  |  |  |  |  |  |  |
| Shower Wall Tile Pattern | 3090 | VERTICAL STACKED ***STD***                                                                                |  |  |  |  |  |  |  |  |
|                          |      | <table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |
|                          |      |                                                                                                           |  |  |  |  |  |  |  |  |
|                          |      |                                                                                                           |  |  |  |  |  |  |  |  |

|                           |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|---------------------------|------|-----------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| Shower Floor Tile         | 8661 | OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD***                                                  |  |  |  |  |  |  |  |  |  |
| Shower Floor Tile Grout   | 2226 | Grout-(00) White ***STD***                                                                                                  |  |  |  |  |  |  |  |  |  |
| Shower Floor Tile Pattern | 3000 | STANDARD SQUARE ***STD***                                                                                                   |  |  |  |  |  |  |  |  |  |
|                           |      | <table><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |  |
|                           |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                           |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                           |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |

|                            |      |                                            |
|----------------------------|------|--------------------------------------------|
| Shower Jamb(s) and Sill(s) | 8923 | Shower Jamb / Sill-Thassos White ***STD*** |
| Plumbing Fixture (colour)  | 1737 | Plumbing Fixtures-WHITE ***STD***          |
| Comment                    |      |                                            |

Ensuite 4

|                      |      |                                                                      |
|----------------------|------|----------------------------------------------------------------------|
| Cabinet Colour/Style | 9111 | Viking III-SIMCOE ORCHID 3DL ***STD***                               |
| Cabinet Hardware     | 7667 | 12881-HARDWARE ***STD***                                             |
| Countertop           | 9122 | MSI Quartz GROUP 1 ICED GREY 3/4 inch with double mitre edge ***2*** |
| Countertop Edge      | 1111 | N/A *****                                                            |

of  
my

Customer Colours

OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

|                            |                                                                                                                                                   |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Countertop Edge            |                                                                                                                                                   |
| Floor Tile                 | 9106 GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                                                           |
| Floor Tile Grout           | 2225 Grout-(27) Silver ***STD***                                                                                                                  |
| Floor Tile Pattern         | 3000 STANDARD SQUARE ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>  |
| Shower Wall Tile           | 9020 QT.WV.WHT.0810-Weave-White-8 x 10 ***STD***                                                                                                  |
| Shower Wall Tile Grout     | 2226 Grout-(00) White ***STD***                                                                                                                   |
| Shower Wall Tile Pattern   | 3090 VERTICAL STACKED ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div> |
| Shower Floor Tile          | 8661 OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD***                                                                   |
| Shower Floor Tile Grout    | 2226 Grout-(00) White ***STD***                                                                                                                   |
| Shower Floor Tile Pattern  | 3000 STANDARD SQUARE ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>  |
| Shower Jamb(s) and Sill(s) | 8923 Shower Jamb / Sill-Thassos White ***STD***                                                                                                   |
| Plumbing Fixture (colour)  | 1737 Plumbing Fixtures-WHITE ***STD***                                                                                                            |
| Comment                    |                                                                                                                                                   |

Shared Ensuite

|                      |                                                                                                                                               |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Cabinet Colour/Style | 9156 Viking III-SIMCOE-RAIN CLOUD-3DL ***STD***                                                                                               |
| Cabinet Hardware     | 7667 12881-HARDWARE ***STD***                                                                                                                 |
| Countertop           | 9069 MSI Quartz GROUP 1 ICED WHITE ***1***                                                                                                    |
| Countertop Edge      | 1111 N/A *****                                                                                                                                |
| Floor Tile           | 8913 UN.BL.BIA.1224-Biel-Bianco (White)-12 x 24 See Tile Direction on Sketch 4 Page ***2***                                                   |
| Floor Tile Grout     | 2225 Grout-(27) Silver ***STD***                                                                                                              |
| Floor Tile Pattern   | 3050 SIDE TO SIDE ***STD***<br><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div> |
| Wall Tile            | 9020 QT.WV.WHT.0810-Weave-White-8 x 10 ***STD***                                                                                              |

54

of  
Ref

Customer Colours

OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

8 of 47

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

|                                 |      |                                                                                                           |  |  |  |  |  |  |  |  |
|---------------------------------|------|-----------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|
| Wall Tile Grout                 | 2226 | Grout-(00) White ***STD***                                                                                |  |  |  |  |  |  |  |  |
| Wall Tile Pattern               | 3090 | VERTICAL STACKED ***STD***                                                                                |  |  |  |  |  |  |  |  |
|                                 |      | <table><tr><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |
|                                 |      |                                                                                                           |  |  |  |  |  |  |  |  |
|                                 |      |                                                                                                           |  |  |  |  |  |  |  |  |
| Opt. Shower Floor Tile          | 1111 | N/A *****                                                                                                 |  |  |  |  |  |  |  |  |
| Opt. Shower Floor Tile Grout    | 1111 | N/A *****                                                                                                 |  |  |  |  |  |  |  |  |
| Opt. Shower Floor Tile Pattern  | 1111 | N/A *****                                                                                                 |  |  |  |  |  |  |  |  |
| Opt. Shower Jamb(s) and Sill(s) | 1111 | N/A *****                                                                                                 |  |  |  |  |  |  |  |  |
| Plumbing Fixture (colour)       | 1737 | Plumbing Fixtures-WHITE ***STD***                                                                         |  |  |  |  |  |  |  |  |
| Comment                         |      |                                                                                                           |  |  |  |  |  |  |  |  |

Lower Level Recreation Room (Opt. Finis

|          |      |                                               |
|----------|------|-----------------------------------------------|
| Flooring | 9507 | 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD*** |
| Comment  |      |                                               |

Lower Level Bathroom (Opt. Finished Bas

|                          |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|--------------------------|------|-----------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| Cabinet Colour/Style     | 9111 | Viking III-SIMCOE ORCHID 3DL ***STD***                                                                                      |  |  |  |  |  |  |  |  |  |
| Cabinet Hardware         | 7667 | 12881-HARDWARE ***STD***                                                                                                    |  |  |  |  |  |  |  |  |  |
| Countertop               | 9069 | MSI Quartz GROUP 1 ICED WHITE ***1***                                                                                       |  |  |  |  |  |  |  |  |  |
| Countertop Edge          | 1111 | N/A *****                                                                                                                   |  |  |  |  |  |  |  |  |  |
| Floor Tile               | 9106 | GE.MD.WHT.1818.MT Madison Series White Matte 18 X 18 Matte ***1***                                                          |  |  |  |  |  |  |  |  |  |
| Floor Tile Grout         | 2225 | Grout-(27) Silver ***STD***                                                                                                 |  |  |  |  |  |  |  |  |  |
| Floor Tile Pattern       | 3000 | STANDARD SQUARE ***STD***                                                                                                   |  |  |  |  |  |  |  |  |  |
|                          |      | <table><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table> |  |  |  |  |  |  |  |  |  |
|                          |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                          |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
|                          |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |
| Shower Wall Tile         | 9020 | QT.WV.WHT.0810-Weave-White-8 x 10 ***STD***                                                                                 |  |  |  |  |  |  |  |  |  |
| Shower Wall Tile Grout   | 2226 | Grout-(00) White ***STD***                                                                                                  |  |  |  |  |  |  |  |  |  |
| Shower Wall Tile Pattern | 3090 | VERTICAL STACKED ***STD***                                                                                                  |  |  |  |  |  |  |  |  |  |
|                          |      | <table><tr><td></td><td></td><td></td><td></td></tr></table>                                                                |  |  |  |  |  |  |  |  |  |
|                          |      |                                                                                                                             |  |  |  |  |  |  |  |  |  |

68  
Key

Customer Colours

OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

|                            |      |                                                                            |  |  |
|----------------------------|------|----------------------------------------------------------------------------|--|--|
|                            |      |                                                                            |  |  |
|                            |      |                                                                            |  |  |
| Shower Floor Tile          | 8661 | OD.ON.SWT.0202.MT.N-Ontario Series Mosaic-Snow White Matte-2 x 2 ***STD*** |  |  |
| Shower Floor Tile Grout    | 2226 | Grout-(00) White ***STD***                                                 |  |  |
| Shower Floor Tile Pattern  | 3000 | STANDARD SQUARE ***STD***                                                  |  |  |
|                            |      |                                                                            |  |  |
|                            |      |                                                                            |  |  |
|                            |      |                                                                            |  |  |
| Shower Jamb(s) and Sill(s) | 8923 | Shower Jamb / Sill-Thassos White ***STD***                                 |  |  |
| Plumbing Fixture (colour)  | 1737 | Plumbing Fixtures-WHITE ***STD***                                          |  |  |
| Comment                    |      |                                                                            |  |  |

Main Stairs

|                               |      |                                                                                |
|-------------------------------|------|--------------------------------------------------------------------------------|
| Type                          | 1714 | Oak Stairs ***STD MAIN STAIRS***                                               |
| Colour                        | 7940 | Sambucca STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***     |
| Handrail/Pickets/Posts Type   | 8148 | Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s)-BLACK ***2*** |
| Handrail/Pickets/Posts Colour | 7940 | Sambucca STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***     |
| Custom Stain/Paint            | 1111 | N/A *****                                                                      |
| Landing(s)                    | 1111 | N/A *****                                                                      |
| Opt. Carpet Runner            | 1111 | N/A *****                                                                      |
| Comment                       |      |                                                                                |

Lower Level Stairs

|                               |      |                                                                              |
|-------------------------------|------|------------------------------------------------------------------------------|
| Type                          | 1711 | Carpet Grade Stairs ***OPT. FINISHED BASEMENT***                             |
| Colour                        | 9507 | 89418-MINOTAUR-BLACK ICE-40 oz Poly ***STD***                                |
| Handrail/Pickets/Posts Type   | 9119 | Handrail only on closed walls (one or two sides per building code) ***STD*** |
| Handrail/Pickets/Posts Colour | 7940 | Sambucca STAIN TO COMPLIMENT HARDWOOD AND WILL VARY FROM FLOORING ***99***   |
| Custom Stain/Paint            | 1111 | N/A *****                                                                    |
| Landing(s)                    | 1111 | N/A *****                                                                    |
| Opt. Carpet Runner            | 1111 | N/A *****                                                                    |
| Comment                       |      |                                                                              |

Customer Colours


OLUWATOYIN, FOLAKE OYEDOKUN/ADEOYE OYEDOKUN  
Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 B THE WESTWOOD

Created: 9/15/2022 11:15:52  
Locked:  
Closed:

Throughout

|                      |      |                                           |
|----------------------|------|-------------------------------------------|
| Switches and Plug    | 5796 | Decora White Switches and Plugs ***STD*** |
| Thresholds           | 2232 | Metal Thresholds ***STD***                |
| Underpad             | 1079 | 500 Series-Underpad ***STD***             |
| Trim Size            | 8705 | 4 ¼ Baseboard and 2 ¾ Casings ***STD***   |
| Trim - Paint Colour  | 1716 | Trim-WHITE ***STD***                      |
| Walls - Paint Colour | 1717 | 22-Wall-WARM GREY ***STD***               |
| Comment              |      |                                           |

Purchaser:  09/29/22  09/29/22  
OLUWATOYIN, FOLAKE OYEI Date Decor Consultant Date

Purchaser:  09/29/22  -10- 04 2022  
ADEOYE OYEDOKUN Date Wallaceton Date Approved

dey



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

|                    |                                                                                                                                                                                                                               |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Offer<br>Worksheet | Five Appliances: SS Fridge, Stove, Chimney Hood Fan, Dishwasher: White Front Loader Washer/Dryer (Singles)<br>Note:<br><b>DELETE BY AMENDMENT; CHANGED TO TEN THOUSAND DOLLAR (\$10,000.00) IN DECOR STORE, NO CASH VALUE</b> |
| Offer<br>Worksheet | The Purchaser(s) acknowledge that they have NOT been referred by an existing Heathwood Homeowner and therefor are not entitled to a referral fee under Heathwood Homes Referral program.<br>Note:                             |
| Offer<br>Worksheet | Finished Lower Level with finished bathroom- 833 Sq ft (The Westwood)<br>Note:                                                                                                                                                |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

ADMIN FEE

| Invoice | Qty. | Description |
|---------|------|-------------|
|---------|------|-------------|

APPLIANCES

| Invoice | Qty. | Description |
|---------|------|-------------|
|---------|------|-------------|

|                            |   |                                                                                                                                                                                                  |
|----------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>313,485<br>22Mar23 | 1 | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br><b>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in</b> |
|----------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

CABINETRY

| Invoice | Qty. | Description |
|---------|------|-------------|
|---------|------|-------------|

|                                  |   |                                                                                                                                                                                                         |
|----------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>334,744<br>22Mar23       | 1 | KITCHEN - CABINETRY - VIKING I/II/III KITCHEN BUILT IN - KITCHEN - UPG<br><br>SKETCH # 3<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b> |
| 1159<br>345,784<br>22Mar23       | 1 | - CABINETRY - OPT LIGHT VALANCE (INCLUDE LIGHTING) - KITCHEN ( ALL DOOR STYLES) - UPG<br><br><b>ELECTRICAL-Complete Kitchen valance light including switch (Luminiz LED slimline strip light)</b>       |
| 1159<br>343,331<br>22Mar23       | 1 | - CABINETRY - OPT. SERVERY UPPERS - VIKING II/III - UPG                                                                                                                                                 |
| 1159<br>314,277<br>22Mar23<br>** | 1 | KITCHEN - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP<br><br>SKETCH # 3 SEE 36" COOKTOP SPECS                                                                              |
| 1159<br>345,989<br>22Mar23<br>** | 1 | KITCHEN / BREAKFAST - HARDWOOD - VINTAGE 3 1/4 IN - KITCHEN / BREAKFAST - UPG<br><br><b>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics</b>                                                       |
| 1159<br>345,990<br>22Mar23<br>** | 1 | SERVERY - HARDWOOD - VINTAGE 3 1/4 IN - SERVERY - UPG<br><br><b>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics</b>                                                                               |
| 1159<br>314,124<br>22Mar23       | 1 | - L01-Two-tone colour/style selection for island (must be of equal or lower level to main selection) Viking                                                                                             |
| 1159<br>342,871<br>22Mar23<br>** | 1 | - GRANITE - COUNTERTOP WITH 4 IN BACKSPLASH - BED 4 ENS. - ? IN SQUARE EDGE GROUP 1 - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded undermount sinkspecs (std faucet)</b>         |
| 1159<br>314,279<br>22Mar23<br>** | 3 | - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE UNDER MOUNT VANITY SINK<br><br>SHARED BATH, ENS 4 & BSMT BATH                                                                         |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

CABINETRY

| Invoice                          | Qty. | Description                                                                                                                                                                                        |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>342,872<br>22Mar23<br>** | 1    | - GRANITE - COUNTERTOP WITH 4 IN BACKSPLASH - BASEMENT BATH - ? IN SQUARE EDGE GROUP 1 - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded undermount sinkspecs (std faucet)</b> |
| 1159<br>342,870<br>22Mar23<br>** | 1    | - GRANITE - COUNTERTOP WITH 4 IN BACKSPLASH - SHARED BATH - ? IN SQUARE EDGE GROUP 1 - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded undermount sinkspecs (std faucet)</b>   |
| 1159<br>343,343<br>22Mar23       | 1    | LAUNDRY ROOM - CABINETRY - OPT. LAUNDRY UPPERS - VIKING IV - UPG<br><br>NOTE : UPPER CABINETS OVER SINK ONLY DUE TO STACKABLE WASHER & DRYER SKETCH # 4                                            |
| 1159<br>313,485<br>22Mar23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br><b>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in</b>   |
| 1345<br>348,106<br>23Mar23       | 1    | - CABINETRY - OPT LIGHT VALANCE (INCLUDE LIGHTING) - SERVERY (ALL DOOR STYLES) - UPG<br><br><b>ELECTRICAL-Complete Servery valance light including switch (Luminiz LED slimline strip light)</b>   |

CARPET

| Invoice                          | Qty. | Description                                                                                                                                                                               |
|----------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>345,988<br>22Mar23<br>** | 1    | UPPER HALL - HARDWOOD - VINTAGE 3 1/4 IN - UPPER HALL - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>         |
| 1159<br>345,984<br>22Mar23<br>** | 1    | MASTER BEDROOM - HARDWOOD - VINTAGE 3 1/4 IN - MASTER BEDROOM - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b> |
| 1159<br>345,985<br>22Mar23<br>** | 1    | BEDROOM 2 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 2 - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>           |
| 1159<br>345,986<br>22Mar23<br>** | 1    | BEDROOM 3 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 3 - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>           |
| 1159<br>345,987<br>22Mar23<br>** | 1    | BEDROOM 4 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 4 - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>           |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

CERAMICS

| Invoice                          | Qty. | Description                                                                                                                                |
|----------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>345,989<br>22Mar23<br>** | 1    | KITCHEN / BREAKFAST - HARDWOOD - VINTAGE 3 1/4 IN - KITCHEN / BREAKFAST - UPG<br><br>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics |
| 1159<br>345,990<br>22Mar23<br>** | 1    | SERVERY - HARDWOOD - VINTAGE 3 1/4 IN - SERVERY - UPG<br><br>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics                         |
| 1159<br>344,283<br>22Mar23       | 1    | - CERAMICS - MUD ROOM - UPG 1                                                                                                              |
| 1159<br>344,369<br>22Mar23       | 1    | - CERAMICS - FOYER FLOOR - UPG 5                                                                                                           |
| 1159<br>344,370<br>22Mar23       | 1    | - CERAMICS - POWDER FLOOR - UPG 5                                                                                                          |
| 1159<br>344,379<br>22Mar23       | 1    | - CERAMICS - OPT. KIT. BACKSPLASH - UPG 5                                                                                                  |
| 1159<br>314,182<br>22Mar23       | 1    | - CERAMICS - ADDITIONAL BACKSPLASH DUE TO INSTALL CHIMENEY HOODFAN IN KITCHEN - KITCHEN - UPGRADE 5                                        |
| 1159<br>344,378<br>22Mar23       | 1    | - CERAMICS - OPT. SERV. BACKSPLASH - UPG 5                                                                                                 |
| 1159<br>344,376<br>22Mar23       | 1    | - CERAMICS - M.ENS BATH FLOOR - UPG 5                                                                                                      |
| 1159<br>344,296<br>22Mar23       | 1    | - CERAMICS - M.ENS SHWR WALL & CEIL - UPG 2                                                                                                |
| 1159<br>344,287<br>22Mar23       | 1    | - CERAMICS - ENS 4 BATH FLOOR - UPG 1                                                                                                      |
| 1159<br>344,308<br>22Mar23       | 1    | - CERAMICS - SHARED BATH FLOOR - UPG 2                                                                                                     |
| 1159<br>344,289<br>22Mar23       | 1    | - CERAMICS - BASEMENT BATH FLOOR - UPG 1                                                                                                   |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

DRYWALL

| Invoice                          | Qty. | Description                                                                                                                                                                                                                      |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>334,744<br>22Mar23<br>** | 1    | KITCHEN - CABINETRY - VIKING I/II/III KITCHEN BUILT IN - KITCHEN - UPG<br><br>SKETCH # 3<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b>                          |
| 1159<br>345,677<br>22Mar23       | 1    | MAIN FLOOR - DRYWALL - SMOOTH CEILING IN MAIN FLOOR - UPG<br><br><b>PAINTING-Notify</b>                                                                                                                                          |
| 1159<br>346,366<br>22Mar23<br>** | 1    | GREAT ROOM - FIREPLACE AND MANTLE - BUILT OUT WALL ABOVE FIREPLACE<br><br>SKETCH # 2 AND # 5<br><b>DRYWALL-notify; ELECTRICAL-notify; FRAMING-notify; HEATING/AIR CONDITIONING-notify; INTERIOR TRIM-notify; PAINTING-notify</b> |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

ELECTRICAL

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                                 |
|----------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>314,340<br>22Mar23<br>** | 1    | KITCHEN - HEATING/AIR - ROUGH-IN GAS LINE FOR GAS STOVE AT MAIN FLOOR (SEE SPECS) (HOOK-UP NOT INCLUDED) LEAVE STANDARD 120 VOLT ELECTRICAL OUTLET ON A SEPARATE CIRCUIT. * STANDARD 220V WILL BE RELOCATED TO BUILT-IN MICRO/OVEN COMBO LOCATION<br>SKETCH # 3<br><b>ELECTRICAL-Notify</b> |
| 1159<br>345,784<br>22Mar23<br>** | 1    | - CABINETRY - OPT LIGHT VALANCE (INCLUDE LIGHTING) - KITCHEN ( ALL DOOR STYLES) - UPG<br><b>ELECTRICAL-Complete Kitchen valance light including switch (Luminiz LED slimline strip light)</b>                                                                                               |
| 1159<br>314,277<br>22Mar23<br>** | 1    | KITCHEN - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP<br><br>SKETCH # 3 SEE 36" COOKTOP SPECS                                                                                                                                                                  |
| 1159<br>314,242<br>22Mar23       | 1    | - ELECTRICAL - RELOCATION OF SWITCHES/LIGHTS (MUST SPECIFY LOCATION) - NOTE: PLUGS CANNOT BE RELOCATED- MUST PURCHASE ADDITIONAL OUTLET.<br><br>RELOCATE STD 220 40AMP TO BUILT IN OVEN LOCATION SKETCH # 3                                                                                 |
| 1159<br>314,242<br>22Mar23       | 1    | KITCHEN - ELECTRICAL - RELOCATION OF SWITCHES/LIGHTS (MUST SPECIFY LOCATION) - NOTE: PLUGS CANNOT BE RELOCATED- MUST PURCHASE ADDITIONAL OUTLET.<br><br>RELOCATE STD KITCHEN LIGHT TO OVER ISLAND SKETCH # 2                                                                                |
| 1159<br>314,224<br>22Mar23       | 1    | GREAT ROOM - ELECTRICAL - CEILING ROUGH-IN (CAPPED) INCLUDING SWITCH                                                                                                                                                                                                                        |
| 1159<br>314,232<br>22Mar23       | 1    | GREAT ROOM - ELECTRICAL - EXTRA WALL INTERIOR OUTLET ON EXISTING CIRCUIT (DOES NOT INCLUDE KITCHEN OUTLETS)<br><br>OVER FIREPLACE SKETCH # 2                                                                                                                                                |
| 1159<br>313,491<br>22Mar23<br>** | 1    | LAUNDRY ROOM - APPLIANCES - WASHER AND DRYER TO BE STACKED (INCLUDES CHARGE TO RELOCATE ELEC PLUG)<br><br>PURCHASER TO PROVIDE SPECS FOR WASHER & DRYER AND STACKABLE KIT SEE SPECS<br><b>PLUMBING-Relocation; ELECTRICAL-Relocation; HEATING-Notify</b>                                    |
| 1159<br>346,366<br>22Mar23<br>** | 1    | GREAT ROOM - FIREPLACE AND MANTLE - BUILT OUT WALL ABOVE FIREPLACE<br><br>SKETCH # 2 AND # 5<br><b>DRYWALL-notify; ELECTRICAL-notify; FRAMING-notify; HEATING/AIR CONDITIONING-notify; INTERIOR TRIM-notify; PAINTING-notify</b>                                                            |
| 1159<br>313,485<br>22Mar23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br><b>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in</b>                                                                                            |
| 1345<br>348,106<br>23Mar23<br>** | 1    | - CABINETRY - OPT LIGHT VALANCE (INCLUDE LIGHTING) - SERVERY (ALL DOOR STYLES) - UPG<br><br><b>ELECTRICAL-Complete Servery valance light including switch (Luminiz LED slimline strip light)</b>                                                                                            |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

FIREPLACE AND MANTLE

| Invoice                    | Qty. | Description                                                                                                                                                                                                                      |
|----------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>346,366<br>22Mar23 | 1    | GREAT ROOM - FIREPLACE AND MANTLE - BUILT OUT WALL ABOVE FIREPLACE<br><br>SKETCH # 2 AND # 5<br><b>DRYWALL-notify; ELECTRICAL-notify; FRAMING-notify; HEATING/AIR CONDITIONING-notify; INTERIOR TRIM-notify; PAINTING-notify</b> |

FRAMING

| Invoice                          | Qty. | Description                                                                                                                                                                                                                      |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>334,744<br>22Mar23<br>** | 1    | KITCHEN - CABINETRY - VIKING I/II/III KITCHEN BUILT IN - KITCHEN - UPG<br><br>SKETCH # 3<br><b>DRYWALL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b>                         |
| 1159<br>346,366<br>22Mar23<br>** | 1    | GREAT ROOM - FIREPLACE AND MANTLE - BUILT OUT WALL ABOVE FIREPLACE<br><br>SKETCH # 2 AND # 5<br><b>DRYWALL-notify; ELECTRICAL-notify; FRAMING-notify; HEATING/AIR CONDITIONING-notify; INTERIOR TRIM-notify; PAINTING-notify</b> |

GLASS PRODUCTS / MIRRORS

| Invoice                    | Qty. | Description                                                                                                                                        |
|----------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>345,697<br>22Mar23 | 1    | ENSUITE MASTER - GLASS PRODUCTS / MIRRORS - UPGRADE TO FRAMELESS CLEAR GLASS WITH D-RING HANDLE IN CHROME - ENSUITE MASTER - UPG<br><br>SKETCH # 4 |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

GRANITE

| Invoice                          | Qty. | Description                                                                                                                                                                                             |
|----------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>334,744<br>22Mar23<br>** | 1    | KITCHEN - CABINETRY - VIKING I/II/III KITCHEN BUILT IN - KITCHEN - UPG<br><br>SKETCH # 3<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b> |
| 1159<br>314,277<br>22Mar23       | 1    | KITCHEN - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE COOK TOP<br><br>SKETCH # 3 SEE 36" COOKTOP SPECS                                                                              |
| 1159<br>342,974<br>22Mar23       | 1    | KITCHEN - GRANITE - KITCHEN / ISLAND - GROUP 6 - UPG<br><br>TO INCLUDE SERVERY                                                                                                                          |
| 1159<br>342,871<br>22Mar23       | 1    | - GRANITE - COUNTERTOP WITH 4 IN BACKSPLASH - BED 4 ENS. - ? IN SQUARE EDGE GROUP 1 - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded undermount sinkspecs (std faucet)</b>         |
| 1159<br>314,279<br>22Mar23       | 3    | - GRANITE - GRANITE CUTOUT W/ STRAIGHT EDGE POLISH TO ACCOMMODATE UNDER MOUNT VANITY SINK<br><br>SHARED BATH, ENS 4 & BSMT BATH                                                                         |
| 1159<br>342,872<br>22Mar23       | 1    | - GRANITE - COUNTERTOP WITH 4 IN BACKSPLASH - BASEMENT BATH - ? IN SQUARE EDGE GROUP 1 - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded undermount sinkspecs (std faucet)</b>      |
| 1159<br>342,870<br>22Mar23       | 1    | - GRANITE - COUNTERTOP WITH 4 IN BACKSPLASH - SHARED BATH - ? IN SQUARE EDGE GROUP 1 - UPG<br><br><b>CABINETRY-delete std countertop; GRANITE-see upgraded undermount sinkspecs (std faucet)</b>        |
| 1159<br>314,365<br>22Mar23<br>** | 3    | - PLUMBING - AMERICAN STANDARD - SINK - UNDERMOUNT SINK - BOXE - WHITE - MODEL 0315 000 020<br><br>SHARED BATH, ENS 4 BATH & BASMENT BATH<br><b>GRANITE-SEE SPECS</b>                                   |
| 1159<br>314,365<br>22Mar23<br>** | 2    | MASTER ENSUITE - PLUMBING - AMERICAN STANDARD - SINK - UNDERMOUNT SINK - BOXE - WHITE - MODEL 0315 000 020<br><br>IN LIEU OF STD OVALYN<br><b>GRANITE-SEE SPECS</b>                                     |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

HARDWOOD

| Invoice                    | Qty. | Description                                                                                                                                                                        |
|----------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>345,989<br>22Mar23 | 1    | KITCHEN / BREAKFAST - HARDWOOD - VINTAGE 3 1/4 IN - KITCHEN / BREAKFAST - UPG<br><br>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics                                         |
| 1159<br>345,990<br>22Mar23 | 1    | SERVERY - HARDWOOD - VINTAGE 3 1/4 IN - SERVERY - UPG<br><br>CABINETRY-Raise Cabinet; CERAMICS-Delete Std Ceramics                                                                 |
| 1159<br>345,988<br>22Mar23 | 1    | UPPER HALL - HARDWOOD - VINTAGE 3 1/4 IN - UPPER HALL - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round         |
| 1159<br>345,984<br>22Mar23 | 1    | MASTER BEDROOM - HARDWOOD - VINTAGE 3 1/4 IN - MASTER BEDROOM - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round |
| 1159<br>345,985<br>22Mar23 | 1    | BEDROOM 2 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 2 - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round           |
| 1159<br>345,986<br>22Mar23 | 1    | BEDROOM 3 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 3 - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round           |
| 1159<br>345,987<br>22Mar23 | 1    | BEDROOM 4 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 4 - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round           |

HEATING / AIR CONDITIONING

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                                                          |
|----------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>314,340<br>22Mar23       | 1    | KITCHEN - HEATING/AIR - ROUGH-IN GAS LINE FOR GAS STOVE AT MAIN FLOOR (SEE SPECS) (HOOK-UP NOT INCLUDED) LEAVE STANDARD 120 VOLT ELECTRICAL OUTLET ON A SEPARATE CIRCUIT. * STANDARD 220V WILL BE RELOCATED TO BUILT-IN MICRO/OVEN COMBO LOCATION<br>SKETCH # 3<br>ELECTRICAL-Notify |
| 1159<br>313,491<br>22Mar23<br>** | 1    | LAUNDRY ROOM - APPLIANCES - WASHER AND DRYER TO BE STACKED (INCLUDES CHARGE TO RELOCATE ELEC PLUG)<br><br>PURCHASER TO PROVIDE SPECS FOR WASHER & DRYER AND STACKABLE KIT SEE SPECS<br>PLUMBING-Relocation; ELECTRICAL-Relocation; HEATING-Notify                                    |
| 1159<br>346,366<br>22Mar23<br>** | 1    | GREAT ROOM - FIREPLACE AND MANTLE - BUILT OUT WALL ABOVE FIREPLACE<br><br>SKETCH # 2 AND # 5<br>DRYWALL-notify; ELECTRICAL-notify; FRAMING-notify; HEATING/AIR CONDITIONING-notify; INTERIOR TRIM-notify; PAINTING-notify                                                            |
| 1159<br>313,485<br>22Mar23<br>** | 1    | - APPLIANCES - CYCLONE 36 INCH WALL MOUNT CHIMNEY HOOD SS - SCB51436<br><br>CABINETRY-delete stove uppers; ELECTRICAL-delete std range hood; HEATING/AIR CONDITIONING-Duct change to 6 in                                                                                            |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

INTERIOR RAILINGS

| Invoice                    | Qty. | Description                                                                                                                                                        |
|----------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>345,727<br>22Mar23 | 1    | - Interior Railings - BLACK METAL - SINGLE COLLAR ALT. PLAIN W/ SHOES WITH 3 1/2" SQUARE/CAP POST(S) AS PER PLAN - MAIN AND 2ND FLOOR - UPG<br><br>PAINTING-Notify |

INTERIOR TRIM AND DOORS

| Invoice                          | Qty. | Description                                                                                                                                                                                                               |
|----------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>345,988<br>22Mar23<br>** | 1    | UPPER HALL - HARDWOOD - VINTAGE 3 1/4 IN - UPPER HALL - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter rounds                                               |
| 1159<br>345,984<br>22Mar23<br>** | 1    | MASTER BEDROOM - HARDWOOD - VINTAGE 3 1/4 IN - MASTER BEDROOM - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter rounds                                       |
| 1159<br>345,985<br>22Mar23<br>** | 1    | BEDROOM 2 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 2 - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter rounds                                                 |
| 1159<br>345,986<br>22Mar23<br>** | 1    | BEDROOM 3 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 3 - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter rounds                                                 |
| 1159<br>345,987<br>22Mar23<br>** | 1    | BEDROOM 4 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 4 - UPG<br><br>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter rounds                                                 |
| 1159<br>346,366<br>22Mar23<br>** | 1    | GREAT ROOM - FIREPLACE AND MANTLE - BUILT OUT WALL ABOVE FIREPLACE<br><br>SKETCH # 2 AND # 5<br>DRYWALL-notify; ELECTRICAL-notify; FRAMING-notify; HEATING/AIR CONDITIONING-notify; INTERIOR TRIM-notify; PAINTING-notify |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

PAINTING

| Invoice                          | Qty. | Description                                                                                                                                                                                                                      |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>334,744<br>22Mar23<br>** | 1    | KITCHEN - CABINETRY - VIKING I/II/III KITCHEN BUILT IN - KITCHEN - UPG<br><br>SKETCH # 3<br><b>DRYWAL-Notify; FRAMING-Modify Bulkhead; GRANITE-delete partial countertop due to Built-in; PAINTING-</b>                          |
| 1159<br>345,677<br>22Mar23<br>** | 1    | MAIN FLOOR - DRYWALL - SMOOTH CEILING IN MAIN FLOOR - UPG<br><br><b>PAINTING-Notify</b>                                                                                                                                          |
| 1159<br>345,727<br>22Mar23<br>** | 1    | - Interior Railings - BLACK METAL - SINGLE COLLAR ALT. PLAIN W/ SHOES WITH 3 1/2? SQUARE/CAP POST(S) AS PER PLAN - MAIN AND 2ND FLOOR - UPG<br><br><b>PAINTING-Notify</b>                                                        |
| 1159<br>345,988<br>22Mar23<br>** | 1    | UPPER HALL - HARDWOOD - VINTAGE 3 1/4 IN - UPPER HALL - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>                                                |
| 1159<br>345,984<br>22Mar23<br>** | 1    | MASTER BEDROOM - HARDWOOD - VINTAGE 3 1/4 IN - MASTER BEDROOM - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>                                        |
| 1159<br>345,985<br>22Mar23<br>** | 1    | BEDROOM 2 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 2 - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>                                                  |
| 1159<br>345,986<br>22Mar23<br>** | 1    | BEDROOM 3 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 3 - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>                                                  |
| 1159<br>345,987<br>22Mar23<br>** | 1    | BEDROOM 4 - HARDWOOD - VINTAGE 3 1/4 IN - BEDROOM 4 - UPG<br><br><b>CARPET-delete std carpet; INTERIOR TRIM-supply and install quarter rounds; PAINTING-paint quarter round</b>                                                  |
| 1159<br>346,366<br>22Mar23<br>** | 1    | GREAT ROOM - FIREPLACE AND MANTLE - BUILT OUT WALL ABOVE FIREPLACE<br><br>SKETCH # 2 AND # 5<br><b>DRYWALL-notify; ELECTRICAL-notify; FRAMING-notify; HEATING/AIR CONDITIONING-notify; INTERIOR TRIM-notify; PAINTING-notify</b> |



CONSTRUCTION SUMMARY

Lot: 356  
Model: 28-2797 B THE WESTWOOD  
Project/Phase: Wallaceton / 3

PLUMBING

| Invoice                          | Qty. | Description                                                                                                                                                                                                                                              |
|----------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1159<br>314,531<br>22Mar23       | 1    | LAUNDRY ROOM - PLUMBING - RELOCATE LAUNDRY TUB<br><br>PROVIDE HOOK UP FOR STACKABLE WASHER AND DRYER SKETCH # 4 SPECS PG 47                                                                                                                              |
| 1159<br>313,491<br>22Mar23<br>** | 1    | LAUNDRY ROOM - APPLIANCES - WASHER AND DRYER TO BE STACKED (INCLUDES CHARGE TO RELOCATE ELEC PLUG)<br><br>PURCHASER TO PROVIDE SPECS FOR WASHER & DRYER AND STACKABLE KIT SEE SPECS<br><b>PLUMBING-Relocation; ELECTRICAL-Relocation; HEATING-Notify</b> |
| 1159<br>314,365<br>22Mar23       | 3    | - PLUMBING - AMERICAN STANDARD - SINK - UNDERMOUNT SINK - BOXE - WHITE - MODEL 0315 000 020<br><br>SHARED BATH, ENS 4 BATH & BASMENT BATH<br><b>GRANITE-SEE SPECS</b>                                                                                    |
| 1159<br>314,365<br>22Mar23       | 2    | MASTER ENSUITE - PLUMBING - AMERICAN STANDARD - SINK - UNDERMOUNT SINK - BOXE - WHITE - MODEL 0315 000 020<br><br>IN LIEU OF STD OVALYN<br><b>GRANITE-SEE SPECS</b>                                                                                      |
| 1159<br>314,482<br>22Mar23       | 1    | MASTER ENSUITE - PLUMBING - MOEN -KYVOS - POSI-TEMP PRESSURE BALANCED TUB/SHOWER ECO-PERFORMANCE CHROME (MODEL: T2783EP/62320) -<br><br>FOR SHOWER FAUCET ONLY STANDARD CHATEAU SINK & FREE STANDING TUB FAUCETS                                         |

STRUCTURED WIRING

| Invoice                    | Qty. | Description                                                                         |
|----------------------------|------|-------------------------------------------------------------------------------------|
| 1159<br>314,540<br>22Mar23 | 1    | GREAT ROOM FIREPLACE - STRUCTURED WIRING - CONDUIT PIPE TO ABOVE FIREPLACE ROUGH-IN |

THE WESTWOOD


ELEVATION B | 2,794 SQ. FT.

833 sq. ft. of opt. finished Lower Level

28-2797 ELEV. B

Sketch #1

WALLACETON  
EST. 1870



of key

THE WESTWOOD


ELEVATION B | 2,794 SQ. FT.

833 sq. ft. of opt. finished Lower Level




WALLACETON  
EST. 1870

Sketch # 2

28-2797 ELEV. B



Project: Wallaceton  
Unit: 356, Phase: 3  
Model: 28-2797 THE WESTWOOD



UPGRADE KITCHEN - BUILT-IN APPLIANCES:  
- 30" COOKTOP POTS & PANS  
- 30" WALL OVEN

25 of 47



HEATHWOOD HOMES  
WALLACETON, KITCHENER ON  
MODEL: 28-2841 CRN (3401-CRN)  
& 28-2797 (3401)

STANDARD CONTRACT INCLUDES:

Appliance Openings

- Hood: 30"W builder hood
- Fridge Opening: 37 3/8 "W X 73 3/8"
- Fridge cabinet & gables: 66cm Deep
- Cooktop: 30"W - Tall Wall Oven: 30"W
- Dishwasher Opening: 24"

Standard Kitchens Scope:

- 100cm H wall cabinets
- Std. Blumotion Hinges- **soft close doors**
- Std. Metabox Drawers- **not soft close**
- Min 40cm W drawer
- Base pie cut corner cabinets
- Backing on all cabinets
- Countertop by others
- Upgrade applied paneled fridge & dishwashers supply only (appliance hardware by others)

4/29/2022

THIS DRAWING IS FOR DESIGN PURPOSES ONLY.  
IT IS NOT AN EXACT RENDITION.

Sketch #4

THE WESTWOOD


ELEVATION B | 2,794 SQ. FT.

833 sq. ft. of opt. finished Lower Level

28-2797 ELEV. B


WALLACETON


EST. 1870



of 161

Sketch # 5








NEAS NF17 Mantel

05

Key

*Reginox*

ND1831UA/9



### ND1831UA/9 SPECIFICATION

Model ND1831UA/9 is a double (two equal size) bowl undermount sink manufactured by Franke Kindred Canada Limited from 18 gauge stainless steel. Product has silk finished rims and linear brush finished bowls. Sink is fully undercoated. Basket strainer waste fittings (3 1/2", 89 mm) are included. Sink is backed with a limited lifetime warranty.

- O.D. 17 3/4" x 30 7/8" x 8 1/2" (45 x 78 x 22 cm)
- Recommended for minimum 36" cabinet

Franke Kindred Canada Limited  
P.O. Box 190, 1000 Franke Kindred Road, Midland, Ontario, Canada, L4R 4K9 Phone: 866-687-7465 Fax: 800-361-8408

*of*

*Reg*

**MOEN®**

## Specifications

### FAUCET DESCRIPTION

- Reflex™ pulldown system offers smooth operation, easy movement and secure docking
- Power Clean™ spray technology
- Metal construction with various finishes identified by suffix
- Quick connect installation
- Pulldown spray with 68" braided hose
- Flexible supply lines with 3/8" compression fittings
- High arc spout provides height and reach to fill or clean large pots while pulldown wand provides the maneuverability for cleaning or rinsing
- 360° rotating spout
- Faucet designed for handle to be mounted on right side only

### OPERATION

- Lever style handle
- Temperature controlled by 100° arc of handle travel
- Operates with less than 5 lbs. of force
- Operates in stream or spray mode in the pullout or retracted position

### FLOW

- Flow is limited to 1.5 gpm (5.7 L/min) max at 60 psi

### CARTRIDGE

- 1255™ Duralast™ cartridge


### STANDARDS

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all applicable requirements therein including NSF 61/9G & 372
- Meets CalGreen and Georgia SB370 requirements
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow

- ADA  for lever handle

### WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multifamily installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations




**ALIGN™**

**Single Handle High Arc  
Pulldown Kitchen Faucet**

**Models: 7565 series**

**NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED  
THROUGH 1 HOLE, 1-1/2" (38mm) MIN. DIA.  
(OPTIONAL 3-HOLE ESCUTCHEON 141002 AVAILABLE)**



**FOR MORE INFORMATION CALL: 1-800-BUY-MOEN**  
[www.moen.com](http://www.moen.com)

OK  
Key



BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)

**BOULEVARD®  
PEDESTAL SINK**  
VITREOUS CHINA


**BOULEVARD® PEDESTAL SINK**

~~☐ 0641.000 Faucet holes on 8" (203mm) centers (illustrated)~~  
STD ☒ **0641.400** Faucet holes on 4" (102mm) centers

- ~~☐ 0641.100 Center hole only~~
- Classic styled rectangular pedestal lavatory
  - Vitreous china
  - Rear overflow
  - Supplied with mounting kit
  - Right Height® for greater comfort during use
  - Faucet ledge with large deck area (faucet not included)
  - **Design coordinates with Boulevard® Toilet**
  - Basin has flat bottom to also allow use as an **above counter sink** or a **drop-in sink** (with u-shaped cut out)

**Nominal Dimensions:**

24" x 19" x 35-1/2"  
(610 x 483 x 902mm)



SEE REVERSE FOR ROUGHING-IN DIMENSIONS

- ☐ **0641.008** Pedestal top-8" (203mm) centers
- ☐ **0641.004** Pedestal top-4" (102mm) centers
- ☐ **0641.001** Pedestal top-center hole only
- ☐ **0010.000** Pedestal only

**Bowl sizes:**

17" (432mm) wide,  
12-1/2" (318mm) front to back,  
5" (127mm) deep

**Compliance Certifications -**

**Meets or Exceeds the Following Specifications:**

- ASME A112.19.2 - 2008/CSA B45.1-08

**To Be Specified:**

- ☐ Color: ☐ White ☐ Linen
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap:
- ☐ Nipple:


\* See faucet section for additional models available

98  
47


American  
Standard

 BARRIER FREE (ABOVE COUNTER OR DROP-IN ONLY)

BOULEVARD®  
PEDESTAL SINK  
VITREOUS CHINA



ABOVE COUNTER CONFIGURATION



ABOVE COUNTER AND DROP-IN SINK CONFIGURATIONS  
MEET THE AMERICANS WITH DISABILITIES ACT GUIDELINES  
AND ANSI A117.1 ACCESSIBLE AND USABLE  
BUILDINGS AND FACILITIES - CHECK LOCAL CODES.  
Top of sink installed at 34" (864mm) height from finished floor.  
Sink installed 5" (127mm) minimum from front edge of countertop.  
Provide 27" (686mm) knee clearance area.

NOTES:  
\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAPS ARE SUGGESTED.  
▼ PEDESTAL ANCHORING SCREWS NOT INCLUDED.  
■ SUITABLE FOR REINFORCEMENT ONLY. ACTUAL DIMENSIONS MUST BE TAKEN FROM FIXTURE.  
FITTING NOT INCLUDED AND MUST BE ORDERED SEPARATELY.  
PROVIDE SUITABLE REINFORCEMENT FOR ALL WALL SUPPORTS.  
INSTALLATION INSTRUCTIONS SUPPLIED WITH LAVATORY.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2  
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

## BOXE UNDERCOUNTER SINK

- Vitreous china
- Rectangular undercounter mount sink with rectangular interior and flat bottom design bowl
- Unglazed rim
- Front overflow
- Supplied with template
- Meets OBC requirement when sink is installed with overflow to the rear
- Mounting clips available separately (P031006000) (Faucet not included)

### 0315 000 Unglazed Rim

508 x 406mm (20" x 16")

Bowl size:

438mm (17-1/4") wide,  
 337mm (13-1/4") front to back,  
 127mm (5") deep



### COMPLIANCE CERTIFICATIONS –

Meets or exceeds the following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures.
- CAN/CSA B45 Series.

#### To Be Specified

- ☐ Colour: ☐ White
- ☐ Faucet\*:
- ☐ Faucet Finish:
- ☐ Supplies & Stops:
- ☐ Trap 1-1/4" (32 mm):

\* See faucet section for additional models available




• Countertop 864mm (34") from finished floor. Sink installed 102mm (4") from front edge of countertop. Countertop thickness to be 25mm (1") maximum. MEETS THE AMERICAN DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.

#### NOTES:

WE RECOMMEND USING SINK AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38MM (1-1/2") INSIDE SINK CONTOUR. FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY. \* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED.

▼ UNDERCOUNTER MOUNTING KIT SUPPLIED SEPARATELY.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.




\*To comply with ADA standards, overflow hole must face back.

of

Key


## Specifications

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations



L64600 series



**NOTE:** THIS FAUCET IS DESIGNED TO BE  
INSTALLED THRU 3-1" DIA. HOLES, 2" ON CENTER



FOR MORE INFORMATION CALL: 1-800-BUY-MOEN  
www.moen.com

of

Kyvos™



POSI-TEMP®

MASTER ENSUITE SHOWER ONLY



Posi-Temp® Tub/Shower Faucet\*  
T2783EP / 62320



Posi-Temp® Shower Only\*  
T2782EP / 62320

KYVOS FINISH  
OPTIONS



Chrome

To order Chrome (C) model,  
use model number only.

\* Refer to the Shower  
Design Guide for Installation  
Instructions



Buy it for looks. Buy it for life.®

There is more than 1 version of this model.  
Page down to identify the version you have.

## DESCRIPTION

- Metal construction with various finishes identified by suffix
- Includes non-metallic showerhead, arm, flange and non-metallic diverter tub spout

## OPERATION

- Handle operates counterclockwise through a 270° arc with off at 6 o'clock and maximum hot at the 9 o'clock position. Shut off in clockwise direction
- Adjustable temperature limit stop to control maximum hot water temperature
- Pressure balancing mechanism maintains selected discharge temperature to  $\pm 3^\circ$

## FLOW

- Showerhead is limited to 2.5 gpm (9.5 L/min) at 80 psi
- EP suffix models are limited to 1.75 gpm (6.6 L/min) at 80 psi
- NH suffix models contain no showerhead

## CARTRIDGE

- 1222 cartridge design
- Accommodates back to back installations
- Nonmetallic/nonferrous and stainless steel material

## STANDARDS

- Third party certified to meet ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein
- EP suffix models are third party certified to WaterSense®
- ADA for lever handle

## WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
- 5 year warranty if used in commercial installations


## Specifications



### CHATEAU® POSI-TEMP® Single-Handle Tub/Shower Trim Kit

**Models:** TL181 series - valve trim only  
(Bulk Packed 12 per carton)  
TL182 series - shower trim only  
(Bulk Packed 12 per carton)  
TL183 series - tub/shower trim  
(Bulk Packed 12 per carton)

**Valves:** 62300 series  
2500 series



FOR MORE INFORMATION CALL: 1-800-BUY-MOEN  
www.moen.com

of  
key



Specifications

DESCRIPTION

- Metal construction with various finishes identified by suffix

OPERATION


- Lever style handles with hot and cold color indicator
- Rotate hot side handle counterclockwise to open (clockwise to close) and the cold side handle (clockwise to open) and (counterclockwise to close)

STANDARDS

- Third party certified to: ASME A112.18.1/CSA B-125.1, and all applicable requirements referenced therein
- ADA  for lever handles

WARRANTY



- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multi-family installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations



CHATEAU®  
Two-Handle Garden Tub Trim

Models: T994 series

Valves: 4792, 4793, 4794, 4796, 4797, 4798



CRITICAL DIMENSIONS  
(DO NOT SCALE)

08  
04




DEMI™  
Product Specification Sheet

Two Piece Freestanding Collection

|        |                                              |
|--------|----------------------------------------------|
| CF2007 | Two Piece Freestanding Soaker                |
| Size:  | 60" x 32" x 22"<br>1524 mm x 813 mm x 559 mm |


PRODUCT FEATURES & BENEFITS

- Vacuum formed acrylic reinforced with fiberglass
- Scratch, stain and fade resistant high gloss finish
- Installation friendly two piece design
- Accepts deck mounted faucet
- Includes integral pop up drain and rectangular overflow
- Includes levelling feet




TWO PIECE ASSEMBLY


FRONT VIEW



END VIEW



TOP VIEW



GENERAL SPECIFICATIONS

|                               |              |               |
|-------------------------------|--------------|---------------|
| Average Weight                | 90 lb        | 41 kg         |
| Bathing Well at bottom        | 43"x 20"     | 1092 x 508 mm |
| Capacity Drain to Overflow    |              | 195 litres    |
| Water Depth Drain to Overflow | 16"          | 406 mm        |
| Drain Opening (dia.)          | 2"           | 51 mm         |
| Overflow Opening              | 2 1/4"x 1/2" | 57 x 13 mm    |
| Drain to Floor Clearance      | 3 1/4"       | 83 mm         |

NOTES: Please confirm measurements on actual product to ensure proper identification. Bathtub to be installed on the floor supported by 5 self levelling feet. Adjust if required to level the bathtub for adequate drainage. Refer to installation instructions for additional information.

IMPORTANT: Dimensions of fixtures are nominal and may vary  $\pm \frac{1}{4}$ " (6 mm). Weight may vary  $\pm 5$  lb (2.3 kg). Drawing is not to scale. These measurements are subject to change at manufacturer's discretion.

Compliance Certifications -

Meets or Exceeds the following Specifications:

- CAN/CSA - B45 Series



of  
K



FloWise™ DUAL FLUSH  
ELONGATED TOILET  
VITREOUS CHINA

FloWise™ DUAL FLUSH ELONGATED TOILET

- 2476 216
  - Vitreous china
  - Low-consumption Dual Flush
    - Full flush 6.0 Lpf/1.3 gpf,
    - Partial flush 3.0 Lpf/0.66 gpf.
  - Elongated wash down bowl
  - Internal trapway fully-glazed, 2-1/4" (57mm) ballpass
  - Concealed trapway bowl
  - Chrome-plated top mounted push button actuator
  - Easy to clean sanitary dam on bowl
  - Includes Elongated Slow Close Seat
  - 100% factory flush tested
  - 2 bolt caps

Separate Component Parts:

- 3067 316 Elongated Bowl with Slow Close Seat
  - 4035 216 Unlined Tank
- 
- 2476 516 Same as above with Lined tank
    - 3067 316 Elongated Bowl
    - 4035 516 Lined Tank


Nominal Dimensions:  
794 x 432 x 765mm  
(31-1/4" x 17" x 30-1/8")

Compliance Certifications -  
Meets or Exceeds the Following Specifications:  
• ASME A112.19.2M (and 19.6M)  
• CAN/CSA B45 series

To Be Specified

☐ Colour: 020 White

☐ Supply with stop:




NOTES:  
THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 305MM (12") FROM FINISHED WALL TO C/L OF OUTLET.  
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.  
\* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.  
FOR ADDITIONAL INFORMATION REFER TO INSTALLATION INSTRUCTIONS SUPPLIED.  
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2  
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

UPGRADED VALUE ADDED FEATURES AT NO EXTRA CHARGE

of  
by

SC(B)514 | ALITO Collection



Wall Mount

The SC(B)514 makes a statement of strength and power with a bold frame and 550 CFM fan. Features mesh or baffle filters, two bright LED lights and a three-speed panel for total control. It is also fitted with a time-delay OFF feature up to nine minutes.

Green Features



3 Speed Push Button Control Panel




Long-Lasting LED Lights



Time-Delay OFF Feature



Grease Cup



| Model    | Colour          | Ducting | Filters | Size | CFM |
|----------|-----------------|---------|---------|------|-----|
| SCB51430 | Stainless Steel | 6"      | Baffle  | 30"  | 550 |
| SCB51436 | Stainless Steel | 6"      | Baffle  | 36"  | 550 |

Cyclone Range Hoods Inc.  
1361 Huntingwood Drive, Unit 16. Toronto, ON. M1S 3J1. Canada.  
Toll Free: 1-888-293-5662 Tel: (416) 293-0933 Fax: (416) 293-4793 Website: [www.CycloneRangeHoods.com](http://www.CycloneRangeHoods.com)



OK  
Key

SC(B)514 | ALITO Collection



Features

- Wall mount range hood
- 6" round duct adapter
- Non-stick aluminum fan blades
- 3 speed push button control
- 2 LED lights (2 x 1.4W, 4000K)
- Quick release aluminum mesh filters
- Standard chimney fits up to 9 ft. ceiling
- Up to 9 minutes time-delay OFF feature
- Plug-in connection



Options

- Filters:  
  
SCB514 - Quick Release Stainless Steel Baffle Filters
- Chimney Flues:  
B2.CH16 - short (7'-8' ceilings)  
B2.CH22 - standard (8'-9' ceilings)  
B2.CH32 - extended (9'-11' ceilings)
- Widths: 30", 36"

Specifications

- |                                                                                                                                                                |                                                                                                                                          |                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Air Flow Volume: 550 CFM</li><li>• Electrical Connection: 120 V/60 Hz</li><li>• Power Consumption: 300 Watts</li></ul> | <ul style="list-style-type: none"><li>• Current: 2.5 Amps</li><li>• Fan Speed: 1599 RPM</li><li>• Fan Type: Centrifugal Blower</li></ul> | <ul style="list-style-type: none"><li>• Finishes: Stainless Steel</li><li>• Ducting: 6" Round</li><li>• Noise Level: Min. 2 Sones<br/>Max. 6 Sones</li></ul> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|



**KitchenAid®**  
FOR THE WAY IT'S MADE.®

**PRODUCT MODEL NUMBERS**

KRMF606E      KRMF706E

**Electrical:** A 115 volt, 60 Hz, AC only, 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.

**Water:** A cold water supply with water pressure between 35 and 120 psi (241 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.


**NOTE:** If the water pressure is less than what is required, the flow of water from the water dispenser could decrease or ice cubes could be hollow or irregular shaped.

**Reverse Osmosis Water Supply:**  
**IMPORTANT:** The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 and 120 psi (241 and 827 kPa).

If a reverse osmosis water filtration system is connected to your cold water supply, the water pressure to the reverse osmosis system needs to be a minimum of 40 to 60 psi (276 to 414 kPa).


**Bottom Mount Refrigerator**

**PRODUCT DIMENSIONS**



| Model Size | Height - Overall "A" | Height - Top of Cabinet "B" | Depth - With Handles "C" | Depth - Without Handles "D" | Depth - Cabinet Only "E" | Width - Cabinet "F" |
|------------|----------------------|-----------------------------|--------------------------|-----------------------------|--------------------------|---------------------|
| 25.8       | 70 1/8" (178.1 cm)   | 68 3/8" (173.7 cm)          | 36 1/4" (92.1 cm)        | 34 1/2" (87.7 cm)           | 29" (73.7 cm)            | 36" (91.4 cm)       |

**LOCATION REQUIREMENTS**




**IMPORTANT:** This refrigerator is designed for indoor, household use only.

To ensure proper ventilation for your refrigerator, allow for a 1/2" (1.25 cm) of space on each side and at the top. Allow for a 1" (2.54 cm) space behind the refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave a 3 3/4" (9.5 cm) minimum space between the refrigerator and wall to allow the door to swing open.

**NOTE:** This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.


PRODUCT DIMENSIONS

KCGS550ESS and KCGS950ESS Models




- |                      |                     |
|----------------------|---------------------|
| A. 21" (53.3 cm)     | E. 3 3/8" (9.2 cm)  |
| B. 30" (76.2 cm)     | F. 4 5/8" (11.6 cm) |
| C. 19 3/8" (49.2 cm) | G. 1 3/8" (3.4 cm)  |
| D. 28 3/8" (72.1 cm) |                     |

KCGS556ESS and KCGS956ESS Models




- |                      |                     |
|----------------------|---------------------|
| A. 21" (53.3 cm)     | E. 3 3/8" (9.2 cm)  |
| B. 36 1/4" (92.0 cm) | F. 4 5/8" (11.6 cm) |
| C. 19 3/8" (49.2 cm) | G. 1 7/8" (3.6 cm)  |
| D. 34 3/8" (88.1 cm) |                     |

All Other 36" (76.2 cm) Models




- |                      |                     |
|----------------------|---------------------|
| A. 21" (53.3 cm)     | E. 3 3/8" (8.6 cm)  |
| B. 30" (76.2 cm)     | F. 4 1/8" (10.5 cm) |
| C. 18 7/8" (48.0 cm) | G. 1 1/2" (3.8 cm)  |
| D. 28 3/8" (72.1 cm) |                     |

All Other 36" (91.4 cm) Models



- |                      |                     |
|----------------------|---------------------|
| A. 21" (53.3 cm)     | E. 3 3/8" (8.6 cm)  |
| B. 36" (91.4 cm)     | F. 4 1/8" (10.5 cm) |
| C. 18 7/8" (48.0 cm) | G. 1 1/2" (3.8 cm)  |
| D. 33 3/4" (85.7 cm) |                     |

CABINET DIMENSIONS (cont.)



| Cutout (Product Opening) Dimensions |                   |                   |                   |                   |                     |               |
|-------------------------------------|-------------------|-------------------|-------------------|-------------------|---------------------|---------------|
| 30" (76.2 cm) Models                |                   |                   |                   |                   |                     |               |
| Models                              | A                 |                   |                   | B                 |                     |               |
|                                     | Min               | Recommended       | Max               | Min               | Recommended         | Max           |
| KCGS550 and KCGS950                 | 28 1/2" (72.4 cm) | 28 7/8" (73.4 cm) | 29 5/8" (74.3 cm) | 19 1/2" (49.5 cm) | 19 13/16" (50.2 cm) | 20" (50.8 cm) |
| All Other 30" (76.2 cm) Models      | 28 1/2" (72.4 cm) | 28 7/8" (73.4 cm) | 29 5/8" (74.3 cm) | 19" (48.3 cm)     | 19 1/2" (49.5 cm)   | 20" (50.8 cm) |
| 36" (91.4 cm) Models                |                   |                   |                   |                   |                     |               |
| KCGS556 and KCGS956                 | 34 7/8" (88.4 cm) | 35 3/8" (89.4 cm) | 35 5/8" (90.3 cm) | 19 1/2" (49.5 cm) | 19 13/16" (50.2 cm) | 20" (50.8 cm) |
| All Other 36" (91.4 cm) Models      | 33 3/8" (86.0 cm) | 34 3/8" (87.0 cm) | 35 1/4" (89.5 cm) | 19" (48.3 cm)     | 19 1/2" (49.5 cm)   | 20" (50.8 cm) |

| Side Walls (Combustible Surfaces)             |                                                                                                                   |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Models                                        | H and I                                                                                                           |
| KCGS5 and KCGS9                               | H and I added together must be at least 48" (122.0 cm), with each side individually being at least 8" (20.3 cm).  |
| KCGS350, KCGS356, MGC9536, WCG97US0, WCG97US6 | H and I added together must be at least 48" (122.0 cm), with each side individually being at least 12" (30.5 cm). |
| All Other Models                              | Both have to be 8" (20.3 cm) or more.                                                                             |

| Back Wall and Countertop Front Dimensions |               |                 |                 |
|-------------------------------------------|---------------|-----------------|-----------------|
| Models                                    | C             | D               | E               |
| KCGS550 and KCGS950                       | 25" (63.5 cm) | 2 7/8" (7.3 cm) | 2 3/4" (6.9 cm) |
| All Other Models                          |               |                 | 3 1/8" (7.9 cm) |

**NOTES:** After making the countertop cutout, some installations may require notching down the base cabinet side walls to clear the cooktop base. To avoid this modification, use a base cabinet with sidewalls wider than the cutout.

If cabinet has a drawer, a 4" (10.2 cm) depth clearance from the countertop to the top of the drawer (or other obstruction) in base cabinet is required. The drawer depth may need to be shortened to avoid interfering with the regulator.

**IMPORTANT:** If a built-in wall oven is to be installed below this cooktop, the grounded outlet and gas supply piping must be located in an adjacent cabinet.

This cooktop and its gas and electrical supply sources must be installed before the undercounter built-in wall oven is installed.

**KitchenAid®** ~~27"~~ (68.6 cm) and 30" (76.2 cm) Electric Built-In Microwave/Oven Combination

PRODUCT MODEL NUMBERS

KEMS309E      KOCE500E      KOCE507E

ELECTRICAL CONNECTION


If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path and the wire gauge are in accordance with local codes. Check with a qualified electrical installer if you are not sure the oven is properly grounded.

This oven must be connected to a grounded metal, permanent wiring system.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. O-M91-latest edition, and all local codes and ordinances.

To properly install your oven, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

- Oven must be connected to the proper electrical voltage and frequency as specified on the model/serial/rating plate. See the following illustration.



A. Model/serial/rating plate

- Models rated from 7.3 to 9.6 kW at 240 volts (5.4 to 7.4 kW at 208 volts) require a separate 40-amp circuit. Models rated at 4.8 kW and below at 240 volts (3.6 kW and below at 208 volts) require a separate 30-amp circuit.
- A circuit breaker is recommended.
- Connect directly to the fused disconnect (or circuit breaker box) through flexible, armored or nonmetallic sheathed, copper cable (with grounding wire). See "Make Electrical Connection" section.
- Flexible conduit from the oven should be connected directly to the junction box.
- Do not cut the conduit. The length of conduit provided is for serviceability of the oven.
- A UL listed or CSA approved conduit connector must be provided.
- If the house has aluminum wiring, follow the procedure below:
  1. Connect a section of solid copper wire to the pigtail leads.
  2. Connect the aluminum wiring to the added section of copper wire using special connectors and/or tools designed and UL listed for joining copper to aluminum.

Follow the electrical connector manufacturer's recommended procedure. Aluminum/copper connection must conform with local codes and industry accepted wiring practices.


For power requirements, refer to the following table.

| Model             | Voltage | Amperage (L1)* | Amperage (L2)* | Rating (W) |
|-------------------|---------|----------------|----------------|------------|
| KOCE507E/KOCE500E | 120/240 | 32             | 30             | 8000       |
| KOCE507E/KOCE500E | 120/208 | 30             | 28             | 6600       |


\*Amperage values noted above are for information purposes only: the units are rated in watts.

Because Whirlpool Corporation includes a continues commitment to improve our products, we reserve the right to change materials and specifications without notice.

PRODUCT DIMENSIONS



Cabinet Dimensions



\* NOTE: The cabinet height can be between 41" (104.1 cm) and 41 1/2" (105.6 cm) for microwave/oven combination.


Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

Ref. W10725683B  
2/10/15

**KitchenAid®**

**24" Dishwasher**  
DETAILED PLANNING DIMENSIONS GUIDE

PRODUCT DIMENSIONS (CONTD.)



|      | DESCRIPTION                          | DIMENSIONS                                  |
|------|--------------------------------------|---------------------------------------------|
| A    | Width of door                        | 23½" (59.7 cm)                              |
| B*   | Height to top of handle              | 30⅞" (78.3 cm)                              |
| C    | Height of adjustable toe kick        | 3⅝" (8.4 cm) - min.<br>4⅞" (11.8 cm) - max. |
| D    | Width of recessed dishwasher         | 22⅝" (57.4 cm)                              |
| E†   | Depth without door                   | 22⅝" ( 57.5 cm)                             |
| F†** | Depth with Towel Bar Handle          | 26⅞" (68.3 cm)                              |
|      | Depth with Pocket Handle             | 24½" (62.6 cm)                              |
|      | Depth of Panel-Ready Models          | 24" (61.0 cm)                               |
| G*   | Height to bottom of door (min.)      | 3⅝" (8.4 cm)                                |
| H*   | Height to top of door (min.)         | 33⅞" (84.9 cm)                              |
| I†*  | Height of recessed dishwasher (min.) | 33⅝" (85.4 cm)                              |
| J†   | Depth with door fully open (min.)    | 50⅞" (127.4 cm)                             |
| K†   | Depth with toe kick (min.)           | 20⅞" (52.9 cm)                              |

†Insulation blanket thickness adds up to 11/16" (1.8 cm) but can crush up to 1/8" (0.3 cm).  
\*Dishwasher can be raised 1⅞" (3.7 cm) with feet fully extended.  
\*\*For panel-ready models, dishwasher depth is 24" (61.0 cm), not including the 3/4" (1.9 cm) custom door panel.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.


WF45B6300AP

SAMSUNG

Samsung Smart Front Load Washer with Super Speed  
5.2 cu. ft. Capacity

Dimensions

Required Dimensions for Installation with Pedestal:




Installation Specifications


If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72 in² (see stacked build below). Your washer alone does not require a specific air opening.  
\* Required spacing (External exhaust elbow may require additional space.)

1. Alcove or closet installation X

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:



2. With stacked washer and dryer ✓



5.2 cu. ft. Capacity

12 Preset Washing Cycles:

Normal, Heavy Duty, Bedding, Quick Wash, Delicates, Towels, Eco Cold, Rinse/Spin, Self Clean+, Steam Sanitize, Steam Normal, Steam White, Downloaded

11 Downloadable Cycles:

Permanent Press, ActiveWare, Wool, Eco Cold, Colours, Outdoor, Denim, Steam Allergen, Power Steam, Steam Bulky, Power Rinse

9 Additional Washing Options:

Presoak, Steam, Delay End, Smart Control, Super Speed, Alarm Off, Child Lock, Smart Care, Spin Only

5 Temperature Levels:

Hot, Warmer, Warm, Cool, Cold

5 Spin Speeds:

High, Medium High, Medium, Low, No Spin

5 Soil Levels:

Heavy, Medium Heavy, Normal, Medium Low, Light

Dispenser Trays:

Main Wash, Softener, Bleach

Warranty

One (1) Year Parts and Labour  
Ten (10) Years Direct Drive Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 3/4" x 31 3/8"  
Weight: 201 lbs. (91.2 kg)

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 42 3/8" x 34 1/8"  
Weight: 205 lbs. (93 kg)

|                         |              |              |
|-------------------------|--------------|--------------|
| Electric Washer         | Model #      | UPC          |
| Platinum                | WF45B6300AP  | 887276627410 |
| Champagne               | WF45B6300AC  | 887276627403 |
| Matching Electric Dryer | Model #      | UPC          |
| Platinum                | DVE45B6305P  | 887276652153 |
| Champagne               | DVE45B6305AC | 887276652146 |
| Gas Dryer               | Model #      | UPC          |
| Platinum                | DVG45B6305P  | 887276652146 |
| Matching Pedestal       | Model #      | UPC          |
| Platinum                | WE402NP      | 887276310145 |
| Champagne               | WE402NC      | 887276310121 |
| Accessories             |              |              |
| Stacking Kit            | SKK-8K       | 887276344034 |