



SITE
APPLICABLE CANADA
Country Lane
Sales Selection S

Sales Selection She

PURCHASERS: SARFARAJ, RAHIMBHAI HOTELWALA and SABINABANU, SARFARAJ HOTELWALA

TEL:

LOT / UNIT 694-1	PHASE 6	MODEL 20-2505 CRN B WORTHINGTON
----------------------------	-------------------	---

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

APPLIANCES

1	- SEE NEW SPECS FOR UPGRADED LG APPLIANCES, FRIDGE, GAS STOVE, DISHWASHER, WASHER & DRYER. GAS ROUGH-IN FOR STOVE AS PER ORIGINAL SSS. NO CHANGES TO CABINETRY REQUIRED.	Qty: 1
126,367	Note:	

Sub Total	
HST	
Total	

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Payment Summary	
<u>Paid By</u>	<u>Amount</u>
Total Payment: _____	

PURCHASER:

Signatures on 29-May-23
SARFARAJ, RAHIMBHAI HOTELWALA **DATE**

DATE
29-May-23

PURCHASER:

file by email

SABINABANU, SARFARAJ HOTELWALA

29-May-23

DATE

29-May-23
DATE

Date Approved **Heathwood Homes (Whitby) Limited**

TAX#:1

PREPARED BY: Marilyn Rosen

PE 1.480-1

\$Invoice.rpt 28may19

Project: Country Lane
Unit: 694-1, Phase: 6
Model: 20-2505 CRN B WORTHINGTON

LG REFRIGERATION

LRFXC2606S

26 cu. ft. Counter Depth MAX Refrigerator

Industry's Largest 26 cu. ft. Counter Depth Capacity

Dual Ice maker – Cubed and Crush

Cool Guard™

Door Cooling+

Flat Door Design with Handle

Smart Inverter

KEY FEATURES

AVAILABLE COLORS



PRINTPROOF™ STAINLESS STEEL




Proactive Smart Alerts to Keep Your Appliances Running Smoothly

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.

ThinQ Care

PRODUCT FEATURES

CAPACITY		REFRIGERATOR	
Refrigerator (cu. ft.)	16.9 cu. ft.	No. of Shelves	
Freezer (cu. ft.)	8.6 cu. ft.	Shelf Construction	
Total Capacity (cu. ft.)	25.5 cu. ft.	Shelf Trim	
ENERGY		No. of Crisper Bins	
ENERGY STAR® Qualified	Yes	Pantry (Glide N Serve)	
Energy Consumption (kWh/Year)	699	CoolGuard™	
WATER & ICE SYSTEM		Fresh Air Filter	
Ice & Water Dispenser	Yes	Light	
In-door Ice maker	Yes (1)	REFRIGERATOR DOOR	
In-door Ice maker Ice Type	Cubed / Crushed	No. of Bins	
In-door Ice maker Daily Production	3.0 / 3.3 (IcePlus) lbs.	Door Shape	
In-door Ice maker Storage Capacity	3.0 lbs.	Handle Type	
No. Freezer Ice maker	Yes (1)	FREEZER	
Freezer Ice maker Ice Type	Cubed	Door Type	
Freezer Ice maker Daily Production	2.5 / 2.7 (IcePlus) lbs.	Handle Type	
Freezer Ice maker Storage Capacity	4.0 lbs.	Drawers / Shelves	
Ice Plus	Yes	Freezer Light	Upper Lower
Filteration System	1 stage	SMART TECHNOLOGY	
Filter	LT1000P	Smart Diagnosis	
COOLING		Wi-Fi	
Compressor Type	Smart Inverter	ThinQ®	
Evaporator	Yes (1)	ThinQ® Care	
Multi Air Flow Cooling	Yes	MATERIALS AND FINISHES	
Temperature Sensors	2	Hidden Hinges	
CONVENIENCE		Surface	
Refrigerant	Low GWP, Zero ODP and More Energy Efficient Refrigerant (R600a / 57g / 2.01oz)	Handles	
Display Type		All Available Colors	
Temperature Controls	Smooth Touch Control / White LED	Insulation	
Door Alarm	Electronic/Digital		
Child Lock	Yes		
Auto Closing Door Hinge	Yes		
Decibel™ Quiet Operation	Yes		
Sabbath Mode	Yes		
ADA Compliant	Yes		



DIMENSIONS/CLEARANCES/WEIGHTS		
Product (W x H x D)	35 3/4" x 70 1/4" x 31 5/8"	
Width	35 3/4"	
Height (to Top of Hinge)	70 1/4"	
Depth (with Handles)	31 5/8"	
Width (Door Open 90° without Handle)	40"	
Width (Door Open 90° with Handle)	44 7/8"	
Width (Door Fully Open without Handle)	56 3/4"	
Height (to Top of Case)	68 7/8"	
Depth without Door	24 3/4"	
Depth (to Hinge Cover)	29 1/8"	
Depth (Total with Door Open)	16 1/4"	
Depth (Draw Open Fully without Handle)	43 5/8"	
Installation Clearance	48 7/8"	
Carton Dimensions (WxHxD)	Sides 1/8", Top 1", Back 2"	
Weight (Unit/Carton)	38" x 72" x 31"	
LIMITED WARRANTY	291 lbs. / 313 lbs.	
Parts & Labor	1 Year	
Sealed System (Parts & Labor)	5 Years	
Compressor (Parts & Labor)	5 Years	
Linear Compressor (Parts & Labor)	6 - 10 Years	
UPC CODES		
LRFXC2606S (PrintProof™ Stainless Steel)	1951 74057339	

Smooth
Matching Commercial Handles
PrintProof™ Stainless Steel
Low GWP and Zero ODP
Blowing Agent

© 2023 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 1/30/23

Project: Country Lane
Unit: 694-1, Phase: 6
Model: 20-2505 CRN B WORTHINGTON

LSGL6335

6.3 cu ft. Smart Wi-Fi Enabled ProBake Convection® InstaView™ Gas Slide-in Range with Air Fry

6.3 cu ft. Capacity

Built-In Air Fry with ProBake Convection®

EasyClean® + Self Clean

20K BTU on Edge-to-edge cooktop

ThinQ® app with Proactive Customer Care

KEY FEATURES

AVAILABLE COLORS



Enjoy new ways to control your home with LG smart appliances

- Install Setup Quick Check
- Preventative Alerts & Guidance
- Performance & Usage Reports

LG ThinQ®



SMART APPLIANCE


PRODUCT FEATURES

SUMMARY		OVEN		SMART FEATURES	
Cooktop Type	Sealed	Oven Type	Single Oven	Wi-Fi Connect	Yes
Number of Cooktop Burners	5	Oven Cooking System	ProBake Convection®	Proactive Customer Care	Yes
Oven Type	Single Oven	Convection Conversion	Yes	Smart Diagnosis™	Yes
Oven Cooking System	ProBake Convection®	Adjust			LG ThinQ®
Oven Capacity (cu. ft.)	6.3	Oven Cleaning Type	EasyClean® + Self Clean		Amazon Alexa
Oven Cleaning Type	EasyClean® + Self Clean	Self-Clean Oven Door Lock	Automatic		Google Assistant
Drawer Type	Storage	Oven Capacity (cu. ft.)	6.3		SIDECHIEF
Size in Width (in.)	30	Broiler Element Power	13,500 BTU		Innit (™)
APPEARANCE		Bake Element Power	19,000 BTU		Nestle (™)
Color	PrintProof™ Stainless Steel, PrintProof™ Black Stainless Steel	Number of Rack Positions	7	INCLUDED ACCESSORIES	Kraft-Heinz(™)
Control Type	PrintProof™ Black Stainless Steel	Number of Oven Racks	2	Air Fry Tray	Yes
Knobs	SmoothTouch™ Glass	Oven Rack Type	1 Offset, 1 Heavy Duty	Cast Iron Griddle	Yes
Oven Door Feature	Stainless Steel Appearance, Weighted	Drawer Type	Storage	POWER/RATINGS	
Cooktop Finish	InstaView® WideView™ Window Porcelain Enamel	Oven Modes	Bake, Conv. Bake, Conv. Roast, Broil High, Broil Low, Warm, Proof, Frozen Meal, Air Fry, Slow Cook, EasyClean, SelfClean	Volts/Hertz/Amps	120V/60Hz/4.2A
COOKTOP		Oven Light Type	Halogen	DIMENSIONS & WEIGHT	
Cooktop Type	Sealed	CONTROL FEATURES		Cabinet Width (in.)	30
EasyClean Cooktop	Yes (PrintProof™ Stainless Steel)	Kitchen Timer	Yes	Overall Depth (in.) - Including handle	29 9/32 (743.9mm)
Number of Cooktop Burners	5	Timed Cook	Yes	Overall Height (in.)	37 1/8 (943.0mm)
Element/Burner - Left Front	18,000 BTU	Oven Control Lock	Yes (Key)	Overall Width (in.)	30 (761.8mm)
Element/Burner - Right Front	9,100 BTU	Sabbath Mode	Yes	Product Weight (lb)	157.7
Element/Burner - Left Rear	20,000 BTU UltraHeat™			Shipping Weight (lb)	200.3
Element/Burner - Right Rear	5,000 BTU			Shipping Dimensions (W x H x D) (in.)	32 1/2" x 44" x 30 1/2"
Element/Burner - Center	10,000 BTU Oval			UPC CODES	
Cooktop Burner Grate Features	Edge-to-edge continuous grates			LSGL6335F (PrintProof™ Stainless Steel)	048231341882
Cooktop Burner Grate Material	Cast Iron			LSGL6335D (PrintProof™ Black Stainless Steel)	048231341899

*These partners may not yet be available at the time of purchase of this product, please continue to check for app updates

© 2021 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 2/25/21

Project: Country Lane
Unit: 694-1, Phase: 6
Model: 20-2505 CRN B WORTHINGTON



LDPS6762

Top Control Wi-Fi Enabled Dishwasher
with QuadWash™ Pro

QuadWash® Pro

Dynamic Dry® Enhanced with TrueSteam®

Remote Start

Height Adjustable 3rd Rack

EasyRack® Plus

ThinQ® Technology with ThinQ Care

AVAILABLE COLORS



PRINTPROOF™ STAINLESS STEEL



PRINTPROOF™ BLACK STAINLESS STEEL

SMART APPLIANCE


ThinQ Care

Proactive Smart Alerts to Keep Your Appliances Running Smoothly

- Preventative Alerts help you stay a step ahead of potential issues to find proactive solutions before problems arise.
- Avoid preventable repairs and service calls with real-time diagnostics for a hassle-free experience.
- Integrated within LG's ThinQ app—a smart home hub for managing your smart devices and appliances.

PRODUCT FEATURES

CAPACITY	Total Place Settings	15
	Upper Rack Dish Height Limit	7.1"
	Lower Rack Dish Height Limit	12.5"
	RACKS AND BASKETS	
	Cutlery Baskets	Yes
	Cup Rack	Yes
	Stemware Holder	Yes
	Fold Down Tines	Yes (Half Fold on Upper & Half (Smart), Half (Normal) on Lower)
	BPA-Free Nylon Coated Racks and Tines	Yes
	Rack Handle	Yes
PRODUCT FEATURES	EasyRack™ Plus System	Yes (Upper & Lower)
	Height Adjustable 3rd Rack	Yes
	STYLE AND DESIGN	
	Control Panel Location	Yes (Easy One Touch (3 Level))
	Electronic Controls	Top Control
	Time Remaining Indicator	Fully Integrated Control Panel
	Tub Material	LED
	Handle	NeverRust™ Stainless Steel
		Pocket Handle
		PrintProof™ Stainless Steel, PrintProof™ Black Stainless Steel
FEATURES	All Available Colors	Yes
	Fingerprint Resistant	Yes
	TrueSteam®	
	QuadWash® Pro	Yes
	SenseClean™ Wash System	Yes
	Vario Wash	Yes
	Number of Spray Arms	3 (Top, Upper, Lower)
	Detergent and Rinse-Aid Dispenser	Yes
	Number of Wash Cycles	10 (Auto, Heavy, Delicate, Refresh, Normal, Turbo, Download Cycle, Machine Clean, Rinse, Express)
	Number of Options	8 (Flex Zone, Steam, High Temp, Extra Dry, Delay Start, Control Lock, Night Dry, Remote Start)
OTHER FEATURES	Drying System	Dynamic Dry
	End of Cycle Indicator	Yes (Beeper + END indication on display)
	Hidden Water Heater	Yes
	Safety Float Switch (Leaks)	Yes
	Soil (Turbidity) Sensor	Yes
	DirectDrive Motor™	Yes
	LoDecibel™ Quiet Operation	44 dBA
	Tub Installation	Yes (Damping Sheet, Sound Absorbing Material (felt), Base)



KEY FEATURES


BPA-Free Nylon Coated Racks and Tines		Yes
Anti-Bacterial Treatment (Drain hose)		Yes
Balanced Door		Yes
ThinQ® SMART FEATURES		
Wi-Fi Enabled		Yes
ThinQ Care		Yes
SmartDiagnosis™		Yes
POWER RATINGS		
ENERGY STAR® Qualified		Yes
CEE Tier		1
Energy Use (kWh/Year)		238 kWh/Year
Water Factor (WF)		2.9
DIMENSIONS / CLEARANCES / WEIGHT		
Product Dimensions (in) (W x H x D)		23 3/4" x 33 5/8" x 24 5/8"
Min Height (Unit Dimensions)		33 5/8"
Product Weight (lbs)		36"
Depth with Door Closed with Handle (in)		87.3
Depth with Door Open (in)		24 5/8"
Water Connection (in)		49 1/4"
Drain Hose End Size (in)		90° 3/8" Compression Installed at Factory
Carton Dimensions (in) (W x H x D)		5/8" or 3/4" or 1"
Shipping Weight with Carton (lbs)		28 1/32" x 34 7/8" x 25 5/8"
LIMITED WARRANTY		99.43
Labor		1 Year
Parts		1 Year
Control Board and Rack Parts		5 Years
Direct Drive Motor		10 Years
Stainless Steel Door Liner or Tub		Lifetime
UPC CODES		
LDP56762S (PrintProof™ Stainless Steel)		48231342667
LDP56762D (PrintProof™ Black Stainless Steel)		48231344197

© 2022 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 10/5/22

Project: Country Lane
Unit: 694-1, Phase: 6
Model: 20-2505 CRN B WORTHINGTON

WF53BB8700 AV05

Bespoke 5.3 cu. ft. Ultra Capacity Front Load Washer
with Super Speed Wash and AI Smart Dial



Available Colors



Features

- Bespoke Design
- 5.3 cu. ft. Ultra Capacity
- Super Speed Wash
- AI Smart Dial
- MultiControl™
- ENERGY STAR® Most Efficient
- Shallow Closet-Depth Fit¹
- Flexible Installation
- Wi-Fi Connectivity²
- Steam
- Antimicrobial Technology⁴
- Self Clean⁺
- Premium Tempered Glass Door
- Vibration Reduction Technology⁺
- Swirl⁺ Drum Interior
- Internal Drum Light
- ADA Compliant⁴
- 1200 RPM Maximum Spin Speed
- Direct Drive Motor
- 24 Total Washing Cycles
- 14 Options

Convenience

- Child Lock
- Dispenser Trays: Main Wash, Softener, Bleach

Ratings



CEE Tier 3
IMEF = 3.1
IWF = 2.9
103 kWh/yr

Electrical Requirements

120 V / 60 Hz
15 Amps

Specifications

24 Total Washing Cycles:

Normal, Heavy Duty, Bedding, Permanent Press, Delicates, Activewear, Wool, Towels, Eco Cold, Rinse + Spin, Self Clean⁺, Small Load, Colors, Spin Only, Outdoor, Denim, Super Speed, Steam Sanitize, Steam Allergen, Steam Normal, Power Steam, Steam Whites, Steam Bulky, Power Rinse

14 Additional Washing Options:

Presoak, Extra Rinse, My Cycles, Delay End, Smart Control, Super Speed, Drum Light, Child Lock, AI Pattern, Alarm, Calibration, Wi-Fi, Language, Factory Reset

5 Temperature Settings:

Extra Hot, Hot, Warm, Cold, Tap Cold

7 Spin Settings:

Extra High, High, Medium, Low, Extra Low, No Spin, No Drain

5 Soil Settings:

Extra Heavy, Heavy, Normal, Light, Extra Light

Warranty

One (1) Year Parts and Labor
Three (3) Years Stainless Steel Drum (Part Only)
Ten (10) Years DD Motor (Part Only)

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 3/4" x 34 1/2"
Weight: 224.9 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 42 15/16" x 36 1/4"
Weight: 231.5 lbs

Washer	Model #	UPC Code
Silver Steel	WF53BB8700AT	887276652238
Brushed Black	WF53BB8700AV	887276652245
Matching Electric Dryer		
Silver Steel	DVE53BB8700T	887276657233
Brushed Black	DVE53BB8700V	887276657240
Matching Gas Dryer		
Silver Steel	DVG53BB8700T	887276657295
Brushed Black	DVG53BB8700V	887276657301

Optional Accessories	Model #	UPC Code
Silver Steel Pedestal	WE502NT	887276665283
Brushed Black Pedestal	WE502NV	887276665290
Brushed Black Riser	WE272NV	887276197630
Silver Steel Bespoke Stacking and MultiControl™ Combo Kit	SKK-9MCT	887276667379
Brushed Black Bespoke Stacking and MultiControl™ Combo Kit	SKK-9MCV	887276667386

¹Designed to fit a 38" installation depth.

²Requires wireless network, Samsung account and Samsung SmartThings App. The Samsung SmartThings App supports Android OS 4.0 (ICS) or later which is optimized for Samsung smartphones (Galaxy S and Galaxy Note series). This app also supports iOS 7 or later for iPhone models. Samsung SmartThings App available in App Store and Play Store.

³Antimicrobial treatment does not protect users or other items against bacteria, viruses, germs, or other disease organisms.

⁴ADA Compliant when using 27" w/d riser. (Riser model codes: WE272NV, WE272NW, WE272NC)

Project: Country Lane

Unit: 694-1, Phase: 6


Model: 20-2505 CRN B WORTHINGTON

WF53BB8700

Bespoke 5.3 cu. ft. Ultra Capacity Front Load Washer
with Super Speed Wash and AI Smart Dial

Dimensions

Required dimensions for
installation with pedestal:




Installation Specifications – Side-by-Side

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch². Your washer alone does not require a specific air opening.


Alcove or closet installation

Minimum clearance for
closet and alcove installations:



Connection Dimensions

Back view of washer



LEGEND:

- Cold Water Connection
- Hot Water Connection


Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2022 Samsung Electronics America, Inc.
95 Challenger Road, Ridgefield Park, NJ 07660
Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

Project: Country Lane
Unit: 694-1, Phase: 6
Model: 20-2505 CRN B WORTHINGTON


Installation Specifications – Stacked Pair

Clearances indicated are for stacked pairs. The closet front must have two unobstructed air openings for a combined minimum total area of 72-inch².



Connection Dimensions

Back and side views of stacked pair



LEGEND:

- Cold Water Connection
- Hot Water Connection
- Gas Connection

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2022 Samsung Electronics America, Inc.
85 Challenger Road, Rutherford Park, NJ 07060
Tel. 800-SAMSUNG, samsung.com. Samsung is a
registered trademark of Samsung Electronics Co., Ltd.


Project: Country Lane

Unit: 694-1, Phase: 6

Model: 20-2505 CRN B WORTHINGTON

DVE53BB8700 VAC

Bespoke 7.6 cu. ft. Ultra Capacity Electric Dryer
with Super Speed Dry and AI Smart Dial



Features

- Bespoke Design
- Super Speed Dry
- AI Smart Dial
- MultiControl™
- Steam Sanitize+
- ENERGY STAR® Certified
- Shallow Closet-Depth Fit¹
- Flexible Installation
- Wi-Fi Connectivity²
- Sensor Dry
- 7.6 cu. ft. Ultra Capacity
- Vent Sensor
- Lint Filter Indicator
- Stainless Steel Drum
- Premium Tempered Glass Door
- Internal Drum Light
- Drying Rack
- Reversible Dryer Door
- ADA Compliant³
- 19 Total Drying Cycles
- 14 Options
- 5 Temperature Settings
- 4-Way Venting

Convenience

- Child Lock
- Filter Check Indicator

Ratings

ENERGY STAR® Rated:
608 kWh/yr

Electrical Requirements

240 V / 60 Hz
30 Amps

¹Designed to fit a 38" installation depth.

²Requires wireless network, Samsung account and Samsung SmartThings App. The Samsung SmartThings App supports Android OS 4.0 (ICS) or later which is optimized for Samsung smartphones (Galaxy S and Galaxy Note series). This app also supports iOS 7 or later for iPhone models. Samsung SmartThings App available in App Store and Play Store.

³ADA Compliant when using 27" wide riser. (Riser model codes: WE272NV, WE272NW, WE272NC)

Available Colors



Specifications

19 Preset Drying Cycles:

Steam Refresh, Wrinkle Away, Steam Sanitize+, Super Speed, Eco Normal, Normal, Heavy Duty, Towels, Permanent Press, Activewear, Bedding, Delicates, Wool, Shirts, Denim, Time Dry, Air Fluff, Small Load, Rack Dry

14 Options:

Damp Alert, Wrinkle Prevent, AntiStatic, My Cycles, Smart Control, Eco Dry, Drum Light, Child Lock, Alarm, AI Pattern, Wi-Fi, Language, Vent Blockage Test, Factory Reset

5 Temperature Settings:

High, Medium, Medium Low, Low, Extra Low

5 Dry Levels:

Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry

Warranty

One (1) Year Parts and Labor

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38³/₁₆" x 31⁷/₁₆"
Weight: 125.7 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29³/₈" x 42¹⁵/₁₆" x 34¹/₁₆"
Weight: 132.3 lbs


Electric Dryer	Model #	UPC Code
Silver Steel	DVE53BB8700T	887276657233
Brushed Black	DVE53BB8700V	887276657240
Gas Dryer		
Silver Steel	DVG53BB8700T	887276657295
Brushed Black	DVG53BB8700V	887276657301
Matching Washer		
Silver Steel	WF53BB8700AT	887276652238
Brushed Black	WF53BB8700AV	887276652245

Optional Accessories	Model #	UPC Code
Silver Steel Pedestal	WE502NT	887276665283
Brushed Black Pedestal	WE502NV	887276665290
Brushed Black Riser	WE272NV	887276197630
Silver Steel Bespoke Stacking and MultiControl™ Combo Kit	SKK-9MCT	887276667379
Brushed Black Bespoke Stacking and MultiControl™ Combo Kit	SKK-9MCV	887276667386
Vent Kit	DV-2A	887276146416

Project: Country Lane
Unit: 694-1, Phase: 6
Model: 20-2505 CRN B WORTHINGTON

DVE53BB8700

Bespoke 7.6 cu. ft. Ultra Capacity Electric Dryer
with SuperSpeed Dry and AI Smart Dial




Dimensions
Required dimensions for
installation with pedestal:

Installation Specifications – Side-by-Side

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72-inch². Your washer alone does not require a specific air opening.


Alcove or closet installation

Minimum clearance for
closet and alcove installations:



Connection Dimensions

Back and side view of dryer



LEGEND:

- Cold Water Connection


Actual color may vary. Design, specifications,
and color availability are subject to change without
notice. Non-metric weights and measurements are
approximate.

©2022 Samsung Electronics America, Inc.
95 Challenger Road, Ridgefield Park, NJ 07669.
Tel: 800-345-4545. Samsung.com. Samsung is a
registered trademark of Samsung Electronics Co., Ltd.

Project: Country Lane
Unit: 694-1, Phase: 6
Model: 20-2505 CRN B WORTHINGTON


Installation Specifications – Stacked Pair

Clearances indicated are for stacked pairs. The closet front must have two unobstructed air openings for a combined minimum total area of 72-inch².



Connection Dimensions

Back and side views of stacked pair



LEGEND:

- Cold Water Connection
● Hot Water Connection

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2022 Samsung Electronics America, Inc.
85 Challenger Road, Ridgefield Park, NJ 07660
Tel: 800-SAMSUNG.samsung.com. Samsung is a
registered trademark of Samsung Electronics Co., Ltd.