# **HIGHCASTLE HOMES - COLOUR SCHEDULE**

COLURCHART \*
ALG 15, 2016

Hardware

Purchaser:

SEYED MOHSEN HOSSEINI MILANI

Cabinet

Telephone Res. / Bus: Decor Advisor:

KITCHEN AND VANITIES

(905) 764-1968 /

Caroline Rajcsanyi

Property: Block 36Phase: 2 of Plan - Draft Plan 21T-9005B

Project: 2073737 Ontario Inc.

Model and Elevation: Milgrove Elev A

Counter

NA N	Chatana And	VAINT.	Lug Manchael	cabillet		Coorretono	Calacatt	a Nuvo *(POP)	0677 Handle	
Log - Seroso - Outside White Seroso - Outside Seroso - Ou	Kitchen			er Maple - Espresso CL			- Calacall	a Nuvo (FOR)	9677 Handle	
Insulie 2			*******	Ontario White			Di Pesco	4954K-22		
Insule 34 LV - Sibb PVC - Blow Super LV2 - Manchester Mapre - Scepation CL				AND THE RESERVE OF THE PARTY OF		HE SECTIONS OF THE SECTION OF THE SEC	The second second second			
Luci - Manchester Mepie - Soppetore CL Algerica Romano 6987-46 9077 Handle  Agentin Romano 6987-46 9077 Handle  Bactonin Luci 719			and the second s	The second secon		and the same of th		TO THE COMMENT OF THE PARTY OF		
ppt. Breaxfast Bar NA Kitchen Hood Fan Kitchen Upper Height  Sione opening—if not specified will be set to builders minimum opening of approximately 33 x y7 height (lownhouses)  - if not specified will be set to builders minimum opening of approximately 33 x y7 height (lownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of approximately 35 x 71 height (flownhouses)  - if not specified will be set to builders minimum opening of appro				The state of the s	-	The second of th	Company and the second	The state of the s	The second secon	
Stove opening – if not specified will be set to builders standard opening of approximately 30 in width rings opening – if not specified will be set to builders minimum opening of approximately 33 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders and specified will be set to builders minimum opening of approxima	aundry		Lvz - Manchest	er Maple - Soapstone GL		Argento Non	10 003	1-40	3077 Handie	
Stove opening – if not specified will be set to builders standard opening of approximately 30 in width rings opening – if not specified will be set to builders minimum opening of approximately 33 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders and specified will be set to builders minimum opening of approxima			1	The Part of the Pa		- 1	77.7			
Stove opaning – if not specified will be set to builders standard opening of approximately 30 in width ridge Opening – if not specified will be set to builders minimum opening of approximately 33 of 1 height (downhouses) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (downhouses) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (downhouses) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (downhouses) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (dingles) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (dingles) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (dingles) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (dingles) — frort specified will be set to builders minimum opening of approximately 35 x 71 height (dingles) — frort specified will be set to builders a frort				m						
Stove opening – if not specified will be set to builders standard opening of approximately 30 in width rings opening – if not specified will be set to builders minimum opening of approximately 33 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders and specified will be set to builders minimum opening of approxima				The State of the S	-					
Stove opening – if not specified will be set to builders standard opening of approximately 30 in width rings opening – if not specified will be set to builders minimum opening of approximately 33 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders and specified will be set to builders minimum opening of approxima			100	=		1	400			
Stove opening – if not specified will be set to builders standard opening of approximately 30 in width rings opening – if not specified will be set to builders minimum opening of approximately 33 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — fror specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders minimum opening of approximately 3 x 71 height (downhouses) — from specified will be set to builders and specified will be set to builders minimum opening of approxima						- Kitchen III.	4 5			
Supre opening — If not specified will be set to builders standard opening of approximately 30 in width  Friege Opening – If not specified will be set to builders minimum opening of approximately 33 x 71 height (singles)  - If not specified will be set to builders minimum opening of approximately 35 x 71 height (singles)  - If not specified will be set to builders minimum opening of approximately 35 x 71 height (singles)  - Dutter top Edge  - Chick then  - Dutter top Edge - Chick then  - Dutter top Edge - Chick then  - Dutter top Edge - Chick then  - NA  - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - Supremental Expert 3 18* x 34* - Graphile - NA  - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supremental Expert 3 18* x 34* - Graphile - Supreme	Opt. Breakfast Bar		NA			-		A STATE OF THE PARTY OF THE PAR	tor over-range microwave	D. 1070
Finder Opening - If not specified will be set to builders minimum opening of approximately 33 x71 height (complexe)  - If not specified will be set to builders minimum opening of approximately 35 x 74 height (singles)  Duriter top Edge  Under top Edge  Under I HARDWOOD OR BROADLOOM  Richen / Breakfast  I NA  Richen / Breakfast  Richen /						Kitchen Upp	er Heigh	100 cm		
Double Edge (1 1/2') Double Bevelled  ARQUET / HARDWOOD OR BROADLOOM  Itchen / Breakfast  N/A  AND  AND  AND  AND  AND  AND  AND	Fridge Opening - if	not spec	ified will be set to b	uilders minimum opening o	of approxin	nately 33 x71 heig				
Double Edge (1 1/2') Double Bevelled  ARQUET / HARDWOOD OR BROADLOOM  Itchen / Breakfast  N/A  AND  AND  AND  AND  AND  AND  AND										
ARQUET / HARDWOOD OR BROADLOOM  Inchen / Breakfast N/A Inchen / Bedroom 1 Inchen / Bedro	ounter top Edge									
ARQUET / HARDWOOD OR BROADLOOM  Itichen / Breakfast N/A Frest Room N/A Wilding / Formal Room Oak Stirp Lauzon Essential Expert 3 1/8' x 3/4'-Graphite Bedroom 2 Lv3-True ambition Lv3-719-Linen White Lv3-True ambition Lv3-71	itchen		Double Edge (1	1/2") Double Bevelled		1				
ARQUET / HARDWOOD OR BROADLOOM  Itichen / Breakfast N/A Frest Room N/A Wilding / Formal Room Oak Stirp Lauzon Essential Expert 3 1/8' x 3/4'-Graphite Bedroom 2 Lv3-True ambition Lv3-719-Linen White Lv3-True ambition Lv3-71										
ARQUET / HARDWOOD OR BROADLOOM  Itichen / Breakfast N/A Frest Room N/A Wilding / Formal Room Oak Stirp Lauzon Essential Expert 3 1/8' x 3/4'-Graphite Bedroom 2 Lv3-True ambition Lv3-719-Linen White Lv3-True ambition Lv3-71			-							
ARQUET / HARDWOOD OR BROADLOOM  Itichen / Breakfast N/A Frest Room N/A Wilding / Formal Room Oak Stirp Lauzon Essential Expert 3 1/8' x 3/4'-Graphite Bedroom 2 Lv3-True ambition Lv3-719-Linen White Lv3-True ambition Lv3-71						1			The second second	
ARQUET / HARDWOOD OR BROADLOOM  Itichen / Breakfast N/A Frest Room N/A Wilding / Formal Room Oak Stirp Lauzon Essential Expert 3 1/8' x 3/4'-Graphite Bedroom 2 Lv3-True ambition Lv3-719-Linen White Lv3-True ambition Lv3-71										
Incher / Breakfast   N/A   Master Bedroom   N/A   Master Bedroom   Lv3-True ambition Lv3- 719-Linen White   Lv3-True ambition Lv3-719-Linen White   Lv3-True ambiti										
Itchen / Breakfast reat Room N/A	xtras									
Itchen / Breakfast reat Room N/A										
Itchen / Breakfast reat Room N/A N/A N/A N/B										
Itchen / Brakfast N/A									1440	
Itichen / Breakfast N/A N/A reak Room N/A										
Part	ARQUET / HA	ARDW	OOD OR BRO	ADLOOM						
Vois Strip Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Tok Strip Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauding  Main Statin Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauding  Main Statin Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauding  Main Strip Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Statin Lauding  Main Strip Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Hall  Main Strip Lauzon Essential Expert 3 1/8* x 3/4* Graphite  Main Hall  Main Bathroom  Ma  Master Ens  Main Bathroom  Ma  Master Ensulte 3/4  Ma  Master Ensulte 3/4  Main Bathroom  Ma  Master Ensulte 3/4  Main	itchen / Breakfast		N/A			Master Bedro	om 1	Lv3-True ambition Lv	v3- 719-Linen White	
ining Room	reat Room		N/A			Bedroom 2	ì	Lv3-True ambition Lv	v3- 719-Linen White	
ining Room	ving / Formal Roon	n	*Oak Strip Lauzon Es	sential Expert 3 1/8" x 3/4"-G	raphite	Bedroom 3	į	Lv3-True ambition Lv	v3- 719-Linen White	
amily Room   Coak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Graphite   India In Hall   N/A	3 (0)7 (0)					Bedroom 4	į	Lv3-True ambition L	v3- 719-Linen White	
ain Hall Oak		- 1					Ì	7.1.1.1		
lain Stairs			and the same of th			=1	1			
pper Hall On. Centre/Home Office Inian Stair Lauding Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Graphite Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Graphit			Na Article Control of the Control of				i			
om. Centrel/Home Office				sential Event 2 1/0" v 2/4" C	ranhita		1			-22 - 1- 50
The Stair Landing by the Strip Lauzon Essential Expert 3 1/8" x 3/4"-Graphite Coak Strip Coak St	0.00		water to the state of the state	ssential Expert 3 1/8 x 3/4 -0	rapnite	= -	1			
**Decorption   Study   **Oak Strip Lauzon Essential Expert 3 1/6" x 3/4"-Graphite   Basement Stairs   NA    **Carpet Runner   Yes   No   NA    **Underpad Main Floor   Underpad 2nd Floor   Underpad Main Stairs   NA   Lava Underpad Grey Goose (synthetic rubber)   NA    **Decorption   NA   NA    **Decorption   NA   NA    **PLOOR AND WALL TILES   Floor Tile   Wall Tile    **FLOOR AND WALL TILES   Floor Tile   Wall Tile    **Provided Room   Floor			Total Commence of the Commence			252 - CONTROL (C. 1984)				* Canabita
Target Runner  Yes No  Underpad Main Floor  Underpad Main Floor  NA  Lv3 Underpad 2nd Floor  NA  Lv3 Underpad 2nd Floor  NA  NA  Lv3 Underpad 2nd Floor  NA  NA  NA  NA  Underpad 2nd Floor  Underpad Main Stairs  NA  NA  NA  NA  NA  NA  NA  NA  NA  N			The same of the sa					The second of th	ssential Expert 3 1/8" x 3/4	-Grapnite
Underpad Main Floor  Underpad Main Floor  Underpad Main Floor  NA  Lv3 Underpad Grey Goose (synthetic rubber)  NA  Dpt. Flooring Extras  *TILES ON MAIN FLOOR TO HAVE MINIMAL GROUT LINE IF POSSIBLE***  FLOOR AND WALL TILES  Floor Tile  Wall Tile  Front Foyer  6-24x24, Calacatta Vintage (HON), White Main Hall  6-24x24, Calacatta Vintage (HON), White Mitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White Powder Room  1-13x13, New Reeds, Brown  Decor List  Floor  Tub Wall  Shower Wall  Deck Skirt  Deck Splash  Main Bathroom  NA  Master Ens  1-13x13, New Reeds, Grey  N/A  Master Ens  1-13x13, New Reeds, Silver  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	ibrary/Den/Study		The second control of	ssential Expert 3 1/8" x 3/4"-G	Braphite	Basement Sta	airs	NA		
Underpad Main Floor  NA  Lv3 Underpad 2nd Floor  NA  Lv3 Underpad 2nd Floor  NA  PLS Underpad Strey Goose (synthetic rubber)  NA  PLOOR AND WALL TILES  Floor Tile  FLOOR AND WALL TILES  Floor Tile  Front Foyer  6-24x24, Calacatta Vintage (HON), White  Main Hall  6-24x24, Calacatta Vintage (HON), White  Mitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White  Kitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White  Kitchen/Breakfast  1-13x13, New Reeds, Brown  Pecor Liste  Floor  Tub Wall  Shower Wall  Deck Skirt  Deck Splash  NA  Main Bathroom  NA  Master Ens  1-13x13, New Reeds, Grey  N/A  1-8x10, New Reeds, Grey  1-13x13, New Reeds, Taupe  1-13x	Law Suite		NA							
Underpad Main Floor  NA  Lv3 Underpad 2nd Floor  Lv3 Underpad 2nd Floor  Lv3 Underpad 2nd Floor  NA  Lv3 Underpad 3nd Floor  NA  Decor Liste  FLOOR AND WALL TILES  Floor Tile  Front Foyer  6-24x24, Calacatta Vintage (HON), White  Main Hall  6-24x24, Calacatta Vintage (HON), White  Mitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White  Kitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White  Kitchen/Breakfast  1-13x13, New Reeds, Brown  Decor Liste  Floor  Tub Wall  Shower Wall  Deck Skirt  Deck Splash  NA  Main Bathroom  NA  Master Ens  1-13x13, New Reeds, Grey  N/A  Master Ens  1-13x13, New Reeds, Grey  N/A  Land N/A  Master Ens  1-13x13, New Reeds, Grey  N/A  Lensuite 2  1-13x13, New Reeds, Silver 1-8x10, New Reeds, Silver  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/										
PLOOR AND WALL TILES  Floor Tile  FLOOR AND WALL TILES  Floor Tile  Wall Tile  Pecor Liste  ### And Tile  ### Applicable  ### And N/A  Main Bathroom  NA  Mi/A  Master Ens  1-13x13, New Reeds, Grey  1/4  1-13x13, New Reeds, Grey  1/4  1-13x13, New Reeds, Grey  1-15x13, New Reeds, Grey  1-15x10, New Reeds, Taupe  1-18x10, New Reeds, Taupe  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	arpet Runner		Yes No							
PLOOR AND WALL TILES  Floor Tile  Front Foyer Main Hall  6-24x24, Calacatta Vintage (HON), White Mitchen/Breakfast  Powder Room  6-24x24, Calacatta Vintage (HON), White  Witchen/Breakfast  Floor Tile  Kitchen Backsplash  N/A  Powder Room  6-24x24, Calacatta Vintage (HON), White  Pwdr Wall if Applicable  N/A  Laundry  1-13x13, New Reeds, Brown  Decor Liste  Floor  Tub Wall  Shower Wall  Deck Skirt  Deck Splash  N/A  Main Bathroom  NA  Master Ens  1-13x13, New Reeds, Grey  N/A  Master Ens  1-13x13, New Reeds, Grey  N/A  Laundry  N/A  N/A  Master Ens  1-13x13, New Reeds, Grey  N/A  Laundry  N/A  N/A  Master Ens  1-13x13, New Reeds, Grey  N/A  Laundry  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	Und	derpad M	ain Floor	Un	derpad 2n	d Floor		U	nderpad Main Stairs	
PLOOR AND WALL TILES  Floor Tile  Front Foyer  6-24x24, Calacatta Vintage (HON), White Main Hall  6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast  6-24x24, Calacatta Vintage (HON), White Kitchen Backsplash Powder Room  6-24x24, Calacatta Vintage (HON), White Pwdr Wall if Applicable  N/A  Laundry  1-13x13, New Reeds, Brown  Decor Liste  Floor  Tub Wall Shower Wall Deck Skirt Deck Splash  Main Bathroom NA N/A N/A N/A NA Master Ens  1-13x13, New Reeds, Grey N/A 1-8x10, New Reeds, Grey 1-13x13, New Reeds, Grey 1-8x10, New Reeds, Taupe 1-8x10, New Reeds, Grey N/A							er)		Annual Control of	
FLOOR AND WALL TILES  Floor Tile  Wall Tile  Front Foyer  6-24x24, Calacatta Vintage (HON), White 6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Powder Wall if Applicable Laundry  1-13x13, New Reeds, Brown  Decor Liste  Floor  Tub Wall Shower Wall Deck Skirt Deck Splash  Main Bathroom NA N/A N/A N/A N/A N/A NA Master Ens 1-13x13, New Reeds, Grey N/A 1-8x10, New Reeds, Grey 1-13x13, New Re	ant Flooring Extras		•	Ero Ongolpao	0.07 000.	oo (oynanoao rassa	/			
Front Foyer 6-24x24, Calacatta Vintage (HON), White Main Hall 6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Laundry  [1-13x13, New Reeds, Brown    Pwdr Wall if Applicable   N/A			HAVE MINIMAL GR	OUT LINE IF POSSIBLE***						-
Front Foyer 6-24x24, Calacatta Vintage (HON), White Main Hall 6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Laundry  [1-13x13, New Reeds, Brown    Pwdr Wall if Applicable   N/A										
Front Foyer 6-24x24, Calacatta Vintage (HON), White Main Hall 6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Laundry  [1-13x13, New Reeds, Brown    Pecor Liste   Pedr Wall if Applicable   N/A										
Front Foyer 6-24x24, Calacatta Vintage (HON), White Main Hall 6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Laundry  1-13x13, New Reeds, Brown  Decor List  Floor Tub Wall Shower Wall Deck Skirt Deck Splash Main Bathroom NA N/A N/A N/A N/A N/A NA Master Ens 1-13x13, New Reeds, Grey N/A										
Front Foyer 6-24x24, Calacatta Vintage (HON), White Main Hall 6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Laundry  1-13x13, New Reeds, Brown  Decor List  Floor Tub Wall Shower Wall Deck Skirt Deck Splash Main Bathroom NA N/A N/A N/A N/A N/A N/A N/A N/A N/A	ELOOP AND	WALL	TII EQ	FloorTile				Mall T	116	-
Main Hall 6-24x24, Calacatta Vintage (HON), White Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Powder Room 6-24x24, Calacatta Vintage (HON), White Laundry 1-13x13, New Reeds, Brown  Decor Liste Floor Tub Wall Shower Wall Deck Skirt Deck Splash M/A Master Ens 1-13x13, New Reeds, Grey N/A 1-8x10, New Reeds, Grey 1-13x13, New Reeds, Grey 1-13x13, New Reeds, Silver 1-13x13, New Reeds, Silver 1-13x13, New Reeds, Taupe 1-8x10, New Reeds, Taupe N/A								vvaii I		1 *
Kitchen/Breakfast 6-24x24, Calacatta Vintage (HON), White Kitchen Backsplash N/A  Powder Room 6-24x24, Calacatta Vintage (HON), White Pwdr Wall if Applicable N/A  Laundry 1-13x13, New Reeds, Brown  Decor Liste  Floor Tub Wall Shower Wall Deck Skirt Deck Splash  Main Bathroom NA N/A N/A N/A N/A NA  Master Ens 1-13x13, New Reeds, Grey N/A 1-8x10, New Reeds, Grey 1-13x13, New Reeds, Grey 1-8x10, New Reeds, Grey 1-13x13, New Reeds, Grey 1-13x13, New Reeds, Grey 1-13x13, New Reeds, Taupe N/A			A CONTRACTOR OF THE PROPERTY O						D	ecor Liste
Powder Room   6-24x24, Calacatta Vintage (HON), White   Pwdr Wall if Applicable   N/A		- Addition 1								The second of the second
1-13x13, New Reeds, Brown   Decor Lister	Kitchen/Breakfast					Kitchen Backspl	ash	N/A		
1-13x13, New Reeds, Brown   Decor Lister	Powder Room	6-24x24	, Calacatta Vintage (I	HON), White		Pwdr Wall if App	licable	N/A		
Floor   Tub Wall   Shower Wall   Deck Skirt   Deck Splash	Laundry	1-13x13	, New Reeds, Brown		-	5.5.		**	-	1000
Main Bathroom         NA         N/A         N/A <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>D</td><td>ecor Liste</td></t<>									D	ecor Liste
Main Bathroom         NA         N/A         N/A         N/A         N/A         N/A         NA           Master Ens         1-13x13, New Reeds, Grey         N/A         1-8x10, New Reeds, Grey         1-13x13, New Reeds, Grey         1-8x10, New Reeds, Grey         1-8x10, New Reeds, Grey         N/A         N/A         N/A           Ensuite 3/4         1-13x13, New Reeds, Taupe         1-8x10, New Reeds, Taupe         N/A         N/A         N/A		Floor		Tub Wall	Shower M	/all	Deck St	kirt	Deck Splash	
Master Ens         1-13x13, New Reeds, Grey         N/A         1-8x10, New Reeds, Grey         1-13x13, New Reeds, Grey         1-8x10, New Reeds, Grey         1-13x13, New Reeds, Grey         1-8x10, New Reeds, Grey         1-8x10, New Reeds, Grey         1-8x10, New Reeds, Grey         N/A         N/A         N/A           Ensuite 3/4         1-13x13, New Reeds, Taupe         1-8x10, New Reeds, Taupe         N/A         N/A         N/A	Mala Dath									
Ensuite 2 1-13x13, New Reeds, Silver 1-8x10, New Reeds, Silver N/A N/A NA  Ensuite 3/4 1-13x13, New Reeds, Taupe 1-8x10, New Reeds, Taupe N/A N/A N/A NA  In the second of				i de la companya del companya de la companya del companya de la co	A CONTRACTOR OF THE PARTY OF TH	0		New Park O	A CONTRACT OF THE CONTRACT OF	
Ensuite 3/4 1-13x13, New Reeds, Taupe 1-8x10, New Reeds, Taupe N/A N/A NA	· · · · · · · · · · · · · · · · · · ·				The second second	ew Reeds, Grey	The state of the s	, New Reeds, Grey		414 ==
		A CONTRACTOR OF THE PARTY OF TH					The Contract of		14 14 14 14 14 14 14 14 14 14 14 14 14 1	
Shower - Upgrade Floor	Ensuite 3/4	1-13x13	, New Reeds, Taupe	1-8x10, New Reeds, Taupe	N/A		N/A		NA	
Shower - Upgrade Floor									1	
Shower - Upgrade Floor		1							1	
Shower - Upgrade Floor										
	Shower - Upgrade	Floor								
			Name +					2000 - 122 - 120 - 22		-
E. Carrier and Car			-							
			£							

# HIGHCASTLE HOMES - COLOUR SCHEDULE

Purchaser:

Decor Advisor:

SEYED MOHSEN HOSSEINI MILANI

Telephone Res. / Bus:

(905) 764-1968 / Caroline Rajcsanyi Property: Block 36Phase: 2 of Plan - Draft Plan 21T-9005B

Project: 2073737 Ontario Inc.

Model and Elevation: Milgrove Elev A

Р	LU	MBI	NG I	FAU	CE	15

	N/A				
lain Bath	4.7.4				
laster Ensuite	Standard				
nd Ensuite	Standard				
t.i. Bath	*3 Piece			-	
Citchen Sink	*Undermount	1 HOLE ONLY W/PLATE	40.0		
(itchen Faucet	Standard BUT WITH A	THOLE ONLY WIFLATE	J		
rain for 2nd floor Laundr	y Yes	No			
Vaterline for fridge	Yes	. No			
upply and install all toilet	paper holders, towel b	pars and soap dishes	Yes No		
Whirlpool	wo late to a Caption To				
Master Ens	*8 Jets for Soaker Tu	ID			
pt. Plumbing Extras					
pt I lambing Laud		tonic bearing the second second			
				F-1 11000	
PAINTING					
			allina Calour	Pickets Colour	Stair Colour
Wall Colour	Trim Color	*Stained as	ailing Colour	ught Iron	*Stained as Floor
22 Warm Grey	Standard	Stallied as	11001	agiit iioii	Stalled as Floor
Opt. Paint Extras				and the same of th	
Opt. Paint Extras					
Opt. Paint Extras	-			and the second second second	
Opt. Paint Extras				man, see a literature	
1					
MISCELLANEOUS					
MISCELLANEOUS		ught iron BLACK square picket wit	h square collar on alternating picket, 3		
MISCELLANEOUS Railing Style RAILIN		ught iron BLACK square picket wit Opt. Side Door	No	Stair Type Oal	(
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door	G - UPGRADE 1 - 1/2in Wrou	Opt. Side Door Int. Door Hardware	No *Straight Pewter Lever	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting	Opt. Side Door	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	(
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting tandard - Carrara	Opt. Side Door Int. Door Hardware Trim Style	No *Straight Pewter Lever	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor	G - UPGRADE 1 - 1/2in Wrou Yes-Grade Permitting standard - Carrara  Yes	Opt. Side Door Int. Door Hardware Trim Style	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting standard - Carrara  Yes Yes	Opt. Side Door Int. Door Hardware Trim Style S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting standard - Carrara  Yes Yes	Opt. Side Door Int. Door Hardware Trim Style S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes	Opt. Side Door Int. Door Hardware Trim Style S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes	Opt. Side Door Int. Door Hardware Trim Style S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes	Opt. Side Door Int. Door Hardware Trim Style S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes	Opt. Side Door Int. Door Hardware Trim Style S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa Misc. MAIN FLOOR - 4 X 8FT IN	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes	Opt. Side Door Int. Door Hardware Trim Style S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa Misc. MAIN FLOOR - 4 X 8FT IN	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Opt. Side Door Int. Door Hardware Trim Style S No S No	No *Straight Pewter Lever *1 - 3in Case W/Backbar Basement Windows Upg	Stair Type Oal Ext. Door Hardwa	re *Pewter Exterior package
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor Supply and Install Standa Misc. MAIN FLOOR - 4 X 8FT IN HEATING Fireplace	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Opt. Side Door Int. Door Hardware Trim Style S No S No Mantle	No *Straight Pewter Lever *1 - 3in Case W/Backbar Basement Windows Upg	Stair Type Oal Ext. Door Hardwa and & Sin Base grade Yes No	re *Pewter Exterior package  Cold Cellar   ✓
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa Misc. MAIN FLOOR - 4 X 8FT IN	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Opt. Side Door Int. Door Hardware Trim Style S No S No Mantle	No *Straight Pewter Lever *1 - 3in Case W/Backbar Basement Windows Upg	Stair Type Oal Ext. Door Hardwa and & Sin Base grade Yes No	re *Pewter Exterior package  Cold Cellar   ✓
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa Misc. MAIN FLOOR - 4 X 8FT IN HEATING Fireplace Family Room	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Opt. Side Door Int. Door Hardware Trim Style S No S No Mantle	No *Straight Pewter Lever *1 - 3in Case W/Backbar Basement Windows Upg  Sur	Stair Type Oal Ext. Door Hardwa and & Sin Base grade Yes No	re *Pewter Exterior package  Cold Cellar   ✓
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floor Supply and Install Standa Misc. MAIN FLOOR - 4 X 8FT IN HEATING Fireplace	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes T Yes  Type Standard - 36"	Opt. Side Door Int. Door Hardware Trim Style S No S No Mantle Standard	No *Straight Pewter Lever *1 - 3in Case W/Backbar Basement Windows Upg  Sur Paint Grade N/	Stair Type Oal Ext. Door Hardwa ad & 5in Base grade Yes No	Pewter Exterior package  Cold Cellar   Hearth  N/A
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors S Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Standa Misc. MAIN FLOOR - 4 X 8FT IN HEATING Fireplace Family Room Air Conditioning Hood Fan Duct	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Yes Type Standard - 36"  Yes 6 inch 8 inch	Opt. Side Door Int. Door Hardware Trim Style S No S No Mantle Standard -	No *Straight Pewter Lever *1 - 3in Case W/Backbar Basement Windows Upg  Sur Paint Grade N/	Stair Type Oal Ext. Door Hardwa ad & 5in Base grade Yes No  rround A s Provisions for BBQ	Pewter Exterior package  Cold Cellar  Hearth N/A  Yes No
MISCELLANEOUS Railing Style RAILIN Opt. Garage Door Interior Doors Smooth Ceiling 1st Floor Smooth Ceiling 2nd Floo Supply and Install Stands Misc. MAIN FLOOR - 4 X 8FT IN HEATING Fireplace Family Room Air Conditioning	G - UPGRADE 1 - 1/2in Wrot Yes-Grade Permitting Itandard - Carrara  Yes Yes Yes Type Standard - 36"  "Yes 6 inch 8 inch Yes	Opt. Side Door Int. Door Hardware Trim Style S No S No Mantle Standard	No *Straight Pewter Lever *1 - 3in Case W/Backbar Basement Windows Upg  Sur Paint Grade N/	Stair Type Oal Ext. Door Hardwa ad & 5in Base grade Yes No  rround A s Provisions for BBQ	Pewter Exterior package  Cold Cellar  Hearth N/A  Yes No

# NOTE: The Purchaser(s) agree(s) that:

- a) Colours of materials are as close as possible to Vendor's selections, but not necessarily identical due to variances in manufacturing or manufacturers.
- b) Purchaser(s) has checked and acknowledges accuracy of the above selections. Where omissions occur on the original colour selection sheet Purchaser(s) acknowledge that the Builder's selection will be final.
- c) Upgrades or extras listed on this schedule will not be deemed part of the Agreement of Purchase and Sale. Any such upgrades or extras shall be null and void unless accompanied by a separate invoice and amendment. Said invoice must be paid in full.
- d) The Purchaser(s) further agrees that in the event that the Vendor has preselected colours prior to the purchase of the house, the prescribed colours are final not withstanding that the Purchaser may have completed a colour selection schedule
- d) The Purchaser(s) Acknowledges that once this colour schedule is signed and dated, no changes, additions or deletions will be permitted other than re-selection due to unavailability.

A \$350.00 (Per Occurance) change/administration fee will apply to above exceptions.

This Interior colour/selection is final and approved by:

Date: Aug 15.16

Printed 8/15/2016 15:20:39

army Date Jug 5 16



# Highcastle Homes Décor Centre Disclaimers

Lot#: Block 36 Model: Milgrove Elev A in Riverwalk II - 2073737 Ontario Inc.

PURCHASER: SEYED MOHSEN HOSSEINI MILANI

TEL: RES.: 905-764-1968

Through years of doing business, we at Highcastle Homes have encountered issues beyond our control. The following disclaimers apply to all instances of Purchaser's Extras forms and all Interior Colour Scheme forms.

### Fireplaces

Fireplace Marble: Due to the many variables that can affect the pattern and/or design, frequently the marble installed on the fireplace will not be identical to the samples. We will make every attempt to come as close to the samples as possible, but cannot be responsible for results which differ from the samples.

# Ceramic Floor Tile

Many variables including variegation can affect tile colour, pattern and/or design which mean installed tiles may not be identical to the samples. We will make every attempt to come as close as possible, but cannot be responsible for results which differ from the samples.

# Hardwood Flooring

The purchaser is advised that cupping and shrinkage are characteristics of hardwood flooring normal appearing some time after installation, and no warranty is provided by the flooring supplier with respect to such cupping and shrinkage. The vendor agrees to install any hardwood flooring ordered by the purchaser in good and workmanlike manner, but shall not be responsible for, and is hereby released by the purchaser from responsibility and liability for cupping and shrinkage of hardwood flooring.

Shrinking and expanding/cupping of the hardwood floors may occur if the humidity levels in the home are not kept at industry recommendations. If the hardwood floors shrink or expand due to the homeowner not complying with these levels, the hardwood floor will no longer be under warranty and it will be the homeowner's responsibility to repair the flooring.

### **Stain Colours**

Due to many variables that can affect the outcome of a stain colour on wood, staircases, railings, and fireplaces, will not be identical to samples. Factors such as density, age humidity, air temperature, and the uniqueness of each piece of wood can result in wide variations in darkness or lightness. We will make every attempt to come as close to the sample as possible, but cannot be responsible for results which differ from the samples.

Stain on pre-finished hardwood floors will not be an exact match to the stain colours available on stairs, pickets and rails. The purchaser is responsible for choosing the stain on these areas to their satisfaction.

### **Appliances**

All fridge openings are set to builder's standard width. Please advise Décor Centre at time of colour appointment if custom sizing of cabinets is required for any built - in appliances. The purchaser is responsible for costs and fees associated with changes to pre-manufactured kitchens made subsequent to colour appointments.

# Kitchen Cabinets

The kitchen you order/purchase will undoubtedly contain slight colour variations. The degree of these variations is virtually impossible to determine before the kitchen is installed in its intended location. The amount of and type of lighting will also affect various highlights in the finish. Note: No two pieces of wood are identical. Variations in colour tone and grain patterns make a perfect colour match virtually impossible. It is generally agreed that these variations add to the natural beauty of a wood kitchen.

Shrinking and expanding of the kitchen cabinets may occur if the humidity levels in the home are not kept at industry recommendations. If the cabinets shrink or expand due to the homeowner not complying with these levels, the cabinets will no longer be under warranty and it will be the homeowner's responsibility to repair the cabinets.

# Plaster Mouldings and Medallions

Plaster mouldings will not be installed in open to above areas or areas with 2 storey elements.

# Metal Spindles

Purchasers Signature(s)

Due to the characteristics of wrought iron railing production, it is possible for the wrought iron to develop a scale effect. This scale may or may not be totally covered during the painting process. In effect, once the wrought iron picket is painted, the paint may in effect amplify the iron scale depending on the colour chosen. This is a natural effect of wrought iron and should not be constued as a defect or damage.


i hereby acknowledge readi	ng and understanding the ab	ove copy and will not ho	ld Highcastle Homes respons	sible for any issues in
relation to above.		5.5		
	1 11			
	Adl			

Date: Jun 29 16

StaDisclaimers.rpt 16feb10



# STANDARD EDGE



Single Straight polished 3/4"




Single Bullnose 3/4"




Single Bevel 1/4" top bevel 3/4" thick


# **UPGRADE #1 EDGES**



Double Bullnose 1.5" thick




Double Pencil 1.5" thick




Double Bevel 1/4" top&bottom 1.5" thick

# **UPGRADE #2 EDGES**



Double Ogee 1.5" thick



Double Quarter Moon 1.5" thick



# Installation requirements

BUK 36 ... Rwenwalk ii

# Minimum dimensions

# **WARNING**

If overhead cabinets are provided, a range hood should also be provided that projects horizontally a minimum of 5 in (12.7 cm) beyond the front of the cabinets. This will dissipate any heat buildup in the overhead cabinets to prevent death, personal injury, and/ or fire hazard. The vent lating hood must be constructed of sheet metal not less than 0.0122". chick. Install above the cooktoo with a clearance of not less than 1/4" between the nood and the underside of the compustible material or metal The hood must be at least as wide as the appliance and centered over the appliance. C earance between the cooking surface and the ventilation hope surface must never be less than 24 inches

Exception 1: Installation of a listed microwave oven or cooking apollance over the cooktoo shall conform to the installations packed with that appliance.

 30-in (76,2-cm) minimum clearance between the top of the cooking surface and the pottom of an unprotected wood or metal cabinet; or If no 30-in (76.2-cm) minimum clearance, 24-in (61-cm) minimum when the bottom of the wood or metal cabinet is protected by not less than 0.25-in (0.64-cm) flame-retardant millboard covered with not less than no. 28 MSC sheet steel, 0.015-in (0.038-cm) stainless steel, 0.024-in (0.061-cm) aluminum, or 0.020-in (0.051-cm) cooper.

 18-in (45.7-cm) minimum between the countertop and the adjacent cabinet bottom.

Exception 2: For Island installation maintain 2-1/2' minimum from cutout to backledge of countertop and 4' minimum from cutout to sice edges of countertop.

# IMPORTANT:

To eliminate the risk of burns or fire caused by reaching over heated surface units, avoid having cabinet storage space located above the surface units. If you have cabinet storage space over the heating elements, you can reduce the risk by installing a range hood that projects hor zontally a minimum of 5 inches beyond the bottom of the cabinets.

A: Cubinet opening 30" (76.2)

IMPORTANT: If your cabinet have height over 36.445", this range cannot be installed without supporting unit like hard block

20 English\_

Installation requirements

Sig Stope 21,2016

Date

Recommended locations for gas piping and electrical outlets (For models NY58J9850WS)

//





Dore Atto Jun 29.16

BLK 36 Riverwalk II




Sig

Date

Sello Jon 29.16

BLK 36 Riverwalk ii



Albjun 29, 6



# PIS DELETE PREJ

# CONSTRUCTION SUMMARY

Riverwalk II - 2073737 Ontario Inc.

NOV15-16

PURCHASER: SEYED MOHSEN HOSSEINI MILANI

TEL: RES.: 905-764-1968

LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLOSING DAT
Block 36 / 2	Draft Plan 21T-9005B	Milgrove Elev A	Victoria de la companya della companya della companya de la companya de la companya della compan
			25-Aug-1

# 3 1/4 inch X 3/4 inch stained oak hardwood on the main floor, (excluding the tiled area) upper hallway and oak stairs to match (from builders samples). Worksheet Note: INCLUDES WALKOUT BASEMENT CONDITION Worksheet Note: 3 1/4 inch X 3/4 inch stained oak hardwood on the main floor, (excluding the tiled area) upper hallway and oak stairs to match (from builders standard samples). Worksheet Note: Rough-in gas line to stove including receptacle in Kitchen. Worksheet Note:



# CONSTRUCTION SUMMARY

Riverwalk II - 2073737 Ontario Inc.

PURCHASER: SEYED MOHSE	N HOSSEINI MILANI		TEL: RES.: 905	-764-1968
LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLO	SING DATE
Block 36 / 2	Draft Plan 21T-9005B	Milgrove Elev A	0.000	Aug-16
I) CONSTRUCTION				
1 - BUILDER DISCOUNT				
23Jun16 Note:				
11,166/31579				
	FINISH - 1ST AND 2ND FLO	OOB.		
23Jun16 Note:	INION - 131 AND 2ND FLO	JOR		
11,166/30741				1
1 - 8 FT ARCHES ON MA	IN ELOOP			
08Oct15 Note:	INTLOOK			
11,102/29746				
1 - MAIN FLOOR - 10 FT	CEIL ING HEIGHT			
080ct15 Note:	CEILING HEIGHT			
11,102/29742				
1 - 9FT BASEMENT				
08Oct15 Note:				
11,102/29741				
11,102/29/41				
B) HEATING / AIR CO	NDITIONING			
1 - HUMIDIFIER - LENOX	X MODEL WB2-17 ( UP TO 4	4000 SQ. FT.)		
23Jun16 Note:				
11,166/30766				1
1 - HRV SIMPLE LOOP				+-
08Oct15 Note:				
11,102/29747				
) PLUMBING				
1 - WATER LINE - FRIDG	E - ROUGH IN ONLY			$\top$
23Jun16 Note:				
11,166/30773				-
	JET FOR SOAKER TUB (MA	ASTER ENSUITE)		_
23Jun16 Note:				
11,166/30772				
1 - KITCHEN - CAMERIST	f STANDARD FAUCET W/P	PLATE, 1 HOLE APPLICATION		_
23Jun16 Note:				
11,166/30770				
1 - SINK - KITCHEN - UNI 23.hun16 Note:	DERMOUNTED (RECTANG	GULAR SQUARE - DOUBLE EQUAL BOWL)		
23041110				
11,166/30769				
	AIN - ADD FLOOR DRAIN	(NO SLOPED FLOOR OR LINER)		1-
2000				
11,166/30768				İ
) ELECTRICAL				
7 - POT LIGHT - 4 INCH P	OTLIGHT WITH LED ENER	RGY STAR BULB ( 10 MINIMUM - PRICE IS EAC	U) (IN VITCHEN) CEE DI ANI	
08Nov16 Note:		TO THE DODD ( TO MINIMOM - TRICE IS EAC.	H) (IN KITCHEN) SEE PLAN	
11,218/32752				
22 - POT LIGHT - 4 INCH I	POTLIGHT WITH LED ENE	RGY STAR BULB - LIVING RM (8 IN COFFER, C	N CED CHITCH) ( V LIVING	
RM CEILING, ON SEP SW 23Jun16 Note:	ITCH), 8 X MAIN HALL ON	SEP SWITCH (DELETE STANDARD CEILING L	JIGHTS IN MAIN HALL)	
11,166/31261				
	POOM CENTRE CTAND	ADD CADDED AVOID DAMES		
23Jun16 Note:	ROOM - CENTRE STANDA	ARD CAPPED LIGHT IN WHOLE ROOM (SEE PL	LAN)	
11,166/31260				
	MIIT EDOM WALL STORY	THE TO CLEAN TO SEE		
ON WALL (SEE PLAN)	OII FROM WALL MOUNT	TV TO CABLE BOX BELOW WITH ELECTRICA	L BESDIE (MASTER BEDROOM	(1)
23Jun16 Note:				
11.166/31259				



# CONSTRUCTION SUMMARY

Riverwalk II - 2073737 Ontario Inc.

PURCHASER: SEYED MOHSEN HOSSEINI MILANI

TEL: RES.: 905-764-1968

LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLOSING DAT
Block 36 / 2	Draft Plan 21T-9005B	Milgrove Elev A	1100 A WARREN TO A TO A
			25-Aug-1

BIOCK 307 2	Draft Plan 211-9005B	Milgrove Elev A		25-Aug-16
5) ELECTRICAL		1		
STATE OF THE OWNER, WHEN PERSON AND ADDRESS OF THE OWNER, WHEN PERSON	RPROOF SHOWER POTLIGHT WITH I	LED ENERGY STAR BUILD (MASTE	ED ENGLITE CHOWED) CEE	DLAN
23Jun16 Note:	The state of the s	DED ENERGY STAR BOLD (MASTI	ER ENSUITE SHOWER) SEE	PLAN
11,166/30758				
17 - POT LIGHT - 4 INC	CH POTLIGHT WITH LED ENERGY ST	AR BULB - 9 X FAMILY ROOM (DI	ELETE STD CEILING LIGHT	) A V DEN
(DELETE STD CEILING	G LIGHT), 4 X BREAKFAST (LEAVE ST	TANDARD CEILING LIGHT)	SECTE STE CEIEING EIGHT	), 4 X DEN
2504/110			46.00 ***	
11,166/30755	D.M.ACTED DEPROOF DAMAGE			
CABLE FOR FUTURE V	D MASTER BEDROOM - PLUG - INTE WALL MOUNT TV AND IN MASTER B	RIOR RECEPTICAL IN FAMILY RO EDROOM ON WALL FOR FUTURE	OM OVER FIREPLACE BES WALL MOUNT TV (SEE PI	SIDE LAN)
11,166/30754				l l
2 - NETWORK JACK - A	ADDITIONAL - CATSE ROUGH-IN (MA	ASTER BEDROOM AND BEDROOM	(#2)	
23Jun16 Note:			1 112)	
11,166/30753				1
2 - LIGHT - ROUGH-IN	ONLY - ON SEPARATE SINGLE SWIT	CH FOR FUTURE PENDANT LIGH	TS OVER ISLAND	
23Jun16 Note:			100 ADRIGDAND	
11,166/30752				
1 - CONDUIT - RUN CO	NDUIT FROM WALL MOUNTTY TO C	CABLE BOX BELOW WITH ELECT	RICAL BESDIE (FAMILY RO	OOM)
OVER FIREPLACE 23Jun16 Note:			, , , , , , , , , , , , , , , , , , , ,	,
11,166/30751				
11,100/30/31				
) FLOORING & WAL	L TILE	1		
CONTRACTOR OF STREET STREET, S	TO HAVE MINIMAL GROUT LINE, IF	POSSBILE	1.78% 10%	
23Jun16 Note:	TO THE PARTY DIVIDED ON OUT LINE, IT	FOSSBILE		
11,166/31417				
1 - KITCHEN - DO NOT	SUPPY OR INSTALL BACKSPLASH			
23Jun16 Note:				
11,166/31416			11.00 m. 11.00 m.	
1 - CARPET - LEVEL 3 -	2ND FLR.			
23Jun16 Note:				
11,166/30777				
1 - TOWEL BAR/TOILET TOWEL BARS THROUG 23Jun16 Note:	T PAPER HOLDERS - DO NOT SUPPLY HOUT	AND INSTALL ALL TOILET PAPP	ER HOLDERS, SOAP DISHES	S AND
11,166/30746				
1 - UNDERPAD - LEVEL	3 - 2ND FLR.			
23Jun16 Note:	Annual An			
11,166/30740				
1 - LEVEL 5 - TILE ON M	MAIN FLOOR (FOYER, MAIN HALL, K	ITCHEN/BREAKFAST POWDED D	OOM	
08Oct15 Note:		ALL TIOT, TOWDER R	OOM)	

# 7) TRIM

4 - MAIN FLOOR 8 FT INTERIOR DOORS

08Oct15 Note:

11,102/29745

11,102/29743

# 9) CABINETRY

1 - SLIDE IN STOVE PREP FOR GRANITE

15Nov16 Note:

11,254/32762

2 - UPPER CABINETS-UPPER ANGLE CORNER CABINET WITH CLEAR GLASS DOOR & MATCHING INTERIOR PER UNIT-LEVEL 1 OR LEVEL 2

23Jun16 Note:

11,166/30739

1 - UPPER CABINETS-FRIDGE CABINET COUNTER DEPTH 66CM (1 GABLES & CABINET 66CM DEEP)

23Jun16 Note:

11,166/30738



# **CONSTRUCTION SUMMARY**


Riverwalk II - 2073737 Ontario Inc.

LOT / PHASE	DEC STATE		IEL:	RES.: 905-764-1968
Block 36 / 2	REG. PLAN#	HOUSE TYPE		CLOSING DATE
Diock 307 2	Draft Plan 21T-9005B	Milgrove Elev A		25-Aug-16
9) CABINETRY		1		
1 - ACCOMMODATE F	OR MICROWAVE HOOD FAN	COMBO		
23Jun16 Note:				
11,166/30737			Simple Charmen	1
2 - BASE CABINETS-BA	ASE PIE CUT CORNER-LEVEI	1 OR LEVEL 2		
23Jun16 Note:		5. O. 22. B2		
11,166/30732				
	HT VALANCE (INCLUDING I	ELECTRICAL)		
23Jun16 Note:	-	SBE TRICIE)		
11,166/30731				
The state of the s	STE CENTER PULL OUT DOC	OR ONLY AVAILABLE IN 45CM CABINET (2	N 251 DINIO	
23Jun16 Note:	old carrier obb ool boo	one i available in 45cm cabine i (2	() 35L BINS	
11,166/30730				
	OWN MOULDING STANDARI	2	· · · · · · · · · · · · · · · · · · ·	
23Jun16 Note:	> MOCEDING STANDARD		The second second second	
11,166/30729				1
11,100,0012)				
CABINETRY - BATHR	OOM			
2 - VANITY CABINETS-	VANITY TOP DRAWER PRIC	E PER DRAWER (INCLUDES FALSE DRAWE	EDC) LEVEL 1 OD LEVEL 2	
(LINSUITE 3/4)		STER DIGITIER (INCEODES FALSE DRAW)	ERS)-LEVEL I OR LEVEL 2	•
23Jun16 Note:				İ
11,166/30735				ľ
1 - VANITY CABINETS-	VANITY BANK OF DRAWER	S (55CM MAX)-LEVEL 1 OR LEVEL 2 (MAST	TER ENSUITE)	
23Jun16 Note:				
11,166/30734			to take the present of	
CABINETRY - LAUND	RY			
1 - LAUNDRY CABINET	'S - 30 INCH LAUNDRY BASE	INCLUDES COUNTERTOP - LEVEL 1 OR LE	WEL 2	
23Jun16 Note:		THE EDDES COUNTERTOF - LEVEL I OR LE	EVEL 2	
11,166/30736				
ountertop		1		
1 - UPGRADE GRANITE	COUNTERTOP - FROM LEVE	EL 1 TO "P.O.R" KITCHEN, CALACATTA N	NUVO #5131	
23Jun16 Note:			1010#3131	1
11,166/30747				1
		The same of the sa	1 (A. A.) - 2-12-1	
	RDWARE - INTERIOR			
1 - DOOR - INTERIOR FI	RENCH DOOR - PAINTED WH	ITE (PRICED PER DOOR)		
23Jun16 Note:				
11,166/30774				
INDOWS AND DOOR	RS		1000.1147	
1 - 6" HIGHER WINDOW	S ON MAIN FLOOR AND TO A	NEOM OVER PROVEDOGS		
	S ON MAIN FLOOR AND TRA	ANSOM OVER FRONT DOOR		
	S ON MAIN FLOOR AND TRA	ANSOM OVER FRONT DOOR		

This Document is Extremely Time Sensitive - Printed 15 Nov 16 at 12:27

RF34H9960S4 French Door Refrigerator with Triple Cooling, 34.3 cu.ft

# TECHSPECS SPECS REVIEWS SUPPORT MORE



WHERE TO BUY



Capacity

**Product Capacity** 

Total 34.3 cf

Freezer

Refrigerator

**Physical Specifications** 

Dimensions

Product (WxHxD) 35 3/4" x 72 7/8" x 35 3/4"

Cabinet Height with Hinge

Cabinet Height without Hinge

Net Depth with Door Handle

Net Depth without Door Handle 35 3/4"

Net Depth without Door 30 15/16\*

Shipping Dimensions (WxHxD) 38 1/4" x 79 3/8" x 38 1/4"

Weight

**Product Capacity** 

Shipping Weight 255 kg

SHOW MORE SPECS +

# REVIEWS (2)

# **Owners Overall Ratings**

\*\*\*\*

2 out of 2 (100%) customers recommend this product

Features Performance

5.0/5.0

Design

4.5/5.0 5.0/5.0

Value

5.0/5.0

SUBMIT A REVIEW

VIEW OWNER REVIEWS

# **SUPPORT**

# Latest Updates



User Manual 👱 28.92 MB, pdf, ENGLISH, FRENCH, SPANISH Version: 15 2016:04:19

Have a question or need product support?

> Go to support section 🖸

Want to experience Smart Simulator of this model? > Go to Smart Simulator

C

# DW80J7550US

# Samsung Dishwasher

# **Features**

- WaterWall¹\* System
- Zone Booster
- Quiet Operation: 44 dBA
- Express Cycle: 60 Minutes
- Half-Load Cycle: Lower Rack
- One-Touch Adjustable Racking System
- ENERGY STAR® rated: 258 kWh/Year
- Hidden Heating Element
- Triple Filtration System
- Electronic Touch Sensor
- 3 Spray Wash Arms (Upper, Middle, Lower)
- 5 Wash Cycles and 5 Wash Options
- Fan Condensing Drying System
- 2-Piece Silverware Basket
- Stainless Steel Interior

# Convenience

- Child Lock
- Rinse Refill Indicator
- Last Cycle Memory
- Four Sensors (Digital Water Leakage, Water Fill, Overflow, Turbidity)









WaterWall System



Zone Booster

# Available Colours:





# **Signature Features**

# WATERWALL SYSTEM

- Powerful wall of water cleans hard-to-reach places.
- Ensures more even, thorough washing performance than conventional rotary-spraying systems.

# ZONE BOOSTER

- Offers flexibility to wash all types of dishes in one load.
- Select to wash right or left zone on the bottom rack.
- Lower temperature and pressure for delicates.

# HALF-LOAD CYCLE: LOWER


- Wash setting for half-load; lower rack only.
- Saves water, time and energy.

# QUIET SOUND

- A six-layer door and special insulation system significantly minimizes noise to 44 dBA during operation.
- \*Priamal testing 41 45 dBS Normal convenation is agreed 40 dB

SAMSUNG







# DW80J7550US

Samsung Dishwasher

# Installing Your Dishwasher



### **Dimensions**



# Performance

- 5 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60
- 5 Options: Half load (lower only), Delay Start, Child Lock, Sanitize (NSF Certified), Dry Plus
- 4 Control Buttons: Sound off, Child Lock. Start & Pause, Cancel and Drain
- 3 Filter System
- Hidden Heat Element
- Stainless Steel Interior Tub

### Convenience Features

- Child Lock
- · Digital Water Leakage Sensor
- One-Touch Adjustable Racking System
- Nylon Racking
- 2 Piece Silverware Basket
- Upper Rack: 2 Cup Shelves, 3 Adjustable Tines
- Lower Rack: 6 Fold Down Tine

# Warranty

Five (5) Years Limited on Linear Motion Parts. Printed Circuit Board and Interior Nylon Racks. Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage

# Product Dimensions & Weight (WxHxD)

24" x 33<sup>7</sup>/<sub>8</sub>" x 24<sup>2</sup>/<sub>3</sub>" (27" with handle)

Weight: 101 lbs.

# Shipping Dimensions & Weight (WxHxD)

26 1/16" x 34 27/32" x 29 1/8"

Weight: 108 lbs.

Colour Model# **UPC** Code Stainless Steel DW80J7550US/AC 887276090108 DW80J7550UW/AC 887276096407

Actual colour may vary. Design, specifications, and colour availability are subject to change without notice. Non-metric weights and measurements are approximate. Clearance requirements are the recommended minimum only. Check the regulations and codes in your area for any additional requirements

SAMSUNG

Clearance requirements are the recommended in the commendation of the commend





Design Color Туре

Control Type - Oven

Control Type - Cooktop

Slide-In Dual Fuel Full Touch, Guiding Light UI Stainless Steel

SPECIFICATIONS



WRITE A REVIEW

BLK 36.

Riverwalk in

Display Type Guiding Light Controls Display Color ICE Blue

Capacity

Oven Capacity (cu.ft.) 5.8 cu.ft (2.4 cu.ft Upper / 3.3 cu.ft. Lower)

Oven Width 19 1/4" Oven Depth Oven Height

Weights & Dimensions

Product Width 29 15/16" Product Depth 26 7/16" 36 3/16"

Oven Performance

Convection True Convection Bake 175°F - 550°F Variable Broil (Low-High) Convection Bake 175°F - 550°F 175°F - 550°F Convection Roast

Cooktop Performance

Cooktop Type Stainless Steel **Total Power** 61000 Total Number of Burners Left Front Burner (Size and Power) 15000 Left Rear Burner (Size and Power) 9500 Left Rear Burner (Size and Power) 9500 Right Front Burner (Size and Power) 22000 (True Dual)

Right Rear Burner (Size and Power) 5000 Center Rear Burner (Size and Power) 9500 Center Burner Type Oval Sealed Burners Matte Black Continuous Grates Yes Matte Black Burner Cap

Features

Steam Clean Yes (2-3-5 hrs) + SteamQuick 20 **Drawer Type** Warming (3 level) Griddle

**Wok Grate** Yes Number of Rack Positions **Total Number of Racks** Number of Split Racks Number of Wire Racks Anti-Tip Bracket Yes Auto Oven Light Custom Cook Yes **Delay Start** Kitchen Timer Yes Sabbath Mode Child Safety Lock Yes

Interior Lights (qty)

Order Information

Extended Warranty

2 Years: \$169.99, 4 Years: \$259.99

Extended Warranty Information (PDF) (/assets/extended-warranty.pdf)
Product covered with full Canadan manufacturer warranty.
Minimum 1 year in home repair, parts & labor included

Lowest Price Guarantee\*

Warehouse pick-up info

Product Condition

REFRIGERATORS

(HTTP://WWW.CANADIANAPPLIANCE.CA/REFRIGERATORS-AND-FRIDGES-3/) (HTTP://WWW.CANADIANAPPLIANCE.CA/FREEZERS-42/)

COOKTOPS

(HTTP://WWW.CANADIANAPPLIANCE.CA/COOKING-RANGES-AND-STOVES-16/) (HTTP://WWW.CANADIANAPPLIANCE.CA/COOKTOPS-AND-STOVE-TOPS-17/)

WALL OVENS

(HTTP://WWW.CANADIANAPPLIANCE.CA/WALL-OVENS-19/) (HTTP://WWW.CANADIANAPPLIANCE.CA/MICROWAVE-OVENS-20/)

DISHWASHERS

(HTTP://WWW.CANADIANAPPLIANCE.CA/VENTILATION-RANGE-HOODS-18/) (HTTP://WWW.CANADIANAPPLIANCE.CA/DISHWASHERS-4/)

WASHERS

DRYERS

(HTTP://WWW.CANADIANAPPLIANCE.CA/WASHERS-AND-WASHING-MACHINES-66/) (HTTP://WWW.CANADIANAPPLIANCE.CA/DRYERS-67/)

BBQ GRILLS

(HTTP://WWW.CANADIANAPPLIANCE.CA/BBQ-GRILLS-7/) (BRANDS.PHP)

SHOP BY BRAND

LINKS

