HIGHCASTLE HOMES - COLOUR SCHEDULE

NAMRATA BHARTENDU SINGH & BHARTENDU SINGH Purchasers: Property: Block 49 Unit 1Phase: 4 of Plan - 40M-2633 Telephone Res. / Bus: Project: 2174372 Ontario Ltd. Decor Advisor: Caroline Rajcsanyi Model and Elevation: Silver Spruce (T-5) Corner Elev B KITCHEN AND VANITIES Cabinet Counter Hardware Kitchen Lv1 - Manchester Oak - Poppyseed Lv1 - GR-Serenata 12881 Handle Main Bathroom Lv1 - Manchester Oak - Poppyseed 12881 Handle Calcutta Marble 4925K-07 Lv1 - Manchester Oak - Poppyseed Ensuite Bathroom Calcutta Marble 4925K-07 12881 Handle Opt. Breakfast Bar Counter Height/Flush Kitchen Hood Fan Standard Kitchen Upper Height 77 cm - Standard Stove opening - if not specified will be set to builders standard opening of approximately 30 in width Fridge Opening - if not specified will be set to builders minimum opening of approximately 33 x71 height (townhouses) - if not specified will be set to builders minimum opening of approximately 36 x 71 height (singles) Counter top Edge Kitchen Single Edge (3/4") Pencil Opt. Kitchen Extras PARQUET / HARDWOOD OR BROADLOOM Kitchen / Breakfast Lv1 -TXP135 Lv1 - T04 N/A Master Bedroom **Great Room** *Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Charcoal Bedroom 2 Lv1 -TXP135 Lv1 - T04 Living / Formal Room N/A Bedroom 3 Lv1 -TXP135 Lv1 - T04 Dining Room *Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Charcoal Bedroom 4 N/A Family Room N/A Main Hall N/A Main Stairs Oak Upper Hall *Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Charcoal Com. Centre/Home Office N/A **Basement** N/A Main Stair Landing *Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Charcoal Basement Landing LVL 1 - 13 X 13 SERPENTINE WHITE Library/Den/Study Oak Strip Lauzon Essential Expert 3 1/8" x 3/4"-Charcoal **Basement Stairs** Paint Grade (Grey) In Law Suite Carpet Runner ① Yes No **Underpad Main Floor** Underpad 2nd Floor **Underpad Main Stairs** NA Lv1 Underpad-standard NA Opt. Flooring Extras FLOOR AND WALL TILES Floor Tile Wall Tile Front Foyer 1-13x13, Serpentine White Decor Listello Main Hall N/A Kitchen/Breakfast 1-13x13, Serpentine White Kitchen Backsplash N/A Powder Room 1-13x13, Serpentine White Pwdr Wall if Applicable N/A Laundry 1-13x13, Serpentine White Decor Listello Tub Wall Shower Wall Deck Skirt Deck Splash Main Bathroom 1-13x13, Serpentine White 1-8x10, Serpentine White N/A NA 1-13x13, Serpentine White Master Ens N/A 1-8x10, Serpentine White N/A NA Shower - Upgrade Floor Opt. Tile Extras

HIGHCASTLE HOMES - COLOUR SCHEDULE

Purchasers: NAMRATA BHARTENDU SINGH & BHARTENDU SINGH Property: Block 49 Unit 1Phase: 4 of Plan - 40M-2633 Telephone Res. / Bus: Project: 2174372 Ontario Ltd. Decor Advisor: Caroline Rajcsanyi Model and Elevation: Silver Spruce (T-5) Corner Elev B PLUMBING / FAUCETS Powder Room Laundry Standard Main Bath Standard Master Ensuite Standard 2nd Ensuite N/A R.I. Bath *3 Piece Kitchen Sink *Undermount Kitchen Faucet Upgrade Drain for 2nd floor Laundry Yes No Waterline for fridge Yes O No Supply and install all toilet paper holders, towel bars and soap dishes O No Whirlpool Opt. Plumbing Extras **PAINTING** Wall Colour **Trim Colour** Railing Colour **Pickets Colour** Stair Colour 22 Warm Grey *Stained as Floor Stained as Floor Standard Opt. Paint Extras **MISCELLANEOUS** Railing Style RAILING - STANDARD - 1 5/16in oak picket, 2 1/2in oak handrail and 2 3/4in oak post. *Yes-Grade Permitting Opt. Garage Door Opt. Side Door No Stair Type *Oak Interior Doors Standard - Classique Int. Door Hardware *Pewter Knob Ext. Door Hardware *Pewter Exterior package Trim Style *1 - 2 3/4in Case & 4in Baseboard Cold Cellar Smooth Ceiling 1st Floor **Basement Windows Upgrade** Yes No Smooth Ceiling 2nd Floor () Yes No Supply and Install Standard Mirrors Yes Misc. HEATING Fireplace Туре Mantle Surround Hearth Air Conditioning *Yes No Gas Provisions for BBQ O Yes No. Hood Fan Duct O Yes 6 inch 8 inch 10 inch Humidifier No Gas Provisions for Dryer Yes No Gas Provisions for Stove Yes O No **Exterior Colour Scheme:** Pre-selected By Vendor NOTE: The Purchaser(s) agree(s) that: a) Colours of materials are as close as possible to Vendor's selections, but not necessarily identical due to variances in manufacturing or manufacturers b) Purchaser(s) has checked and acknowledges accuracy of the above selections. Where omissions occur on the original colour selection sheet Purchaser(s) acknowledge that the Builder's selection will be final. c) Upgrades or extras listed on this schedule will not be deemed part of the Agreement of Purchase and Sale. Any such upgrades or extras shall be null and void unless accompanied by a separate invoice and amendment. Said invoice must be paid in full. d) The Purchaser(s) further agrees that in the event that the Vendor has preselected colours prior to the purchase of the house, the prescribed colours are final Purchaser may have completed a colour selection schedule The Purchaser(s) Acknowledges that once this colour schedule is signed and dated, no changes, additions or deletions will be permitted other than re-selection due to) B A \$350.00 (Per Occurance) change/administration fee will apply to above exceptions. Name This Interior Colour Selection is final and approved by:

Date: 07/29/2020
Printed 7/29/2020 15:47:57

Signature:

Signature:

Date: 07/29/2020

Builder's Agent:

Date:



Highcastle Homes Décor Centre Disclaimers

Lot#: Block 49 Unit 1 Model: Silver Spruce (T-5) Corner Elev B in Northglen (H) - 2174372 Ontario Ltd.

PURCHASERS: NAMRATA BHARTENDU SINGH and BHARTENDU SINGH

TEL:

Through years of doing business, we at Highcastle Homes have encountered issues beyond our control. The following disclaimers apply to all instances of Purchaser's Extras forms and all Interior Colour Scheme forms.

Fireplace Marble: Due to the many variables that can affect the pattern and/or design, frequently the marble installed on the fireplace will not be identical to the samples. We will make every attempt to come as close to the samples as possible, but cannot be responsible for results which differ from the samples.

Many variables including variegation can affect tile colour, pattern and/or design which mean installed tiles may not be identical to the samples. We will make every attempt to come as close as possible, but cannot be responsible for results which differ from the samples.

The purchaser is advised that cupping and shrinkage are characteristics of hardwood flooring normal appearing some time after installation, and no warranty is provided by the flooring supplier with respect to such cupping and shrinkage. The vendor agrees to install any hardwood flooring ordered by the purchaser in good and workmanlike manner, but shall not be responsible for, and is hereby released by the purchaser from responsibility and liability for cupping and shrinkage of hardwood flooring.

Shrinking and expanding/cupping of the hardwood floors may occur if the humidity levels in the home are not kept at industry recommendations. If the hardwood floors shrink or expand due to the homeowner not complying with these levels, the hardwood floor will no longer be under warranty and it will be the homeowner's responsibility to repair the flooring.

Stain Colours

Due to many variables that can affect the outcome of a stain colour on wood, staircases, railings, and fireplaces, will not be identical to samples. Factors such as density, age humidity, air temperature, and the uniqueness of each piece of wood can result in wide variations in darkness or lightness. We will make every attempt to come as close to the sample as possible, but cannot be responsible for results which differ from the samples.

Stain on pre-finished hardwood floors will not be an exact match to the stain colours available on stairs, pickets and rails. The purchaser is responsible for choosing the stain on these areas to their satisfaction.

Appliances

All fridge openings are set to builder's standard width. Please advise Décor Centre at time of colour appointment if custom sizing of cabinets is required for any built - in appliances. The purchaser is responsible for costs and fees associated with changes to pre-manufactured kitchens made subsequent to colour appointments.

Kitchen Cabinets

The kitchen you order/purchase will undoubtedly contain slight colour variations. The degree of these variations is virtually impossible to determine before the kitchen is installed in its intended location. The amount of and type of lighting will also affect various highlights in the finish. Note: No two pieces of wood are identical. Variations in colour tone and grain patterns make a perfect colour match virtually impossible. It is generally agreed that these variations add to the natural beauty of a wood kitchen.

Shrinking and expanding of the kitchen cabinets may occur if the humidity levels in the home are not kept at industry recommendations. If the cabinets shrink or expand due to the homeowner not complying with these levels, the cabinets will no longer be under warranty and it will be the homeowner's responsibility to repair the cabinets.

Plaster Mouldings and Medallions

Plaster mouldings will not be installed in open to above areas or areas with 2 storey elements.

Due to the characteristics of wrought iron railing production, it is possible for the wrought iron to develop a scale effect. This scale may or may not be totally covered during the painting process. In effect, once the wrought iron picket is painted, the paint may in effect amplify the iron scale depending on the colour chosen. This is a natural effect of wrought iron and should not be constued as a defect or

I hereby acknowledge reading and understanding the above copy and will not hold Highcastle Homes responsible for any issues in

Purchasers Signature(s):

Naurate Date: 07/29/2020

RF28R6201SR


28 cu. ft. 3-Door French Door Refrigerator with CoolSelect Pantry™


Installation Specifications

- Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.





SAMSUNG

BLK 49-1 NG-PH4

Total Capacity: 28 cu. ft. Refrigerator: 19.1 cu. ft.

- Premium External Filtered Water and Ice Dispenser
 Crushed or Cubed Ice
- Ice Max
- CoolSelect Pantry™ with Temperature Control Deli (41°C), Fresh (38°F) and Chilled (32°F) Options
- Pantry Divider
- 2 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves:
 - 1 Slide-In
 - 1 Foldable Half
 - -3 Fixed
- 6 Clear Door Bins
 - Right Door: 3 Gallon BinsLeft Door: 3 Regular Bins
- Adjustable Shelves for Tall Oversized Items
- High Efficiency Top LED Lighting

Freezer: 8.9 cu. ft.

- EZ-Open Handle™
- 2 Drawer Dividers
- High Efficiency LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

One (1) Year Parts and Labor on Refrigerator

Five (5) Years Parts and Labor on Sealed Refrigeration System Only* Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier and connecting tubing.

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors):

35³/₄" x 70" x 36"

Dimensions (WxHxD without hinges and door):

353/4" x 687/8" x 287/8"

Dimensions (WxHxD with hinge and door, no handle):

35³/₄" x 70" x 33¹/₂" Weight: 311 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $38^{5}/_{8}$ " x $76^{5}/_{8}$ " x $36^{1}/_{8}$ "

Weight: 320 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RF28R6201SR	887276341330
Fingerprint Resistant Black Stainless Steel	RF28R6201SG	887276341323
Fingerprint Resistant Tuscan Stainless Steel	RF28R6201DT	887276341316
White	RF28R6202WW	887276341347

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

RF28R6201SR

28 cu. ft. 3-Door French Door Refrigerator with CoolSelect Pantry™

SAMSUNG

BIK 49-1 NB-PHY



Signature Features

Twin Cooling Plus®

Independent fridge and freezer controls keep food fresher longer.

CoolSelect Pantry™

 Full-width drawer with three temperature control settings to chill or defrost food to ideal temperatures.

• Large capacity, stores up to 4.2 lbs of ice.

Fingerprint Resistant Finish

A special finish to reduce smudges and minimize cleaning.

Wi-Fi and Bixby Enabled

• Use your smartphone to control the temperature and monitor your refrigerator remotely.

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Fingerprint Resistant Tuscan Stainless Steel



White



CoolSelect Pantry™ with Temperature Control



Convenience

- CoolSelect Pantry[™] with Temperature Control and Pantry Divider
- Wi-Fi and Bixby Enabled
- Adjustable Shelves for Tall Oversized Items
- Auto Pull-Out Upper Freezer Drawer
- Water Filter Indicator



Design

- Fingerprint Resistant Finish
- Premium External Filtered Water and Ice Dispenser with Light
- High Efficiency LED Lighting
- Accessibility (ADA Compliant)
- EZ-Open Handle™ on Freezer Door • Tempered Glass Spill-Proof Shelves
- Gallon Door Bins

Performance

- Twin Cooling Plus®
- Ice Max Stores up to 4.2 lbs of Ice
- ENERGY STAR® Compliant
- Two Humidity-Controlled Crispers
- Power Freeze and Power Cool Options
- CoolTight Door
- Door Alarm

Rating



ENERGY STAR® rated: 725 kWh/yr

UPGRADE \$ 1,250 + 457 NX58H9500WS

5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

BIK 49-1 NC-PH4.

Features

- Slide-in Design
- 5 Gas Burners
 - Right Front: Dual 18K BTU
 - Left Front: 15K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: 9.5K BTU (Oval)
- Large Oven Capacity 5.8 cu. ft.
- Guiding Light Controls
- Cast Iron 3 Piece Grates
- Reversible Cast Iron Griddle
- Wok Grate
- True Convection Oven (3-Fan)
- Temperature Probe
- Warming Drawer (3 Levels)
- Grate Indicator Marks
- Healthy Cook Options


Convenience

- Auto Oven Light
- Sabbath Mode
- Delay Start
- Auto Shut-Off Option
- Child Safety Lock
- Self Clean
- 3 Favorite Cook Presets
- 4 Healthy Cook Presets
- 3 Chrome Oven Racks, including 1 Split Rack



Ranked "Highest in Customer Satisfaction with Ranges, Cooktops and Ovens."* -J.D. Power





Power/Flexible Cooktop



Guiding Light Controls



Cast Iron Reversible Griddle

Available Color



Stainless Steel

Signature Features

POWERFUL/FLEXIBLE COOKTOP

 True dual-power burner allows for even heat distribution and reduced cooking time, plus the convenience of a large oval burner.

GUIDING-LIGHT CONTROLS

- Intuitive controls offer simple, step-by-step instructions for choosing cooking options.
- Only illuminates cooking options that are able to be selected and goes from left to right eliminating back and forth.
- Control temperature and time settings, select cooking functions and program your favorite recipes.

TRUE CONVECTION

 Heated fan system is great for baking and broiling because temperature is distributed thoroughly and food cooks evenly.

REVERSIBLE CAST IRON GRIDDLE

 Reversible griddle provides the flexibility of cooking on flat or grilled surface, while the Cast Iron provides even cooking.

GRATE INDICATOR MARKS

• Indicator marks located on the grates allow cookware to be ideally placed for precise cooking.



SAMSUNG

NX58H9500WS


5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

BIK 49-1 NG-PH4




30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.


** 18" minimum between the countertop and the adjacent cabinet bottom.



IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

Dimensions







Total Power (BTU)

57,000 BTU

Power Source

120 V/60 Hz

Black Enamel 5 Burner Cooktop

- Right Front: 18000 BTU -- Dual
- Left Front: 15000 BTU
- Right Rear: 5000 BTU
- Left Rear: 9500 BTU
- Center Rear: 9500 BTU Oval

Oven

- Bake: 150°F 550°F
- Convection Bake: 150°F 550°F
- Bake Burner: 18000 BTU
- Broil Burner: 16000 BTU
- Variable Broil: Low/Hi (375°F 480°F)
- Convection Roast: 150°F 550°F
- Sabbath Mode

Warming Drawer

- Capacity: 0.7 cu. ft.
- Heating Performance: 600 W
- Temperature Settings: 3 Level

Warranty

One (1) Year All Parts and Labor Five (5) Years Gas Cooktop

Product Dimensions & Weight (WxHxD)

Actual Oven Dimensions:

25" x 211/8" x 19"

Outside Dimensions:

29 13/16" x 363/16-373/16" (Adjustable) x 263/8"

Weight: 202 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions

327/8" x 43 11/16" x 30 1/8"

Weight: 225 lbs.

Color

Model#

UPC Code

Stainless Steel

NX58H9500WS

887276032047

SAMSUNG

*Samsung received the highest numerical score for ranges, cooktops and ovens in the proprietary J.D. Power 2014 Kitchen Appliance Study ** Study based on 15,380 total responses measuring 17 ranges, cooktops and oven brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visitjdpower.com.

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2014 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com.

Whirlpool 4.5 cu. ft. Front Load Washer WFW6620H WFW6620H

BIK 49-1 NG-PH4.



Chrome Shadow WFW6620HC

Also available in:

400		
-	1	14/1-11-
	3	White

WFW6620HW

Capacity			
Total	4.5 cu. ft.		
General Features & Propert	ies		
Intuitive Controls			
Steam Clean Option			
Sanitize Cycle			
Quick Wash Cycle			
Cold Wash Cycle			
Presoak Option			
Single Load Dispenser			
Closet-Depth Fit			
Smooth Wave Stainless Ste	eel Wash Basket		
Electrical Details			
Amps	15 or 20		
Volts	120		
Certifications			
ENERGY STAR® Certified	Yes		

Technical Details	
Drum Material	Stainless Steel
Control Location	Front
Control Type	Tap Touch
Number of Cycles	37
Washer Cycle Selections	Bulky Items Clean Washer with affresh® Cold Wash Colors Delicates Drain & Spin Heavy Duty Normal Quick Regular Sanitize Towels Whites Wrinkle Control
Number of Options	37
Washer Option Selections	Extra Rinse Steam Clean
Dimensions	
Product Dimensions (H x W x D)	38-5/8" x 27" x 31-9/16"
Depth with Door Open 90°	56-1/2"
Reference Material	STEEL STATE

Key Features & Benefits

Load & Go™ XL Dispenser


Skip steps with the Load & Go™ XL dispenser. Simply add detergent once and skip refills for 40 loads."

4.5 cu. ft. Capacity

Wash over three baskets of clothing in a single load** and finish laundry fast with 4.5 cu. ft. washer capacity that offers enough space to handle larger loads.

ENERGY STAR® Certified

ENERGY STAR® certified models exceed government standards to help conserve natural resources and save money on your utility bills.



Install Guide


Use & Care Guide

Energy Guide

Warranty

*Based on an 8-lb load. **Based on a 7-lb basket. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

®/™ © 2020. All rights reserved. Printed in the U.S.A. D200104XXD. WFW6620HSpecSheetV01.



Chrome Shadow WED6620HC

Also available in:

White

WED6620HW

Capacity				
Total	7.4 cu. ft.			
General Features & Properties				
Intuitive Controls				
Steam Refresh Cycle				
Sanitize Cycle				
Advanced Moisture Sensin	g			
Static Reduce Option				
EcoBoost™ Option				
Quad Baffles				
Closet-Depth Fit				
Laundry Pedestals				
Electrical Details				
Hz	60			
Amps	30			
Volts	240			
Certifications *				
ADA Compliant	Yes			
ENERGY STAR® Certified	Yes			

Technical Details	
Drum Material	Powder Coat
Fuel Type	Electric
Door Style	Side Swing
Reversible Door	Yes
Number of Dryer Cycles	37
Selection of Drying Cycles	Bulky Items Colors Delicates Heavy Duty Normal Quick Dry Regular Sanitize Steam Refresh Timed Dry Towels Whites Wrinkle Control
Dryer Option Selections	Control Lock Cycle Signal Damp Dry Signal Eco Boost™ Reduce Static Wrinkle Shield™ Wrinkle Shield™ with Steam

Key Features & Benefits

Wrinkle Shield™ Plus Option with Steam


Help keep wrinkles from setting into clean, dry fabrics. The Wrinkle Shield™ Plus option with Steam uses tumbling and steam for up to 150 minutes after the cycle ends or until you open the dryer door for improved wrinkle-fighting

7.4 cu. ft. Capacity

Get plenty of room to dry the large loads you washed in the matching front load washer. This 7.4 cu. ft. dryer easily handles bulky items like comforters and sleeping bags.

ENERGY STAR® Certified

ENERGY STAR® certified models exceed government standards to help conserve natural resources and save money on your utility bills.



Steam **Dimensions** 38-1/8" x **Product Dimensions** 27" x 31" (H x W x D) Depth with Door Open 90° 54-5/16" Maximum Vent Length Left, Right, Bottom, Rear Venting Direction Ventless Reference Material

Install Guide

Use & Care Guide

Warranty


NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

®/™ © 2020. All rights reserved. Printed in the U.S.A. D200104XXD. WED6620HSpecSheetV01.




STONE EDGE PROFILES


Approx 2CM or 3/4" Standard Edge



<u>1st UPGRADE</u> <u>Approx 4CM or 1.5" - SEAMS WILL BE VISIBLE</u>



2nd UPGRADE Approx 4CM or 1.5" - SEAMS WILL BE VISIBLE



Sign Promistas


Date July 29,2020 Date July 29,2020



Sign Dawrates

Date July 29,2020 Date July 29,2020


BIK 49-1 NG-PH4



Sign Nameatro

Dake July 29,2020 Date July 29,2020

BIK 49-1 NG PH-4



BASEMENT - ELEV B

Sign Pourate.

Date July 29,2020 Date July 29,2020



Worksheet Note:

CONSTRUCTION SUMMARY

Northglen (H) - 2174372 Ontario Ltd.

PURCHASERS: NAMRATA BHARTENDU SINGH and BHARTENDU SINGH

TEL:

LOT / PHASE	REG, PLAN#	HOUSE TYPE	CLOSING DATE
Block 49 Unit 1 / 4	40M-2633	Silver Spruce (T-5) Corner Elev B	26-Nov-20

BONUS: 5 APPLIANCE PACKAGE - INCLUDES STAINLESS STEEL: FRIDGE, STOVE, BUILT-IN DISHWASHER: WHITE:
WASHER/DRYER-BUILDERS STANDARD PACKAGE
Worksheet Note:

BONUS: GRANITE KITCHEN COUNTER TOP - AS PER PLAN (FROM BUILDERS STANDARD SAMPLES)
Worksheet Note:

BONUS: 2 1/4 INCH NATURAL HARDWOOD FLOORING ON MAIN FLOOR (EXCLUDING TILE AREAS) - AS PER PLAN (FROM BUILDERS STANDARD SAMPLES).
Worksheet Note:

BONUS: 1ST UPGRADE COLONIAL TRIM - AS PER PLAN (FROM BUILDERS STANDARD SAMPLES)
Worksheet Note:

BONUS: \$5,000.00 IN UPGRADES - TO BE USED AT BUILDERS DECORE CENTRE AT TIME OF COLOUR SELECTIONS (INCLUSIVE OF HST)



CONSTRUCTION SUMMARY

Northglen (H) - 2174372 Ontario Ltd.

PURCHASERS: NAMRATA BHARTENDU SINGH and BHARTENDU SINGH

TEL:

LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLOSING DATE
Block 49 Unit 1 / 4	40M-2633	Silver Spruce (T-5) Corner Elev B	26-Nov-20

3) HEATING / AIR CONDITIONING

1 - GAS LINE - ROUGH-IN FOR STOVE INCLUDING ELECTRICAL OUTLET

29Jul20

11,487/36017

4) PLUMBING

1 - KITCHEN - ALIGN 7565 CHROME, 1 HOLE APPLICATION

29Jul20

11,487/36020

1 - WATER LINE - FRIDGE - ROUGH IN ONLY

Note: 29Jul20

11,487/36019

1 - SINK - KITCHEN - UNDERMOUNTED (RECTANGULAR SQUARE - DOUBLE EQUAL BOWL)

29Jul20

11,487/36018

5) ELECTRICAL

18 - POT LIGHT - 4 INCH POTLIGHT W LED ENERGY BULB-10 MIN- PRICE EACH) 4 X KITCHEN (RELOCATE STD CEILING LIGHT CAPPED OVER ISLAND)6 X GREAT ROOM (DELETE STD CEILING LIGHT),4 X DINING ROOM (LEAVE STD CEILING LIGHT CAPPED), 4 X LIBRARY (DELETE STD CEILING LIGHT

29Jul20

11,487/36010

6) FLOORING & WALL TILE

1 - GARAGE TO HOUSE ENTRANCE TO HAVE TILES (SEE PLAN)

29Jul20

11.487/36022

1 - OAK - 3/4" X 3 1/8" ENGINEERED - STAINED - UPGRADE FROM CARPET - - UPPER HALL (UPGRADE FROM CARPET)

INCLUDING MAIN STAIR LANDING

29Jul20

11,487/36014

1 - OAK - 3/4" X 3 1/8" ENGINEERED - STAINED - UPGRADE FROM 3/4X 2 1/4 NATURAL OAK - LIBRARY (UPGRADE FROM

HARDWOOD)

29Jul20

11,487/36013

1 - OAK - 3/4" X 3 1/8" ENGINEERED - STAINED - UPGRADE FROM 3/4X 2 1/4 NATURAL OAK - - GREAT ROOM (UPGRADE FROM

HARDWOOD)

29.Jul20

11,487/36012

1 - OAK - 3/4" X 3 1/8" ENGINEERED - STAINED - UPGRADE FROM 3/4X 2 1/4 NATURAL OAK - - DINING ROOM (UPGRADE FROM

HARDWOOD)

29Jul20

11,487/36011

9) CABINETRY

1 - BASE CABINETS - CORNER SYSTEMS - BASE PIE-CUT CORNER - GROUP 1 - 4

Note: 29Jul20

11,487/36008

1 - APPLIANCE CABINETS - FRIDGE - 66CM DEEP FRIDGE ENCLOSURE (COUNTER DEPTH) WITH (1) WALL ([1] 66CM DEEP GABLE AND [1] 66CM DEEP CABINET) (THIS IS NOT A ZERO CLEARANCE ENCLOSURE. STANDARD HEIGHTS AND WIDTHS

WILL BE CLEARANCE ENCLOSURE. STANDARD HEIGHTS AND

29Jul20

11,487/36007

1 - PANTRY - OPT. PANTRY AS PER PLAN - LEVEL 1 (SEE PLAN)

29Jul20 Note:

11,487/36006

SHOWERS

1 - SHOWER DOORS - ADD FRAMELESS GLASS SHOWER DOOR IN LIEU OF FRAMED DOOR (MASTER ENSUITE SHOWER)

29.Jul20

11,487/36021

igConstructionSummary.rpt 08April20

Page 2 of 3



LOT / PHASE

Block 49 Unit 1 / 4

40M-2633

CONSTRUCTION SUMMARY Northglen (H) - 2174372 Ontario Ltd. PURCHASERS: NAMRATA BHARTENDU SINGH and BHARTENDU SINGH TEL: REG. PLAN# HOUSE TYPE CLOSING DATE

Block 49 Unit 1 / 4	40M-2633	Silver Spruce (T-5) Corner Elev B	26-Nov-20
STAIR AND RAILING			
1	STAIR TO ALL OAK IN NA	ATURAL FINISH (WITH NATURAL STRIP LANDING)	
29Jul20 Note: 11,487/36016			
1 - STAIN STAIR AND RAII	LING PER FLOOR		
29Jul20 Note:			
11,487/36015			

Silver Spruce (T-5) Corner Elev B

This Document is Extremely Time Sensitive - Printed $\underline{29 \text{ Jul } 20}$ at $\underline{15:50}$