#### HIGHCASTLE HOMES - COLOUR SCHEDULE

OMOWANDE OSIDEIN & DAMILOLA OLUSEYI OSIDEIN Property: 49 Block IPhase: 1 of Plan -Purchasers: Project: 2174372 ONTARIO LTD. Telephone Res. / Bus: Decor Advisor: Model and Elevation: The Newcastle END (TB-1) Caroline Rajcsanyi KITCHEN AND VANITIES Counter Hardware Cabinet Lv1 - GR-Serenata 12881 Kitchen Lv1 - Manchester Oak - Poppyseed Italian White Di Pesco 4954K-22 12881 Main Bathroom Lv1 - Hudson - Ontario White **Ensuite Bathroom** Lv1 - Hudson - Ontario White Italian White Di Pesco 4954K-22 12881 Opt. Breakfast Bar Counter Height/Flush Kitchen Hood Fan Standard Kitchen Upper Height 77 cm - Standard Stove opening – if not specified will be set to builders standard opening of approximately 30 in width Fridge Opening - if not specified will be set to builders minimum opening of approximately 33 x71 height (townhouses) - if not specified will be set to builders minimum opening of approximately 36 x 71 height (singles) Counter top Edge Single Edge (3/4") Top Bevelled Kitchen Opt. Kitchen **Extras** PARQUET / HARDWOOD OR BROADLOOM Kitchen / Breakfast Lv1 -TXP135 Lv1 - T15 Lv1 -TXP135 Lv1 - T15 N/A Master Bedroom **Great Room** N/A Bedroom 2 Living / Formal Room \*1-Lam,Concerto,1/2x5x48in,Caruso Maple,#54360031 Bedroom 3 Lv1 -TXP135 Lv1 - T15 \*1-Lam,Concerto,1/2x5x48in,Caruso Maple,#54360031 Dining Room Bedroom 4 N/A Family Room N/A Lv1 -TXP135 Lv1 - T15 Lv1 -TXP135 Lv1 - T15 **GrndFlrStairs** Main Hall \*1-Lam,Concerto,1/2x5x48in,Caruso Maple,#54360031 GrndFlrLanding Lv1 -TXP135 Lv1 - T15 Lv1 -TXP135 Lv1 - T15 Main Stairs Rec Rm \*1-Lam,Concerto,1/2x5x48in,CarusoMaple,#54360031 Upper Hall \*1-Lam,Concerto,1/2x5x48in,CarusoMaple,#54360031 RecRmHall Com. Centre/Home Office N/A Basement N/A Main Stair Landing Lv1 -TXP135 Lv1 - T15 **Basement Landing** N/A Library/Den/Study N/A **Basement Stairs** NA In Law Suite N/A Carpet Runner O Yes No No Underpad Main Floor Underpad 2nd Floor **Underpad Main Stairs** NA Lv1 Underpad-standard Lv1 Underpad-standard Opt. Flooring Extras FLOOR AND WALL TILES Floor Tile Wall Tile Front Foyer 1-13x13, Alpes, White Decor Listello Main Hall N/A Kitchen/Breakfast 1-13x13, Alpes, White Kitchen Backsplash Powder Room 1-13x13, Alpes, White Pwdr Wall if Applicable Laundry 1-13x13, Reflex, DK Brown Decor Listello Floor Shower Wall Deck Skirt Deck Splash Main Bathroom 1-13x13, Reflex, DK Brown 1-8x10, Reflection, DK Brow N/A N/A NA Master Ens 1-13x13, Reflex, DK Brown 1-8x10, Reflection, DK Brow N/A N/A NA RecRmFoye 1-13x13, Alpes, White N/A N/A N/A NA Shower - Upgrade Floor Opt. Tile Extras

		LE HOMES - COLOU				
urchasers: elephone Res. / Bus: ecor Advisor:	OMOWANDE OSIDEIN & DAMILOLA OLUSEYI OSIDEIN Property: 49 Block IPhase: 1 of Plan -  Project: 2174372 ONTARIO LTD.  Caroline Rajcsanyi Model and Elevation: The Newcastle END (TB-1)					
LUMBING / FAUC	ETS					
wder Room	Standard	Laundry	Standar	d		]
in Bath ster Ensuite	Standard Standard		e spiracijanju priju i varijanju priju		Belle Be	
d Ensuite	N/A					
. Bath	NA	Annual to the second of the se			And the second s	
chen Sink chen Faucet	Standard Standard		Nace programme	emeratur and dependent place > + + + + + + + + + + + + + + + + + +		and a second second
ain for 2nd floor Laundry sterline for fridge	Y ( Yes ( No No No No					
oply and install all toilet	paper holders, towel bars and soa	p dishes Yes No				
Whirlpool						
t. Plumbing Extras						and the same of th
AINTING			The second section of the second seco	, majo . — — pour v monoroda meneria annidi	de manusche der der der der der der der der der de	
Wall Colour	Trim Colour	Railing Colour	Pickets Colour		Stair Colour	
22 Warm Grey	Standard	Natural	ural	Carp	et On Stair	
pt. Paint Extras						
ailing Style RAILING pt. Garage Door	G - STANDARD - 1 5/16in oak picket, 2 1/2in es-Grade Permitting Opt. Side	Poor NA Hardware Pewter Knob e '1 - 2 3/4in Case & 4in E			ewter Exterior package Cold Cellar 〔	
alling Style RAILING pt. Garage Door 'Yo' terior Doors Sta mooth Celling 1st Floor mooth Celling 2nd Floor upply and Install Standar	es-Grade Permitting Opt. Side Int. Door Trim Styl	Poor NA Hardware Pewter Knob  11 - 2 3/4in Case & 4in E Basement Windows Up	Ext. Door Ha	Contract of the Contract of th		
alling Style RAILING pt. Garage Door 'Yo' terior Doors Sta mooth Celling 1st Floor mooth Celling 2nd Floor upply and Install Standar	es-Grade Permitting Opt. Side andard - Classique Int. Door Trim Styl	Poor NA Hardware Pewter Knob  11 - 2 3/4in Case & 4in E Basement Windows Up	Ext. Door Ha	rdware *P		
ailing Style RAILING pt. Garage Door TY terior Doors Sta mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standar isc.	es-Grade Permitting Opt. Side Int. Door Trim Styl  Yes No. Yes No. Yes No. Yes No.	B Door NA Hardware Pewter Knob e 11 - 2 3/4in Case & 4in E Basement Windows Up	Ext. Door Ha	No	Cold Cellar [	
ailing Style RAILING pt. Garage Door TY terior Doors Sta mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standar isc.	es-Grade Permitting Opt. Side andard - Classique Int. Door Trim Styl	B Door NA Hardware Pewter Knob e 11 - 2 3/4in Case & 4in E Basement Windows Up	Ext. Door Ha	rdware *P	Cold Cellar [	
ailing Style pt. Garage Door terior Doors  mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standar isc.  HEATING ireplace	G-STANDARD - 1 5/16in oak picket, 2 1/2in- es-Grade Permitting Opt. Side andard - Classique Int. Door Trim Styl  Yes No Yes No Yes No Trim Styl  Type	Mantie	Ext. Door Ha	No Hea	Cold Cellar [	
alling Style pt. Garage Door received for terior Doors  mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standar isc.  HEATING ireplace  ir Conditioning lood Fan Duct iss Provisions for Dryer	Type	Mantle Su	Ext. Door Ha	No	Cold Cellar [	
ailing Style RAILING pt. Garage Door TY terior Doors Sta mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standar isc.  HEATING ireplace ir Conditioning ood Fan Duct ias Provisions for Dryer	Type	Mantle  Mantle	Ext. Door Ha	Hea	Cold Cellar [	
ailing Style pt. Garage Door terior Doors  TY  TY  TY  TY  TY  TY  TY  TY  TY  T	Type	Mantle  Mantle	Ext. Door Ha	Hea	Cold Cellar [	
ailing Style pt. Garage Door reterior Doors  The provisions of Standard Sta	Type  Type  Type  Type  Type  Type  Type  Starting No  Exterior Colour naser(s) agree(s) that:  als are as close as possible to Vendo	Mantle Summer:  Scheme:  Spoor NA  Hardware Pewter Knob  1 - 2 3/4in Case & 4in E  Basement Windows Up  Mantle Summer  Gar  Hu	Ext. Door Habaseboard ograde Yes  arround as Provisions for BBQ amidifier  Pre-selected By Veriage to variances in manufacture of the provision of the provisio	Head Yes Yes Acturing or ma	Cold Cellar [	
alling Style  att. Garage Door terior Doors  Sta  mooth Ceiling 1st Floor mooth Ceiling 2nd Floor apply and Install Standar isc.  HEATING ireplace  ir Conditioning ood Fan Duct as Provisions for Dryer as Provisions for Stove  NOTE: The Purch a) Colours of materia b) Purchaser(s) has acknowledge that the	Type  Type  Type  Type  Seinch Sinch Sinch 10 inch Sinch No  Tyes No  Yes No  Type  Type  Type  Type  Type  Seinch Sinch 10 inch No  Yes No  Yes No  Yes No  Yes No  Yes No  To inch No  Exterior Colour taser(s) agree(s) that:  als are as close as possible to Vendo checked and acknowledges accuracy the Builder's selection will be final.	Mantle Summer:  Scheme:  Scheme:  Spoor  NA  Hardware  Pewter Knob  11 - 2 3/4in Case & 4in E  Basement Windows Up  Garage  Garage  Hu  Scheme:	Ext. Door Habaseboard ograde Yes  Arround  BS Provisions for BBQ amidifier  Pre-selected By Verian to variances in manufactor on the original color	Head No Yes Yes Acturing or ma	Cold Cellar [  No No No No	
alling Style pt. Garage Door terior Doors  mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standar isc.  HEATING ireplace  ir Conditioning lood Fan Duct isas Provisions for Dryer isas Provisions for Stove  NOTE: The Purch a) Colours of materia b) Purchaser(s) has acknowledge that it c) Upgrades or extra unless accompani d) The Purchaser(s)	Type	Mantle Summer Scheme:  T's selections, but not necessarily identical day of the above selections. Where omissions of the Vendor has preselected colours prior to the vendor has preselected colours pr	Ext. Door Habaseboard ograde Yes  Irround  Is Provisions for BBQ Imidifier  Pre-selected By Verian to variances in manufactor on the original color and Sale. Any such upgradent	Head No  Head No  Yes  Yes  Acturing or main selection ships selection sel	Cold Cellar [  No No No No No	
pt. Garage Door Staterior Doors Doors Provisions for Dryer Staterior Doors of materia Doors of materi	Type	Mantle Summer Scheme:  T's selections, but not necessarily identical day of the above selections. Where omissions of the Vendor has preselected colours prior to the vendor has preselected colours pr	Ext. Door Habaseboard ograde Yes  Irround  Is Provisions for BBQ Imidifier  Pre-selected By Veriau to variances in manufactor on the original color and Sale. Any such upgrade the purchase of the house	Head No  Head No  Yes  Yes  Acturing or main selection ships s	Cold Cellar [  No No No No No No And No N	due
alling Style pt. Garage Door terior Doors  mooth Ceiling 1st Floor mooth Ceiling 2nd Floor upply and Install Standar isc.  HEATING ireplace  ir Conditioning lood Fan Duct isas Provisions for Dryer isas Provisions for Stove  NOTE: The Purch a) Colours of materia b) Purchaser(s) has acknowledge that t c) Upgrades or extra unless accompani d) The Purchaser(s) not withstanding the e) The Purchaser(s) unavailability.  A \$350 (Per item) adm	Type  Type  Type  Type  Type  Sinch Sinch 10 inch 2	Mantle  Summer Scheme:  T's selections, but not necessarily identical of yof the above selections. Where omissions deemed part of the Agreement of Purchase a ment. Said invoice must be paid in fine Vendor has preselected colours prior to the account selection schedule is signed and dated, no changes, a ove exceptions (if the change is possible end by:	Ext. Door Hataseboard ograde Yes Frovisions for BBQ amidifier  Pre-selected By Verice to variances in manufacture on the original color and Sale. Any such upgrade the purchase of the house additions or deletions will	Head No  Head No  Yes  Yes  Acturing or main selection ships s	Cold Cellar [  No No No No No No And No N	due



#### Highcastle Homes Décor Centre Disclaimers

Lot#: 49 Block I Model: The Newcastle END (TB-1) in Orchards Enclave - 2174372 ONTARIO LTD.

PURCHASERS: OMOWANDE OSIDEIN and DAMILOLA OLUSEYI OSIDEIN

TEL:

Through years of doing business, we at Highcastle Homes have encountered issues beyond our control. The following disclaimers apply to all instances of Purchaser's Extras forms and all Interior Colour Scheme forms.

Fireplace Marble: Due to the many variables that can affect the pattern and/or design, frequently the marble installed on the fireplace will not be identical to the samples. We will make every attempt to come as close to the samples as possible, but cannot be responsible for results which differ from the samples.

#### Ceramic Floor Tile

Many variables including variegation can affect tile colour, pattern and/or design which mean installed tiles may not be identical to the samples. We will make every attempt to come as close as possible, but cannot be responsible for results which differ from the samples.

#### Hardwood Flooring

The purchaser is advised that cupping and shrinkage are characteristics of hardwood flooring normal appearing some time after installation, and no warranty is provided by the flooring supplier with respect to such cupping and shrinkage. The vendor agrees to install any hardwood flooring ordered by the purchaser in good and workmanlike manner, but shall not be responsible for, and is hereby released by the purchaser from responsibility and liability for cupping and shrinkage of hardwood flooring.

Shrinking and expanding/cupping of the hardwood floors may occur if the humidity levels in the home are not kept at industry recommendations. If the hardwood floors shrink or expand due to the homeowner not complying with these levels, the hardwood floor will no longer be under warranty and it will be the homeowner's responsibility to repair the flooring.

#### **Stain Colours**

Due to many variables that can affect the outcome of a stain colour on wood, staircases, railings, and fireplaces, will not be identical to samples. Factors such as density, age humidity, air temperature, and the uniqueness of each piece of wood can result in wide variations in darkness or lightness. We will make every attempt to come as close to the sample as possible, but cannot be responsible for results which differ from the samples.

Stain on pre-finished hardwood floors will not be an exact match to the stain colours available on stairs, pickets and rails. The purchaser is responsible for choosing the stain on these areas to their satisfaction.

All fridge openings are set to builder's standard width. Please advise Décor Centre at time of colour appointment if custom sizing of cabinets is required for any built - in appliances. The purchaser is responsible for costs and fees associated with changes to pre-manufactured kitchens made subsequent to colour appointments.

#### Kitchen Cabinets

The kitchen you order/purchase will undoubtedly contain slight colour variations. The degree of these variations is virtually impossible to determine before the kitchen is installed in its intended location. The amount of and type of lighting will also affect various highlights in the finish. Note: No two pieces of wood are identical. Variations in colour tone and grain patterns make a perfect colour match virtually impossible. It is generally agreed that these variations add to the natural beauty of a wood kitchen.

Shrinking and expanding of the kitchen cabinets may occur if the humidity levels in the home are not kept at industry recommendations. If the cabinets shrink or expand due to the homeowner not complying with these levels, the cabinets will no longer be under warranty and it will be the homeowner's responsibility to repair the cabinets.

#### Plaster Mouldings and Medallions

Plaster mouldings will not be installed in open to above areas or areas with 2 storey elements.

#### Metal Spindles

Due to the characteristics of wrought iron railing production, it is possible for the wrought iron to develop a scale effect. This scale may or may not be totally covered during the painting process. In effect, once the wrought iron picket is painted, the paint may in effect amplify the iron scale depending on the colour chosen. This is a natural effect of wrought iron and should not be constued as a defect or damage.

I hereby acknowledge reading and understanding the above copy and will not hold Highcastle Homes responsible for any issues in relation to above.


Purchasers Signature(s): South Date: June 2, 7021

StaDisclaimers.rpt 16feb10 Page 1 of 1




# STONE EDGE PROFILES


Approx 2CM or 3/4" Standard Edge



1<sup>st</sup> UPGRADE Approx 4CM or 1.5" - SEAMS WILL BE VISIBLE




2<sup>nd</sup> UPGRADE Approx 4CM or 1.5" - SEAMS WILL BE VISIBLE




Sign Sportdegn Sign Office

Date June 2, 2021 Date June 3, 6021




GROUND FLOOR - ELEV B END UNIT 36 & 49 ZOZI



MAIN FLOOR - ELEV B END UNIT 36 & 49

Sign Standbi Dak June 2, 2021

ale June 3 2021



THIRD FLOOR - ELEV B END UNIT 36 & 49

JUNE 3 2021



Agreement of Purchase and Sale

## CONSTRUCTION SUMMARY

## Orchards Enclave - 2174372 ONTARIO LTD.

PURCHASERS: OMOWANDE OSIDEIN and DAMILOLA OLUSEYI OSIDEIN

TEL:

LOT / PHASE	REG. PLAN#	HOUSE TYPE	CLOSING DATE
49 Block I / 1		The Newcastle END (TB-1)	22-Feb-22

Central air conditioner (builders standard line)	
Worksheet Note:	
Laminate Flooring in leiu of carpet on main floor, as per plan, from builders standard samples.	
Worksheet Note:	
Granite kitchen countertops, (as per plan-from builders standard samples).	
Worksheet Note:	

## 9) CABINETRY

1 - \*\*PURCHASERS REQUEST STANDARD APPLIANCE OPENINGS\*\*

02Jun21 Note:

11,614/37843

This Document is Extremely Time Sensitive - Printed 2 Jun 21 at 13:56