

Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 74 Phase/Building: 1 Model/Floor Plan: Riverdale(22-3)

CABINETRY

Inv. 3163	1 - CABINETRY - KITCHEN - ROYAL PLUS - HIGH GLOSS	
Line 39147	Note:	
24Aug15 / 9Nov15		
Inv.3163	1 - CABINETRY - KITCHEN - REDUCE STANDARD CABINET UPPERS TO 90CM HIGH, STACKED 38CM HEIGHT WITH 2.5 CEILING STRIP TO BULKHEAD	
Line 39860	Note:	
24Aug15 / 9Nov15		

CABINETRY ACCESSORIES

Inv.3163	1 - CABINETRY - KITCHEN - DIFFERENT COLOUR ISLAND THAN KITCHEN COLOUR	
Line 39155	Note:	
24Aug15 / 9Nov15		
Inv.3163	1 CARDIERRY MECHEN THERMOMICION ELATTICHT VALANCE (COLID TV	
IIIV.3103	1 - CABINETRY - KITCHEN - THERMOVISION FLAT LIGHT VALANCE (SOLID TV COLOURS ONLY)	
Line 39873	· ·	

CABINETRY APPLIANCE - FRIDGE

Inv.3163	1 - CABINETRY - KITCHEN - 59 CM FRIDGE CABINET - 1 GABLE & CABINET 59 CM DEEP	
Line 39156	Note:	
24Aug15 / 9Nov15		

CABINETRY BASE CABINETS

Inv. 3163	2 - CABINETRY - KITCHEN - POTS & PANS DRAWER	
Line 39148	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - CABINETRY - KITCHEN - BASE 1 DRAWER BELOW KITCHEN SINK IN THE UPG LINE	
Line 39152	Note:	
24Aug15 / 9Nov15		
Inv. 3163	4 - CABINETRY - KITCHEN - INTERIOR PULL OUT DRAWER FOR DOUBLE DOOR CABINET	
Line 39945	Note:	
24Aug15 / 9Nov15		

CABINETRY HARDWARE

Inv. 3163	1 - CABINETRY - KITCHEN - WASTE / RECYCLE CENTER PULL OUT DOOR - ONLY AVAILABLE IN 45 CM CABINET (2) 35L BINS	
Line 39151	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - KITCHEN - CABINET HARDWARE - UPGRADE 2 - DISPLAY BOARD	
Line 39871	Note:	
24Aug15 / 9Nov15		

CABINETRY MICROWAVE OVEN STOVE COOKTOP



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 74 Phase/Building: 1 Model/Floor Plan: Riverdale(22-3)

Inv. 3163	1 - CABINETRY - KITCHEN - BUILT IN DOUBLE APPLIANCE CABINET WITH DRAWER BELOW - TRIM KIT REQUIRED	
Line 39149	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - CABINETRY - KITCHEN - COOKTOP CABINET (FULL HEIGHT) WITH FALSE TOP DRAWER AND POT & PANS DRAWERS BELLOW	
T : 20150	Note:	
Line 39150	Note.	

CABINETRY PANTRY

Inv. 3163	1 - CABINETRY - KITCHEN - PANTRY 59 CM DEEP PER IN LIEU OF UPPER/BASE	
Line 39864	Note:	
24Aug15 / 9Nov15		

CABINETRY VANITY

Inv. 3163	1 - CABINETRY - MASTER ENSUITE - VANITY BANK OF DRAWERS	
Line 39872	Note:	
24Aug15 / 9Nov15		

CABINETRY WALL AND HUTCH

Inv. 3163	2 - CABINETRY - KITCHEN - UPGRADE EXISTING CABINET SINGLE DOOR	
	ALUMINUM FRAME FLIP UP GLASS DOORS WITH FROSTED GLASS, WITH DOORS	
	ABOVE	
Line 39941	Note: AS INDICATED ON SKETCH	
24Aug15 / 9Nov15		

COUNTER TOP

24Aug15 / 9Nov15

Inv. 3163	1 - COUNTER TOP - KITCHEN - SUPPLY AND INSTALL GRANITE CUTOUT	
	PROVISION FOR COOKTOP CONDITION	
Line 39866	Note:	
24Aug15 / 9Nov15		
Inv. 3163	5 - PLUMBING - SUPPLY AND INSTALL GRANITE CUTOUT AND POLISHED EDGE	
	FOR UNDERMOUNT SINK - IN BATHROOMS	
Line 39923	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - COUNTER TOP - LOWER LEVEL BATHROOM - 2CM WITH STANDARD EDGE -	
	GROUP 3	
Line 39935	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - COUNTER TOP - POWDER ROOM - 2CM WITH STANDARD EDGE - GROUP 5	
Line 39936	Note:	
DAA 15 / ON 15		
24Aug15 / 9Nov15 Inv. 3163	1 COLDITED TOD MADI DATUDOOM ACMINITURE AND ADDEDGE CROUDS	
inv. 3103	1 - COUNTER TOP - MAIN BATHROOM - 2CM WITH STANDARD EDGE - GROUP 5	
Line 39937	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - COUNTER TOP - KITCHEN - KITCHEN WITH ISLAND AND FLUSH BREAKFAST	
	BAR - 3CM WITH STANDARD EDGE - GROUP 4	
Line 39938	Note:	



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 74 Phase/Building: 1 Model/Floor Plan: Riverdale(22-3)

ELECTRICAL

1 21(2	4 DV FORDIGAL WINGSUDY, GUIDDLY AND DUGGALLY GARDED GEVEN AGAINST	1
Inv. 3163	1 - ELECTRICAL - KITCHEN - SUPPLY AND INSTALL CAPPED CEILING LIGHT	
	ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH	
Line 39876	Note: ABOVE THE ISLAND AS INDICATED ON SKETCH	
24Aug15 / 9Nov15		
Inv. 3163	1 - ELECTRICAL - CONNECTION OF COOK TOP UNIT	
Line 39867	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - ELECTRICAL KITCHEN - RELOCATE THE STANDARD CONNECTION FOR	
	BUILT-IN OVEN	
Line 39869	Note:	
24Aug15 / 9Nov15		
Inv.3163	2 - ELECTRICAL - KITCHEN - SUPPLY AND INSTALL CAPPED CEILING LIGHT	
	ROUGH-IN ONLY ON EXISTING SWITCH	
Line 39877	Note: ON ADDITONAL SWITCH ADDED FOR CAPPED LIGHTING ABOVE THE ISLAND	
24Aug15 / 9Nov15		
Inv. 3163	1 - ELECTRICAL - KITCHEN - SUPPLY AND INSTALL LIGHT VALANCE ROUGH IN	
	(INCLUDES 1 SWITCH)	
Line 39874	Note: LOCATION AS PER SKETCH ATTACHED.	
24Aug15 / 9Nov15		
Inv. 3163	1 - ELECTRICAL - KITCHEN - SUPPLY AND INSTALL ADDITIONAL INTERIOR	
	RECEPTACLE (NOT SEPARATE CIRCUIT)	
Line 39943	Note: LOCATED IN PANTY AS INDICATED ON SKETCH	
24Aug15 / 9Nov15		
Inv. 3163	1 - SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE	
	SINGLE SWITCH	
Line 42406	Note: WITHIN NEW CLOSET NEXT TO POWDER ROOM	
24Aug15 / 9Nov15		
-		<u> </u>

HEATING AND AIR CONDITIONING

Inv. 3163	1 - GAS LINE - ROUGH-IN ONLY - FOR BBQ	
Line 39154	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - GAS LINE - ROUGH-IN ONLY - FOR COOK-TOP TO INCLUDE 110V CODE REQUIREMENT	
Line 42403	Note:	
24Aug15 / 9Nov15		

MISCELLANEOUS

Inv. 3163	1 - DELETE ALL TOWEL BARS TOILET PAPER HOLDERS AND SOAP DISHES *** PURCHASER IS AWARE THAT NO CREDIT WILL BE GIVEN	
Line 39933	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - DELETE ALL MIRRORS THROUGHOUT *** PURCHASER IS AWARE NONE WILL BE SUPPLIED AND NO CREDIT WILL BE GIVEN	
Line 39934	Note:	
24Aug15 / 9Nov15		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 74 Phase/Building: 1 Model/Floor Plan: Riverdale(22-3)

PAINT AND DRYWALL

Inv. 3163	1 - ELECTRICAL - FAMILY ROOM - BASE OF FIREPLACE TO BE APROX. 40" FROM	
	THE FLOOR	
Line 39880	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - PAINT EXTRAS - PAINT RISERS & STRINGERS WHITE - STAIRS TO BE STAINED	
	BLACK (STAINING OF HANDRAIL AND TREADS - INCLUDED)	
Line 42386	Note: PRICE AS PER MARG.	
24Aug15 / 9Nov15		
Inv.3163	1 - NEWLY ADDED - MAIN FLOOR - CONVERT NICHE INTO CLOSET	
Line 42402	Note: PRICE AND APPROVAL AS PER MARG	
24Aug15 / 9Nov15		

PLUMRING

PLUMBING		
Inv. 3163	1 - PLUMBING EXTRAS - IN MAIN BATHROOM - SHOWER STALL (IN LIEU OF	
	STANDARD 5 FOOT TUB)	
Line 41360	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - NEWLY ADDED- PLUMBING CHANGES- MASTER ENSUITE BATHROOM	
	RECONFIGURATION: DELETE MASTER ENSUITE BATHTUB, RELOCATE TOILET	
	NEXT TO VANITY*** GLASS SHOWER WALL TO BE DELETED TO ACCOMMODATE	
	CLOSED IN LAUNDRY ROOM IN BATHROOM*** FRONT GLASS ENCLOSURE TO	
	REMAIN	
Line 39138	Note: AS PER THE ATACHED RN DESIGN	
24Aug15 / 9Nov15		
Inv. 3163	1 - PLUMBING - KITCHEN - SUPPLY AND INSTALL WATERLINE ROUGH-IN TO THE	
	FRIDGE LOCATION (NO HOOK UP)	
Line 39153	Note: LOCATION AS PER SKETCH ATTACHED.	
24Aug15 / 9Nov15		
Inv. 3163	1 - PLUMBING - MAIN BATHROOM - GLASS SHOWER ENCLOSURE WITH CHROME	
	FRAME	
Line 41361	Note:	
24Aug15 / 9Nov15		
Inv. 3163	2 - PLUMBING - MASTER ENSUITE - SUPPLY & INSTALL CONTRAC 4210CIY	
	RECTANGULAR UNDERMOUNT	
Line 39924	Note:	
24Aug15 / 9Nov15		
Inv. 3163	3 - PLUMBING - SUPPLY AND INSTALL CONTRAC CALVIN 19 ¹ / ₄ OVAL	
	UNDERMOUNT - MODEL: 4220CFY	
Line 42404	Note: GROUND FLOOR BATHROOM, POWDER ROOM & MAIN BATHROOM	
	,	
24Aug15 / 9Nov15		
Inv. 3163	1 - PLUMBING - POWDER ROOM - SUPPLY AND INSTALL WIDESPREAD LAVATORY	
	FAUCET WITH POP-UP DRAIN - MODEL 69000/T6920 IN CHROME FINISH	
Line 42665	Note:	
24Aug15 / 9Nov15		
	-	

Tile



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 74 Phase/Building: 1 Model/Floor Plan: Riverdale(22-3)

Inv. 3163	1 - FLOOR TILE - MASTER ENSUITE FLOOR TILE - UPGRADE 2 -	
Line 39139	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - FLOOR TILE - POWDER ROOM FLOOR - UPGRADE 5	
Line 39940	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - FLOOR TILE - LAUNDRY ROOM FLOOR TILE - UPGRADE 4	
Line 39141	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - FLOOR TILE - LOWER LEVEL BATHROOM FLOOR - UPGRADE 4	
Line 39143	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - FLOOR TILE - LOWER LEVEL MUD ROOM - UPGRADE 4	
Line 39144	Note:	
24Aug15 / 9Nov15		
Inv. 3163	1 - FLOOR TILE - FOYER - UPGRADE 5	
Line 39939	Note:	
24Aug15 / 9Nov15		

EXTRAS AS PER OFFER

Stainless Steel Fridge, Stove and Dishwasher and front loading washer and dryer in white from Vendors standard samples, no	
cash value, not transferable.	
(Supplied only not installed) ** to - arrange delivery call: The Brick commercial sales division at	
Worksheet Note:	
Rogers Free Services Package includes 6 months of: home phone, TV and Internet Service.	
Worksheet Note:	
The Vendor agrees to supply and install hardwood flooring in all bedrooms, with a choice of stain, from Vendors standard	
samples.	
Worksheet Note:	
The Vendor agrees to supply and install optional elevator from Vendors standard plan and Vendors standard samples. The cost	
of \$40,000 has been included	
in the purchase price.	
Worksheet Note:	

This Document is Extremely Time Sensitive - Printed $\underline{24\ Nov\ 15}$ at $\underline{17:08}$


Page 5 of 5

RIVERDALE OPTIONAL ELEVATOR PLAN

CEILING WHITS.

2454 sq.ft.

OTELEPHONE ORGLE





RN design Imegine • Inspire • Create

Teeby 1st

Senator Homes

Vaughan

TH-22-


pmject # 12073

1/8" = 1'0"

10T 74

MALIES POR CLIENT REPORM IS 2 PRESS. 2

CCABLO
TELEPHONE
DISCLO





INTERIOR COLOUR SCHEME

Teety 10+74

Charlotte Bermack-Roth & Frank Roth

Property: 74 of Plan -

Telephone Res. / Bus: (647) 224-8366 /

Project: Teefy Developments Limited

Decor Advisor:

Nicole Soares

Model and Elevation: Riverdale(22-3)

1. Cabinetry	Style and Colour		ounter Top		Hardware
Kitchen / Breakfast	ANNEX DHGL: ARCTICO GLOSS	S MWP 1	141 PURE WHITE - SQ	EDGE	12817
Kitchen Island	SEE COMMENTS	1	141 PURE WHITE - SQ	EDGE	12817
aundry Room					
Powder Room	SEE COMMENTS	 	141 - SQ EDGE		12817
Main Bathroom	KINGSTON PAINT: MACADEMIA	\	003 COASTAL GREY- S	Q EDGE	9677
Master Ensuite Bathroom	SIMCOE: ONTARIO WHITE	16	270 ATLANTIC SALT- S	Q EDGE	133
Second Ensuite Bathroom (If Applicable)					
Ground Floor Bathroom	KINGSTON MAPLE: SOAPSTON	NE 4	141 - SQ EDGE		181
Appliances	Custom Size Fridge	Valance Light	ng	Microwave /	Range Hood
	Yes No	● Yes ○ No)	○ Yes	No
	Cooktop / Rangetop	Built in Wall 0)ven	Slide-in F	Range
Comment	Yes O No	● Yes ○	No	○ Yes	● No
HORIZONTAL	ITCHEN ISLAND: ANNEX DHG X DHGL: EUROLINE 03 GLOS				

Foyer UNICOLOUR GLOSS 12x24: DARK GREY Main Hall SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Back Hall Breakfast Laundry Room NIAGARA FALLS 12X24: GREY Kitchen SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Powder Room UNICOLOUR GLOSS 12x24: DARK GREY Main Bathroom ALPES 13X13: WHITE Master Ensuite SACRAMENTO 12X12: GREY Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room Family / Great Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
Main Hall Breakfast Laundry Room NIAGARA FALLS 12X24: GREY Kitchen SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Powder Room UNICOLOUR GLOSS 12x24: DARK GREY Main Bathroom ALPES 13X13: WHITE Master Ensuite Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Back Hall Breakfast Laundry Room NIAGARA FALLS 12X24: GREY Kitchen SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Powder Room UNICOLOUR GLOSS 12x24: DARK GREY Main Bathroom ALPES 13X13: WHITE Master Ensuite SACRAMENTO 12X12: GREY Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Breakfast Laundry Room NIAGARA FALLS 12X24: GREY Kitchen SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Powder Room UNICOLOUR GLOSS 12x24: DARK GREY Main Bathroom ALPES 13X13: WHITE SACRAMENTO 12X12: GREY Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room Living Room Dining Room
Kitchen SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Powder Room UNICOLOUR GLOSS 12x24: DARK GREY ALPES 13X13: WHITE Master Ensuite SACRAMENTO 12X12: GREY Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Powder Room UNICOLOUR GLOSS 12x24: DARK GREY Main Bathroom ALPES 13X13: WHITE Master Ensuite SACRAMENTO 12X12: GREY Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Powder Room UNICOLOUR GLOSS 12x24: DARK GREY Main Bathroom ALPES 13X13: WHITE Master Ensuite SACRAMENTO 12X12: GREY Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Master Ensuite SACRAMENTO 12X12: GREY Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Bathroom (If Applicable) GROUND FLOOR - NIAGARA FALLS 12X24: GREY Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Mud Room NIAGARA FALLS 12X24: GREY Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Formal Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE Living Room Dining Room
Living Room Dining Room
Dining Room
Family / Great Room SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
Den / Library / Study
Basement Landing (If Applies)
Lower Landing (If Applicable) SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
Upper Landing SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
Master Bedroom SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
SATIN FINISH GENERATIONS COLLECTION RED OAK 3/4" X 4-5/8" NATURAL FINISH: STONE
Bedroom #4
Bedroom #5
Recreation Room PAPILIO: SOFT CAMEO 17185

Flooring Continued on Page 2

A CER

Page 1 of 3

SENATOR

INTERIOR COLOUR SCHEME

Teely lot 74

Purchasers: Telephone Res. / Bus Decor Advisor:		-Roth & Frank Roth	Property: 74 Project: Te and Elevation: Ri	efy Developments Li	mited
2. Flooring - Continu					
Upgrade Underpad Carpet on Stairs Comment	Type STANDARI Capped		Area RECREA Runner - 1		
3. Plumbing Fixtures Kitchen Master Ensuite Main Bathroom Comment	/ Faucets STD UPG STD	Second Ensuite Ground Floor Bath	STD	Powder Room Other Room	UPG
4. Wall Tile Main Bathroom Master Ensuite Tub Deck Tub Apron Tub Surround Shower Stall	Tile Selection COLOUR & DIMENSIO	NS 3X6: BONE BRITE	Listello	Insert Insert Select	ion
Second Ensuite Ensuite Shower Floor	QUEBE 2x2 UNGLAZE	D MOSAIC - ARCTIC WHI	TE FS		
Kitchen Backsplash Complete Backsplash Comment MASTER ENSUITE FROM THE FLOOR	SHOWER LISTELLO) - CRISTALLO GLASS I	MOSAIC: CHARCO	AL GREY****TO BE	INSTALLED 5'
Fireplace Type Mantle Type Over Mantle Colour / Stain Surround Hearth Comment	Living Room Purchased As Per Plan	• 0	ed As Per Plan N/A	Other Room - Sp Purchased A	

Initial



INTERIOR COLOUR SCHEME

Teely 10+74

Charlotte Bermack-Roth & Frank Roth

Property: 74 of Plan -

Telephone Res. / Bus: (647) 224-8366 /

Project: Teefy Developments Limited


Decor Advisor:

Nicole Soares


Model and Elevation: Riverdale(22-3)

. Trim Carpentry		V				Interior Doors	[
Door Hardware	STD LEVER						
Interior Trim	STD BASEBO	OARD & CASINGS				2 Panel Arch Top	
Comment						2 Panel Square T	ор
						O S Book	I
						◯ 6 Panel	Harry
					Initia	l for Door Style	CBR
Railings and Pi	ckets						
Railing Package	programme and the second	ING PACKAGE					
Railing Colour	STAINED	BLACK	Picket Colour	BLACK	K PLAIN SQ	UARE PICKETS	
Wood Stairs	○ No	Oak	Tread Colour	PAINTE	ED WHITE		
Comment							
STAIRS TO BE	STAINED BL	LACK					
Plaster Mouldin	one and Mad	Mione					
Foyer	igs and Meda	illions	Kitchen/Breakfast	8			
Main Hall			Den/Library				
Living Room			Lower Landing				
Dining Room							
Family Room							
Comment							
	TE		Smooth Ceilin	gs O	First Floo First and Througho	or incl. Second Floo Second Floor out	r Hall
Wall Paint	TE			000	First Floo First and Througho Not Appli	or incl. Second Floo Second Floor out icable	r Hall
Wall Paint SENATOR WHI				000	First Floo First and Througho	or incl. Second Floo Second Floor out icable	r Hall
. Wall Paint				000	First Floo First and Througho Not Appli	or incl. Second Floo Second Floor out icable	r Hall
Wall Paint SENATOR WHI				000	First Floo First and Througho Not Appli	or incl. Second Floo Second Floor out icable	r Hall
. Wall Paint SENATOR WHI				000	First Floo First and Througho Not Appli	or incl. Second Floo Second Floor out icable	r Hall
. Wall Paint SENATOR WHI	nments			000	First Floo First and Througho Not Appli	or incl. Second Floo Second Floor out icable	r Hall
Wall Paint SENATOR WHI D. Additional Cor	nments	lose as possible to builder's s	Trim Pai	ont SE	First Floo First and Througho Not Appli	or incl. Second Floo Second Floor out icable HITE	r Hall
Wall Paint SENATOR WHI Disclaimers ar Colours of all ma	mments nd Notes iterials are as cl			nt SE	First Floo First and Througho Not Appli NATOR WE	or incl. Second Floor Second Floor out icable HITE	r Hall
Wall Paint SENATOR WHI Additional Cor Disclaimers ar Colours of all ma Any extras listed The Purchaser a	nments nd Notes Iterials are as ck above are null a	and void unless accompanied at after Interior Colour Selecti	election, but not necessarily idention by a separate invoice/amendme	nt SE	First Floo First and Througho Not Appli NATOR WE	or incl. Second Floor Second Floor but icable HITE s in manufacturing, it be paid in full.	r Hall
Wall Paint SENATOR WHI Disclaimers ar Colours of all ma Any extras listed The Purchaser a than re-selection The Purchaser a	nments nd Notes Iterials are as ck above are null a cknowledges that in due to unavaila cknowledges rea	and void unless accompanied at after Interior plays Select ability. Purch adding and accepting the "Sen	election, but not necessarily idention by a separate invoice/amendme	nt SE	First Floor First and Througho Not Appli NATOR Wh to variance tinvoice mus changes will to	or incl. Second Floor Second Floor but icable HITE s in manufacturing, it be paid in full, be permitted other	r Hall
Mall Paint SENATOR WHI Disclaimers ar Colours of all ma Any extras listed The Purchaser a than re-selection The Purchaser a other miscellane	mments nd Notes Iterials are as ck above are null a cknowledges that due to unavaila cknowledges rea	and void unless accompanied at after Interior plays Select ability. Purch adding and accepting the "Sens.	election, but not necessarily identi by a separate invoice/amendme on form is signed and dated, no taser's Initials	nt SE	First Floor First and Througho Not Appli NATOR Wh to variance tinvoice mus changes will to	or incl. Second Floor Second Floor but icable HITE s in manufacturing, it be paid in full, be permitted other	r Hall
Mall Paint SENATOR WHI Disclaimers ar Colours of all ma Any extras listed The Purchaser a than re-selection The Purchaser a other miscellane	mments nd Notes Iterials are as ck above are null a cknowledges that due to unavaila cknowledges rea	and void unless accompanied at after Interior plays Select ability. Purch adding and accepting the "Sen	election, but not necessarily identi by a separate invoice/amendme on form is signed and dated, no taser's Initials	nt SE	First Floor First and Througho Not Appli NATOR Wh to variance tinvoice mus changes will to	or incl. Second Floor Second Floor but icable HITE s in manufacturing, it be paid in full, be permitted other	r Hall
Disclaimers ar Colours of all ma Colours of all ma Disclaimers ar Colours of all ma Disclaimers ar Disclaimers	mments Ind Notes Interials are as classes are null a cknowledges that due to unavailate cknowledges resous disclaimers or Selection is fi	and void unless accompanied at after Interior plays Select ability. Purch adding and accepting the "Sens." Final and approved by: Date:	election, but not necessarily ident by a separate invoice/amendme on form is signed and dated, no ta aser's Initials ator Homes Décor Centre Discla	nt SE	First Floor First and Througho Not Appli NATOR Wh to variance tinvoice mus changes will to	or incl. Second Floor Second Floor but icable HITE s in manufacturing, it be paid in full, be permitted other	r Hall
Disclaimers ar Colours of all ma Disclaimers ar Colours of all ma Disclaimers ar	mments Ind Notes Interials are as classes are null a cknowledges that due to unavailate cknowledges resous disclaimers or Selection is fi	and void unless accompanied at after Interior plays Select ability. Purch adding and accepting the "Sens." Final and approved by: Date:	election, but not necessarily ident by a separate invoice/amendme on form is signed and dated, no ta aser's Initials ator Homes Décor Centre Discla	nt SE	First Floor First and Througho Not Appli NATOR Wh to variance tinvoice mus changes will to	or incl. Second Floor Second Floor but icable HITE s in manufacturing, it be paid in full, be permitted other	r Hall
Wall Paint SENATOR WHI Disclaimers ar Colours of all ma Any extras listed The Purchaser a other miscellane This Interior Colou Purchaser:	mments Ind Notes Interials are as classes are null a cknowledges that due to unavailate cknowledges resous disclaimers or Selection is fi	and void unless accompanied at after Interior plays Select ability. Purch adding and accepting the "Sens." Final and approved by: Date:	election, but not necessarily identi by a separate invoice/amendme on form is signed and dated, no taser's Initials	nt SE	First Floor First and Througho Not Appli NATOR Wh to variance tinvoice mus changes will to	or incl. Second Floor Second Floor Out Icable HITE s in manufacturing, It be paid in full, the permitted other Icament contains	r Hall

Freby lot







Teefy 1st 14

KitchenAid*

FOR THE WAY IT'S MADE:

PRODUCT MODEL NUMBERS

KRFC302E


Electrical: A 115 volt, 60 Hz, AC only 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator and approved accessories be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.


Water: A cold water supply with water pressure of between 35 and 120 psi (241 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.

Reverse Osmosis Water Supply: IMPORTANT: The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 and 120 psi (241 and 827 kPa).

Bottom Mount Refrigerator


PRODUCT DIMENSIONS





Model Size	Height - Overall "A"	Height - Top of Catinet "B"	Depth - Doors Open 90" "C"	Depth - Drawer Open	Depth - With Handles "E"	Depth - Without Handles	Depth - Cabinet Only "G"	Width - Cabinet "H"
21.9	72°	71%"	4416*	45¼"	3014"	27%"	24%°	35%"
	(182.9 cm)	(181.3 cm)	(112.1 cm)	(114.9 cm)	(76.8 cm)	(70.5 cm)	(62.5 cm)	(90.8 cm)

LOCATION REQUIREMENTS



IMPORTANT: This refrigerator is designed for indoor, household use only.

To ensure proper ventilation for your refrigerator, allow for $\frac{1}{2}$ " (1.25 cm) of space on each side and at the top. Allow for 1" (2.54 cm) of space behind the refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave $2\frac{1}{2}$ " (6.3 cm) minimum on the hinge side (some models require more) to allow for the door to swing open.

NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.

Because Whirtpool Corporation policy includes a confinuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

Ref. W10742059



Tenty 1st

KitchenAid[®]

FOR THE WAY IT'S MADE:

Undercounter Dishwasher

(11)

PRODUCT MODEL NUMBERS

KDFE204E, KDTE104E, KDTE204E, KDTE254E, KDTM354E, KDTM384E, KDTM404E, KDTM504E, KDTM704E, KDTM804E

Electrical Requirements: 120-volt, 60 Hz, AC-only, 15- or 20-amp, fused electrical supply. Copper wire only. A time delay fuse or circuit breaker and separate circuit is recommended.

If direct wiring dishwasher: Use flexible, armored or nonmetallic, sheathed copper wire with grounding wire that meets the wiring requirements for your home and local codes and ordinances.

Use a UL Listed or CSA Approved conduit connector. If connecting dishwasher with a power supply cord:

Use power supply cord kit (Part Number 4317824) marked for use with dishwashers. Follow the kit

instructions for installing the power supply cord. Power supply cord must plug into a grounded three-prong outlet located in the cabinet next to the dishwasher opening. Outlet must meet all local codes and ordinances.

Water Supply Requirements: A hot water line with 20 to 120 psi (138 to 362 kPa) water pressure. Water temperature must be 120°F (49°C) water at dishwasher. Use 1/4" O.D. copper tubing with compression fitting or flexible braided water supply line

Note: 1/2" minimum plastic tubing is not recommended. Use a 90° elbow with 1/4" hose connection with rubber washer (part number W10273460). Do not solder within 6" (15.2 cm) from water inlet valve.

Drain Requirements: A new drain hose is supplied with your dishwasher. If this is not long enough, use a new drain hose with a maximum length of 12' (3.7 m) (Part No. 3385556) that meets all current AHAM/IAPMO test standards, is resistant to heat and detergent, and fits the 1" (2.5 cm) drain connector of the dishwasher.

Make sure to connect the drain hose to waste tee or disposer inlet above drain trap in house plumbing and 20° (50.8 cm) minimum above the floor. It is recommended




that the drain hose either be looped up and securely fastened to the underside of the counter, or be connected to an air gap.

Make sure to use an air gap if the drain hose is connected to house plumbing lower than 20" (50.8 cm) above subfloor or

floor Use 1/2" (1.3 cm) minimum I.D. drain line fittings. If required, the air gap should be installed in accordance with the air gap installation instructions. When connecting the air gap a rubber hose (not provided) will be needed to connect to the waste tee or disposer inlet.

PRODUCT DIMENSIONS



- A. Insulation may be compressed (not used on all models).
- B. For panel-ready models, dishwasher depth is 24' (60 cm) not including the ¾' (1.9 cm) custom door panel.
- C. Door handles may protrude forward of the face of the dishwasher; varies by model.

Page 1 of 2

Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice

INITIALS: # OBIC

9130-601

Because Whirippol Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.


W10741197A

Teely lot 74

CABINET CUTOUT DIMENSIONS

NOTE: Shaded areas of cabinet walls show where utility connections may be installed.

*Measure from the lowest point on the underside of the countertop. May be reduced to $33\frac{1}{2}$ * (85.1 cm) be removing the rear leveling legs from dishwasher.



Page 2 of 2

Because Whiripool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

W10741197A 01/2015



KitchenAid (68.6 cm) and 30" (76.2 cm) Electric Built-In Microwave/Oven Combination

PRODUCT MODEL NUMBERS

KEMS309E

KOCE500E

KOCE807E

ELECTRICAL CONNECTION

If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path and the wire gauge are in accordance with local codes. Check with a qualified electrical installer if you are not sure the oven is properly grounded.

This oven must be connected to a grounded metal, permanent wiring system.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. O-M91-latest edition, and all local codes and ordinances.

To properly install your oven, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

 Oven must be connected to the proper electrical voltage and frequency as specified on the model/serial/rating plate. See the following illustration.



lirating plate

- Models rated from 7.3 to 9.6 kW at 240 volts (5.4 to 7.4 kW at 208 volts) require a separate 40-amp circuit. Models rated at 4.8 kW and below at 240 volts (3.6 kW and below at 205 volts) require e
- · A circuit breaker is recommended.
- Connect directly to the fused disconnect (or circuit breaker box) through flexible, armored or nonmetallic sheathed, cooper cable (with grounding wire). See "Make Electrical Connection" section.
- · Flexible conduit from the oven should be connected directly to the junction box.
- . Do not cut the conduit. The length of conduit provided is for serviceability of the oven.
- A UL listed or CSA approved conduit connector must be provided.
- If the house has aluminum wiring, follow the procedure below:
 - Connect a section of solid copper wire to the pigtal leads.
 - 2. Connect the aluminum wiring to the added section of copper wire using special connectors and/or tools designed and UL listed for joining copper to aluminum.


Follow the electrical connector manufacturer's recommended precedure. Aluminum/copper connection must conform with local codes and industry accepted wiring practices.

For power requirements, refer to the following table.

Model	Voltage	Amperage (L1)*	Amperage (L2)*	Rating (W)
KOCE507E/KOCE500E	120/240	32	30	8000
KOCE507E/KOCE500E	120/208	30	28	6600

*Amperage values noted above are for information purposes only: the units are rated in watts

PRODUCT DIMENSIONS



27" (68.6 cm) models A. 42% (108.6 cm) everal


height 5_25%° (64.6 cm) recesse

C. 41° (104.1 crp) recessed

D. 47 (104.1 orp) recessed height
D. 23 y-59.1 cm) max.
Ecessed depth
E 27" (68.6 cm) cryatil width
E 48" (121.8 cm) flexible conduit length measured from the conduit clamp judated at the resp. of the oven. De not refree the conduit clamp.

30° (76.2 cm) models A. 42%° (108.0 cm) overall height B. 28%° (72.3 cm) recessed

width
C. 41" (104.1 cm) recessed height
D. 23%" (50.1 cm) max. recessed depth
E. 30" (76.2 cm) overall width
f. 48" (121.9 cm) flexible conduit length measured from the conduit clamp located at the next of the located at the rear of the oven. Do not remove the conduit clamp.



27" (68.6 cm) models
A 27" (68.6 cm) models
B 1" (68.6 cm) models
B 1" (5.5 cm) top of cutout to
bofform of upper caping door
C. 19%" (48.9 cm) bofform of cutout
to floor is accommended
4" 197" (10.2-48, 3-cm) bofform
of cutout to floor is acceptable.
D. 25%" (68.4° cm) cutout width
E 134" (8.8 cm) min. bottom of
cutout to top of cabinet door
F 41% 1/105 cm) "recognisended
and/or theight
G. 24" (80.7 cm) cutout depth
30" (76.2 cm) models
A 30" (76.2 cm) min. cabinet width
B. 1" (2.5 cm) top of cutout to
bottom

C. 19% (48.9 cm) bottom of cutout to floor is recommended. 4"-19% (10.2-48.9 cm) bottom of cutout to floor is acceptable.

D. 281/3" (72.4 cm) cuto

E. 11/s" (3.8 cm) min. bottom of cutout F. 411/s" (105 cm)" recommended

G. 24" (50.7 cm) cutout death

NOTE: The cabinet height can be between 41" (104.1 cm) and 411/2" (105.6 cm) for microwave/oven combination.

Because Whirlpool Corporation includes a continues commitment to improve our products, we reserve the right to change materials and specifications without needs

Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice



Rizon

Traditional | Transitional | Modern



ingle Handle Lavatory aucet



Single Handle Vessel Lavatory Faucet with Drain without Overflow



Widespread Lavatory Faucet with Pop-Up Drain Model 69000 / T6920 †





nan Tub with Handheld Shower

Matching tub drain assembly available. Please see Bath Hardware and Home Care Section. [†] To order, combine the model number with one of these finish letters:





9130/74

POWDER, Man BATH + GROWNS FLOOR BATH

CALVIN 191/4" OVAL UNDERMOUNT SINK

☐ 4220CFY Undermount Sink

Product Specs:

- · Vitreous china
- · Front overflow hole
- · Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 490mm(191/4") x 410mm(161/4") x 195mm(7%") (ID): 430mm(17") x 350mm(13%") x 145mm(5%")

Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- · ASME A112.19.2 / CSA B45.1-2008

Shipping:

Cube


GW

1.53



Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is a for use of superseded or voided pages.

Bone and Biscut available through Direct import (CIF) only



contrac.

5970 Chedworth Way, Unit A. Mississauga, ON, Canada L5R 3V5 www.contrac.ca

Revised: June 2015





MINSTER BUTH

CATENA 20" RECTANGULAR UNDERMOUNT SINK

4210CIY

Undermount Sink

Product Specs:

- · Vitreous china
- Front overflow hole
- · Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 510mm(20") x 395mm(151/3") x 190mm(71/3") (ID): 450mm(17%") x 335mm(13%") x 140mm(5%")


Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2008


Shipping:


Cube 1.72 GW 27 lbs



Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is a for use of superseded or voided pages.

ne and Biscult available through Direct Import (CIF) only.





contrac.

5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 www.contrac.ca

Revised: June 2015

