

PURCHASER'S EXTRAS North 88 - North 88 Developments Inc.

PURCHASER: Michelle Wong

LOT NUMBER	PHASE	HOUSE TYPE
2 Block 1	1	Peony-Elev B

EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE

- 1). 5 FREE APPLIANCES FRIDGE, STOVE, WASHER, DRYER, AND DISHWASHER (SUPPLIED ONLY NOT INSTALLED, FROM BUILDERS STANDARD LINE) *** TO ARRANGE DELIVERY CALL THE BRICK COMMERCIAL SALES DIVISION 1-877-843-2742
- 2). Bell Fibe Line: 6 Months Free TV, Phone and Internet Services. As per Bell offer. See certificate for details.

This is your direction to install the above extras in accordance with the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this order is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed, the total cost of extras ordered are not refundable to the Purchaser(s).
- 4. Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of North 88 Developments Inc.
- 6. The purchaser(s) and the builder acknowledge and agree that this "Purchaser's Extra" form shall not be deemed to be part of the agreement of purchase and sale entered into between them, nor an addendum thereto.

CONSTRUCTION SCHEDULING APPROVAL		
PER:		
DATE:		



CONSTRUCTION SUMMARY

North 88 Developments Inc. / North 88

Lot/Unit: 2 Block 1 Phase/Building: 1 Model/Floor Plan: Peony-Elev B

CAI	BIN	ŒŢ	RY
-----	-----	----	----

Inv.3041	1 - DEEP FRIDGE UPPER CABINETS WITH ONE GABLE	
Line 37795	Note:	
24Jun15 / 28Jul15		

ELECTRICAL

Inv. 3041	2 - ADDITIONAL SWITCHE(S) TO OPEREATE POT LIGHTS*** 1 SWITCH LOCATED IN THE KITCHEN/BREAKFAST*** 1 SWITCH IN THE LIVING/DINING ROOM	
Line 37794	Note: FOR THE STD POT LIGHTS INCLUDED IN APS LOCATED IN KITCHEN/BREAKFAST & LIVING/DINING	
24Jun15 / 28Jul15		

HEATING AND AIR CONDITIONING

Inv. 3041 1 - INCREASE 3/4" GAS LINE TO 1"
Line 37789 Note:
24Jun15 / 28Jul15
 Inv.3041 1 - GAS ROUGH-IN FOR FUTURE GAS STOVE APPLIANCE
Line 37790 Note:
I GAB ROCCH EVICATION GAB STOVE AN ELEMAND

PLUMBING

Inv. 3041	1 - FRIDGE COLD WATER LINE	
Line 37787	Note:	
24Jun15 / 28Jul15		

EXTRAS AS PER OFFER

1		
Note:	•	
1,000.	•	

This Document is Extremely Time Sensitive - Printed <u>11 Dec 15</u> at <u>17:36</u>

Page 1 of 1

mmarySQL.rpt 05nov15 Printed and Sent: 11-Dec-15

SENATOR

INTERIOR COLOUR SCHEME

Purchaser:

Michelle Wong

Telephone Res. / Bus: (416) 300-1985

Property: 2 Block 1 of Plan -

Project: North 88 Developments Inc.

Decor Advisor:	Nicole Soares		Model all	u Lieva	tion: Peony-Elev B	
Layout Changes: O Y	′es ○ No	Sketch Attached	d:○ Yes ○	No No	Exterior Colour Scheme	
1. Cabinetry	Style and Colou	ir	10.000	Counter	Тор	Hardware
Kitchen / Breakfast	KINGSTON MA	APLE: SHAYLE GREY	•	GRIGIO	SARDO - FE30	12877
Kitchen Island	KINGSTON MA	APLE: SHAYLE GREY	•			
Laundry Room						1
Powder Room	KINGSTON MA	APLE: SHAYLE GREY	,	WHITE	CARRARA 4924-38	9677
Main Bathroom	KINGSTON MA	APLE: SHAYLE GREY	,	WHITE	CARRARA 4924-38	9677
Master Ensuite Bathroom	KINGSTON MA	APLE: SHAYLE GREY	·	WHITE	CARRARA 4924-38	9677
Second Ensuite Bathroom (If Applicable)	KINGSTON MA	APLE: SHAYLE GREY	,	WHITE	CARRARA 4924-38	9677
Appliances	Custom Size F	ridge	Valance Ligi	hting	Microwave	Range Hood
	○ Yes ●	No	Yes 🔾	No	○ Yes	No
	Cooktop / Ra	ngetop	Built in Wal	Oven	Slide-in I	Range
Comment	○ Yes ●	No	○ Yes	No	○ Yes	● No

2. 110011119	Selection
	FOYER- VENINA 12X12: BLACK
Main Hall	SATIN FINISH RED OAK GENERATIONS ENGINEERED COLLECTION 3/4" X 3-5/8" X RL: COBALT
Back Hall	LOWER LEVEL HALLWAY- VENINA 12X12: BLACK
Breakfast	SATIN FINISH RED OAK GENERATIONS ENGINEERED COLLECTION 3/4" X 3-5/8" X RL: COBALT
Laundry Room	VENINA 12X12: BLACK
Kitchen	SATIN FINISH RED OAK GENERATIONS ENGINEERED COLLECTION 3/4" X 3-5/8" X RL: COBALT
Powder Room	VENINA 12X12: BLACK
Main Bathroom	VENINA 12X12: BLACK
Master Ensuite	VENINA 12X12: BLACK
Bathroom (If Applicable)	VENINA 12X12: BLACK
Mud Room	
Living Room	SATIN FINISH RED OAK GENERATIONS ENGINEERED COLLECTION 3/4" X 3-5/8" X RL: COBALT
Dining Room	SATIN FINISH RED OAK GENERATIONS ENGINEERED COLLECTION 3/4" X 3-5/8" X RL: COBALT
Family / Great Room	
Den / Library / Study	SOFT CAMEO 17185
Basement Landing (If Appl	ies)
ower Landing (If Applicab	DIE) SATIN FINISH RED OAK GENERATIONS ENGINEERED COLLECTION 3/4" X 3-5/8" X RL: COBALT
Jpper Landing	SATIN FINISH RED OAK GENERATIONS ENGINEERED COLLECTION 3/4" X 3-5/8" X RL: COBALT
Jpper Hall	SOFT CAMEO 17185
Master Bedroom	SOFT CAMEO 17185
Bedroom #2	SOFT CAMEO 17185
Bedroom #3	SOFT CAMEO 17185
Bedroom #4	SOFT CAMEO 17185
Bedroom #5	

Flooring Continued on Page 2

Initial:

Page 1 of 3

INTERIOR COLOUR SCHEME SENATOR Purchaser: Michelle Wong Property: 2 Block 1 of Plan -Telephone Res. / Bus: (416) 300-1985 Project: North 88 Developments Inc. Model and Elevation: Peony-Elev B Decor Advisor: Nicole Soares 2. Flooring - Continued -Type Upgrade Underpad THROUGHOUT STD Carpet on Stairs Capped Runner - *Upgrade Comment 3. Plumbing Fixtures / Faucets Powder Room UPG Second Ensuite STD Master Ensuite Other Room STD STD Main Bathroom STD Comment 4. Wall Tile **Tile Selection** Listello Insert Insert Selection VENUS 8X10: IVORY Main Bathroom Master Ensuite **Tub Deck Tub Apron Tub Surround** Shower Stall VENUS 8X10: IVORY Second Ensuite VENUS 8X10: IVORY Kitchen Backsplash Complete Backsplash SHOWER FLOOR TILES TO BE THE STD ONTARIO 2X2 MOSAICS MATTE: SNOW WHITE 5. Fireplace Living Room Family Room Other Room - Specify Purchased As Per Plan N/A Purchased As Per Plan N/A Purchased As Per Plan N/A 0 0 Fireplace Type Mantle Type Over Mantle Colour / Stain Surround Hearth Comment

Initial:

Page 2 of 3

SENATOR

INTERIOR COLOUR SCHEME

Purchaser:

Michelle Wong

Telephone Res. / Bus: (416) 300-1985

Decor Advisor:

Nicole Soares


Property: 2 Block 1 of Plan -

Project: North 88 Developments Inc.


Model and Elevation: Peony-Elev B


ecor Advisor.	Nicole Soares	Model and Elevation	on. Feoliy-Elev B
. Trim Carpentry			
an an an an Source	OTO.		Interior Doors
Door Hardware			2 Panel Arch Top
	STD		O 2 Pallet Att 1 top
Comment			○ 6 Panel
			1
			Initial for Door Style
			initial for book style
Railings and Pic	200,000,000		
Railing Package	STD		
Railing Colour	STAINED TO MATCH		STAINED TO MATCH
Wood Stairs	O No Oak	Tread Colour	STAINED TO MATCH
Comment	k galar de lega (d. selected), est, de les simplesse hat le simbles plus de material comparte des meneraparages		
	STAINED TO MATCH AS CLOS RCHASER IS AWARE THAT ST		
. Plaster Mouldin	gs and Medallions	The state of the s	
Foyer		Kitchen/Breakfast	
Main Hall		Den/Library	
Living Room		Lower Landing	
Dining Room			
Family Room			
Comment			
SENATOR WHIT	ΓE	Smooth Ceilin	First Floor incl. Second Floor Hall First and Second Floor
			○ Not Applicable
		Trim Pai	nt SENATOR WHITE
0. Additional Con	nments		
1. Disclaimers an			
	terials are as close as possible to builde		
3) The Purchaser ac	above are null and void unless accompa cknowledges that after Interior Colour Se due to unavailability. F	election form is signed and dated, no	
	knowledges reading and accepting the		imers" form. This document contains
This Interior Colour Purchaser:	Selection is final and approved by:		
Signature:	Date:	July 28/15	
		Vendor:	
		2893067677677697	n 88 Developments Inc.
			Page 3
			3

NORTH 88 DEVELOPMENTS INC. BLOCK 1, unit 2









POT UGHTS BCH. B

SENATOR HOMES
DECOR CENTRE
DATE: July 28/15
INITIALS: WO (A)








Lot 2.

This plan is not to scale and subject to architectural review and revision, including without limitation, the Unit being constructed with a leyout that is the revess of that set out above. All drawings, floorplans, materials, specifications, details and dimensions, if any, are approximate and subject to change without notice. Buildheads are not shown on this planfand may be located in a reas of the Unit. Terraces, balconies and patios, if any, are exclusive use common elements, shown for display purposes only and location and size are subject to change without notice.

Number of steps, window location, size and type may vary without notice. - March 13, 2014.



FRIGIDAIRE.

Front Load Washer

FFFW5000QW



Optional SpaceWise* Pedestal Drawer Shown

Signature Features

Advance Rinse Technology

Final rinse uses fresh water to ensure whiter whites and reduce allergens.

Large Capacity

Finish more in less time with our 4.5 cu.ft. I.E.C. capacity — the washer can fit two baskets of laundry in a single load.

Stainless Steel Drum

Smooth, durable interior is rust-proof and won't snag clothes.

Tumble Action Cleaning System

By removing the agitator, you can count on the tumble action to wash gently and rinse completely, ensuring your clothes feel fresher and last longer.

7 Wash Cycles 4.5 Cu. Ft. I.E.C.

Product Dimensions

36" 30-9/16" Depth

More Easy To Use Features

ENERGY STAR*-Qualified

Stain Clean Option

Delay Start

Begin your washing cycle at the time that works best with your schedule.

End-Of-Cycle Signal

Ready-Select* Controls it's easy to get laundry started with just the touch of a button.

TimeWise* Technology
Wash time equals dry time — so you don't wait for clothes to dry.

SilentDesign™

Designed for quiet operation.

Stay-Fresh™ Antimicrobial Seal

Auto Options

Automatic Water Level Control

Optional Pedestal Drawer

Vibration Control System

Advanced vibration control keeps even oversized loads balanced for smooth, quiet operation, Ideal for second floor installation.

Add-a-Garment
With just the touch of a button, easily add an extra piece to the washer once a cycle has started.

ENERGY STAR*



Available in:

frigidaire.ca


Front Load Washer

FFFW5000QW 4.5 Cu.Ft. I.E.C.

FRIGIDAIRE.

Features	
Total Capacity I.E.C. (Cu. Ft.)	4.5
Controls	Ready-Select*
Washer Drum Interior	Steinless Steel
Lifetime Warranty Tub	Yes
Interior Light/Door Trim	Nc/White
Vibration Control System	Yes
Advenced Rinse Technology	Yes
TimeWise* Technology	Yes
Ready Clean™/Ready Steam™	
Fresh Water Rinse Option	Yes
Stay-Fresh** Door Seal	Yes
Automatic Temperature Control	Yes
Automatic Water Level Adjustments	Yes
Auto Prewash Detergent Dispenser	
Auto Bleach Dispenser	Yes
Auto Datergent Dispenser	Yes
Auto Fabric Softener Dispenser	Yes
Time Remaining Indicator	Yes
Cycle Status Lights	Yes
Cycle Signal / Cycle Signal "On/Off"	Chime/Yes
Cycle Signal Volume Control	
Door Lock Indicator Light	Yes
Control Lock/Stay Put Door	Yes/Yes
Start / Pause / Cancel Buttons	Yes
Energy Saver Option	Yes
Delay Start	Up to 10 Hours
ntegral Water Heater	
Tumble Speed (RPM)	Variable
Spin Speed (Maximum RPM)	1,200
Sound Package	SilentDesign**
Adjustable Leveling Legs	Yes
Cycles	
Wash Cycles / Specialty Cycles	7/0
	// 4
Options	
Water Temperature Selections	5
Water Levels	Automatic/Max Fill
Spin Speed/Soil Level Selections	5/5
Allergen	
Optional Accessories	
Dryer Stacking Kit	PN# STACKIT4X
15" Frigidaire* Pedestal Drawers	
Classic White (W)	PN# CFPWD'5W
Mobile Home Installation Kit	PN # 137067200
Drain Hose Extension Kit	PN#13709800C
Certifications	
NOTE: TO A SECURITY OF THE SEC	20000
ENERGY STAR*	Yes-
NSF* Certified Sanitize / Allergen	
Specifications	
Power Supply Connection Location	Right Top Rear
Water Inlet Connection Location	Left Top Rear
	120V/60Hz/15A
Voltage Rating	CONTRACTOR OF THE PARTY OF THE
Connected Load (kW Rating) @ 120 Volts!	1100/10

For use on adequately wired 120K dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidalmuse.



Product Dimensions	
A - Height (Single)	36"
Height (Stacked)	71-1/2"
B-Width	27"
C-Depth	30-9/16*
Depth with Door Open 90°	50-13/16*
Pedestal Dimensions	
A - Height	15-1/4"
B \Width	27"
C-Depth	26-1/2"
Depth with Drawer Fully Extended	42:/2"

Accessories information available on the web at frigidaire.ca

FRIGIDAIRE

CANADA - 5855 Terry Fox Way - Mississauga, ON LSV 3E4 - 1-800-265-8352 - frigidaire.ca FFFW5000Q 07/14 © 2014 Electrolux Major Appliances. NA Specifications subject to charge. Printed in Canada

FRIGIDAIRE.

Front Load Dryer

CFQE5000QW



Optional SpaceWise* Pedestal Drawer Shown

Signature Features

Quick Dry

Dries even extra-large loads quickly and efficiently.

Large Dryer Capacity

Finish more laundry in less time with our 7.0 cu.ft. I.E.C. dryer capacity.

One-Touch™ Wrinkle Release

Prevents wrinkles, so your clothes look great every time. The Wrinkle Release System finishes by tumbling without heat.

Reversible Door

Dries clothes more evenly for better

6 Dry Cycles 7.0 Cu. Ft. I.E.C. Electric

Product Dimensions

Width 30-9/16"

More Easy To Use Features

Precision Dry™ Moisture Sensor Dries even extra-large loads quickly and efficiently

Timed Dry Cycles

Multiple Dryness Levels

Ready-Select® Controls Easily select options with the touch of a button.

Auto Dry Cycles

Control Lock

Dryness Selections
Allow for better control over fabric care and the drying process. More Dry. Normal, Less Dry or Damp can be selected. More Dry is ideal for towels while Damp is perfect for items that will be ironed.

Available in:

frigidaire.ca


FRIGIDAIRE

Front Load Dryer

CFQE5000QW 7.0 Cu.Ft. I.E.C. Electric

Features	
Total Capacity I.E.C. (Cu Ft.)	7.0
Controls	Ready-Select*
Dryer Drum Interior	Painted Steel
Interior Light	Yes
Door Trim	White
Ready Steam**	
DrySerse™ Technology	Yes
Wrinkle Release Technology	Yes
TimeWise* Technology	Yes
Precision Moisture Sensor	Yes
Time Remaining Indicator	Yes
Cycle Status Lights	Yes
Cycle Signal	Chime
Cycle Signal "On/Off"	Yes
Cycle Signal Volume Control	
Control Lock	Yas
Start / Pause / Cancel Buttons	Yes
Energy Saver Option	
Delay Start	
Tumple Speed (RPM)	50
Reversible Door	Yes
Lint Screen	Yes
Sound Package	SilantDesign™
Adjustable Leveling Legs	Yes
Cycles	
Dry Cycles	6
Specialty Cycles	C
Options	
Temperature Selections	5
Dryness Level Selections	4
Timed Dry	30. 60. 90
Optional Accessories	
	PN# STACKIT4X
Dryer Stacking Kit '5" Frigidaire* Pedestal Drawers	TIXE SHAPETER
Classic White (W)	PN# OFPWD15W
Mobile Home Installation Kit	PN# 137C67200
Drying Rack	PN# 137067300
	11.4 13/00/300
Certifications	
NS™ Certified Sanitize	
Specifications	
Maximum Exhaust Duct Length ¹ (Ft.)	64
Power Supply Connection Location	Right Bottom Rea
Voltage Rating	240V/6CHz/30A
Connected Load (kW Rating) @ 240 Volts	5.4
Amps @ 240 Volts	24
Heating Element @ 240 Volts (Watts)	4,700
Shipping Weight (Approx.)	140 Lbs.

'Rigid metal duct preferred, semi-rigid optional and allow deductions for elbows and verts. Refer to installation Guide on web for additional information.



NOTE: For planning purposes only. Always consult rocal and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.ce.



Product Dimensions	
A-Height (Single)	36"
Height (Stacked)	71-1/2"
E-Width	27"
C Depth	30-9/16*
Depth with Door Open 90*	51-7/16*
Pedestal Dimensions	
A - Height	15-1/4"
B-Width	27"
C-Depth	26-1/2"
Depth with Drawer Fully Extended	42-1/2"

Accessories information available on the web at Ingidaire ca

FRIGIDAIRE

CANADA • 5855 Terry Fox Way • Mississauga. ON L5V 3E4 • 1-800-285-8352 • frigidaire.ca

CFQE5000Q D6/14 III 2014 Electrolux Major Appliances, NA

Specifications subject to change. Printed in Canada

36" French Door Bottom-Freezer

800 Series - Stainless Steel B26FT70SNS





B26FT70SNS Stainless Steel

The standard-depth French Door refrigerator offers large storage capacity and keeps your produce fresh longer.

Features & Benefits

VitaFresh™ controls humidity and temperature to keep food fresh.

Bright ALL LED Lighting shines throughout the entire interior.

Dispenses fresh-tasting water, crushed ice and cubed ice.


Stainless Steel Touch Control offers an easy-touse luxury detail.

General Properties	
Water filter	Yes
Lighting	LED
Defrost process refrigerator section	Frost-free
Number of shelves - refrigerator	5
Adjustable shelves - refrigerator	4 half-width
Shelf material - refrigerator	Tempered glass
Type of shelves - refrigerator	Spill-proof glass
Gallon storage bins	2
Humidity control drawer	2
Defrost process freezer section	Automatic
Number of drawers - freezer	2
Ice maker	Yes
Quick ice	Yes
Canonita	

Quick ice	Yes	
Capacity		
Total unit gross capacity (cu. ft.) - AHAM	25.9 cu. ft.	
Refrigerator gross capacity (cu. ft.)	16.9 cu. ft.	
Freezer gross capacity (cu. ft.)	9 cu. ft.	



Technical Details	
Current (A)	15 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length (in.)	62 "
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions (H x W x D) (in.)	69 3/4" x 35 5/8" x 33 13/32"
Required cutout size (H x W x D) (in.)	69" x 36" x 30 1/8"
Net weight (lbs)	248 lbs
Efficiency	
ENERGY STAR® qualified	No
Energy consumption (kWh/yr)	710 kWh
Accessories-Included	
Included	Egg box with lid



For help and assistance with Bosch accessories please visit: www.bosch-eshop/bosch/us or call 1-800-944-2904 Mon-thn Sam to 6pm PST Sat 6am to 3pm PST Notes: All helpst, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stailess steel, paintyprocelain begins, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor. "As is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


36" French Door Bottom-Freezer

800 Series - Stainless Steel B26FT70SNS



Installation Details





For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 6pm PST Sat 6am to 3pm PST
Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. 8SH reserves the absolute and unrestricted right
to change product materials and specifications, at any time, without notice. Consult the product is installation instructions for final dimensional data and other details. Applicable product
warranty can be found in accompanying product literature or you may contact your account manager for further details.
Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase, and shall not be stalled, folled, extended, for any reason whatsoever. This Product is also warranted to be free from cosmetic
defects in material and workmanship (such as scratches of stainless steel, paint/porcellan blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days
from the date of purchase or closing date for new construction. This cosmetic warranty exclude slight color variations due to Inherent differences in painted and porcelain parts, as well as
differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty sexuled warranty septifically excludes any display, floor, "As is", or "8" stock appliances.

For more information paure entire line of products are to however the complete of the product of the

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

30" Gas Slide-in Range

800 Series - Stainless Steel HGI8054UC



15 A 120 V

60 Hz

Gas

US 3-prong 78"



HGI8054UC

The full-depth gas slide-in range fits into any freestanding range cutout, and features five burners to cook more dishes at once.

Features & Benefits

The new Bosch slidein range fits in any freestanding range cutout.

Powerful 18,000 BTU centre burner speeds cooking time.

At 4.8 cu. ft., a large oven capacity accommodates most pots and pans.

Heavy-duty metal knobs for a premium look and

The warming drawer keeps everything you cook warm and ready to serve.

General Properties	:
Cooking modes	Variable Broil (hi & low), Roast, Warm, Proof, Convection Bake, Convection Roast, Pizza, Sabbath
Cleaning type	Self clean
Type of grate	Cast iron
Knob material	Full metal
Drawer type	Warming drawer
Sealed burners	Yes
Oven Performance	
Bake burner power	18.000 BTU
Broil burner power	12,500 BTU
Convection element	N/A
Burner Performance	
Total number of cooktop burners	5
Total connection rating (NG / LP) BTU	53,000 / 44,000
Power of front left burner (NG / LP) BTU	10,000 / 8,000
Power of back left burner (NG / LP) BTU	5,000 / 5,000
Power of centre burner (NG / LP) BTU	18,000 / 12,500
Power of back right burner (NG / LP) BTU	5,000 / 5,000

&	Circuit breaker (A)
m, n	Volts (V)
))	Frequency (Hz)
	Plug type
	Cord length
	Energy source
	Gas type
	Alternative gas type
	Dimensions & Weig
	Overall appliance dimensions (HxWx
	Required cutout siz (HxWxD) (in.)
	Adjustable range h (in.)
	Net weight (lbs)
	Accessories-Includ
	Use and care manu mounting hardware LP conversion kit, :
	Accessories-Optio
	HEZTR301 30" Telescopic rack

Gas type	Natural gas 15 mbar (USA)
Alternative gas type	LP 27, 5 mbar (USA)
Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in.)	36 1/2" x 31 1/2" x 28 7/8"
Required cutout size (HxWxD) (in.)	35 1/2" x 30" x 25"
Adjustable range height (in.)	1 1/2"
Net weight (lbs)	243 lbs
Accessories-Included	

Technical Details

d care manual, installation guide, ng hardware, island trim, version kit, standard racks

ories—Optional





HGZBS301 Low backguard





HEZGR301

HF7298102

Power of front right burner (NG / LP) BTU

15,000 / 13,500

For help and assistance with Bosch accessories please call 1900-944-2904 Month date to byte 15 Motes. All height, width and depth dimensions are shown in inches. Please refer to institution instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship Bosch warrants that the Product is material and workmanship and workmanship of the product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product) for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight colour variations due to inherent differences in painted and porceiain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "8" stock appliances.

For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904


© 2014 BSH Home Appliances Canada. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


30" Gas Slide-in Range


800 Series - Stainless Steel HGI8054UC



Installation Details







For help and assistance with Bosch accessories please call 4:00-944-2904 Mon-Fri Sam to 5pm EST
Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as caratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product) for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight colour variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, fibor, "As Is", or "8" stock appliances.

For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904 © 2014 BSH Home Appliances Canada. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

24" Bar Handle Dishwasher

300 Series DLX - Stainless Steel SHX53TL5UC





SHX53TL5UC Stainless Steel

Bosch dishwashers are so quiet, you may forget they're on. InfoLight® projects a red light onto the floor to let you know it's on.

Features & Benefits

46 dBA: Quietest dishwasher brand.

InfoLight® shines on the floor so you know the dishwasher's running.

RackMatic® offers 3 height levels, for 9 possible rack positions.

Detergent tray optimizes detergent dissolving.

AquaStop® leak protection works 24/7 to prevent water damage.

General Properties	
Number of wash cycles	4
Number of options	5
dBA	46
Third rack	
Rack adjustability	RackMatic®
Tub material	Stainless steel
Control type	Buttons
Concealed heating element	Yes
Leak protection system	24/7 AquaStop®
Water softener	No
Five-level wash	Yes
ChildLock	No
Special features	InfoLight®, Duo- Flex Silverware Basket,

	Basket, SpeedPerfect™
Efficiency	
Water usage per cycle	2.9
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	259
Total annual water consumption (g)	624

Capacity

Number of place settings 15





.com.au acturia	
Watts (W)	1300 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length	56 5/16"
Minimum water pressure (lb/sin)	14
Length inlet hose (in)	60"
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"
Adjustable feet	Yes
Net weight (lbs)	84 lbs
Accessories-Optional	
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Accessory Kit	SMZ5000
Anti-tarnish Silverware Cassette	SMZ5002UC
The state of the s	e demand

Technical Details



For help and assistance with 8osch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. 8SH reserves the absolute and unrestricted right
to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product
warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic
defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) of the product of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as
differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 & BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH


24" Bar Handle Dishwasher


300 Series DLX - Stainless Steel SHX53TL5UC





Installation Details











For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warrantjes: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing the product is purchase, and shall not be stalled, tolled, extended, or supended, for any reason whatsoever. This Product is also warranted be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "8" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


& BSH Home Appliances Corporation, All rights reserved, Bosch is a registered trademark of Robert Bosch GmbH


24" Bar Handle Dishwasher

300 Series DLX - Stainless Steel SHX53TL5UC



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).


Always use the approved drain hose extension kit

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.

For help and assistance with Bosch accessories please visit: www.bosch-eshop/bosch/u sor call 1-800-944-2904 Mon-Fri Sam to 6pm PST Sat 6am to 3pm PST Notes. All helpst, width and depth dimensions are shown in inches, Please refer to installation instructions prior to making cutout, BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details. Warranties is Sosch warrants that the Product is free from defects in materials and workmanship (sosch as warranties) and workmanship (soch as scratches of stailless steel, painty-orcelain beings, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty excludes any display, floor, "As is", or "B" stock appliances.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

FRIGIDAIRE.



Front Load Washer

FFFW5000QW



Optional SpaceWise: Pedestal Drawer Shown

Signature Features

Advance Rinse Technology

Final rinse uses fresh water to ensure whiter whites and reduce allergens.

Large Capacity

Finish more in less time with our 4.5 cu.ft. I.E.C. capacity — the washer can fit two baskets of laundry in a single load.

Stainless Steel Drum

Smooth, durable interior is rust-proof and won't snag clothes.

Tumble Action Cleaning System

By removing the agitator, you can count on the tumble action to wash gently and rinse completely, ensuring your clothes feel fresher and last longer. 7 Wash Cycles 4.5 Cu.Ft. I.E.C.

Product Dimensions

Helght	36"
Width	27"
Depth	30-9/16"

More Easy To Use Features

ENERGY STAR*-Qualified

Stain Clean Option

Delay Start

Begin your washing cycle at the time that works best with your schedule.

End-Of-Cycle Signal

Ready-Select* Controls It's easy to get laundry started with just the touch of a button.

TimeWise* Technology Wash time equals dry time — so you don't wait for clothes to dry.

SilentDesign™
Designed for quiet operation.

Stay-Fresh™ Antimicrobial Seal

Automatic Water Level Control

Optional Pedestal Drawer

Vibration Control System Advanced vibration control keeps even oversized loads balanced for smooth, quiet operation, Ideal for second floor installation.

Add-a-Garment
With just the touch of a button, easily add
an extra piece to the washer once a cycle
has started.

Available in:

frigidaire.ca


FRIGIDAIRE

Front Load Washer

FFFW5000QW 4.5 Cu.Ft. I.E.C.

appropriate the first of the second s	THE COMMENT OF PROPERTY AND ADDRESS OF THE PROPERTY OF THE PRO
Features	
Total Capacity I.E.C. (Cu.Ft.)	4.5
Controls	Ready-Select
Washer Drum Interior	Stainless Steel
Lifetime Warranty Tub	Yes
Interior Light/Door Trim	No/White
Vibration Control System	Yes
Advanced Rinse Technology	Yes
TimeWise Technology	Yes
Ready Clean"/Ready Steam"	
Fresh Water Rinse Option	Yes
Stay-Fresh" Door Seal	Yes
Automatic Temperature Control	Yes
Automatic Water Level Adjustments	Yes
Auto Prewash Detergent Dispenser	
Auto Bleach Dispenser	Yes
Auto Detergent Dispenser	Yes
	Ves
Auto Fabric Softener Dispenser	
Time Remaining Indicator	Yes
Cycle Status Lights	Yes
Cycle Signal / Cycle Signal "On, Off"	Chime/Yes
Cycle Signal Volume Control	
Door Lock Indicator Light	Yes
Control Lock/Stay Put Door	Yes/Yes
Start / Pause / Cancel Buttons	Yes
Energy Saver Option	Yes
Delay Start	Up to 10 Hours
Integral Water Heater	
Tumble Speed (RPM)	Variable
Spin Speed (Maximum RPM)	1.200
Sound Package	SilentDesign*
Adjustable Leveling Legs	Yes
Cycles	
- · · · · ·	7/0
Wash Cycles / Specialty Cycles	770
Options	
Water Temperature Selections	5
Water Levels	Automatic / Max Fill
Spin Speed/Soil Level Selections	5/5
Allergen	
Optional Accessories	
The second secon	
Dryer Stacking Kit	PN# STACKIT4X
15" Frigidaire: Pedestal Drawers	
Classic White (W)	PN# CFPWD15W
Mobile Home Installation Kit	PN# 137067200
Drain Hose Extension Kit	PN# 137098000
Certifications	
ENERGY STAR	Yes
NSF* Certified Sanitize / Allergen	
· · · · · · · · · · · · · · · · · · ·	
Specifications	
Power Supply Connection Location	Right Top Rear
Water Inlet Connection Location	Left Top Rear
Voltage Rating	120V/60Hz/15A
Connected Load (kW Rating) is 120 Volts'	1.7
Watts @ 120 Volts / Amps @ 120 Volts	1,100/10
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	222 Lbs

For use on adequately wired 120V, disdicated circuit having 2-wire service with a separate ground wire, Appliance must be grounded for safe operation.





Product Dimensions	
A-Height (Single)	36"
Height (Stacked)	71-1/2"
B-Width	27*
C-Depth	30-9/16"
Depth with Door Open 90°	50-13/16"
Pedestal Dimensions	
A-Height	15-1/4"
B-Width	27"
C-Depth	25-1/2"
Depth with Drawer Fully Extended	42-1/2"

Accessories information available on the web at frigidaire.ca

FRIGIDAIRE

CANADA - \$855 Terry Fox Way - Mississauga. ON LSV 3E4 - 1-800-265-8352 - frigidaire.ca FFFW50000 07/14 - 2014 Electrolux Major Appliances, NA


Specifications subject to change. Printed in Canada

FRIGIDAIRE.



Front Load Dryer

CFQE5000QW



Ontional SpaceWise: Pedestal Drawer Shown

Signature Features

Quick Dry

Dries even extra-large loads quickly and efficiently.

One-Touch™ Wrinkle Release

Prevents wrinkles, so your clothes look great every time. The Wrinkle Release System finishes by tumbling without heat.

Large Dryer Capacity

Finish more laundry in less time with our 7.0 cu.ft. I.E.C. dryer capacity.

Reversible Door

Dries clothes more evenly for better

6 Dry Cycles 7.0 Cu. Ft. I.E.C. Electric

Product Dimensions

 Height
 36"

 Width
 27"

 Depth
 30-9/16"

More Easy To Use Features

Precision Dry™ Moisture Sensor Dries even extra-large loads quickly and efficiently.

Timed Dry Cycles

Multiple Dryness Levels

Ready-Select* Controls
Easily select options with the touch of a button.

Auto Dry Cycles

Control Lock

Dryness Selections
Allow for better control over fabric care and the drying process. More Dry, Normal, Less Dry or Damp can be selected. More Dry is ideal for towels while Damp is perfect for items that will be ironed.

Available in:

Classic White (W)


frigidaire.ca

FRIGIDAIRE

Front Load Dryer

CFQE5000QW 7.0 Cu.Ft. I.E.C. Electric

Features	
Total Capacity I.E.C. (Cu.Ft.)	7.0
Controls	Ready-Select
Dryer Drum Interior	Painted Steel
Interior Light	Yes
Door Trim	White
Ready Steam	
DrySense ⁱⁿ Technology	Yes
Wrinkle Release Technology	Yes
TimeWise' Technology	Yes
Precision Moisture Sensor	Yes
Time Remaining Indicator	Yes
Cycle Status Lights	Yes
Cycle Signal	Chime
Cycle Signal "On/Off"	Yes
Cycle Signal Volume Control	
Control Lock	Yes
Start / Pause / Cancel Buttons	Yes
Energy Saver Option	
Delay Start	
Tumble Speed (RPM)	50
Reversible Door	Yes
Lint Screen	Yes
Sound Package	SilentDesign"
Adjustable Leveling Legs	Yes
and the second s	
Cycles	
Cycles	
Dry Cycles	6
Dry Cycles Specialty Cycles	6
Dry Cycles	manager and the second
Ory Cycles Specialty Cycles	manager and the second
Dry Cycles Specialty Cycles Options	0
Dry Cycles Specialty Cycles Options Temperature Selections	5
Dry Cycles Speciality Cycles Options Temperature Selections Dryness Level Selections Timed Dry	5 4
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories	5 4 30, 60, 90
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit	5 4
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit IS" Engldalra" Pedestal Drawers	0 5 4 30.60.90 PN# STACKIT4X
Dry Cycles Specialty Cycles Options Temperature Selections Drynass Level Selections Timed Dry Optional Accessories Dryer Stacking Kit 15" Englidaire" Pedestal Drawers Classic White (W)	5 4 30.60.90 PN# STACKIT4X PN# CEPWOISW
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit Si' Fngidalre' Pedestal Drawers Classic White (W) Mobile Home Installation Kit	5 4 30, 60, 90 PN# STACKIT4X PN# CFPWDISW PN# 137067200
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit Sif Finglidaire Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack	5 4 30.60.90 PN# STACKIT4X PN# CEPWOISW
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit Si' Fngidalre' Pedestal Drawers Classic White (W) Mobile Home Installation Kit	5 4 30, 60, 90 PN# STACKIT4X PN# CFPWDISW PN# 137067200
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit Sif Finglidaire Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack	5 4 30. 60. 90 PN# STACKIT4X PN# CFPWDISW PN# 137067200
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit IS' Englidalra' Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications	5 4 30, 60, 90 PN# STACKIT4X PN# CFPWDISW PN# 137067200
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit Sif "Fingidalra" Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications NSF" Certified Sanifize Specifications	5 4 30, 60, 90 PN# STACKIT4X PN# CEPWIDISW PN# 137067200 PN# 137067300
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit 15" Englidalire "Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications NSF" Certified Sanitize Specifications Maximum Exhaust Duct Length' (Ft.)	0 5 4 30. 60. 90 PN# STACKIT4X PN# CFPWD15W PN# 137067300 PN# 137067300
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit 15" Englidaire" Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications NSF" Certified Sanitize Specifications Maximum Exhaust Duct Length' (Ft.) Power Supply Connection Location	0 5 4 30, 60, 90 PN# STACKIT4X PN# CFPW015W PN# 137067200 PN# 137067300
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit 15" Frigidalira" Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications NSF" Certified Sanifize Specifications Maximum Exhaust Duct Length (Ft.) Power Supply Connection Location Voltage Rating	0 5 4 30, 60, 90 PN# STACKIT4X PN# CFPWDI5W PN# 137067200 PN# 137067300 64 Right Bottom Rear 240V/60Hz/30A
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kn Si' Frigidalre' Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications NSF' Certified Sanifize Specifications Maximum Exhaust Duct Length' (Ft.) Power Supply Connection Location Voltage Rating Connected Load (kW Rating) & 240 Volts	5 4 30, 60, 90 PN# STACKIT4X PN# CFPWDI5W PN# 137067200 PN# 137067300 64 Right Bottom Rear 240V/50Hz/30A 5.4
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kit Sif' Englidalre' Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications NSF' Certified Sanifize Specifications Maximum Exhaust Duct Length' (Ft.) Power Supply Connection Location Voltage Rating Connected Load (kW Rating) & 240 Volts Amps & 240 Volts	5 4 30, 60, 90 PN# STACKIT4X PN# CFPWD15W PN# 137067200 PN# 137067300 64 Right Bottom Rear 240V/60Hz/30A 5.4
Dry Cycles Specialty Cycles Options Temperature Selections Dryness Level Selections Timed Dry Optional Accessories Dryer Stacking Kn 15" Fngidalre" Pedestal Drawers Classic White (W) Mobile Home Installation Kit Drying Rack Certifications NSF" Certified Sanifize Specifications Maximum Exhaust Duct Length' (Ft.) Power Supply Connection Location Voltage Rating Connected Load (kW Ratling) & 240 Volts	5 4 30, 60, 90 PN# STACKIT4X PN# CFPWDI5W PN# 137067200 PN# 137067300 64 Right Bottom Rear 240V/50Hz/30A 5.4



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes, Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.ca.



Product Dimensions	
A-Height (Single)	36"
Height (Stacked)	71-1/2"
B-Width	27"
C-Depth	30-9/16"
Depth with Door Open 90°	51-7/16"
Pedestal Dimensions	
A-Height	15-1/4"
B-Width	27"
C-Depth	26-1/2"
Depth with Drawer Fully Extended	42-1/2"

Accessories information available on the web at frigidaire.ca

FRIGIDAIRE

CANADA - 5855 Terry Fox Way - Mississauga, ON L5V 3E4 - 1-800-285-8352 - frigidaire.ca CFGES0000-06/14 - i 2014 Electrolux Major Appliances, NA Specifications subject to change. Printed in Canada