



PURCHASER'S EXTRAS North 88 - North 88 Developments Inc. PURCHASERS: JOCELYN JENSEN and JOHN E JENSEN
--

LOT NUMBER	PHASE	HOUSE TYPE
33 Block 4	1	Plum-Elev B

EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE

1). 5 FREE APPLIANCES - FRIDGE, STOVE, WASHER, DRYER, AND DISHWASHER (SUPPLIED ONLY NOT INSTALLED, FROM BUILDERS STANDARD LINE) *** TO ARRANGE DELIVERY - CALL THE BRICK COMMERCIAL SALES DIVISION 1-877-843-2742
2). Bell Fibe Line: 6 Months Free TV, Phone and Internet Services. As per Bell offer. See certificate for details.

This is your direction to install the above extras in accordance with the following terms and conditions:

1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this order is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed, the total cost of extras ordered are not refundable to the Purchaser(s).
4. Extras or changes will not be processed unless signed by the Vendor.
5. These extras may not be amended without the written consent of North 88 Developments Inc.
6. The purchaser(s) and the builder acknowledge and agree that this "Purchaser's Extra" form shall not be deemed to be part of the agreement of purchase and sale entered into between them, nor an addendum thereto.

CONSTRUCTION SCHEDULING APPROVAL
PER: _____
DATE: _____



CONSTRUCTION SUMMARY

North 88 Developments Inc. / North 88

Lot/Unit: 33 Block 4 Phase/Building: 1 Model/Floor Plan: Plum-Elev B

CABINETRY ACCESSORIES

Inv.3145	1 - KITCHEN - LIGHT VALANCE	
Line 43221	Note:	
14Aug15 / 19Nov15		
Inv.3145	1 - KITCHEN - CROWN MOULDING	
Line 43222	Note:	
14Aug15 / 19Nov15		

CABINETRY APPLIANCE - FRIDGE

Inv.3145	1 - KITCHEN - 59CM DEEP FRIDGE UPPER CABINETS WITH 1 GABLE	
Line 43213	Note:	
14Aug15 / 19Nov15		

CABINETRY HARDWARE

Inv.3145	1 - KITCHEN - BASE WASTE / RECYCLE CENTER PULL OUT DOOR - ONLY AVAILABLE IN 45 CM CABINET (2) 35L BINS	
Line 43211	Note:	
14Aug15 / 19Nov15		

CABINETRY MICROWAVE OVEN STOVE COOKTOP

Inv.3145	1 - KITCHEN - MICROWAVE APPLIANCE WITH TRIMKIT UNDER COUNTER IN BASE CABINET WITH DRAWERS BELOW IN LIEU OF EXISTING BASE CABINET - PURCHASER HAS SUPPLIED SPECS	
Line 43217	Note:	
14Aug15 / 19Nov15		

CABINETRY PANTRY

Inv.3145	4 - KITCHEN - INTERIOR PULL OUT DRAWER FOR DOUBLE DOOR PANTRY - MAXIMUM 4 PER PANTRY	
Line 43232	Note:	
14Aug15 / 19Nov15		
Inv.3145	1 - KITCHEN - PANTRY 59 CM DEEP PER IN LIEU OF UPPER/BASE	
Line 43233	Note:	
14Aug15 / 19Nov15		

CABINETRY VANITY

Inv.3145	1 - MASTER ENSUITE - VANITY BANK OF DRAWERS	
Line 43224	Note:	
14Aug15 / 19Nov15		

CABINETRY WALL AND HUTCH

Inv.3145	1 - KITCHEN - UPPER ANGLE CORNER	
Line 43214	Note:	
14Aug15 / 19Nov15		
Inv.3145	1 - KITCHEN - GLASS DOOR CLEAR - WITH MATCHING INTERIOR	
Line 43215	Note:	
14Aug15 / 19Nov15		

COUNTER TOP - VANITY



CONSTRUCTION SUMMARY

North 88 Developments Inc. / North 88

Lot/Unit: 33 Block 4 Phase/Building: 1 Model/Floor Plan: Plum-Elev B

Inv.3145	1 - SUPPLY AND INSTALL 2CM STONE COUNTER TOP WITH STANDARD SQUARE EDGE – GROUP 4 IN THE 3RD FLOOR ENSUITE PRICE TO INCLUDE CUT AND POLISH (UNDERMOUNT SINK SOLD SEPERATELY)	
Line 43225	Note:	
14Aug15 / 19Nov15		

ELECTRICAL

Inv.3145	10 - ELECTRICAL - MINI LOW VOLTAGE HALOGEN POT LIGHT - 1ST FLOOR - LOCATION SKETCH ATTACHED AS PER AGREEMENT OF PURCHASE AND SALE; X4 IN BREAKFAST ON SEPERATE SWITCH (SWITCH NOT INCLUDED) X6 IN KITCHEN ON SEPERATE SWITCH (SWITCH NOT INCLUDED)	
Line 43207	Note:	
14Aug15 / 19Nov15		
Inv.3145	2 - SUPPLY AND INSTALL ADDITIONAL INTERIOR SINGLE POLE SWITCH X1 IN KITCHEN FOR POTLIGHTS X1 IN BREAKFAST FOR POTLIGHTS	
Line 43208	Note:	
14Aug15 / 19Nov15		
Inv.3145	1 - SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) LOCATED IN KITCHEN IN BASE FOR BUILT-IN MICROWAVE WITH TRIMKIT	
Line 43218	Note:	
14Aug15 / 19Nov15		
Inv.3145	1 - KITCHEN - SUPPLY AND INSTALL LIGHT VALANCE ROUGH IN (INCLUDES 1 SWITCH)	
Line 43223	Note:	
14Aug15 / 19Nov15		
Inv.3145	2 - SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE (NOT SEPARATE CIRCUIT) X1 IN LIVING/DINING APPROX 5FT OFF THE FLOOR CENTERED ABOVE FIREPLACE NEXT TO CONDUIT OPENING X1 IN LIVING/DINING ROOM NEXT TO BASE CONDUIT OPENING AND CABLE LOCATION	
Line 43236	Note:	
14Aug15 / 19Nov15		
Inv.3145	1 - LIVING/DINING ROOM - SUPPLY AND INSTALL EMPTY T.V CONDUIT OPEING TO BE APPROX 5FT OFF THE FLOOR CENTERED ABOVE THE T.V NEXT TO OUTLET AND OPENING TO BE AS INDICATED ON SKETCH NEXT TO CABLE OUTLET	
Line 43237	Note:	
14Aug15 / 19Nov15		

HARDWOOD

Inv.3145	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 1 - SATIN FINISH GEN. - HOME OAK 3 5/8 INCH X 3/4 INCH - STAIN - - MASTER BEDROOM - 3RD FLOOR	
Line 43229	Note:	
14Aug15 / 19Nov15		
Inv.3145	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 1 - SATIN FINISH GEN. - HOME OAK 3 5/8 INCH X 3/4 INCH - STAIN - - BEDROOM 2	
Line 43230	Note:	
14Aug15 / 19Nov15		



CONSTRUCTION SUMMARY

North 88 Developments Inc. / North 88

Lot/Unit: 33 Block 4 Phase/Building: 1 Model/Floor Plan: Plum-Elev B

Inv.3145	1 - SUPPLY AND INSTALL HARDWOOD - UPGRADE 1 - SATIN FINISH GEN. - HOME OAK 3 5/8 INCH X 3/4 INCH - STAIN - - BEDROOM 3	
Line 43231	Note:	
14Aug15 / 19Nov15		

HEATING AND AIR CONDITIONING

Inv.3145	1 - GAS LINE - ROUGH-IN ONLY - FOR STOVE TO INCLUDE 110V CODE REQUIREMENT	
Line 41380	Note:	
14Aug15 / 19Nov15		

PLUMBING

Inv.3145	2 - MASTER ENSUITE - PLUMBING EXTRAS - SUPPLY AND INSTALL CONTRAC 17" CONNOR - MODEL 4210CFY (GRANITE PRICED SEPARATELY)	
Line 43226	Note:	
14Aug15 / 19Nov15		

Inv.3145	1 - MASTER ENSUITE - SUPPLY AND INSTALL CHATEAU POSI-TEMP WITH 3 FUNCTION DIVERTER VALVE, SLIDE BAR WITH HANDHELD, SHOWER HEAD AND TUB SPOUT - CHROME - MODEL 62320/3372/128284/T4171/TL183EP/3669EP/A725	
Line 43239	Note:	
14Aug15 / 19Nov15		

STAIRS AND RAILING

Inv.3145	1 - RAILING UPGRADE - UPGRADE 6 - HANDRAIL - VICTORIAN OAK, PICKETS - STEEL 1/2 INCH SQUARE, SINGLE COLLAR SPOON/DOUBLE COLLAR SPOON, WITH SHOES FLAT BLACK, POSTS - 3 1/2 SQUARE IRP-6 POST WITH CAP OAK	
Line 43228	Note:	
14Aug15 / 19Nov15		

TILE - FLOOR

Inv.3145	1 - SUPPLY AND INSTALL FLOOR TILE - UPGRADE 9 - ENSUITE BATHROOM FLOOR	
Line 43203	Note:	
14Aug15 / 19Nov15		

Inv.3145	1 - SUPPLY AND INSTALL FLOOR TILE - UPGRADE 3 - POWDER ROOM - FLOOR	
Line 43238	Note:	
14Aug15 / 19Nov15		

Inv.3400	1 - DELETE ITEM # 27 FROM PE 3145 - SUPPLY AND INSTALL FLOOR TILE - UPGRADE 3 - - POWDER ROOM - FLOOR	
Line 43659	Note:	
27Nov15 / 30Nov15		

Inv.3400	1 - SUPPLY AND INSTALL FLOOR TILE - UPGRADE 3 - - VESTIBULE - MAIN HALL FLOOR - ON CONC.	
Line 43660	Note:	
27Nov15 / 30Nov15		

TILE - WALL

Inv.3145	1 - SUPPLY AND INSTALL FLOOR TILE UPGRADED - KITCHEN	
Line 38824	Note:	
14Aug15 / 19Nov15		



CONSTRUCTION SUMMARY

North 88 Developments Inc. / North 88

Lot/Unit: 33 Block 4 Phase/Building: 1 Model/Floor Plan: Plum-Elev B

Inv.3145	1 - SUPPLY AND INSTALL UPGRADE 3 FLOOR TILE ON THE WALL - MASTER ENSUITE SHOWER	
Line 43205	Note:	
14Aug15 / 19Nov15		

EXTRAS AS PER OFFER

Note:	
-------	--



INTERIOR COLOUR SCHEME

Purchasers: JOCELYN JENSEN & JOHN E JENSEN

Property: 33 Block 4 of Plan -

Telephone Res. / Bus: (416) 936-5620

Project: North 88 Developments Inc.

Decor Advisor: Nicole Soares

Model and Elevation: Plum-Elev B

Layout Changes: ☒ Yes ☐ No

Sketch Attached: ☒ Yes ☐ No

Exterior Colour Scheme:

1. Cabinetry

	Style and Colour	Counter Top	Hardware
Kitchen / Breakfast	OTTAWA PAINT- WINTER WHITE	GRIGIO SARDO - SQ EDGE	9677
Kitchen Island	OTTAWA MAPLE- SOAPSTONE	GRIGIO SARDO - SQ EDGE	9677
Laundry Room			
Powder Room	OTTAWA PAINT: WINTER WHITE	CALCUTTA MARBLE 4925K-07	171
Main Bathroom			
Master Ensuite Bathroom	KINGSTONE PAINT: WINTER WHITE	*SUPER WHITE - SQ EDGE	171
Second Ensuite Bathroom (If Applicable)	LANCASTER PAINT: SOAPSTONE	WHITE CARRARA 4924-38	171
Third Ensuite	LANCASTER PAINT: SOAPSTONE	WHITE CARRARA 4924-38	171

Appliances

Custom Size Fridge

☐ Yes ☒ No

Valance Lighting

☒ Yes ☐ No

Microwave / Range Hood

☐ Yes ☒ No

Cooktop / Rangetop

☐ Yes ☒ No

Built in Wall Oven

☐ Yes ☒ No

Slide-in Range

☐ Yes ☒ No

Comment

2. Flooring

Selection

Lower Level Foyer	*ESSEX 13x13: CREAM
Main Hall	
Back Hall	
Breakfast	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Laundry Room	NEW ALBION 13x13: GREY
Kitchen	*ESSEX 18x18: CREAM
Powder Room	VENINA 12x12: WHITE
Main Bathroom	
Master Ensuite	*VEINS POLISHED 12x24: CALACATTA BIANCO - TILE TO BE INSTALLED AS PER SKETCH
Bathroom (If Applicable)	ENSUITE 2- VENINA 12x12: WHITE
Mud Room	
Ensuite 3	
Living Room	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Dining Room	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Family / Great Room	
Den / Library / Study	PAPILIO: 17193 WALLABY CREAM
Basement Landing (If Applies)	
Lower Landing (If Applicable)	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Upper Landing	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Upper Hall	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Master Bedroom	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Bedroom #2	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Bedroom #3	SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF: GROTTTO
Bedroom #4	
Bedroom #5	

Flooring Continued on Page 2

Initial:

Page 1 of 3



INTERIOR COLOUR SCHEME

Purchasers: JOCELYN JENSEN & JOHN E JENSEN

Property: 33 Block 4 of Plan -

Telephone Res. / Bus: (416) 936-5620

Project: North 88 Developments Inc.

Decor Advisor: Nicole Soares

Model and Elevation: Plum-Elev B

2. Flooring - Continued -

Upgrade Underpad

Type

Area

STANDARD

DEN

Carpet on Stairs

Capped

Runner - *Upgrade

Comment

3. Plumbing Fixtures / Faucets

Kitchen

STD

Second Ensuite

STD

Powder Room

STD

Master Ensuite

STD

Other Room

Main Bathroom

Third Ensuite

STD

Comment

4. Wall Tile

	Tile Selection	Listello	Insert	Insert Selection
Main Bathroom		☐	☐	
Master Ensuite				
Tub Deck		☐	☐	
Tub Apron		☐	☐	
Tub Surround		☐	☐	
Shower Stall	*PALMA MATTE 12x24: WHITE	☐	☐	
Second Ensuite	NEW REEDS 8x10: SILVER	☐	☐	
Third Ensuite	NEW REEDS 8x10: SILVER-ONTARIO 2x2: SNOW WHT	☐	☐	
Master Shower Floor	ONTARIO 2x2: SNOW WHITE	☐	☐	
Kitchen Backsplash		☐	☐	
Complete Backsplash		☐	☐	

Comment

MASTER ENSUITE SHOWER WALL TILE TO BE INSTALLED AS PER SKETCH

5. Fireplace

	Living Room			Family Room			Other Room - Specify		
	Purchased	As Per Plan	N/A	Purchased	As Per Plan	N/A	Purchased	As Per Plan	N/A
Fireplace Type	☐	☒	☐	☐	☐	☐	☐	☐	☐
Mantle Type	STANDARD ELECTRIC								
Over Mantle									
Colour / Stain									
Surround	STANDARD								
Hearth									

Comment

Initial:

Page 2 of 3



INTERIOR COLOUR SCHEME

Purchasers: JOCELYN JENSEN & JOHN E JENSEN
Telephone Res. / Bus: (416) 936-5620
Decor Advisor: Nicole Soares

Property: 33 Block 4 of Plan -
Project: North 88 Developments Inc.
Model and Elevation: Plum-Elev B

6. Trim Carpentry

Door Hardware: STANDARD

Interior Trim: STANDARD BASEBOARD & CASING

Comment

Interior Doors

☐ 2 Panel Arch Top

☒ 2 Panel Square Top

☐ 6 Panel

Initial for Door Style



7. Railings and Pickets

Railing Package: UPGRADE 5 PICKET, RAILING & HANDRAIL

Railing Colour: STAINED

Picket Colour: BLACK METAL PICKETS

Wood Stairs: ☐ No ☒ Oak

Tread Colour: STAINED

Comment

STAIRS TO BE STAINED TO MATCH SATIN FINISH GEN. HOME 3 5/8" x 3/4" NF. GROTTTO AS MUCH AS POSSIBLE *****
PURCHASER IS AWARE THAT THE STAIN WILL NOT BE A 100% TRUE MATCH

8. Plaster Mouldings and Medallions

Foyer

Main Hall

Living Room

Dining Room

Family Room

Kitchen/Breakfast

Den/Library

Lower Landing

Comment

9. Wall Paint

SENATOR WHITE

Smooth Ceilings

☐ First Floor

☐ First Floor incl. Second Floor Hall

☐ First and Second Floor

☐ Throughout

☒ Not Applicable

Trim Paint: SENATOR WHITE

10. Additional Comments

11. Disclaimers and Notes

- Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. *[Signature]* Purchaser's Initials
- The Purchaser acknowledges reading and accepting the "Senator Homes Décor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.

This Interior Colour Selection is final and approved by:

Purchaser:

Signature: *[Signature]*

Date: *Nov 19/15*

Signature: *[Signature]*

Date: *Nov 19/15*

Vendor: *[Signature]*

North 88 Developments Inc.

NOV 20/15

W.C. UNIT

UP

DEN

UNFINISHED

F

H

LOW HEDGED ROOM

STAIRS

FOYER

SOUL WALL

PORCH


LOWER FLOOR ELEV



INITIALS:


This plan is not to scale and subject to architectural review and revision, including without limitation, the Unit being constructed with a layout that is the reverse of that set out above. All drawings, floorplans, materials, specifications, details and dimensions, if any, are approximate and subject to change without notice. Bulkheads are not shown on this plan and may be located in areas of the Unit. Terraces, balconies and patios, if any, are exclusive use common elements, shown for display purposes only and location and size are subject to change without notice. Number of steps, window location, size and type may vary without notice. - March 13, 2014.

PLUM TH1801



18x18 Tiles
in Kitchen

POTLIGHTS.



MAIN FLOOR ELEV 'A'



PARTIAL MAIN FLOOR ELEV 'B'

SENATOR HOMES
DECOR CENTRE

Lot 33



DATE: OCT 14 2015 NOV 18 2015

INITIALS:

Plum B

This plan is not to scale and subject to architectural review and revision, including without limitation, the Unit being constructed with a layout that is the reverse of that set out above. All drawings, floorplans, materials, specifications, details and dimensions, if any, are approximate and subject to change without notice. Bulkheads are not shown on this plan and may be located in areas of the Unit. Terraces, balconies and patios, if any, are exclusive use common elements, shown for display purposes only and location and size are subject to change without notice. Number of steps, window location, size and type may vary without notice. - March 13, 2014.

PLUM
TH1801



SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015 OCT 14 2015


INITIALS:

Lot 33
Plum B



This plan is not to scale and subject to architectural review and revision, including without limitation, the Unit being constructed with a layout that is the reverse of that set out above. All drawings, floorplans, materials, specifications, details and dimensions, if any, are approximate and subject to change without notice. Bulkheads are not shown on this plan and may be located in areas of the Unit. Terraces, balconies and patios, if any, are exclusive use common elements, shown for display purposes only and location and size are subject to change without notice. Number of steps, window location, size and type may vary without notice. - March 13, 2014.

PLUM
TH1801


ENSUITE FLOOR
TILE TO BE
INSTALLED
HORIZONTAL TO
THE DOOR



SHOWER WALL
TILE TO BE
INSTALLED VERTICAL



©CABLE
①TELEPHONE



SENATOR HOMES
DECOR CENTRE

DATE: OCT 14 2015 NOV 19 2015
INITIALS: [Signature]

Lot 33
Plum B


This plan is not to scale and subject to architectural review and revision, including without limitation, the Unit being constructed with a layout that is the reverse of that set out above. All drawings, floorplans, materials, specifications, details and dimensions, if any, are approximate and subject to change without notice. Bulkheads are not shown on this plan and may be located in areas of the Unit. Terraces, balconies and patios, if any, are exclusive use common elements, shown for display purposes only and location and size are subject to change without notice. Number of steps, window location, size and type may vary without notice. - March 13, 2014.

PLUM - TH1801



STD LAYOUT

NB8-33



STANDARD FIRST/SECOND/THIRD FLOOR



KITCHEN (FIRST FL) - EL: A & B



MASTER ENSUITE (THIRD FL) - EL: A & B



BATH (SECOND FL) - EL: A & B

POWDER (FIRST FL) - EL: A & B

SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015

INITIALS:

[Signature]

n88-33

MASTER BATH

CONNOR 17" OVAL UNDERMOUNT SINK

□ 4210CFY Undermount Sink

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 430mm(17") x 355mm(14") x 190mm(7½")
(ID): 380mm(15") x 305mm(12") x 140mm(5½")

Compliance Certifications:

- Meets or exceeds the following:
- IAPMO cUPC
 - ASME A112.19.2 / CSA B45.1-2008


Shipping:

Cube 1.11
GW 16 lbs



Notes:
Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

*Bone and Biscuit available through Direct Import (CIF) only.



contrac.

5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5
www.contrac.ca

Revised: June 2015

SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015

INITIALS: [Signature]

188-33



French Door Refrigerator

EI23BC60K S

Featuring IQ-Touch™ Electronic Controls



Most Usable Capacity¹
Most usable space inside, same space on the outside, so you'll have space for everything from party platters and beverages to kids' snacks and juice boxes.



IQ-Touch™ Controls Located on the Side of the Door
This IQ-Touch™ control panel displays your options at all times.



Luxury-Glide® Cool Zone™ Drawer
This drawer keeps contents chilled, so it's perfect for wine and beer or even snacks and juice boxes.



Luxury-Design® Glass Shelves
All-glass shelves crafted for exceptional beauty and function.

23 CU. FT. COUNTER-DEPTH FRENCH-DOOR REFRIGERATORS

Capacities	
Total Capacity	23.6 Cu. Ft.
Fresh Food Volume	15.62 Cu. Ft.
Freezer Volume	6.93 Cu. Ft.
Total Shelf Area	26.48 Sq. Ft.
Fresh Food Shelf Area	19.81 Sq. Ft.
Freezer Shelf Area	3.67 Sq. Ft.
Exterior	
Signature Soft-Aro Door and Handle Design	Yes
Electronic Controls	IQ-Touch™
Hidden Hinge Door Design	Yes
Fresh Food Conveniences	
Perfect Set™ Temperature Control System and Display	Yes
PureIt® Water & Ice Filter	Yes
PureIt® Air Filtration	Yes
Water Filter Location	Bottom Left
Temp Alarm System	Yes
Door Ajar Alarm	Yes
Power Freeze Alarm	Yes
Glass Shelves	4 Luxury-Design® 1.5-2.0" Full Width
Humidity-Controlled Left Crisper	Luxury-Glide®
Humidity-Controlled Right Crisper	Luxury-Glide®
Perfect Temp® Drawer	
Cool Zone™ Drawer	Luxury-Glide®
Wine and Beverage Mat	
Clear Bailon Door Bins (Adjustable)	2
Clear 2-Door Door Bins (Adjustable/Removable)	2/0
1/2-Gallon Door Bins	
Clear Condiment Bin	2
Clear Dairy Door	
Tilt-Out Can Racks	2
Luxury-Design® LED Ramp-Up Multilevel Lighting	Yes
Freezer Conveniences	
Automatic Ice Maker	Yes
Ice Maker On/Off	Yes
Fast Ice™	Yes
Fast Freeze™	Yes
Self-Closing Drawer	Yes
Sliding Freezer Baskets	2 Luxury-Glide® (1 Deep Plastic w/Divider)
Soft Freeze™ Bin	
Pizza Bin	
Tilt-Out Door Racks	
Plastic Basket Tray	
Luxury-Design® LED Ramp-Up Multilevel Lighting	Yes
Additional Features	
Bulldozer STAP®	Yes
Sabbath Mode (Star-K® Certified)	Yes
Specifications	
Color	—
Stainless Steel	S
Product Dimensions	
Height (With Hinges and 3/8" Rulers)	66-1/2"
Counter Width/Door Width	35-5/8"/39"
Depth to Center of Arc	28-3/16"
Depth to 50" Door (Open)	43-4/16"
Depth to 50" Door (Fully Extended Including Handle)	45-7/8"
Power Supply	
Power Supply Connection Location	Right Bottom Rear
Water Inlet Location	Left Bottom Rear
Voltage Rating	120V/60 Hz/1 S or 20A
Connected Load (kW Rating @120 Volts)	1.03
Minimum Circuit Rating (Amps)	15
Shipping Weight (Approx.)	347 Lbs.

*In electrical supply with grounded three-prong receptacle is required. The power supply should meet or exceed the requirements of the National Electrical Code (NEC) and local codes and ordinances.
NOTE: Always consult local and national electric & plumbing codes. Refer to Product Installation Guide for detailed installation instructions. The web at electroluxappliances.com.
Specifications subject to change.

¹As compared to other French Door Counter-Depth models.

electroluxappliances.com

SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015


INITIALS

[Handwritten signature]

788-33

French Door Refrigerator

EI23BC60K S



Counter-Depth French Door Refrigerator Specifications

- Product Weight – 342 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating – 120V/60 Hz/15 or 20 Amps
- Connected Load (kW Rating) @ 120 Volts = 1.02 kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer/crisper access and removal. (Absolute 4'-7 1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer/crisper access with restricted removal.)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.

- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure – Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

"Built-In Look" Specifications

- Minimum opening of 70-1/4" H x 36" W x 25" D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at electroluxappliances.com for detailed instructions.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-9352 • electroluxappliances.ca

EI23BC60K 06/13

© 2013 Electrolux Home Products, Inc.



High standards of quality at Electrolux Home Products, Inc. ensure we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

SENATOR HOMES
DECOR CENTRE
DATE: NOV 19 2015
INITIALS: [Signature]

188-33



GAS FREESTANDING RANGE

EI30GF45QS

Featuring IQ-Touch™ Electronic Controls



SIGNATURE FEATURES




FRONT CONTROL DESIGN
Effortlessly upgrade your back-control range to built-in style. This range will easily replace traditional 30" freestanding ranges.



PERFECT TASTE™ CONVECTION
For consistently delicious taste and texture, home chefs rely on our convection heat, which circulates air evenly for better baking.



OVAL BURNER + INCLUDED GRIDDLE
Allows you to cook with larger pots and pans or use the complementary griddle to achieve a variety of perfect flavors!



PERFECT TASTE™ TEMP PROBE
The Perfect Taste™ Temp Probe lets you cook each dish to perfection. It does more than measure temperature — it alerts you when food has reached the desired temperature and automatically adjusts to the Keep Warm setting, so you never overcook your food and deliver perfect results every time.

PRODUCT DIMENSIONS

Height	36-1/8" - 36-5/8"
Width	29-7/8"
Depth	26"

MORE EASY-TO-USE FEATURES

MIN-2-MAX® GAS BURNER

Designed with a dual-flame sealed burner, this cooktop provides exceptional power and precision to unlock new flavors.

A LUXURY-GLIDE® OVEN RACK

With a ball bearing system, the oven rack is so smooth it extends effortlessly so you can more easily manage the transfer of all dishes, even heavy ones.

CONTINUOUS GAS GRATES

Designed for cooking multiple dishes at a time, these grates allow easy movement of even the heaviest pots and pans from burner to burner — without lifting. Plus, they create a streamlined look.

DEEP-WELL DESIGN

Keeps spills contained for easy cleanup.

WARMER DRAWER

Maintain the perfect temperature of your food until serving time.

PLATINUM STAR® LIMITED WARRANTY

Our exclusive limited warranty that includes 3-year coverage on parts and one year on labor.*

CONVECTION CONVERSION

Automatically adjusts standard baking temperatures to convection temperatures, for perfect, consistent results.

6 COOKING MODES

Bake, Broil, Convection Bake, Convection Roast, Keep Warm and Slow Cook.

KEEP WARM SETTING

Maintain food at the perfect serving temperature with this setting — it's a great feature when you're entertaining.

A.D.A. COMPLIANT

When properly installed, this model is A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.

Available in:



Stainless
3

*For best results, see range installation in your owner's manual.

†Warranty based on product registration with Electrolux North America within 60 days of purchase. Products must have been purchased on or after July 1, 2010. Coverage excludes material parts for 3 years and labor for 1 year.

BURNER	BTU
Min-2-Max® Dual Flame Sealed Burner	750 - 18,000
Sealed Power Burner	14,200
Sealed Pro-Heat Burner	9,500
Sealed Pro-Heat Burner	5,000
Center Burner	10,000

ELECTROLUXAPPLIANCES.COM

SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015


INITIALS:

[Handwritten signature]

n88-33

GAS FREESTANDING RANGE

E130GF450S



30" GAS FREESTANDING RANGE

CONTROL PANEL FEATURES

IC-Touch™ Electronic Oven Control	Yes
Professional® Gas Burner Controls	Yes
Gas Front Display	Yes
Electronic Clock & Timer	Yes
Temperature Display	Yes
Automatic Oven (Delay Cook & Off)	Yes

COOKTOP FEATURES

Sealed Power® Burner - 18,000 BTU	1
Sealed Power® Burner - 14,000 BTU	1
Sealed Precision Burner - 9,500 BTU	1
Sealed Pre-Heat Burner - 5,000 BTU	1
Center Oval Burner - 10,000 BTU	1
Continuous Griddle with Deep-Wall Top	Yes
Seamless Cooktop	Yes
Electric Sparkless Ignition	Yes

OVEN FEATURES

Capacity	4.0 Cu. Ft.
Hidden Bake Burner	Yes
Bake Burner - 18,000 BTU	Yes
Broil Burner - 13,500 BTU	Yes
Convection Burner - 350 Watts	Yes
Cobalt Blue Interior	Yes
Self-Clean Options with Door Lock	Yes
Perfect Taste™ Convection	Yes
Cooking Modes - Bake, Broil, Convection Bake, Convection Roast, Keep Warm, Slow Cook	6
Baking Options - Temperature Probe, Delay Bake, Convection Convert	3
Oven Light	Yes
Luxury-Glide® Racks	1
Conventional Racks	1
Convection Roasting Rack	1

ADDITIONAL FEATURES

Luxury Hold™ Oven Door	Yes
Extra-Large Glass Window	Yes
Warmer Drawer	Yes
Adjustable Leveling Legs	Yes
Sabbath Mode (Star-K® Certified)	Yes
A.D.A. Compliant*	Yes

ACCESSORIES

Griddle - P/NK 31825160F	Included
LP Gas Conversion Kit	Included
Meat Probe	Included

SPECIFICATIONS

Color -	Stainless Steel
Gas Inlet/Power Cord Location	Right bottom rear
Voltage Rating	120V 60 Hz ~0A
Connected Load (kW Rating) @ 120 Volts†	1.80
Shipping Weight (Approx.)	300 Lbs.

*When properly installed, this range is A.D.A. compliant based on the Uniformed Services of America's (USAA) Accessibility Guidelines and the Department of Justice's (DOJ) ADA Standards for Accessible Design.

†For use of individual rated 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliances must be grounded for safe operation.

A215: Always consult local and national codes and guidelines. Refer to "Proper Installation Code" for detailed installation instructions on the web at electroluxappliances.com.

Specifications subject to change.



PRODUCT DIMENSIONS

Height (Adjustable)	36-1/8" - 36-3/8"
Width	29-7/8"
Depth (to Center of Arc)	23"
Depth (with 90° Door Open)	46"

OVEN CAVITY DIMENSIONS

Height	17-1/2"
Width	24-1/8"
Depth	18-3/4"

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

D30GF450 02/15

© 2015 Electrolux Home Products, Inc.



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015

INITIALS:

[Handwritten signature]

188-33



Electrolux


DISHWASHERS

EI24ID30Q S/W/B

Featuring IQ-Touch™ Electronic Controls



SIGNATURE FEATURES



PROCLEAN™ SYSTEM

Professional-level clean with ProClean™ System, featuring SatelliteSpray™, 30-minute Fast Wash Cycle, and Target Wash Zones.



SATELLITESPRAY™ ARM

An innovative rotating wash zone gives you 400% more water coverage, targeting virtually every spot in your dishwasher for a truly professional-level clean.



30-MINUTE FAST WASH CYCLE

Thoroughly cleans in just 30 minutes.



TARGET WASH ZONES

Two flexible spray jets deliver a targeted wash to the most challenging dirty dishes, from sport bottles to heavy-duty pots and pans.

PRODUCT DIMENSIONS

Height (Adjustable)	33-3/4" - 35-3/4"
Width	23-3/4"
Depth	24-1/4"

MORE EASY-TO-USE FEATURES

EASY-LIFT ADJUSTABLE RACKS

Versatile racking system easily adjusts to provide the perfect place for all your dishware — no pinching, pulling, or toggling required.

PERFECT STEMWARE™ GRIPS

Six flexible grips gently hold stemware and other delicate items for a secure wash, every time.

LUXURY-QUIET™ DISHWASHER + CLEAN LIGHT

A sound package so quiet, we engineered Clean Light to let you know when your dishes are clean.

SMARTSOIL™ SENSOR

Responsive technology that delivers a more effective, more efficient clean by continuously monitoring water purity to determine exactly how long a cycle should run.

MORE OPTIONS

An even more amazing wash with unique options like Air Dry, NSF® Certified Sanitize Rinse, Hi-Temp Wash, Max Dry, and Delay Start (2, 4, 6 hours).

FLEXIBLE UTENSIL BASKET

With a large-capacity utensil basket that can be split, reconfigured, and placed anywhere, you have even more loading options.

ECOLUX

With an eye to conserving our natural resources — and keeping your utility bill low — Electrolux dishwashers are ENERGY-STAR®-Qualified and incorporate innovative features like Air Dry option and efficiency-seeking SmartSoil™ Sensor technology.

PLATINUM STAR WARRANTY

Our exclusive limited warranty that includes a 3-year coverage on parts and one year on labor without charge.¹

LUXURY-DRY™ SYSTEM

With a condensation dry system, you can place any piece of dishware anywhere, and still get outstanding drying results.

Available in:



Stainless
(S)



White
(W)



Black
(B)

†Warranty based on product registration with Electrolux North America within 60 days of purchase. Product must have been purchased on or after May 1, 2012. Coverage includes material and labor for 2 years and labor for 1 year.

ELECTROLUXAPPLIANCES.COM

SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015
INITIALS: [Signature]

neg-33

DISHWASHERS

EI24ID30Q S/W/B



Electrolux

24" BUILT-IN DISHWASHER

FEATURES

Stainless Steel Interior	Yes
Signature Soft-Arc Handle Design	Yes
Luxury-Mold™ Door	Yes
10-Touch™ Electronic Controls	Yes
Fully Integrated Control Panel	Yes
Tall-Tub Design	Yes
ProClean™ Wash System	Yes
SanitizeSpray™ Arm	Yes
Target Wash Zones	2
Wash Levels	5
AquaLock™ Wash System	Yes
Luxury-Quiet™ Sound Package	Yes
Sound Level	49 dB
SmartDry™ Sensor	Yes
Luxury-Dry™ System	Yes
Adjustable Rinse Aid Dispenser with Indicator	Yes
POWER STAR®	Yes
Reclaimable	

CYCLES

Auto Wash	Yes
Rinse	Yes
Normal	Yes
Fast Wash (30-Min.)	Yes
Delicate	
Perfect Stemware™ Cycle	
Favorite	
Eco Wash	
Upper Rack Only	
Rinse Only	Yes

OPTIONS

Hi-Temp. Wash	3
Heat/No Heat Dry	Yes
Max Dry	Yes
NSF® Certified Sanitize Option	Yes
Delay Start (Hours)	2-4-8

RACK SYSTEM

Nylon Rack System	Sure-Grip™
Luxury-Glide® Nylon Upper Rack =	
Adjustable Height	Yes
Cup Shift/Perfect Stemware™ Release	2/6
Fold-Down Tines	2 Rows
Rack Handle	Yes
Luxury-Glide® Nylon Lower Rack =	
Fold-Down Tines	2 Rows
Silverware Basket	2-Place Split
Rack Handle	


THIRD-LEVEL RACK (Single Tray)

SPECIFICATIONS

Color =	
Stainless Steel	S
White	W
Black	B
Power Supply Location	Right Bottom Front
Water Inlet Location	Left Bottom Front
Water Usage (Gallons) - Normal Cycle	4.6 - 6.0
Water Pressure (PSI)	15 - 120
Integral Air Gap on Supply	Yes
Voltage Rating	120V/50 Hz/15A
Connected Load - kW Rating @ 120 volts ¹	1.44
Amps @ 120 volts	15
Shipping Weight (Approx.)	115 Lbs.

¹For use as indicated with 100% dedicated circuit breakers. Over service with a dedicated circuit breaker must be observed for safe operation.

NOTE: Always consult local and national codes and plumbing codes. Refer to Product Installation Guide for detailed installation instructions. For more information, visit electrolux.com. Specifications subject to change.



PRODUCT DIMENSIONS

Height (Adjustable)	33-3/4" - 35-3/4"
Width	23-3/8"
Depth	24-1/8"
Depth with 60° Door Open	50-1/4"

*Height may adjust to 33-3/8" max. when installed in 24-3/8" max. installed cutout. Consult local code for details.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

EI24ID30Q 04/14

© 2014 Electrolux Home Products, Inc.

UL
ULUS



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

SENATOR HOMES
DECOR CENTRE

DATE: NOV 19 2015
INITIALS: [Signature]



n88-33

DISHWASHER

EI24ID30Q 24"/W/B



Electrolux



Built-In Dishwasher Specifications

- Product Weight — 98 Lbs.
- Voltage Rating — 120V/60Hz/15 Amps
- Connected Load (kW Rating) @120 Volts = 1.44 kW
(For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.)
- Amps @ 120V = 15A
- Always consult local and national electric & plumbing codes. Meets requirements of ASSE 1006 — Integral air gap on supply.
- Water Pressure — Hot water line to dishwasher must provide between 20 and 90 pounds per square inch (psi) with at least 120°F hot water temperature.
- Make sure location has correct drain, water and electrical outlets to make connections.
- Electrical and water supplies should enter cabinet opening on floor, or through back or side walls, as shown in shaded areas.
- Keep back free of drain, water & electrical supply.
- Connections preferably located toward left side of dishwasher. Do not cross drain, water or electrical lines in front of motor, blower or frame.

- If connecting drain hose to sink trap, local code may require installation of Air Gap Kit (not included).
- Leveling legs supplied to adjust height. (Note: Height only adjustable to 35-3/4" max. when installed in 35-3/4" max. standard cabinetry cutout. 5/16" min. clearance required from top of unit to underside of countertop. Dimensions do NOT include insulation — insulation blanket may be compressed during installation.)
- When installing adjacent to wall, cabinet or other obstruction that extends beyond front edge of unit, allow 2" minimum clearance between opened door and obstruction.
- Floor should be flat and free of obstructions.
- When installing at end of cabinet line, sides and back must be fully enclosed.
- Do not install unit under a cooktop, damage will occur.
- Recommended to seal cabinets, enclosing all sides of dishwasher, including underside of countertop, with oil-based paint or moisture-proof polyurethane to prevent possible steam/moisture damage.

Note: For planning purposes only. Refer to Product Installation Guide on the web at electroluxappliances.com for detailed instructions.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electroluxappliances.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

EI24ID30Q 04/14

© 2014 Electrolux Home Products, Inc.



High standards of quality at Electrolux Home Products, Inc. mean we are constantly working to improve our products. We reserve the right to change specifications or discontinue models without notice.

SENATOR HOMES
DECOR CENTRE

DATE NOV 19 2015
INITIALS [Signature]

n88-33

Login

**NN-SD797S****Mid Size Genius® Prestige® Inverter® Microwave****ADD TO CART**[Previous](#)[Next](#)**PRODUCT INFORMATION**


- New Blue LED light dial control system
- Stainless steel fingerprint resistant coating
- 1.6 cu. ft.
- 1200 Watts
- New half mirror door deco
- Menu action screen
- Sensor reheat
- Sensor cook (15 categories)
- Inverter® Turbo defrost
- Popcorn key
- Keep warm
- Function key
- Optional stainless steel trim kit available
- Exterior Dimensions (H x W x D): 304 x 555 x 493 mm
- Compatible with trimkit(s): NNTK714SS, NNTK722S, NNTK729SSA, NNTK732S, NNTK739SSA

**SENATOR HOMES
DECOR CENTRE**DATE: NOV 19 2015
INITIALS: [Signature]

n88-33

MWTK-60

24" / 60cm Stainless Steel Trim Kit



Specifications are subject to change without notice.

Detailed Specification Available at www.aeg-appliances.ca

AEG

**SENATOR HOMES
DECOR CENTRE**

DATE: NOV 19 2015
INITIALS: [Signature]

[Back to top](#)**n88-33**

Province:

ON ▼

a. Excluding those requiring Scheduled Delivery. An additional charge of \$10.00 will be applied to shipments to NT, NU and YT.

b. Order and/or Category Discount is applied to the total order value, before sales taxes, less applicable environmental handling fees (EHF) and shipping charges. Individual item savings is based upon price before sales taxes, excluding applicable environmental handling fees (EHF).

c. Some Promotional Exclusions Apply: Promotion codes, order and/or category discounts are valid on regular priced merchandise only and do not apply to Clearance items or certain items that are already reduced. Promotional discounts and offers cannot be combined with any other sale, promotion or coupon offer. All sale items and prices are valid for the term specified and are only available while quantities last.

©2015 All rights reserved.

[About Panasonic](#) | [Privacy Statement](#) | [Terms of Use](#) | [AODA](#)



SENATOR HOMES
DECOR CENTRE

DATE:

INITIALS:


Nov 19 2015

n88-33

MWTK-60

24" / 60cm Stainless Steel Trim Kit

- For use with Panasonic microwave NNSD797 or equivalent
- Wooden support provided with MWTK60 kit
- Please keep and reuse wood screws provided with the kit



Specifications are subject to change without notice.

Detailed Specification Available at www.aeg-appliances.ca

AEG

SENATOR HOMES
DECOR CENTRE

DATE:

NOV 19 2015

INITIALS:


[Handwritten signature]

**MASTER
BATH**

Chateau

Traditional | Transitional | Modern

n88-33



**Please refer to Vertical Spa Guide for installation #700106.

Matching tub drain assembly available. Please see *Bath Hardware and Home Care* Section.

† To order, combine the model number with one of these finish letters



Chrome
(use faucet
number only)

MOEN
Buy it for looks. Buy it for life.*

**SENATOR HOMES
DECOR CENTRE**

DATE: NOV 19 2015

INITIALS: [Signature]