

Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

AUDIO AND SECURITY

Inv. 3448	3 - TO LOCATE THREE (3) STANDARD ROUGH IN CABLE OUTLETS INCLUDED IN	
	OFFER - ALL OUTLETS TO BE LOCATED AT 54" HIGH ABOVE FINISHED FLOOR	
	AND CENTRED TO WALL	
	ONE (1) IN DINING ROOM	
	ONE (1) IN MASTER BEDROOM	
	ONE (1) IN RECREATION ROOM	
Line 44661	Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv.3448	2 - TO LOCATE TWO (2) STANDARD TELEPHONE ROUGH IN OUTLES INCLUDED IN	
	OFFER	
	ONE (1) IN MASTER BEDROOM	
	ONE (1) IN DINING ROOM - 54" HIGH ABOVE FINISHED FLOOR AND NEXT TO	
	CABLE ROUGH IN OUTLET	
L		
Line 44662	Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		

CABINETRY

Inv. 3448	1 - LOCATION: KITCHEN	
Line 44651	RELOCATE THE STANDARD BANK OF DRAWERS TO THE ISLAND Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv.3448	1 - LOCATION: KITCHEN	
Line 44655	DELETE THE UPPER CABINETS ABOVE STOVE AND FINISH THE SIDES TO ACCOMMODATE A FUTURE CHIMNEY HOOD FAN. APPLIANCE TO BE SUPPLIED AND INSTALLED BY PURCHASER AFTER CLOSING Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		

CABINETRY ACCESSORIES

Inv. 3448	4 - LOCATION: KITCHEN	
	LIGHT VALANCE - NOT APPLICABLE FOR THERMOVISION - PRICE PER 8 FOOT LENGTH	
Line 44665	Note:	
22Dec15 / 8Jan16		
Inv. 3448	4 - LOCATION: KITCHEN	
	CROWN MOULDING - NOT APPLICABLE FOR THERMOVISION - PRICE IS PER 8 FOOT LENGTH - STANDARD LINE	
Line 44667	Note:	

CABINETRY APPLIANCE - FRIDGE

Inv. 3448	1 - LOCATION: KITCHEN	
	59 CM FRIDGE CABINET - 2 GABLES & CABINET 59 CM DEEP - DEEP - UPGRADE 3	
Line 44646	Note:	
22Dec15 / 8Jan16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

CABINETRY BASE CABINETS

Inv. 3448	3 - LOCATION: KITCHEN	
Line 44638	BASE CABINET - PRICE IS PER FOOT - UPGRADE 3 REQUIRED TO EXTEND BASE CABINETS TO ACCOMMODATE BUILT IN WALL OVEN/MICROWAVE UNIT Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: KITCHEN	
	BASE PIE CUT CORNER - UPGRADE 3	
Line 44645	Note:	
22Dec15 / 8Jan16		
Inv.3448	3 - LOCATION: KITCHEN	
	BASE ISLAND WITH PANEL - PRICE IS PER FOOT - INCLUDES 27 INCH DEEP COUNTER FROM VENDORS STANDARD LINE - UPGRADE 3	
	EXTEND ISLAND TO ACCOMMODATE A BAR FRIDGE UNIT	
Line 44650	Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		

CABINETRY MICROWAVE OVEN STOVE COOKTOP

Inv.3448	1 - LOCATION: KITCHEN	
Line 44632	BUILT IN DOUBLE APPLIANCE CABINET WITH WARMING DRAWER BELOW - TRIM KIT REQUIRED - PURCHASER MUST SUPPLY SPECS - UPGRADE 3 Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: KITCHEN	
Line 44634	COOKTOP CABINET (FULL HEIGHT) WITH FALSE TOP DRAWER AND POT & PANS DRAWERS BELOW - PURCHASER MUST SUPPLY SPECS - UPGRADE 3 Note: LOCATION AS PER SKETCH ATTACHED	
220-15 / 91-16		
22Dec15 / 8Jan16		

CABINETRY PANTRY

Inv. 3448	2 - LOCATION: KITCHEN	
Line 44648	PANTRY 59 CM DEEP - PRICE IS PER FOOT - UPGRADE 3 TO ADJOIN BUILT IN WALL OVEN/MICROWAVE UNIT Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		

CABINETRY VANITY

Inv. 3448	1 - LOCATION: MASTER ENSUITE	
T 44000	VANITY BANK OF DRAWERS - 55 CM MAXIMUM - UPGRADE 1 TO BE CENTRED BETWEEN VANITY SINKS IN MASTER ENSUITE Note: LOCATION AS PER SKETCH ATTACHED	
Line 44890 22Dec15 / 8Jan16	Note: LOCATION AS PER SKETCH ATTACHED	

CABINETRY WALL AND HUTCH



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv.3448	1 - LOCATION: KITCHEN	
Line 44647	GLASS DOOR FROSTED - WHITE CABINET INTERIOR - UPGRADE 3 TO BE INSTALLED IN UPPER ANGLE CORNER CABINET Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: KITCHEN	
	UPPER ANGLE CORNER - PRICE IS PER UNIT - UPGRADE 3	
	NO MATCHING INTERIOR	
Line 44643	Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv. 3448	3 - LOCATION: KITCHEN	
	UPPER CABINET - PRICE IS PER FOOT - UPGRADE 3 REQUIRED TO EXTEND UPPER CABINETS TO ACCOMMODATE BUILT IN WALL OVEN/MICROWAVE UNIT	
Line 44641	Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		

ELECTRICAL

Inv. 3448	1 - LOCATION: KITCHEN	
Line 44636	ELECTRICAL - CONNECTION OF COOK TOP UNIT (CONVECTION ELECTRIC) Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: KITCHEN	
Line 44635	ELECTRICAL - CONNECTION FOR BUILT-IN OVEN Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv.3448	1 - LOCATION: KITCHEN	
	ELECTRICAL - CONNECTION FOR WARMING DRAWER BELOW BUILT IN WALL OVEN	
Line 44637	Note: LOCATION AS PER SKETCH ATTACHED	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: KITCHEN ISLAND	
	SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE THE BAR FRIDGE IN THE ISLAND	
Line 44652	Note: LOCATION AS PER SKETCH ATTACHED.	
22Dec15 / 8Jan16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE CHIMNEY HOOD FAN. APPLIANCE TO BE SUPPLIED AND INSTALLED BY PURCHASER AFTER CLOSING Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT VALANCE ROUGH IN (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT ROUGH IN FOR CROWN LIGHTING (ABOVE CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL LOCATION AS PER SKETCH ATTACHED. Line 44660 Note: LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND Note: LOCATION AS PER SKETCH ATTACHED.	
22Dec15 / Slan16	
Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT VALANCE ROUGH IN (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT ROUGH IN FOR CROWN LIGHTING (ABOVE CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Line 44663 Note: LOCATION AS PER SKETCH ATTACHED.	
SUPPLY AND INSTALL LIGHT VALANCE ROUGH IN (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. Div.3448	
Line 44658 Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT ROUGH IN FOR CROWN LIGHTING (ABOVE CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Line 44658 Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT ROUGH IN FOR CROWN LIGHTING (ABOVE CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT ROUGH IN FOR CROWN LIGHTING (ABOVE CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION AS PER SKETCH ATTACHED.	
Inv.3448 1 - LOCATION: KITCHEN SUPPLY AND INSTALL LIGHT ROUGH IN FOR CROWN LIGHTING (ABOVE CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION AS PER SKETCH ATTACHED.	
CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION: MASTER ENSUITE	
CABINETS) (INCLUDES 1 SWITCH) Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION: MASTER ENSUITE	
Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Inv.3448 1 - LOCATION: DINING ROOM SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec 15 / 8Jan 16 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec 15 / 8Jan 16 Inv. 3448 1 - LOCATION: MASTER ENSUITE	
SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv. 3448 1 - LOCATION: MASTER ENSUITE	
CIRCUIT (IE: MICROWAVE, FREEZER) TO ACCOMMODATE FUTURE TELEVISION. LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
LOCATE AT APPROXIMATELY 54" HIGH ABOVE FINISHED FLOOR AND CENTRE TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
TO WALL- LOCATE NEXT TO CABLE ROUGH Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Line 44660 Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Inv.3448 1 - LOCATION: KITCHEN ISLAND SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
SINGLE SWITCH TO BE CENTRED ABOVE ISLAND IN KITCHEN Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Line 44663 Note: LOCATION AS PER SKETCH ATTACHED. 22Dec15 / 8Jan16 Inv.3448 1 - LOCATION: MASTER ENSUITE	
Inv.3448 1 - LOCATION: MASTER ENSUITE	
Inv.3448 1 - LOCATION: MASTER ENSUITE	
l l	
SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE	
SINGLE SWITCH TO BE CENTRED ABOVE FREE STANDING TUB	
Line 44664 Note: LOCATION AS PER SKETCH ATTACHED.	
22Dec15 / 8Jan16	
Inv.3448 3 - LOCATION: RECREATION ROOM, DINING ROOM, MASTER BEDROOM	
SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE	
CIRCUIT FOR FUTURE TV INSTALL. LOCATE NEXT TO CABLE OUTLETS IN	
SPECIFIED ROOMS. APPROXIMATELY 60" HIGH FROM FINISHED FLOOR	
Line 44856 Note: LOCATION AS PER SKETCH ATTACHED.	
22Dec15 / 8Jan16	

HARDWOOD

22Dec15 / 8Jan16		
Line 44668	Note: GOTHAM COLOUR	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN - WHITE OAK 7 INCH X $3/4$ INCH - HAND BEDROOM 2	
Inv.3448	1 - LOCATION: BEDROOM 2	



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv.3448	1 - LOCATION: BEDROOM 3	
	1 DOMINION. BEDICOM'S	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
Line 44669	WHITE OAK 7 INCH X 3/4 INCH - HAND BEDROOM 3 Note: GOTHAM COLOUR	
Line 44009	Note. GOTTAM COLOUR	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: BREAKFAST	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
	WHITE OAK 7 INCH X 3/4 INCH - HAND BREAKFAST	
Line 44670	Note: GOTHAM COLOUR	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: DINING ROOM	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
	WHITE OAK 7 INCH X 3/4 INCH - HAND - DINING ROOM	
Line 44671	Note: GOTHAM COLOUR	
22015 / 2116		
22Dec15 / 8Jan16 Inv. 3448	1 - LOCATION: FAMILY ROOM	<u> </u>
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
Line 44672	WHITE OAK 7 INCH X 3/4 INCH - HAND GREAT ROOM Note: GOTHAM COLOUR	
Zinc 44072	Hole. GoTHER EGEGER	
22Dec15 / 8Jan16	A VOCUMENT VINOVENIA	
Inv. 3448	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
	WHITE OAK 7 INCH X 3/4 INCH - HAND KITCHEN	
Line 44673	Note: GOTHAM COLOUR	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: UPPER LANDING	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
	WHITE OAK 7 INCH X 3/4 INCH - HAND LANDING 1ST TO 2ND	
Line 44674	Note: GOTHAM COLOUR	
22Dec15 / 8Jan16		
Inv.3448	1 - LOCATION: MASTER BEDROOM	
	CURRY WAND INSTALL HARRINGS AND AREA AND AREA COLOR COLOR	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN - WHITE OAK 7 INCH X 3/4 INCH - HAND MASTER BEDROOM	
Line 44675	Note: GOTHAM COLOUR	
22Dec15 / 8Jan16 Inv. 3448	1 - LOCATION: UPPER HALL 2ND FLOOR	
	I - LOCATION. UTTER HALL ZND FLOOR	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
Line 44676	WHITE OAK 7 INCH X 3/4 INCH - HAND UPPER HALL Note: GOTHAM COLOUR	
Line 44676	NOIE: GOTTAIN COLOUK	
22Dec15 / 8Jan16		

MISCELLANEOUS



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

4 - LOCATION: KITCHEN	
CLIDDLY AND INSTALL STANDADD LINE CASSADSTONE WITH STANDADD	
9141 ICE SNOW -COLOUR	
Note: LOCATION AS PER SKETCH ATTACHED	
1 - LOCATION: KITCHEN	
CENTRE THE COOK-TOP STOVE TO HAVE EQUAL COUNTER-TOP ON EITHER SIDE OF STOVE	
Note: LOCATION AS PER SKETCH ATTACHED	
1 - LOCATION: ALL CLOSETS	
Note. Escritor his length of the length of t	
1 - LOCATION: LINEN CLOSET IN UPPER HALL	
DELETE IN ITS ENTIRETY THE LINEN CLOSET IN THE UPPER HALL AND	
INCREASE SIZE OF MASTER WALK IN CLOSET	
Note: AS PER SKETCH ATTACHED	
1 - LOCATION: ALL BATHROOMS	
DELETE THE TOILET PAPER HOLDERS, TOWEL BARS AND SOAP HOLDERS IF APPLICABLE IN ALL BATHROOMS.	
DO NOT SUPPLY OR INSTALL CERAMIC ACCESSORIES	
Note:	
	SUPPLY AND INSTALL STANDARD LINE CAESARSTONE WITH STANDARD SQUARE EDGE REQUIRED TO EXTEND ISLAND IN KITCHEN 9141 ICE SNOW -COLOUR Note: LOCATION AS PER SKETCH ATTACHED 1 - LOCATION: KITCHEN CENTRE THE COOK-TOP STOVE TO HAVE EQUAL COUNTER-TOP ON EITHER SIDE OF STOVE Note: LOCATION AS PER SKETCH ATTACHED 1 - LOCATION: ALL CLOSETS DELETE THE SHELVES AND RODS IN ALL CLOSETS. DO NOT SUPPLY OR INSTALL - LEAVE EMPTY Note: LOCATION AS PER SKETCH ATTACHED 1 - LOCATION: LINEN CLOSET IN UPPER HALL DELETE IN ITS ENTIRETY THE LINEN CLOSET IN THE UPPER HALL AND INCREASE SIZE OF MASTER WALK IN CLOSET Note: AS PER SKETCH ATTACHED 1 - LOCATION: ALL BATHROOMS DELETE THE TOILET PAPER HOLDERS, TOWEL BARS AND SOAP HOLDERS IF APPLICABLE IN ALL BATHROOMS. DO NOT SUPPLY OR INSTALL CERAMIC ACCESSORIES

PLUMBING

Inv. 3448	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL WATERLINE ROUGH-IN TO THE FRIDGE LOCATION (NO HOOK UP)	
Line 44657	Note: LOCATION AS PER SKETCH ATTACHED.	
22Dec15 / 8Jan16		
Inv.3448	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL SPA PACKAGE OPTION 6 - CHROME FINISH MOEN 90 DEGREE LINE	
Line 44683	Note: SEE SPECS ATTACHED FOR DETAILS	
22Dec15 / 8Jan16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv.3448	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL RAIN HEAD SHOWER (10") IN ADDITION TO UPGRADE SHOWER SPA PACKAGE OPTION 6 - CHROME FINISH	
	PRICE FOR DIVERTER IS INCLUDED	
Line 44684	Note: SEE SPECS ATTACHED FOR DETAILS	
22Dec15 / 8Jan16		
Inv. 3448	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL UPGRADE FAUCET TO FREE STANDING TUB MOEN 90 DEGREE LINE ROMAN TUB FAUCET- MODEL #4796/TS903 CHROME	
Line 44685	Note:	
22Dec15 / 8Jan16		

PLUMBING - LAVATORY FAUCETS

Inv. 3448	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL STANDARD LAVATORY FAUCETS TO MASTER ENSUITE VANITY SINKS. SHOWER STALL AND FREESTANDING TUB HAVE UPGRADE FAUCETS	
Line 44836	Note:	
22Dec15 / 8Jan16		

TILE - FLOOR

22Dec15 / 8Jan16		
Line 44688	Note: 13 X 13 SERPENTINE SYRAK (CHARCOAL)	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 2 MAIN BATH FLOOR	
Inv. 3448	1 - LOCATION: MAIN BATHROOM	
22Dec15 / 8Jan16	4 4 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u> </u>
Line 44681	Note: 13 X 13 COSTA MATTE GREY (GE.CA.GRY.1313.MT)	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 1 MUD ROOM IN BASEMENT (ON CONCRETE)	
Inv.3448	1 - LOCATION: LOWER LEVEL MUD ROOM / LAUNDRY ROOM	
22Dec15 / 8Jan16		
Line 44838	Note: 2 X 2 ONTARIO MOSAICS MATTE - DARK GREY (OD.ON.DGR.0202.MT.N)	
	FLOOR	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 2 ENSUITE BATH SHOWER	
	1 - LOCATION. MASTER ENDOTTE BITO WER BIALL	
Inv.3448	1 - LOCATION: MASTER ENSUITE SHOWER STALL	<u> </u>
22Dec15 / 8Jan16		
Line 44832	Note: 12 X 24 MILIEU SMOKE (BLU/GRY/CRM) (GE.MU.SMK.1224)	
	TILE DIRECTION TO ALIGN WITH SHOWER TILE DIRECTION	
	STANDARD STACKED INSTALL - SEE TILE DIRECTION ON SKETCH	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 ENSUITE BATHROOM FLOOR -	
Inv. 3448	1 - LOCATION: MASTER ENSUITE FLOOR	



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 63 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

22Dec15 / 8Jan16		
Line 44690	TILE TO BE ALIGNED WITH FLOOR TILE - SAME DIRECTION Note: 12 X 24 MILIEU SMOKE (BLU/GRY/CRM) (GE.MU.SMK.1224)	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 - ENSUITE BATH SHOWER FLOOR - INSTALL HORIZONTAL -SEE TILE DIRECTION	
Inv. 3448	1 - LOCATION: MASTER ENSUITE SHOWER	

EXTRAS AS PER OFFER

Stainless Steel Fridge, Stove and Dishwasher and front loading washer and dryer in white from Vendors standard samples, no cash value, not transferable. (Supplied only not installed) ** to - arrange delivery call: The Brick commercial sales division at Worksheet Note:	
Rogers Free Services Package includes 6 months of: home phone, TV and Internet Service. Worksheet Note:	

This Document is Extremely Time Sensitive - Printed $\underline{13 \text{ Jan } 16}$ at $\underline{12:53}$

Page 8 of 8

SENATOR

INTERIOR COLOUR SCHEME

Telephone Res. / Bus: /

Ronald L Pierce

Decor Advisor:

Steffannee Appio

Property: 63 of Plan -

Project: Teefy Developments Limited

Model and Elevation: Bedford(22-2)

1. Cabinetry	Style and Colour		Counter Top		Hardware
Kitchen / Breakfast	CLASS - BOSTON PAINT MAC	ADEMIA	9141 ICE SNOV	V STD SQ EDGE	171 KNOB
Citchen Island	CLASS - BOSTON PAINT MAC	ADEMIA	9141 ICE SNOV	V STD SQ EDGE	171 KNOB
aundry Room	CLASS - MUSKOKA ONTARIO	WHITE	N/A		9677 HANDLE
owder Room	CLASS - BOSTON PAINT MAC	ADEMIA	1573-60 FROST	Y WHITE	171 KNOB
lain Bathroom	CLASS - BOSTON PAINT WINT	TER WHITE	P-346-LM INUK	SHUK CARBON	196 KNOB
Master Ensuite Bathroom	CLASS - BOSTON PAINT WINT	TER WHITE	P-346-LM INUK	SHUK CARBON	171 KNOB
Second Ensuite Bathroom (If Applicable)	CLASS - BOSTON PAINT WINT	TER WHITE	P-344-LM INNU	KSHUK GREY	196 KNOB
	LOWER LEVEL BATHROOM		LOWER LEVEL	BATHROOM	LOWER LEV BAT
Appliances	Custom Size Fridge	Valance L	ighting	Microwave	/ Range Hood
	● Yes ○ No	Yes () No	Yes	No
	Cooktop / Rangetop	Built in W	/all Oven	Slide-in	Range
Comment	● Yes ○ No	Yes	○ No		● No
ROUGH IN LIGHTING FO	OR VALANCE AND CROWN I	LIGHTING ABO	OVE CABINETS**	****	

2. Flooring	Selection
FOYER	13 X 13 COSTA MATTE GREY (GE.CA.GRY.1313.MT)
Main Hall	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Back Hall	N/A
Breakfast	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Laundry Room	13 X 13 COSTA MATTE GREY (GE.CA.GRY.1313.MT)
Kitchen	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Powder Room	13 X 13 COSTA MATTE GREY (GE.CA.GRY.1313.MT)
Main Bathroom	13 X 13 SERPENTINE SYRAK (CHARCOAL) UPGRADE 2
Master Ensuite	12 X 24 MILIEU SMOKE (BLU/GRY/CRM) (GE.MU.SMK.1224) UPGRADES 4
Bathroom (If Applicable)	13 X 13 COSTA MATTE GREY (GE.CA.GRY.1313.MT) LOWER LEVEL BATHROOM
Mud Room	13 X 13 COSTA MATTE GREY (GE.CA.GRY.1313.MT) LOWER LEVEL MUD ROOM
Living Room	N/A
Dining Room	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Family / Great Room	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Den / Library / Study	STANDARD PAPILIO BERBER 17185 SOFT CAMEO - RECREATION ROOM LOWER LEVEL
Basement Landing (If Appl	iesN/A
Lower Landing (If Applicab	le) N/A
Upper Landing	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Upper Hall	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Master Bedroom	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Bedroom #2	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Bedroom #3	5" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL
Bedroom #4	N/A
Bedroom #5	N/A

Flooring Continued on Page 2

		INTERIOR	COLOUR SC	HEME		
SENATO	DR					
HOMES	Barrier Br					
Purchaser:	Ronald L Pierce		Property: 6			
Telephone Res. / Bus:					velopments Li	mited
Decor Advisor:	Steffannee Appio	Model a	nd Elevation: B	edford(2	22-2)	
2. Flooring - Continue	ed -					
	Туре		Area			
Upgrade Underpad	STD			ATION R	OOM ONLY	
Carpet on Stairs	Capped		Runner -	*Upgrade	•	
Comment	N/A		N/A			
		O WITH STANDARD UN TO BE HARDWOOD - U		CREAT	ON ROOM C	ONLY
3. Plumbing Fixtures /	Faucets					
Kitchen	STD	Second Ensuite		Pow	der Room	STD
Master Ensuite	UPGRADE			Othe	er Room	STD
Main Bathroom	STD					
Comment						
. Wall Tile	Tile Selection		Listello	Insert	Insert Select	tion
	8 X 10 SERPENTINE SY	RAK (TR.ST.SRK.0810)				
Master Ensuite						
	N/A N/A			H		
#19303355555556 h	N/A			Н		
	12 X 24 MILIEU SMOKE	(GE.MU.SMK.1224)	—— i	П	2 X 2 DARK	GREY (UPG 1)
	8 X 10 VENUS GREY (G				SHOWER FL	
*	LOWER LEVEL BATHRO	OM TUB ENCLOSURE				
	N/A					
Complete Backsplash	N/A					West of the
12 X 24 MILIEU SM FLOOR TILE AND S	OKE (GE.MU.SMK.122 SHOWER TILE TO ALK	R ENSUITE SHOWER S (4) GN IN DIRECTION RK GREY (OD.ON.DGR.)		HORIZO	ONTAL	
5. Fireplace						
L	iving Room Purchased As Per Plan	Family Room N/A Purchased	As Per Plan N/A	0	ther Room - Sp Purchased A	A CONTRACTOR OF THE PARTY OF TH
	O O	O O	AS PET PIATI NA		O Pulchased P	O O
Fireplace Type		BLF-50 STAN				
Mantle Type						
Over Mantle						
Colour / Stain						
Surround						

Initial:

Page 2 of 3

Hearth Comment

SENATOR

INTERIOR COLOUR SCHEME

Purchaser:

Ronald L Pierce

Telephone Res. / Bus: /

Decor Advisor: Steffannee Appio

Property: 63 of Plan -

Project: Teefy Developments Limited


Model and Elevation: Bedford(22-2)

Trim Carpentry								
Door Hardware	STANDARD					Int	erior Doors	
Interior Trim	STANDARD					0	2 Panel Arch To	ор
Comment							2 Panel Square	Top
						3273		
						0	6 Panel	
							. 6	2
						Initial for D	Door Style	11
Railings and Pi	ckets							
Railing Package	STANDARD							
Railing Colour	GOTHAM		Picket Colour	MAT	TE BLAC	CK METAL		
Wood Stairs	○ No	Oak	Tread Colour	GOT	HAM			
Comment								
Di-d- W 1"						-10	/40	
Plaster Mouldin	ngs and Medalli	ons	Kitchen/Breakfas	t				
Main Hall	-		Den/Library					
Living Room			Lower Landing					
Dining Room								
Family Room								
Comment								
	*)							
. Wall Paint STANDARD SE	NATOR WHITE	E	Smooth Ceili	ings (Firs Firs Thre	t Floor ind t and Sec oughout	el. Second Flo ond Floor	or Hall
	NATOR WHITE	Ē		(Firs Firs Thre	t Floor inc t and Sec	ond Floor	oor Hall
	NATOR WHITE	E	Smooth Ceili Trim Pa	(Firs Firs Thre	t Floor ind t and Sec oughout	ond Floor	or Hall
STANDARD SE		E		(Firs Firs Thre	t Floor ind t and Sec oughout	ond Floor	or Hall
. Wall Paint STANDARD SE		E		(Firs Firs Thre	t Floor ind t and Sec oughout	ond Floor	or Hall
D. Additional Co	mments		Trim Pa	((Firs Thro	t Floor ind t and Sec oughout Applicable	ond Floor	or Hall
D. Additional Co. Disclaimers at 1) Colours of all max 2) Any extras listed 3) The Purchaser at 1	mments nd Notes aterials are as close	e as possible to builder's d void unless accompanie after interior Colour Selec		ntical cent. Sa	Firs Firs Not	t Floor ind t and Sec oughout Applicable riances in m	anufacturing.	or Hall
D. Additional Co. Disclaimers at 1) Colours of all max 2) Any extras listed 3) The Purchaser athan re-selection 4) The Purchaser a other miscelland	mments nd Notes aterials are as close above are null and acknowledges that a n due to unavailabil acknowledges readil eous disclaimers.	e as possible to builder's divoid unless accompanie after interior Colour Selectify. Puroling and accepting the "Se	Trim Pa	ntical coent. See further	Firs Firs Not	t Floor ind t and Sec bughout Applicable riances in m se must be per	anufacturing.	or Hall
Disclaimers at 1) Colours of all ma 2) Any extras listed 3) The Purchaser athan re-selection 4) The Purchaser and other miscelland	mments nd Notes aterials are as close above are null and acknowledges that a n due to unavailabil acknowledges readil eous disclaimers.	e as possible to builder's d d void unless accompanie after interior Colour Select lity. • Puro	Trim Pa Selection, but not necessarily idea d by a separate invoice/amendmation form is signed and dated, no	ntical coent. See further	Firs Firs Not	t Floor ind t and Sec bughout Applicable riances in m se must be per	anufacturing.	or Hall
D. Additional Co. 1. Disclaimers a. 1) Colours of all ma. 2) Any extras listed at than re-selection. 4) The Purchaser a other miscelland.	mments nd Notes aterials are as close above are null and acknowledges that a n due to unavailabil acknowledges readil eous disclaimers.	e as possible to builder's divoid unless accompanie after interior Colour Selectity. Puroling and accepting the "Selection and approved by:	Trim Pa Selection, but not necessarily idea d by a separate invoice/amendmation form is signed and dated, no	ntical coent. See further	Firs Firs Not	t Floor ind t and Sec bughout Applicable riances in m se must be per	anufacturing.	or Hall
1. Disclaimers at 1) Colours of all ma 2) Any extras listed 3) The Purchaser athan re-selection 4) The Purchaser aother miscelland This Interior Color Purchaser	mments nd Notes aterials are as close above are null and acknowledges that a n due to unavailabil acknowledges readil eous disclaimers.	e as possible to builder's divoid unless accompanie after interior Colour Selectity. Puroling and accepting the "Selection and approved by:	selection, but not necessarily idea d by a separate invoice/amendmation form is signed and dated, no haser's Initials mator Homes Décor Centre Disci	ntical coent. See further	Firs Firs Not	t Floor ind t and Sec bughout Applicable riances in m se must be per	anufacturing.	or Hall

BEDFORD SIDE




 $2448\ \text{sq.ft.}\ /\ 2278\ \text{sq.ft.}$ with optional tandem garage







Fenderings are ertist's concept. Some elevations may vary from that shown. Actus' usuable accurate footage may vary from that stated herein. Some floorplans and elevations are mirror image to that shown. E.&O.E. 22-2















As Seen in Showroom

Shower Spa Packages Option 6 + ⊟

In Lieu of Standard Shower

- Moen TS3111 Valve Trim
- Moen S3879EP Hand Shower Bar Moen TS4172 Transfer Trim
- Moen A720 Wall Elbow
- Moen Transfer Valve Rt 3373 Moen Valve RI 2510

Price - Chrome \$2700.00 + HST

\$1900.00 + HST

"Moen Shower Package In lieu of Standard
OPTION 6



not accommodate at 3 functions Shower Head. The Positiona Valve will For either the Hend Shower or Standard The Rain Head Must be substituted

Optional Rain Head in lieu of standard

- Moen S112 10' Rain Head
- Moen 116651 Ceiling Arm
- Moen AT2119 Ceiling Arm Flange

ADD Price Chrome \$570.00 + HST Brush Niekel \$790.00 + HST

for Losuite Transitional | Modern



Roman Tub Model 4796 / TS903†

Chrome:

642.46

935.41



10 Digital™ 90° Roman Tub

Model S4994 / 4998 / TS9031† / TS3495†

Chrome: \$ 2,605.05

Other: \$ 3,091.90



Roman Tub with Handheld Shower Model 9796 / TS904†

Chrome:

\$ 1,583.85 \$ 2,115.78




10 Digital™ 90° Roman Tub with Handheld

Model S4994 / 4898 / TS9041+7 TS3495+

\$ 3,311.80

\$ 4,037.56





IO Digital™ Remote Control for Roman Tub

Model SA349 (for Chrome) or SA349BL (for Black)

> \$ 337.89

** Please see Vertical Spa Guide for Installation. #700106

Matching tub drain assembly available. Please see Bath Hardware and Home Care Section.

[†]To order, combine the model number with one of these finish letters:









Stainless Steel Refrigerators, Freezers, Ice Makers & Refrigeration Sy... http://monogram.ca/Model.aspx?TypeID=1&ProductID=15&name=g...



have a question? retailer locator

Side-by-Side Refrigerators Bottom-Freezer Refrigerators Built-In All Refrigerators & All Freezers Wine Reserves & Beverage Centres Under Counter Refrigerators Icemakers


GE® ENERGY STAR® 23.1 cu.ft. Counter Depth French Door Refrigerator w/ Factory Installed Icemaker

Product Details

Menuals and Documentation

> download

Model ZWE23ESHSS Download CAD Drawing



Features and Photos



Approx Dimensions (in.): Height, 69-7/8 Depth; 31-1/4 Width; 35-3/4 Approx Dimensions (cm.): Height 177.48 Depth 79.38 Width 90.8 Approx Shipping Weight: Weight 407 lbs./184.61 kgs. Visit your local retailer for pricing

Capacity	
Total (cubic feet)	23.1
Fresh Food (cubic teet)	15.9
Freezer (cubic feet)	7.2
ClimateKeeper TM System	1
TwinChill TM Evaporators	Yes
Features	
Energy Star	Qualified
Sabbath Mode	Yes
Interior display lighting	Showcase LED lighting (7
Filter Location	Case - Upper Left
Deli Pan	Yes
Fresh Food Drawers	2 Adjustable Humidity
Fresh Food Drawers	1 Full-Width, Adjustable Templerature
Fresh Food Door Shelves	4 Adjustable Bins with Gallon Storage
Fresh Food Door Shelves	6 Total
Water Filter	Removes Pharmaceuticals
Freezer Features	
FrostGuard TM	Yes
Freezer Storage Baskets	2 Full-Width (w/ lice Bucket
Interior display lighting	Showcase LED lighting (2)
Fresh Food Cabinet Shelves	
Total Number of Shelves	5 Glass
Total Number of Shelves	4 Split Adjustable; 1 Full-Width
Spill Proof	3
QuickSpace TM Shelf	Yes
Ice Service Features	
Automatic loemaker	Factory Installed
Appearance	
Colour Appearance	Stainless Steel
Door Handles	European
Exterior Design	
Easy to Remove Door Gaskets	Yes
Exterior Design	Stainless Steel Wrap





Stainless Steel Refrigerators, Freezers, Ice Makers & Refrigeration Sy... http://monogram.ca/Model.aspx?TypeID=1&ProductID=15&name=g...

Door Swing	French Door	
Leveling Legs	2 Front	
Air Clearances	service the service to the service to	
Each Side (in.)	n.) 1/8	
Top (in.)	1	
Back (in)	2	
Weights & Dimensions		
Approximate Shipping Weight (lbs.)	407	
Height to Top of Case (in.)	69	
Overall Height (in.)	69-7/8	
Case Depth Without Door (in.)	24-3/8	
Overall Depth (in.)	31-1/4	
Depth With Door Open 90 Degrees (in.)	43-3/8	
Overall Width (in.)	35-3/4	
Warranty		
Limited 1 Year	Entire Appliance; In Home; Parts & Labour	
Limited Additional 4 Years (5 Years Total)	Parts & Labour on sealed system	


Professional Ranges, Electric & Gas Cooktops, Wall Ovens from GE Monogram

Page 1 of 2





Professional Cocktops Induction, Electric and Gas Cooktops Advantium® & Trivection® Wall Ovens Warming Drawers Microwave Ovens



Model ZHU30RBMBB

Download CAD Drawing

Features and Photos

Product Details

Menuels and Documentation






Approx Dimensions (in.): Height: 3-1/4 Approx Dimensions (cm.): Approx Shipping Weight: Weight: 46 lbs./20.87 kgs. Visit your local retailer for pricing

Controls		
Control Location	Front Center	
Control Lock Capability	Yes	
Features		
Fuel Type	Electric	
Glass-Ceramic Cooktop	Black Glass	
Cooktop Surface	Ceramic Glass	
Control Type	Digital	
Pan Presence Sensor	Induction	
Pan Size Sensor	Induction	
Element Type	4 Induction	
11" Heating Element	1 (3700W)	
"On" Signal Light	Front Center	
Warning Burner	1	
8" Heating Element	1 (3200 Watts)	
7* Heating Element	2 (2500 Watts)	
6" Heating Element	1 (1800 Watts)	
Indicator Lights		
Hot Surface	Yes	
Power Level Indicator	19 Levels	
Appearance		
Frameless	Yes	
Colour Appearance	Black	
Installation Options	ANN THE VIEW OF THE	
Installation	Standard	
Weights & Dimensions		
Approximate Shipping Weight (lbs.)	46	
Overall Height (in.)	3-1/4	
Outout Dimensions (w x d) (in.)	28-1/2 x 19-5/8	
Electrical Requirements		
Amp Rating at 240V	40	
Amp Rating at 208V	40	

Dishwashers & Compactors, Kitchen Appliances from GE Monogram

Page 1 of 2





Dishwashers & Compactors, Kitchen Appliances from GE Monogram

Page 2 of 2

Heated Dry	Yes	
Temp Boost	Yes	
Sanitize (NSF)	Yes	
Wash Zone	Upper / Lower	
Bottle Wash Jets	Yes	
Pre-Soak	Yes	
Energy Smart	Yes	
Racking		
Lower Rack	Removable and Reversible	
Upper Rack - Removable	Yes	
Rack Colour	Bronze Mist	
Upper Rack - Adjustable	2 Positions	
Utility Sherf	2 plastic w/StemSafe, chopstick slots	
Racking System	Nylon	
Primary Silverware Basket	3 piece with Soft Touch handle	
DryIndex	A PORT OF THE PARTY OF THE PART	
Calrod Heating Element	4-pass, exposed	
Fan-Assist Dry	Yes	
Economical / Quiet		
Energy Star Qualified	Yes	
Sound Insulation Package	42 dBA	
Appearance		
Door Style	Full-Length Flat Door	
Colour Appearance	Stainless Steel	
Weights & Dimensions		
Overall Height with Legs Extended (in.)	34-5/8	
Overall Height (in.)	33-3/8	
Approx. Shipping Weight (lbs.)	100	
Overall Width (in.)	23-3/4	
Overall Depth (in.)	24	
Power & Ratings		
Electrical Requirements	120 V; 60 Hz; 9.9 A	
Calrod Heater Watts	Hidden Heater	
Warranty		
Parts Warranty	Limited 1-year entire appliance	
Labour Warranty	Limited 1-year entire appliance	



LOT 03-9130
SENATOR HOMES
DECOR CENTRE
DATE: JAN 11 8 2016

GE Monogram® 30" Warming Drawer

ZTD910SFSS

FEATURES AND BENEFITS

Infinite Setting Temperature Control – 75 Degrees to 230 Degrees

Variable Humidity Control - Crisp to Moist

Removable Half Rack

1.9 cu. ft capacity

Accepts 3/4" trimless custom panel and custom handle with trim kit

Full extension drawer on ball bearing glides

"On" indicator light


Accepts Optional Professional Panel Kit

Removable Stainless Steel Pan

Variable Installation Options

Hidden Controls Provide Flush Installation Appearance

On/Off Rocker Switch










GE Monogram® 30" Warming Drawer

ZTD910SFSS



SPECIFICATIONS

Overall Width 30" (76.2 cm)

Overall Height 10 1/2" (26.7 cm)

Overall Depth 23 1/4" (59.0 cm)

Drawer Capacity 1.90 cu. ft. (53.8 II

Cut-out Width 28 1/2" (72.4 cm)

Cut-out Height 9 1/4" (23.5 cm)

Cut-out Depth 23 1/2" (59.7 cm)

Power Cord Length 56" (142.2 cm)

Electrical Rating 450W @ 120V/60Hz

Total Amps 15 Amps

Net Weight 59 lbs. [26,8 kg]
Approx. Shipping Weight 65 lbs. [29,6 kg]

OPTIONAL ACCESSORIES

Custom Panel Kit ZXD303

Professional Pane Kit ZXD30P

ATTENTION ELECTRICIAN:


This appliance is supplied with a 56° (142.2 cm) long electrical cord equipped with a 3-prong igrounding) plug that mates to a standard 3-prong grounding wall outlet.

The electrical power cord is located on the right side of the warming drawer. Locate the wall outlet within easy reach of the electrical cord in an adjacent cabinet, within 42" (106.7 cm) of the right side of 16" (40.6 cm) from the left side of the cut-out. A recessed outlet can be installed on the right side of the cut-out. 7" (17.8 cm) max. from the rear of the cubinet.


DO NOT USE AN EXTENSION CORD WITH THIS PRODUCT.


For more details refer to the installation instructions for this product.

OVERALL DIMENSIONS



FRONT VIEW (SHOWING CUTOUT OVERLAP)





Dimensions in parentheses are in centimeters unless otherwise noted. Actual product dimensions may vary due to monufacturing tolerances.

Monogram




DATE:


JAN 0 8 2016

GE Monogram® 30" Warming Drawer

ZTD910SFSS


INSTALLATION BELOW SINGLE OR DOUBLE WALL OVEN





FRONT VIEW

INSTALLATION BELOW COOKTOP





NOTES

- A Warming drawers are approved for installation below only certain specified wall oven and cooktop models. See the label attached to the top of the warming drawer for approved combinations.
- B Additional clearance between cut-outs may be required. Check to be sure that oven supports above the warming drawer location do not obstruct the required interior 23-1/2" depth and 9-1/4" height.
- C If you are installing in frameless cabinets, it may be necessary to install 1/2" wide cleats to accept drawer mounting screws. See drawer for mounting screw locations.
- Dinstall a 2"x2" or 2"x4"
 Anti-tip block against rear wall, 9" from floor of cutout to bottom of block. The anti-tip block must be installed to prevent the drawer from tipping forward when opened and loaded. Fallure to add the anti-tip block could result in personal injury.
- When installing the warming drawer below a cooktop, a solid barrier must be installed at least 1" from the lawest point of the battom of cooktop burner box to the top of the cut-out. Use any solid material such as 1/4" thick plywood. Allow at least 1/4" air gap between the barrier and the top of the warming drawer.


For more details refer to the installation instructions for this product.






GE Monogram® 30" Warming Drawer


ZTD910SFSS




SIDE BY SIDE INSTALLATION



PROVIDING CABINET SUPPORT



INSTALLING ANTI-TIP BLOCKS




NOTES

- A if you are installing in frameless cabinets, it may be necessary to install 1/2" wide cleats to occept drawer mounting screws. See drawer for mounting screw locations.
- B install a 2"x2" or 2"x4" anti-tip block against rear wall, 9" from floor of cutout to bottom of block. The anti-tip block must be installed to prevent the drawer from tipping forward when opened and loaded. Fallure to add the anti-tip block could result in personal injury.
- G When installing the warming drawer below a cabinet drawer, a solid barrier must be installed at least above the warming drawer to block access. Use any solid material such as 1/4" thick plywood. Allow at least 1/4" air gap between the barrier and the top of the warming drawer. Observe the 5" min. above the floor or 1" min. above the toe kick installation height.
- D When installing two warming drawers side by side, install them in separate cut-outs and allow a 2" min. gap between each cut-out.
- E The warming drawer may be supported by either a solid bottom or 2"x2" or 2"x4" runners. The support must belevel and rigidly mounted, flush with the bottom edge of the cut-out (there is no way to level the drawer once it has been installed, so make sure that the supports are level). The floor or runners must be capable of supporting at least 150 lbs.

For more details refer to the installation instructions for this product.






GE Monogram® 30" Warming Drawer


ZTD910SFSS

INSTALLATION WITH CUSTOM PANEL KIT - ZXD27B



CUSTOM PANEL PREPARATION FRONT VIEW

CUSTOM PANEL PREPARATION SIDE VIEW



SIDE VIEW

NOTES

This, kit contains a mounting panel to support a trim-less custom drawer front up to 3/4° thick. The original tubular handle can be reinstalled onto the custom panel with longer screws (not provided) or can be replaced with a custom handle of your choice (also not provided).

For more details refer to the installation instructions for this product.





Marvel - Marvel 24" Wine Cellar

Page I of 2

\$ 1200.00 traes

AGA MARVEL

Quick Search

Go.

Home

About Us

Products

Buying Marvel

Service & Support

Contact Us

Full Size Refrigeration


24" Marvel Wine Cellar

Undercounter Refrigeration










The classic undercounter wine cellar, our 24" model has four dide-out wine racks with maple shelf fronts, one inclined display shelf, and one 6-bottle wine cradle to attractively display 45 bottles. Doors are available in stainless steel framed glass, black framed glass, overlay framed glass, or solid overlay to match any kitchen or entertainment room decor.

Back to Marvel Products

Product Features	Technical Specifications Literature & Manuals Contact Us
Marvel 24" Wine	Cellar 61WCM
Cabinet Dimensions	Height - 33 %* Vidth - 23 7/8* Depth - 24 1/16*
Finished Rough Opening Dimensions	Height - 34 ½" Height with Leveling Legs Installed - 33 ½" - 34 ½" Width - 24" Minimum Depth - 24" Minimum Door Clearance Required - 25 ½"
Temperature Range	40" - 85" F



Marvel - Marvel 24" Wine Cellar

Page 2 of 2

Electrical Requirements	115 volts, 3 amps running max, 15 amp circuit required	
Storage Capacity	45 bottles	
Door Lock	Optional	
Shelf Style	Slide Out	
Cooling Technology	Convection	
Electronic Controls	Yos	
Door Options	GS, GB. GD, D	

Door Options Key	
F - Full/Solid Door	
G - Frame door with glass	
D - Overlay frame	
O - Overlay full panel	
S - Stainless	
B - Black	
W - White	8 11712
I - Ivory	
C - Cranberry	

Energy Guide - Canada

Explore the Marvel Refrigeration websiteAbout Us

History AGA Marvet Branca Image Gallery

Products

Full Size Retrigeration Undercounter Retrigeration

f L B O Min X

Buying Marvel
Where to Buy
Promotions
Download a Brochure
Dezer Sign Up- Update

Service & Support Service Localor

Service Request Form Warrardy Registration Servicer Sign Up- Update Company FAQs Distributor Sign-In Installation Videos

Contact Us Contact Us

40 3013 AGA MARKS

Process & Society | Terms of Well-ce Use

GE Monogram® 30" Built-In Single Oven

9130-(0+63 SENATOR HOMES DECOR CENTRE JANUARIAN ZETISHSS

FEATURES AND BENEFITS

True European Convection with Direct Air -Channels heated air from the top of the oven and circulates it around food on all sides for perfectly uniform baking and roasting

5.0 Cu. Ft. Capacity - Accommodates even the largest meals

Ten-Pass Bake Element - Covers more surface area for more even baking results

All-Glass Interior Door Panel – Offers a visually striking look that's easy to clean

Theatre-Style LED Oven Lighting - Located on both sides of the oven to enhance visibility and provide a clear view of food, regardless of rack position

Stainless steel back-lit digital control knobs -Rotate with smooth precision. An indicator light in each knob makes it easy to view and select heat settings

Notification Lighting - Allows you to check cooking status with a quick glance

Self-Cleaning, Full-Extension Oven Racks - Glide in and out smoothly on stainless steel ball bearings, and are designed to be left in the oven during the self-clean cycle

Self-Clean with Steam Clean Option - Gives you flexible options for thorough oven cleaning

Ten-Pass, Dual Broil Element - Evenly browns dishes of all types and sizes

WiFi Connect - Allows you to control oven functions from anywhere inside or even outside your home, using your smartphone or other web-enabled mobile device

Black Interior – Offers a stylish complement to the sophisticated exterior design













GE Monogram® 30" Built-In Single Oven



SPECIFICATIONS

29 3/4" (75.6 cm) Overal Width Overal Height 28 5/8" (72.8 cm) Overall Depth 26 5/8" (67.7 cm) Including Handle. 20 11/16" (52.6 cm) Oven Door Clearance Overal Oven 5.0 a.u ft. (141.6 liters) Interior Capacity Oven Interior Dimensions 25" x 17 3/8" x 20 1/4" [W×H×D] (63.5 x 44.1 x 51.4 cm) Minimum Cabinet Width* 30" (76.2 cm) Minimum Cabinet Depth* 24" (610 cm) Minimum Base Support 200 lbs. 190 kg) 28 1/2" (72.4 cm) Min Cutout Width* 28 5/8" (72.7 cm) Max 27 1/4" (69.2 cm) Min Cutout Height* 27 5/16" (69.4 cm) Max Cutout Depth* 23 1/2" (59.7 cm) Min Volts/Hertz/Amps 240/208 V AC. 50 Hz. 20A 40" (72" available special

* Additional space will be needed for flush installation.

order: WB18T10398) 3.4 kW at 208V

4.5 kW at 240V 184 lbs. (84 kg)

ATTENTION ELECTRICIAN:

Conduit Length


Electrical Rating

Shipping Weight


A 240/208V, 60Hz, 20 Amp circuit is required. An individual properly grounded branch circuit or circuit breaker is required. Hard wired junction box is required for built-in product.




JAN 0 8 2045ET1SHSS OVERALL DIMENSIONS



FRONT VIEW (SHOWING CUTOUT OVERLAP)






Product Specification Revised 1/15

GE Monogram® 30" Built-In Single Oven

JAN 0 B 3045T1SHSS DATE: MITIALS WALL INSTALLATION NOTES TOP VIEW A Based on a user height of 5' 6" to 5' 10" 1 5/16 B Junction box location (May also be located in adjacent cabinet.) 30 1/4" (76.6) flush inset width with 1/4" (0.6) reveals C Platform must be able to support 200 lbs 190 kg) 13/16" (2.L) Too deat Cabinet surfaces must В be an appearance finished surface for flush installation. 5 5/16 15/16* E Cleats may be visible and should be finished to match cabinetry. 27 1/4" 29 3/4" (75:6) F Maximum toe kick height of 4" when installed beneath a certified cooktop. 9/16" (14) to Lc LO 30 1/4" (76.8) STANDARD FLUSH INSET FLUSH INSET INSTALLATION INSTALLATION INSTALLATION FRONT VIEW Allow 1/4" (0.64) clearances from side edges of oven door.




For more details, refer to the installation instructions for this product on Managram.com. Dimensions in parentheses are in centimeters unless otherwise noted.




9130-Lot 43 SENATOR HOMES


GE Monogram® 30" Built-In Single Oven

JAN 0 8 2012 ET1SHSS





SIDE BY SIDE INSTALLATION



DATE


SIDE BY SIDE INSTALLATION FRONT VIEW OF CUTOUTS

GAS

E

6

UNDER COOKTOP INSTALLATION



For more details, refer to the installation instructions for this product on Monogram.com. Dimensions in parentheses are in centimeters unless otherwise noted.


NOTES


- A Dimensions per Advantium or Microwave Oven requirement
- B Dimension per Warming Drawer requirement
- Note this oven is only approved to be installed under specific models as labeled on this unit.
- D Support platform made of 3/4" (1.9 cm) wood is required. Must be capable of supporting 200 lbs 190 kg). Support Platform base to be same height as toe kick.
- Junction box location for wall oven. IMay also be located in adjacent cabinet.
- E Gas regulator and electric connections for cocktops must be located in an adjacent accessible location to the right
- Top and/or side fillers may be necessary if unit is positioned between existing cabinets. Be sure they are attached securely, since they will anchor the oven in the cabinet.
- For flush oven installations, the cooktop cutout must be set back 2 1/2" (6.4) plus the cleat setback.
- Dimension varies based on model, example: ZGU385 \$ 1/2*(14.0) (from wall)
 - (from wall) ZGU384 45/16" (11.0) (from wall)
- Dimension varies based on model. example: 2GU385 0" (centerline) 2GU384 12 1/16" (30.6)

(centerline)




Product Scecification Revised 1/15





G130- LOT 63

SENATOR HOMES
DECOR CENTRE
JAN 0 8 2016





ZSC2201JSS

Monogram Built-In Oven with Advantium® Speedcook Technology- 240V

Features

\$3,099 M5RP*

Four ovens in one

Speedcook, convection, microwave and warming capabilities

Award-winning speedcook technology

Delivers oven-quality results up to eight times faster than conventional cooking methods with no preheating

integrated, stainless steel appearance

Makes a singular architectural impression with signature Monagram tubular handles and a precisionmachined, stainless steel control knob

True European Convection mode

Bakes, roasts and browns foods to perfection

Microwave mode


Provides a fully functioning sensor microwave that allows fast, precise reheating and defrosting

Warming mode

Keeps prepared dishes at ready-to-serve temperatures

Removable oven rack


Allows for multi-level convection baking



* Manufacturer's Suggested Retail Price (MSRP)

Actual retail prices may vary by dealer. MSRP applies to the continental 48 United States and does not include such Items as delivery, installation, installation accessories (i.e. range cords), or removal of old appliances. Consult your local authorized GE dealer for its prices.

GEMonogram.com





ZSC2201JSS

Monogram Built-In Oven with Advantium® Speedcook Technology- 240V

Large oven interior

Easily accommodates roasts or casserole dishes on a 16° tray that holds a $9^{\circ} \times 13^{\circ}$ pan

Preprogrammed recipes

Provide quick and easy programming of over 175 pre-set food selections and allows programming of up to 30 custom recipes $\frac{1}{2}$


Proofing mode

Allows dough to rise quickly and efficiently

Glass touch controls

Feature a smooth gloss design that is easy to operate and easy to clean

GEMonogram.com





Monogram Built-In Oven with Advantium® Speedcook Technology- 240V

Specifications

APPROXIMATE DIMENSIONS (HxDxW)

19 1/32 in x 21 1/2 in x 29 25/32 in

CAPACITY

Total Capacity (cubic feet)

1.60 cu ft

FEATURES

Control Type Cooking Technology Microwave Watts (IEC-705)

Cooking Modes

Style

98

Program Cooking

Convection Cooking Controls

Advantium® Cooking Controls

Microwave Sensor Cooking Controls

Control Features

Microwave Oven Interior

Ceramic Pan Convection Tray Display On/Off Express Cook

Grill Pan Interior Oven Light

Rack Type

Reminder (24 hr) Soften/Melt

Sound Volume Control

Storage Drawer Time Cook Timer (On/Off)

Turntable Turntable Size

APPEARANCE

Case Color

Glass Touch Controls; Dial

Advantium

950,00 W

Speedcook: Microwave; Convection Bake; Warm/Proof;

Brail; Toast

Over 175 Programmed Recipes

Bake

Clock; Demo Mode; Electronic Scrolling Digital Display;

Help Pad ; Repeat Last ; Variable Scroll Speed

Eggs (Instant-On); Ground Meats (Instant-On); Popcorn;

Potato (Instant-On); Rice (Instant-On); Vegetables (Instant-

Cooking Complete Reminder ; Cooking Guide ; Display On/

Off ; Auto & Time Defrost ; Clock ; Custom Recipe Saver

Stainless Steel

Yes Yes Yes

> Instant-On Yes

Yes

Wire Oven Rack Yes

Yes

Yes

Optional ZX2201NSS

Yes

16.00 in

Stainless Steel

GEMonogram.com





Z5C2201JSS

Monogram Built-In Oven with Advantium Speedcook Technology- 240V

Color Appearance Design Style Door Color Handle Oven Door Features Stainless Steel European Stainless Steel

Stainless Steel

Stainless Steel
Monogram Tubular - Stainless Steel

Oven Window

WEIGHTS & DIMENSIONS

87.00 lb Approximate Shipping Weight Cabinet Width 30.00 in Cavity (W x H x D) 20-1/16 × 8-1/2 × 17

77,00 lb Net Weight Overall Depth 21 1/2 in Overall Height 19 1/32 in 19 1/32 in 29 25/32 in Overall Wigth

POWER/RATINGS

26.3/22.7 Amps 240V/208V 240/203V/60Hz Input Volts/Hertz 240.00 V Voltage (MAXI

ACCESSORIES

Yes Cookbook Metal Oven Pan

WARRANTY


Limited 1-year entire appliance; Limited 5-year halogen Parts Warranty

lamps; Limited 5-year magnetron tube

Limited 1-year entire appliance; Limited 5-year halogen Labor Warranty

lamps

See written warranty for full details Warranty Notes



MONOGRAM PRODUCTS

Cocking

Refrigeration Dishwashers

Mobile Site

CUSTOMER CARE

Find a Showroom

Product Registration

Schedule Service

Newsletter Subscriptions

Recall Information

OUR COMPANY

About Monogram

GE.com

Monogram Europe Monogram Asia

l of 2