

Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

AUDIO AND SECURITY

Inv.3506	3 - TO LOCATE THREE (3) STANDARD ROUGH IN CABLE OUTLETS INCLUDED IN OFFER:	
	ONE (1) IN FAMILY ROOM (CENTRED TO WALL)	
	TWO (2) IN RECREATION ROOM (LOWER LEVEL)	
	NO CABLE OUTLET IN UPPER LEVEL (BEDROOMS)	
Line 46021	Note: LOCATION AS PER SKETCH ATTACHED	
8Feb16 / 8Feb16		
Inv. 3506	2 - TO LOCATES TWO (2) STANDARD TELEPHONE ROUGH IN OUTLETS INCLUDED IN OFFER:	
	ONE (1) IN RECREATION ROOM	
	ONE (1) IN FAMILY ROOM	
Line 46022	Note: LOCATION AS PER SKETCH ATTACHED	
8Feb16 / 8Feb16		

CABINETRY

Inv. 3506	1 - LOCATION: KITCHEN	
	DELETE UPPER CABINETS ABOVE STOVE AND SUPPLY AND INSTALL FINISHED SIDES TO ACCOMODATE INSTALLATION OF FUTURE HOOD FAN BEING SUPPLIED AND INSTALLED AFTER CLOSING BY PURCHASER	
Line 46002	Note:	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: KITCHEN ISLAND	
Line 46016	RELOCATE THE STANDARD BANK OF DRAWERS TO THE ISLAND- TO BE LOCATED NEXT TO GARBAGE/RECYCLE UNIT Note: LOCATION AS PER SKETCH ATTACHED	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: KITCHEN	
Line 46046	CABINETRY - KITCHEN - UPGRADE - 13 - ELITE PLUS - SUPPLY AND INSTALL Note: ANNEX DHGL TEXTIL PLATA GLOSS CTR	
8Feb16 / 8Feb16		

CABINETRY ACCESSORIES

Inv. 3506	3 - LOCATION: KITCHEN	
	LIGHT VALANCE - NOT APPLICABLE FOR THERMOVISION - PRICE PER 8 FOOT LENGTH	
Line 46017	Note:	
8Feb16 / 8Feb16		

CABINETRY APPLIANCE - FRIDGE

Inv. 3506	1 - LOCATION: KITCHEN	
Line 46005	59 CM FRIDGE CABINET - 2 GABLES & CABINET 59 CM DEEP - DEEP - UPGRADE 1 Note:	
8Feb16 / 8Feb16		

CABINETRY BASE CABINETS



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv. 3506	3 - LOCATION: KITCHEN	
	BASE CABINET - PRICE IS PER FOOT - UPGRADE 1	
	ADDITIONAL BASE CABINETS BEING ADDED TOWARD BREAKFAST AREA TO	
	ACCOMODATE BUILT IN WALL OVEN/MICROWAVE UNIT	
Line 46006	Note: PURCHASER ACKNOWLEDGES AND ACCEPTS THAT SIZE OF BREAKFAST AREA WILL BE REDUCED TO ACCOMODATE BUILT IN UNITS	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: KITCHEN	
	BASE PIE CUT CORNER - UPGRADE 1	
Line 46011	Note: LOCATION AS PER KITCHEN SKETCH ATTACHED	
8Feb16 / 8Feb16		
Inv.3506	3 - LOCATION: KITCHEN	
	BASE ISLAND WITH PANEL - PRICE IS PER FOOT - INCLUDES 27 INCH DEEP	
	COUNTER FROM VENDORS STANDARD LINE - UPGRADE 1	
	ISLAND IS BEING EXTENDED TO ALIGN WITH BUILT IN UNIT BEING ADDED	
	TOWARD BREAKFAST AREA	
Line 46012	Note: PURCHASER ACKNOWLEDGES AND ACCEPTS THAT SIZE OF BREAKFAST AREA WILL BE REDUCED TO ACCOMMODATE LONGER ISLAND	
8Feb16 / 8Feb16		

CABINETRY HARDWARE

Inv. 3506	1 - LOCATION: KITCHEN ISLAND	
	BASE WASTE / RECYCLE CENTER PULL OUT DOOR - ONLY AVAILABLE IN 45 CM CABINET (2) 35L BINS - PRICE IS PER UNIT	
	TO BE LOCATED TO THE LEFT SIDE OF SINK (WHEN FACING SINK)	
Line 46013	Note: LOCATION AS PER SKETCH ATTACHED	
8Feb16 / 8Feb16		

CABINETRY MICROWAVE OVEN STOVE COOKTOP

Inv. 3506	1 - LOCATION: KITCHEN	
Line 46003	COOKTOP CABINET (FULL HEIGHT) WITH FALSE TOP DRAWER AND POT & PANS DRAWERS BELOW - PURCHASER MUST SUPPLY SPECS - UPGRADE 1 Note: LOCATION AS PER KITCHEN SKETCH ATTACHED	
8Feb16 / 8Feb16		
Inv. 3506	1 - BUILT IN DOUBLE APPLIANCE CABINET WITH DRAWER BELOW - TRIM KIT REQUIRED - PURCHASER MUST SUPPLY SPECS - UPGRADE 1	
Line 46004	Note:	
8Feb16 / 8Feb16		

CABINETRY VANITY

8Feb16 / 8Feb16		
Line 46038	Note:	
	INCREASE VANITY HEIGHT TO KITCHEN HEIGHT (90 CM) - DEPTH TO REMAIN THE SAME - PRICE IS PER CABINET BOX	
Inv. 3506	2 - LOCATION: MASTER ENSUITE	



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

2 LOCATION: MAIN DATHDOOM	1
2 - LOCATION. IVIAIN DATEROOM	
INCREASE VANITY HEIGHT TO KITCHEN HEIGHT (90 CM) - DEPTH TO REMAIN	
THE SAME - PRICE IS PER CABINET BOX	
Note:	
1 - LOCATION: POWDER ROOM	
INCREASE VANITY HEIGHT TO KITCHEN HEIGHT (90 CM) - DEPTH TO REMAIN	
THE SAME - PRICE IS PER CABINET BOX	
Note:	
1-LOCATION: LOWER LEVEL BATHROOM	
1 - LOCATION. LOWER LEVEL BATTIROOM	
INCREASE VANITY HEIGHT TO KITCHEN HEIGHT (90 CM) - DEPTH TO REMAIN	
THE SAME - PRICE IS PER CABINET BOX	
Note:	
1 - LOCATION: MAIN BATHROOM	
VANITY RANK OF DRAWERS - 55 CM MAXIMI M - LIPGRADE 1	
Note:	
1 - LOCATION: MASTER ENSUITE	
VANITY BANK OF DRAWERS - 55 CM MAXIMUM - UPGRADE 1	
TO BE CENTRED BETWEEN VANITY SINKS IN MASTER ENSUITE	
Note:	
	1 - LOCATION: POWDER ROOM INCREASE VANITY HEIGHT TO KITCHEN HEIGHT (90 CM) - DEPTH TO REMAIN THE SAME - PRICE IS PER CABINET BOX Note: 1 - LOCATION: LOWER LEVEL BATHROOM INCREASE VANITY HEIGHT TO KITCHEN HEIGHT (90 CM) - DEPTH TO REMAIN THE SAME - PRICE IS PER CABINET BOX Note: 1 - LOCATION: MAIN BATHROOM VANITY BANK OF DRAWERS - 55 CM MAXIMUM - UPGRADE 1 TO BE LOCATED TO RIGHT SIDE OF VANITY SINK (ON TOILET SIDE) Note: 1 - LOCATION: MASTER ENSUITE VANITY BANK OF DRAWERS - 55 CM MAXIMUM - UPGRADE 1 TO BE CENTRED BETWEEN VANITY SINKS IN MASTER ENSUITE

CABINETRY WALL AND HUTCH

Inv. 3506	3 - LOCATION: KITCHEN	
	UPPER CABINET - PRICE IS PER FOOT - UPGRADE 1 ADDITIONAL UPPER CABINETS BEING ADDED TOWARD BREAKFAST AREA TO ACCOMODATE BUILT IN WALL OVEN/MICROWAVE UNIT	
Line 46008	Note: PURCHASER ACKNOWLEDGES AND ACCEPTS THAT SIZE OF BREAKFAST AREA WILL BE REDUCED TO ACCOMODATE BUILT IN UNITS	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: KITCHEN	
	UPPER ANGLE CORNER - PRICE IS PER UNIT - UPGRADE 1 NO GLASS OR MATCHING INTERIOR	
Line 46009	Note: LOCATION AS PER KITCHEN SKETCH ATTACHED	
8Feb16 / 8Feb16		

COUNTER TOP - EXTRAS

Inv. 3506	5 - LOCATION: ALL BATHROOMS	
	SUPPLY AND INSTALL PROVISION FOR GRANITE CUTOUT AND POLISHING FOR UNDERMLOUNT SINKS IN ALL BATHROOMS	
Line 45996	Note: STANDARD SINGLE HOLE FAUCET TO BE INSTALLED	
8Feb16 / 8Feb16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

COUNTER TOP - KITCHEN

Inv.3506	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL 3CM STONE COUNTER TOP WITH STANDARD SQUARE EDGE – GROUP 4 IN THE KITCHEN WITH ISLAND AND FLUSH BREAKFAST BAR	
Line 46060	Note: CAESARSTONE 4230 SHITAKE	
8Feb16 / 8Feb16		

ELECTRICAL

ELECTRIC	CAL	
Inv. 3506	1 - LOCATION: KITCHEN	
	ELECTRICAL - CONNECTION FOR BUILT-IN OVEN/MICROWAVE UNIT	
Line 45999	Note:	
8Feb16 / 8Feb16	4 Y O G I WYO Y YYM GYYDY	
Inv.3506	1 - LOCATION: KITCHEN	
	ELECTRICAL - CONNECTION OF COOK TOP UNIT	
	CONVECTION ELECTRIC COOK-TOP	
Line 46000	Note:	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: KITCHEN	
IIIV.3300	1-LOCATION: KITCHEN	
	SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE	
	CIRCUIT REQUIRED FOR CHIMNEY HOOD FAN BEING SUPPLIED AND INSTALL BY	
	PURCHASER AFTER CLOSING	
Line 46001	Note: LOCATION AS PER SKETCH ATTACHED.	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: KITCHEN	
	CURRENT AND INCREALL LICEUT MALANCE DOLICULBY (INCLUDES 1 SWITCH)	
1. 4.010	SUPPLY AND INSTALL LIGHT VALANCE ROUGH IN (INCLUDES 1 SWITCH) Note: LOCATION AS PER VENDOR DISCRETION FOR BEST SUITED AREA	
Line 46019	Note: LOCATION AS FER VENDOR DISCRETION FOR BEST SUITED AREA	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: MASTER ENSUITE TUB	
	CURDLY AND INCTALL CARRED CEILING LIGHT DOUGH IN ONLY ON CERARATE	
	SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE SINGLE SWITCH TO BE CENTRED ABOVE FREE STANDING TUB. DO NOT DELETE	
	THE STANDARD LIGHT FIXTURES	
Line 46033	Note: LOCATION AS PER SKETCH ATTACHED.	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: KITCHEN - ABOVE COUNTER	
	SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE	
	CIRCUIT (IE: MICROWAVE, FREEZER)	
	ON WALL OPPOSITE END OF FRIDGE	
Line 46045	Note: LOCATION AS PER SKETCH ATTACHED.	
8Feb16 / 8Feb16		
01 0010 / 01 0010		

HARDWOOD



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv.3506	1 - LOCATION: ALL BEDROOMS AND RECREATION ROOM	
	1 - LOCATION. ALL BEDROOMS AND RECREATION ROOM	
	SUPPLY AND INSTALL ENGINEERED HARDWOOD TO ALL BEDROOMS IN UPPER	
	LEVEL AND RECREATION ROOM IN LOWER LEVEL. SELECTION FROM VENDOR'S STANDARD SAMPLES. INCLUDED IN SCHEDULE PE ITEM # 4	
Line 45994	Note: PURCHASER HAS UPGRADED TO UPGRADE 4 VINTAGE HARDWOOD IN LIEU OF	
07.145/07.145	ENGINEERED HARDWOOD INCLUDED IN OFFER	
8Feb16 / 8Feb16 Inv.3506	1 - LOCATION: BREAKFAST AREA	
	1-LOCATION. BREAKINGT AREA	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
Line 46072	WHITE OAK 7 INCH X 3/4 INCH - HAND BREAKFAST Note: GOTHAM PEARL	
Eme 40072	1000. 6611111111111111111111111111111111	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: BEDROOM 2	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
	WHITE OAK 7 INCH X 3/4 INCH - HAND BEDROOM 2	
Line 46062	Note: GOTHAM PEARL	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: BEDROOM 3	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
	WHITE OAK 7 INCH X 3/4 INCH - HAND BEDROOM 3	
Line 46063	Note: GOTHAM PEARL	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: DINING ROOM	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
	WHITE OAK 7 INCH X 3/4 INCH - HAND DINING ROOM	
Line 46064	Note: GOTHAM PEARL	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: GREAT ROOM	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN - WHITE OAK 7 INCH X 3/4 INCH - HAND GREAT ROOM	
Line 46065	Note: GOTHAM PEARL	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN - WHITE OAK 7 INCH X 3/4 INCH - HAND KITCHEN	
Line 46066	Note: GOTHAM PEARL	
DE 116 (OF 11)		
8Feb16 / 8Feb16 Inv. 3506	1 - LOCATION: LANDING	
	a Boernion, Empiro	
	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN -	
Line 46067	WHITE OAK 7 INCH X 3/4 INCH - HAND LANDING 1ST TO 2ND Note: GOTHAM PEARL	
Line 70007	1,000.	
8Feb16 / 8Feb16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv. 3506	1 - LOCATION: MASTER BEDROOM	
Line 46068	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN - WHITE OAK 7 INCH X 3/4 INCH - HAND MASTER BEDROOM Note: GOTHAM PEARL	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: UPPER HALLWAY	
T	SUPPLY AND INSTALL HARDWOOD - UPGRADE 4 - VINTAGE - SOLID SAWN - WHITE OAK 7 INCH X 3/4 INCH - HAND UPPER HALL Note: GOTHAM PEARL	
Line 46069	Note: GOTHAM PEARL	
8Feb16 / 8Feb16		

MISCELLANEOUS

Inv. 3506	1 - LOCATION: ALL BATHROOMS	
Line 45995	SUPPLY AND INSTALL GRANITE OR CAESARSTONE TO ALL BATHROOMS INCLUDING POWDER ROOM. SELECTION FROM VENDOR'S STANDARD SAMPLES. INCLUDED IN SCHEDULE PE ITEM # 5 Note: DOES NOT INCLUDE UNDERMOUNT SINK, CUT OUT OR POLISHING OF GRANITE.	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: KITCHEN ISLAND	
	SUPPLY AND INSTALL ADDITIONAL STANDARD LINE CAESARSTONE TO ISLAND THAT HAS BEEN INCREASED BY 3' FEET. STANDARD EDGE TO CAEASARSTONE	
Line 46015	Note: COLOUR:	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: KITCHEN ISLAND	
	SUPPLY AND INSTALL CONTINUOUS WATERFALL SIDES TO EACH SIDE OF ISLAND USING GROUP 4 CAESARSTONE 4230 SHITAKE	
Line 46070	Note:	
8Feb16 / 8Feb16		

PLUMBING

Inv. 3506	5 - LOCATION: ALL BATHROOMS	
Line 45997	SUPPLY AND INSTALL RECTANGULAR UNDERMOUNT SINKS IN LIEU OF STANDARD TO ALL BATHROOMS - MODEL # 4210CIY CATENA WHITE Note: GRANITE CUT OUT AND POLISHING OF EDGES HAS BEEN PURCHASED SEPARATELY	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL WATERLINE ROUGH-IN TO THE FRIDGE LOCATION (NO HOOK UP)	
Line 45998	Note: LOCATION AS PER SKETCH ATTACHED.	
8Feb16 / 8Feb16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv.3506 Line 46014 8Feb16 / 8Feb16 Inv.3506	1 - LOCATION: KITCHEN ISLAND RELOCATE KITCHEN SINK TO CENTRE OF ISLAND (ISLAND HAS BEEN INCREASED IN SIZE) AND LOCATE THE DISHWASHER TO THE RIGHT SIDE OF SINK (WHEN FACING SINK) Note: SEE SKETCH ATTACHED	
8Feb16 / 8Feb16	INCREASED IN SIZE) AND LOCATE THE DISHWASHER TO THE RIGHT SIDE OF SINK (WHEN FACING SINK) Note: SEE SKETCH ATTACHED	
8Feb16 / 8Feb16	Note: SEE SKETCH ATTACHED	
	1 - LOCATION: MASTER ENSUITE	
	1-LOCATION. WASTER ENSUITE	
	UPGRADE STANDARD ROMAN/FREE STANDING TUB FAUCET VOSS IN CHROME (MODEL # 4796/T693 CHROME) TO BRUSHED NICKEL FINISH MODEL # 4796/T693 BN	
Line 46024	Note:	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL UPGRADE FAUCET TO ENSUITE SHOWER STALL - MOEN	
	VOSS POSI-TEMP WITH 3 FUNCTION DIVERTER VALVE, SLIDE BAR WITH HELD SHOWER - MODEL # 62320/3372/128284/T4611/T2693EP/3669EP/A725 BRUSHED NICKEL FINISH	
Line 46025	Note:	
8Feb16 / 8Feb16		
Inv.3506	2 - LOCATION: MAIN BATHROOM AND LOWER LEVEL BATHROOM	
	DELETE VOSS SHOWER HEAD AND REPLACE WITH HANDHELD SHOWER WITH SLIDE BAR T2691BN/3669BN/161955BN/A725BN	
Line 46026	Note:	
000116/000116		
8Feb16 / 8Feb16 Inv. 3506	4 - LOCATION: ALL BATHROOMS	
	SUPPLY AND INSTALL BRUSHED NICKEL FINISH IN LIEU OF CHROME TO ALL TOILET PAPER HOLDERS VOSS LINE - YB5108 BN - TOILET PAPER HOLDER	
Line 46027	Note:	
8Feb16 / 8Feb16		
Inv.3506	4 - LOCATION: ALL BATHROOMS	
	SUPPLY AND INSTALL BRUSHED NICKEL FINISH IN LIEU OF CHROME TO ALL TOWEL BARS VOSS LINE - YB5124 BN - 24" TOWEL BAR	
Line 46028	Note:	
8Feb16 / 8Feb16		
Inv.3506	4 - LOCATION: ALL BATHROOMS	1
	SUPPLY AND INSTALL BRUSHED NICKEL FINISH IN LIEU OF CHROME TANK LEVERS TO ALL TOILETS - VOSS LINE MODEL # YB5101 BN	
Line 46029	Note:	
8Feb16 / 8Feb16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv.3506	2 - LOCATION: MAIN BATHROOM AND LOWER LEVEL BATHROOM	
	SUPPLY AND INSTALL BRUSHED NICKEL FINISH IN LIEU OF CHROME FINISH FOR TUB FAUCET VOSS LINE - 62320/T2693 BN	
Line 46030	Note:	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL SOAP DISPENSER MOEN MODEL # 3942 CHROME TO BE LOCATED TO THE LEFT SIDE OF KITCHEN SINK (WHEN FACING SINK)	
Line 46044	Note:	
8Feb16 / 8Feb16		

PLUMBING - LAVATORY FAUCETS

Inv. 3506	5 - LOCATION: ALL BATHROOMS	
	UPGRADE STANDARD LAVATORY VOSS CHROME FAUCETS (MODEL # 6903 CHROME) TO BRUSHED NICKEL FINISH IN ALL BATHROOMS - MODEL # 6903 BN	
Line 46023	Note:	
8Feb16 / 8Feb16		

STAIRS AND RAILING

Inv.3506	1 - RAILING - WINDSOR HANDRAIL - WINDSOR OAK, PICKETS - OAK, POSTS - OAK - SUPPLY AND INSTALL	
	STANDARD MATTE BLACK METAL PICKETS TO REMAIN - ONLY HANDRAIL AND POST TO UPGRADED TO WINDSOR	
Line 46037	Note:	
8Feb16 / 8Feb16		

TILE - FLOOR

Inv. 3506	1 - LOCATION: FOYER	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 VESTIBULE FLOOR	
	STANDARD STACKED INSTALL	
Line 46048	Note: 12 X 24 NIAGARA FALLS IVORY (QT.NF.IVO.1224)	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: POWDER ROOM	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 POWDER ROOM FLOOR.	
	STANDARD STACKED INSTALL	
Line 46049	Note: 12 X 24 NIAGARA FALLS IVORY (QT.NF.IVO.1224)	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: LOWER LEVEL BATHROOM	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 BASEMENT BATH FLOOR	
Line 46051	Note: 12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224)	
8Feb16 / 8Feb16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

Inv. 3506	1 - LOCATION: LAUNDRY ROOM	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 LAUNDRY ROOM IN	
	BASEMENT (ON CONCRETE)	
L	STANDARD STACKED INSTALL	
Line 46052	Note: 12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224)	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: MUD/LAUNDRY ROOM	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 MUD / LAUNDRY ROOM IN	
	BASEMENT (ON CONCRETE)	
	STANDARD STACKED INSTALL	
Line 46053	Note: 12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224)	
0Eah16 / 0Eah16		
8Feb16 / 8Feb16 Inv. 3506	1 - LOCATION: LOWER LEVEL HALLWAY	
III V.3300	1-LOCATION. LOWER LEVEL HALLWAY	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 LOWER LEVEL HALLWAY	
	NEXT TO LAUNDRY/MUD ROOM IN BASEMENT (ON CONCRETE)	
	STANDARD STACKED INSTALL	
Line 46054	Note: 12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224)	
8Feb16 / 8Feb16		
Inv. 3506	1 - LOCATION: MAIN BATHROOM	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 MAIN BATH FLOOR	
	STANDARD STACKED INSTALL	
Line 46055	Note: 12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224)	
8Feb16 / 8Feb16		
Inv.3506	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL FLOOR TILE - UPGRADE 4 ENSUITE BATHROOM FLOOR	
	STANDARD STACKED INSTALL	
Line 46057	Note: 12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224)	
8Feb16 / 8Feb16		

TILE - WALL

Inv. 3506	1 - LOCATION: MASTER ENSUITE SHOWER STALL	
Line 46059	SUPPLY AND INSTALL WALL TILE - UPGRADE 2 ENSUITE BATH SHOWER WITH CEILING. STANDARD VERTICAL INSTALL Note: 8 X 12 BRICK GLOSSY WHITE (TH.BR.WHT.0812.GL)	
8Feb16 / 8Feb16		



Teefy Developments Limited / 9130 Bathurst

Lot/Unit: 145 Phase/Building: 1 Model/Floor Plan: Bedford(22-2)

EXTRAS AS PER OFFER

Stainless Steel Fridge, Stove and Dishwasher and front loading washer and dryer in white from Vendors standard samples, no cash value, not transferable. (Supplied only not installed) ** to - arrange delivery call: The Brick commercial sales division at Worksheet Note:	
Rogers Free Services Package includes 6 months of: home phone, TV and Internet Service.	
Worksheet Note:	
The vendor agrees to supply and install hardwood flooring in all bedrooms, including engineered hardwood in the recreation	
room on lower level. Flooring	
will be from Vendors standard samples.	
Worksheet Note:	
The Vendor agrees to supply and install granite countertops in all bathrooms, including powder room, from Vendors standard	
samples. Purchaser to also	
have a selection from quartz standard line (2 choices) as displayed in sales centre.	
Worksheet Note:	

This Document is Extremely Time Sensitive - Printed $\underline{13\ Feb\ 16}$ at $\underline{11:21}$

Page 10 of 10

BEDFORU SIDE

2448 SQ.FT. / 2278 SQ.FT. WITH OPTIONAL TANDEM GARAGE



Z :

Renderings are critists concept. Some elevations may vary from that shown. Actual usesble square footage may vary from that stated hordin. Some footplans and elevations are minor image to that shown. E.&O.E. 22-2.

Ca.



INTERIOR COLOUR SCHEME

Purchasers: CECILIA CHARICE YAM-LAU & TAT SANG LAU Property: 145 of Plan -

Telephone Res. / Bus: / Project: Teefy Developments Limited

Decor Advisor: Steffannee Appio Model and Elevation: Bedford(22-2)

Layout Changes: Yes No Exterior Colour Scheme: Sketch Attached: Yes No 1. Cabinetry Style and Colour Counter Top Hardware Kitchen / Breakfast ANNEX DHGL TEXTIL PLATA GLOSS CTR 4230 SHITAKE STD SQ EDGE 9677 HANDLE Kitchen Island ANNEX DHGL TEXTIL PLATA GLOSS CTR 4230 SHITAKE STD SQ EDGE 9677 HANDLE Laundry Room CLASS - MANCHESTER PAINT CANNOLI N/A 9677 HANDLE Powder Room CLASS - HUMBER COFFEE BEAN 9141 ICE SNOW STD SQ EDGE 9677 HANDLE Main Bathroom CLASS - MANCHESTER PAINT CANNOLI 9141 ICE SNOW STD SQ EDGE 9677 HANDLE CLASS - MANCHESTER PAINT MACADEMIA Master Ensuite Bathroom 9141 ICE SNOW STD SQ EDGE 9677 HANDLE Second Ensuite CLASS - MANCHESTER PAINT CANNOLI 9141 ICE SNOW STD SQ EDGE 9677 HANDLE Bathroom (If Applicable) LOWER LEVEL BATHROOM LOWER LEVEL BATHROOM LOWER LEVEL Appliances Custom Size Fridge Valance Lighting Microwave / Range Hood Yes 🔘 No O Yes No Yes \ No Cooktop / Rangetop **Built in Wall Oven** Slide-in Range Yes O No Yes O No O Yes No Comment ROUGH IN ELECTRICAL ONLY FOR VALANCE LIGHTING GRANITE/CAESARSTONE COUNTER-TOPS IN ALL BATHROOMS GROUP 4 CAEASARSTONE COUNTER-TOP IN KITCHEN

2. Flooring	Selection
FOYER	12 X 24 NIAGARA FALLS IVORY (QT.NF.IVO. 1224) UPGRADE 4 - STACKED INSTALL
Main Hall	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Back Hall	N/A
Breakfast	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Laundry Room	12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224) UPGRADE 4 - STACKED INSTALL
Kitchen	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Powder Room	12 X 24 NIAGARA FALLS IVORY (QT.NF.IVO.1224) UPGRADE 4 - STACKED INSTALL
Main Bathroom	12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224) UPGRADE 4 - STACKED INSTALL
Master Ensuite	12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224) UPGRADE 4 - STACKED INSTALL
Bathroom (If Applicable)	12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224) UPGRADE 4 - STACKED INSTALL
Mud Room	12 X 24 NIAGARA FALLS GREY (QT.NF.GRY.1224) UPGRADE 4 - STACKED INSTALL
	LOWER LEVEL HALLWAY NEXT TO LAUNDRY/MUD ROOM
Living Room	N/A
Dining Room	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Family / Great Room	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Den / Library / Study	STANDARD 3/4" X 3-5/8" GENERATIONS SATIN FINISH RED OAK - COBALT (LOWER LEVEL REC RM
Basement Landing (If Appl	
Lower Landing (If Applicat	ole) [7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Upper Landing	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Upper Hall	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Master Bedroom	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Bedroom #2	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Bedroom #3	7" VINTAGE HANDSCRAPED WHITE OAK - GOTHAM PEARL (UPGRADE 4)
Bedroom #4	N/A
Bedroom #5	N/A

Flooring Continued on Page 2

Initial:



INTERIOR COLOUR SCHEME SENATOR CECILIA CHARICE YAM-LAU & TAT SANG LAU Property: 145 of Plan -Telephone Res. / Bus: / Project: Teefy Developments Limited Decor Advisor: Steffannee Appio Model and Elevation: Bedford(22-2) 2. Flooring - Continued -Type Area Upgrade Underpad N/A N/A Capped Carpet on Stairs Runner - *Upgrade N/A N/A Comment HARDWOOD IN ALL BEDROOMS AND RECREATION ROOM - NO CARPET 3. Plumbing Fixtures / Faucets STD Second Ensuite Powder Room STD Master Ensuite Other Room STD STD Main Bathroom STD UPGRADE ALL BATHROOM FAUCETS FROM CHROME TO BRUSHED NICKEL - VOSS LINE KITCHEN FAUCET HAS NOT BEEN UPGRADED

	A DEEL ECTION DONE (OT DE DON 2040)	msert	Insert Selection
Master Ensuite	0 REFLECTION BONE (QT.RF.BON.0810)		
Control of the Contro			
Tub Deck N/A			
Tub Apron N/A			
Tub Surround N/A			
Shower Stall 8 X 1:	2 BRICK GLOSSY WHITE (TH.BR.WHT.0812.GL)		2 X 2 MOSAIC TENDER GREY
Second Ensuite 8 X 1	0 REFLECTION BONE (QT.RF.BON.0810)		SHOWER FLOOR
LOW	/ER LEVEL BATHROOM TUB ENCLOSURE		The state of the s
	And the second s		<u> </u>
Kitchen Backsplash N/A			
Complete Backsplash N/A			
Comment		W-131	
Comment			

	Purchased /	As Per Plan	N/A	Purchased As Per Plan	N/A	Other Room - Purchased	As Per Plan	N/A
ireplace Type	112			BLF-50 STANDARD				0
Mantle Type								
Over Mantle								
Colour / Stain								
Surround								
Hearth								
Comment				- A Harrison				

Initial:

01.001.

Page 2 of 3

INTERIOR COLOUR SCHEME

CECILIA CHARICE YAM-LAU & TAT SANG LAU Property: 145 of Plan -Project: Teefy Developments Limited Telephone Res. / Bus: Model and Elevation: Bedford(22-2) Decor Advisor: Steffannee Appio 6. Trim Carpentry Interior Doors Door Hardware STD 2 Panel Arch Top STD Interior Trim Comment 2 Panel Square Top 6 Panel Initial for Door Style 7. Railings and Pickets WINDSOR HANDRAIL AND POST Railing Package MATTE BLACK METAL **Picket Colour** Railing Colour GOTHAM GOTHAM Wood Stairs O No Oak Tread Colour Comment STAIN OAK STAIRS TO COMPLIMENT HARDWOOD - VINTAGE GOTHAM PEARL UPGRADE HANDRAIL AND POST TO WINDSOR STYLE 8. Plaster Mouldings and Medallions Kitchen/Breakfast Foyer Main Hall Den/Library Lower Landing Living Room **Dining Room** Family Room Comment 9. Wall Paint Smooth Ceilings O First Floor STANDARD SENATOR WHITE First Floor incl. Second Floor Hall First and Second Floor Throughout Not Applicable Trim Paint 10. Additional Comments 11. Disclaimers and Notes 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing. 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full. The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. 4) The Purchaser acknowledges reading and accepting the "Senator Homes Décor Centre Disclaimers" form. This document contains other miscellaneous disclaimers. This Interior Colour Selection is final and approved by: Purchaser: Date: Fel-8, 2016 Signature:

Date: Fcb. 8, 2016 Vendor:

Printed 2/8/2016 17:47:02


Signature:

Page 3 of 3

Febilib

Teefy Developments Limited






M-3000

The M3000 offers a sleek innovative glass touch screen


that will complement any modern traditional kitchen



- * 2 5 sone
- * Ultra slim black glass touch screen
- * 3-speed control
- * 10 minute Time delay shut-off
- * Stainless Steel beehive filter
- * Dual LED lights
- * 29 3/4" x 20 1/4" x 2 1/8"
- * 35 1/2" x 20 1/4" x 2 1/8"










M-2000

The M2000 has award winning minimalist design and uses the ancient and naturally occurring Golden Ratio to craft it's proportions


- * 250 780 CFM
- * 2 5 sone
- * Glass touch screen panel
- * 3-speed control
- * Stainless Steel beehive filter system, detachable and dishwasher safe
- * Time delay shut-off (5min)
- * Dual LED lights
- * 30" x 19 11/16" x 3 1/8"
- * 35 7/16" x 19 11/16" x 3 1/8"



R-7730

R-7730 combines modern European design with traditional Sakura technology


- * 250 670 CFM
- * 1.5 4 sone
- * Patented grease trapping cups and aluminum filters
- * Round button switch with
- 3-speed control
- * Round LED display
- * Dual halogen lights
- * 29 3/4" x 19 1/4"




B-2A


The B-2A is a stylish addition to any kitchen; its curved design uses real tempered glass

- * 350 710 CFM
- * 2 4 sone
- * 3 layers of aluminum grease filter system, detachable and dishwasher safe
- *Push button control switch with
- 3-speed control
- * Time delay shut-off (2min)
- * Dual halogen lights
- * LCD time display screen
- *29 1/2" x 19 11/16" x 4 1/2"
- *35 7/16" x 19 11/16" x 4" 1/2"



19-11/16






3-speed control


* Round LED display

* Dual halogen lights

4" x 19 1/4"








SENATOR HOMES

SENATOR HOMES

DATE FEB 18 2016

INITIALS: D.L. OUT.





20" RECTANGULAR UNDERMOUNT SINK

☐ 4210CIY Undermount Sink

Product Specs:

- · Vitreous china
- · Front overflow hole
- · Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 510mm(20") x 395mm(151/2") x 190mm(71/2") (ID): 450mm(17%") x 335mm(13%") x 140mm(5%")

Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- · ASME A112.19.2 / CSA B45.1-2008

Shipping:

Cube


1.72


GW 27 lbs



Dimensions of fedures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is as for use of superseded or voided pages.

*Bone and Biscuit available through Direct import (CIF) only.





CONTRAC® 5970 Chedworth Way, Unit A, Mississauga, Ontario Canada L5R 3V5 • 1.888.256,7551 www.contrac.ca

Revised: January 2014

EEB 0 8 2016

DATE:

INITIALS:



Posi-Temp® Pressure Balancing Tub/ Shower Model 62320 / T2693†

Posi-Temp® Pressure Balancing Tub/ Shower with 1.75 gpm (6.6 lpm) Eco-Performance Showerhead

Model 62320 / T2693EP†

Chrome: \$ 323.75 Other: \$ 526.75

Posi-Temp® Pressure Balancing Shower Model 62320 / T/2692+

Transitional Modern

Posi-Temp® Pressure Balancing Shower with 1.75 gpm (6.6 lpm) Eco-Performance Showerhead

Model 62320 / T2692EP+

253.12

Other: \$

428.75

Matching tub drain assembly available. Please see Bath Hardware and Home Care Section. † To order, combine the model number with one of these finish letters



Chrome luse fauce number only)





Buy it for looks. Buy it for life.*

INITIALS: ()

Voss

Transitional



Posi-Temp® with 3 Function Diverter Valve, Slide Bar with Hand Held, Showerhead and Tub Spout**

Model 62320 / 3372 / 128284 / T4611+ / T2693EP+ / 3669EP+ / A725+

Chrome:

\$ 1,223.74 \$ 2,039.24 Other:



Posi-Temp® with 3 Function Diverter Valve, Slide Bar with Hand Held and Showerhead ** Model 62320 / 3372 / T4611+ / T2692EP+ / 3669EP+ / A725+

> Chrome: Other:

\$ 1,114.19 \$ 1,902.32

**Please refer to Vertical Spa Guide for installation

Matching tub drain assembly available. Please see Bath Hardware and Home Care Section.

† To order, combine the model number with one of these finish letters



Chrome (use faucet number only!





MOEN
Buy it for looks. Buy it for life.*

Voss

Transitional | Modern


FEB 0 8 2016

INITIALS: DL



Roman Tub Model 4796 / T693†

> Chrome: Other:





10 Digital™ Roman Tub

Model S4994 / 4998 / T9693+ / TS3495+

Chrome: \$2,545.76 Other: \$ 2,951.90



Roman Tub with Handheld Shower Model 9796 7694†

Chrome: Other:

\$1,345.22 \$ 1,831.79



10 Digital™ Roman Tub with Handheld Shower

Model S4994 / 4898 / T9694† / TS3495†

Chrome:

\$3,153.53

\$ 3,780.94





IO Digital™ Remote Control for Roman Tub

Model SA349 (for Chrome) or SA349BL (for Black)

> \$ 337.89

Matching tub drain assembly available. Please see Bath Hardware and Home Care Section. † To order, combine the model number with one of these finish letters



Chrome use faucet number only)





เซ MOEN Buy it for looks. Buy it for life.*

INITIALS: D.

All hathrooms

Voss

Inomai | Transitional | Modern



Single Handle Lavatory Faucet Model 6903+

(1 or 3 hole application)

Chrome: \$ 396.90 \$ 643.44



Widespread Lavatory Faucet with Pop-Up Drain Model 69000 / T6905†

Chrome:

Other:

591.71 \$ 835.87



Centreset Lavatory Faucet with Pop-Up Drain

Model 6901+

Chrome:

381.50 597.03 \$



Wall Mount Lavatory Faucet with Drain Model 9700 / T6906† / 140780†

Chrome:

\$ 772.24

Other:

\$ 1,067.78

Matching tub drain assembly available. Please see Bath Hardware and Home Care Section.

† To order, combine the model number with one of these finish letters



Chrome (use faucet number only







Buy it for looks. Buy it for life."

30" Steam Convection Combination Oven


Benchmark' Series - Stainless Steel HSI P751UC



Installation Details




Standard Installation Combination Oven over Storage or Warming Drawer



measurements in inches (mm)

- *Wall oven junction box may be located above or right or left of the unit within reach of the power conduit.
- **Electrical hook up may be located below (depending on space) or next to the drawer within the reach of the power cord.



For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri Sam to 6pm EST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making output. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase, and shall not be stalled, tollad, extended, for any reason whatsoever. This Product is also warranted to be free from cosmettic defects in material and workmanship (such as creatness of stainless steal, paint/porcelain blemsines, chip, dents, or other damage to the finish of the Product) for a period of libitly (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight colour variations due to inherent differences in painted and porcelain parts, as well as differences saused by lotten lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904


© 2014 DSH Home Appliances Canada. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


9130-Lot 149 30" Steam Convection Combination Oven

Benchmark ** Series - Stainless Steel HSLP751UC

SENATOR HOMES DATE FEB 0 8 2016 BOSCH NITIALS: D.C. Invented for life

Installation Details





For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri Sam to Spm EST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic cefects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dants, or other damage to the finish of the Product) for a partied of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty secludes at slight colour variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

re information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904

© 2014 BSH Home Appliances Canada. All rights reserved, Bosch is a registered trademark of Robert Bosch GmbH.

30" Steam Convection Combination Oven

Benchmark™ Series - Stainless Steel HSLP751UC



BOSCH Invented for life

NITIALS: DC.C



HSI P751UC Stainless Steel

The steam convection combination oven allows for healthier results and features an oven with a SmoothClose door.

Features & Benefits

The steam oven cooks meats, vegetables, rice and fish to perfection.

Dampened hinges softly and quietly guide the SmoothClose door shut.

The colour TFT control panel with SteelTouch™ buttons is easy to use.

A full-extension telescopic rack offers safe access to the oven cavity.

The wall oven is designed to be installed flush with cabinetry,





1	4	
*Wall	mmn	anh

General Pr	operties			
Cooking Modes - Upper Cavity	Steam, Steam Convection, European Convection, Reheat, Keep Warm, Defrost, Slow Cook Proof, Dish Warming, 2 Chicken and 7 Vegetable Programs			
Cooking M Cavity	odes - Lower	Bake, Variable Broi (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, AutoProbe, Fast Preheat, EcoChef, Speed Convection (Frozen Foods)		
Cleaning T Cavity	ype - Upper	N/A		
Cleaning T Cavity	ype - Lower	Self Clean		
Telescopic	Rack	1		
Illuminatio Cavity	n Type - Upper	Halogen		
Illuminatio Cavity	n Type - Lower	Halogen		
Interior Lig Cavity	ghts - Upper	1		
Interior Lig Cavity	ghts - Lower	2		
Oven Perf	ormance	新进程设计和		
Convection	Element	1,960 W		

Technical Details	
Watts (W)	8,325 W
Circuit Breaker (A)	40 A
Volts (V)	240/208 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	50"
Plug Type	Fixed Connection, No Plug
Energy Source	Electric
Dimensions & Weight	
Overall Appliance Dimensions (HxWxD)(in)	49" x 29 3/4" x 23 1/2"
Required Cutout Size(HxWxD) (in)	48 5/8" x 28 1/2" x 23 1/2'

Accessories-Included Upper Oven: Wire rack, Perforated Cooking Pan - Full Included Size, Baking Tray, Perforated

Cooking Pan - Half Size, Cooking Pan - Half Size, Lower Oven: 3 x Oven Racks, Temperature Probe, Broiler Pan

219 lbs

Accessories-Optional

Net Weight (lbs)



HEZ36D453 Cocking pan - full size, 1 5/8" deep [not included with product]



Baking tray - full size, 1 1/8" deep



HEZ36DR4 Wire rack for steam and convection oven



HEZ36D453G Perforated cooking pan full size, 1 5/8" deep



HEZ36D153G Perforated cooking pan half size, 15/8" deep



HEZ36D153 Cooking pan - half size, 15/8" deep

For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

2.000 W

2,400 / 3,800 W

For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST
Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Basch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (385) days from the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmotic defects in material and workmanship (such as scratches of stainless steel, paint/purcelain blemishes, chip, dents, or other damage to the finish of the Product) for a period of thirty (30) days from the date of purchase or closing date for new construction. This desentic warranty excludes slight colour variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "0" stock appliances.

For more information on our entire line of products, go to www.bosch-home.ca or call 1:800-344-2904

© 2014 BSH Mome Appliances Canada, All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

Wattages - Upper Cavity

Wattages - Lower Cavity

Wattages - Lower Cavity

Bake / Broil Element

Convection Element


30" Induction Cooktop


Benchmark[™] Series - Black NITP068UC

DATE. AITIALS: BOSCH

Invented for life.

Installation Details





For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sem to 6pm PST Set Gem to 3pm PST

For help and assistance with Bosch accessories please visits www.boscheshop.com/eshop/bosch/us or call 1-900-944-2904 Mon-Pri Sant to 6pm PST Sat 6am to 3pm PST.

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making outout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other debats. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and soty-five (365) days from the date of purchase, and shall not be stalled, tolland, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmotic detects in materials and workmanship (such as scratches of stainless steel, paint/product in blenishes, chip, dants, or other damage to the hinish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and particular parts, as well as differences caused by kitchen lighting product location, or other similar factors. This product examinate warranty excludes any display, floor. "As Is", or "B" stock as privances.

For more information on our ontire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Occouration, All rights reserved. Boach is a registered trademark of Robert Boach SmbH.

30" Induction Cooktop



NITIALS: D. C. (A) BOSCH

Invented for life



NITP066UC Black

Also available in: Black with Stainless Steel NITP066SUC Frame

Introducing the newly designed and engineered induction cooktop, featuring the flexibility of FlexInduction[®] cooking

Features & Benefits

FlexInduction@ can combine two cooking zones into one larger zone.

A 11" heating element offers 3600W of power for quick results.

Induction cooktops offer faster cooking results than gas or electric.

SpeedBoost® boils water 2x as fast as conventional electric cooktops.



3,300 W
3,600 W
2,000 W
2,500 W
2,000 W
2,500 W
2,400 W
3,600 W
1,400 W
1,800 W
All

Burners with booster	All
Element Size	
Dimension of Front Left heating element	8" x 9"
Dimension of Back Left heating element	8" x 9"
Dimension of Back Right heating element	11*
Dimension of Front Right heating element	6"





Watts	7,200 W
Circuit breaker	30 A
Volts	208-240 V
Frequency	60 Hz
Plug type	No plug
Power cord length	37"
Energy source	Electric
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	1/4" +4 1/8" x 31 x 21 1/4"
Required cutout size (HxWxD)	4 1/8" x 28 7/8" x 20"
Minimum distance from counter front	2 1/4"
Minimum distance from rear wall	2'
Net weight	41 lbs



HEZ390522 Grill



HEZ390512 Teppanyaki



8" AutoChef® pan



HEZ390230 10° AutoChef® pan

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 8pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cuteut. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in meterials and workmanskip for a period of three hundred and sixty-five (365) clays from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelsin blenishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in paintad and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation, All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


36" Counter-Depth French Door Refrigerator 800 Series - Stainless State: 822CT80SNS SENATOR HOMES PROCES


FEB 0 8 2016

BOSCH Invented for life

DATE NITIALS:

Installation Details





For help and assistance with Bosch accessories please visit, www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to Cpm PST Set Gam to 3pm PST


Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. SSH reserves the absolute and unpatricled right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from peterts in materials and workmanship for a period of three hundred and sixty-five (385) days from the date of purchase. The foregoing immline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blomishes, chip, dents, or other damage to the finish of the Product, for a period of hirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and purceiain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is" or "B" stock as palances.

For more information on our antire line of products, go to www.besch-bema.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Boach is a registered trademark of Robert Bosch GmbH.

36" Counter-Depth French Door Refrigerator 800 Series - Stainless Steel B22CT80SNS SENATOR HOMES DECOR CENTRE FEB 0 8 2016 BOSCH

BOSCH Invented for life



B22CT80SNS Stainless Steel

This 72" counter-depth French Door refrigerator installs nearly flush and features LED lighting for easier viewing.

Features & Benefits

The internal water dispenser delivers filtered and chilled water.

72" height fills refrigerator cutout precisely, with no unsightly gap.

Clean exterior design for a perfect built-in look.

The LED lighting shines exceptionally bright and saves energy.


Spill proof glass shelves prevent liquids from running off shelves.

General Properties	
Water filter	Yes
Lighting	LED
Defrost process refrigerator section	Frost-free
Number of shelves - refrigerator	5
Adjustable shelves - refrigerator	4 half-width
Shelf material - refrigerator	Tempered glass
Type of shelves - refrigerator	Spill-proof glass
Gallon storage bins	2
Humidity control drawer	2
Defrost process freezer section	Automatic
Number of drawers - freezer	3
lce maker	Yes
Quick ice	No

Capacity	2000年建設
Total unit gross capacity (cu. ft.) - AHAM	21.8 cu. ft.
Refrigerator gross capacity (cu. ft.)	16.27 cu. ft.
Freezer gross capacity (cu. ft.)	5.52 cu. ft.



AUTIA	s DL. Ol.	Invented for life
	Technical Details	
	Current (A)	15 A
	Volts (V)	120 V
	Frequency (Hz)	60 Hz
	Power cord length (in.)	62
	Plug type	120V-3 prong
	Dimensions & Weight	
ss	Appliance dimensions $(H \times W \times D)$ (in.)	71 7/8" x 35 5/8" x 30 1/8"
ass	Required cutout size (H x W x D) (in.)	72" x 36" x 25 5/8"
	Net weight (lbs)	345 lbs
	Efficiency	
	ENERGY STAR® qualified	No
	Energy consumption (kWh/yr)	633 kWh
	Accessories-Included	
	Included	Tce scoop



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

For help and assistance with Bosch accessories please visits www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 6pm PST Sat 6am to 3pm PST Notes: All height, with and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. 854 reserves the absolute and unrestricted right to change product maturals and specifications, at any time, without notice. Consult the product is installation instructions for first dimensional data and other details. Applicable product warrantly can be found in accompanying product literature or you may contact your account manager for further details.

Warrantes: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three nundred and sixty-five (365) days from the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from coeffects in material and workmanship found is scratches of stalless steel, paint/sorcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porce ain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "8" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation, All rights reserved, Boach is a registered trademark of Robert Bosch GmbH.

24" Bar Handle Dishwasher


± 62


Benchmark * Saries - Stainless Steel SHX8PT55UC








Installation Details











For help and assistance with Beach accessories please visit: www.beach-eshop.com/eshop/beach/us or call 1-800-944-2964 Mon-Fri Sam to 8pm PST Sat Sam to 3pm PST

For help and assistance with Boach accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Prl Sam to 8pm PST Sat 6am to 8pm PST Sat

For more information on our entire line of products, go to www.bosch-heme.com/us or call 1-800-944-2004 © BSH Home Appliances Corporation. All rights reserved. Basch is a registered trademark of Robert Busch 3mbH.

24" Bar Handle Dishwasher

Benchmark™ Series - Stainless Steel SHX8PT55UC







SHX8PT55UC Stainless Steel

Expandable wings on our flexible 3rd rack provide extra height to fit ramekins, measuring cups and extra-large utensils.

Features & Benefits

40 dBA: Quietest dishwasher brand.

A flexible 3rd rack with folding tines adds 30% more loading capacity.

A clean white light illuminates the interior when the door is open.

Water softener ensures optimally spot-free and shiny dishes.

The SteelTouch™ control panel is highly responsive and easy-to-use.

Material Control of the Control of the Control	
General Properties	deadheanna
Number of wash cycles	6
Number of options	5
dBA	40
Third rack	Flexible
Rack adjustability	RackMatic®
Tub material	Stainless steel
Control type	SteelTouch™ Control
Concealed heating element	Yes
Leak protection system	24/7 AquaStop®
Water softener	Yes
Five-level wash	Yes
ChildLock	No
Special features	InfoLight®, Interior Light, Duo-Flex Silverware Basket, SpeedPerfect™
Efficiency	
Water usage per cycle	2.9
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	259



Total annual water

Number of place settings

consumption (g)



624

Technical Details	
Watts (W)	1300 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length	56 5/16"
Minimum water pressure (lb/sin)	14
Length inlet hose (in)	60"
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"
Adjustable feet	Yes
Net weight (lbs)	111 lbs
Accessories-Optional	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Accessory Kit	SMZ5000



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 6pm PST Set 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making outout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further cetails.


Warrants can be "cond in accompanying product identities or you may contact your account manager for further ceraws.

Warrants can be "cond in accompanying product in the from defects in materials and workmanship for three hundred and sixty-five (355) days from the date of purchase, the foregoing templine begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatscever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stanless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes stight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/es or call 1-800-944-2904 © 35H Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

24" Bar Handle Dishwasher


Benchmark¹⁴ Series - Stainless Steel SHX8PT55UC




NITIALS: DL.

Invented for life

Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.

For help and assistance with Bosch accessories please visit; www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-FrI Sam to 6pm PST Sat 6am to 3pm PST


For help and assistance with Bosch accessories please visits www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches, Please refer to installation instructions prior to making cutout. 33-if reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.


Warrantes: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-live (365) days from the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be five from cosmetic defects in material and workmanship, found as scratches of stainless sized, paint/porcelain blemishes, chip, dents, or other damage to the limish of the Product, for a period of thirty (30) days from the date of purchase or dosing date for new construction. This cosmetic warranty excludes elight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other smillar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

to BSH Home Appliances Corporation. All rights reserved, Boach is a registered trademark of Robert Boach GmbH.

ELECTRIC DRYERS









DLEX4270V

Performance

 7.4 cu.ft. Ultra Large Capacity with NeveRust™ Stainless Steel Drum

Intelligent Fabric Care

- TrueSteam™Technology
- SteamFresh^{**} Cycle
- SteamSanitary" Cycle
- ReduceStatic" Option
- · Easylron" Option
- Sensor Dry System for Intelligent Fabric Care and Energy Efficiency
- · Precise Temperature Control with Variable Heat Source
- NFC Tag On
- SmartDiagnosis**
- 14 Drying Programs
- 5 Temperature Settings
- 3 Minute Installation Check
- · FlowSense" Duct Clogging Indicator
- * Drying Rack
- Wrinkle Care Option
- · Anti-Bacterial Cycle
- · Custom Program
- · Damp Dry Signal

Style and Design

- . Upfront Electronic Control Panel with Dual LED Display and Dial-A-Cycle
- Large Chrome Square Rimmed Glass Door with Dark Blue Tinted Cover

Technology Benefits

LoDecibel "Quiet Operation





DLEX4270V

NITIALS DEBUS 2018

ELECTRIC DRYERS

Harness the Power of Steam

LG's TrueSteamTM Technology uses a steam generator to produce real steam right into in the dyer giving you unique cycle options that remove wrinkles, odours, static and allergens.

The Quick Fix

Late for the party and no time to iron your favourite outfit?
The SceamFresh™ Cycle refreshes and reduces wrinkles in up to five garments at a time with one 20-minute dryer cycle.

Refresh and Sanitize

SteamSanitary™ Cycle refreshes and sanitizes dry items in the steam dryer. The SteamSanitary™ Cycle kills bacteria on your clothes and is great for decorative pillows and other non-washable items.

Dry Big Loads

Accurately dry big and bulky loads with 7.4 cu.ft. ultra large capacity. Less time in laundry room, more time for life.

NFC Tag On


Easily change and customize cycles with a simple tap of a smart phane app. Can't find a cycle you need? There's an app for that. Your laundry just got a little bit smarter.

Call, Connect, Resolve

SmartDiagnosis** uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

Accurate Drying

LG's Sensor Dry System measures the moisture levels during the cycle and automatically adjusts the drying time, assuring you get dry laundry every time.





LG SLECTRONICS CANADA INC. 20 Navelco Drive, North York, Orcario, M9L 2XS 1et 547.253.6300 | LG.com Cistomer Service & Perss 1-888-342-253.3

Permittens Small rose; Small rose; Arthurst 10 Options More Use 5 Temperature Settings Strying Leans Strying Can FEATURES Strying Can Strying Period Leans Strying Option Strying Can Strying Period Can Spalar Strying Can Spalar Strying Can Spalar Strying Strying Stry	DLEX4270V
Design Lenk Intelligent Gestronic Controls with Duil LED Grophy Dash-Fright** Capacity Dry Limit Organity Dry Limit Organity DRY LING PROGRAMS 14 Programs Permithers Smell risk; Named 15 Options Shipping Lenks Dry Time SD Shipping Lenks Dry Time SD SPARRIC CARE FEATURES Steamfrich** Cycle Features** Option Sonard Shipping Sensor Organity Programs Sensor Org Programs Sensor Organity Progr	
Intelligent Exertanic Corrects with Davil LED Diophy David-Cycle** Capacity Capacity Capacity Capacity Capacity Capacity Capacity David Michael David Michael David Michael Servan David Michael Servan David Michael Servan David Michael Servan David Michael David Michae	٥
Data Angelet Departies Dep	Front Control
Capacity Dry Lines Corporary DRY LINES PROGRAMS In Programs Programs Programs Permitted PROGRAMS In Programs Permitted Programs Permitted Programs In Programs I	
Devices Settings A Programs Settings Opposes More Programs Opposes Programs	
DRY ING PROGRAMS A Programs A Programs A Programs Dry	7.4 cu.ft
A Programs Settory Inv. Perm Programs Small and Avanual O Operans More Temperature Settorgs Daying Leads ASSRIC CARE FEATURES Seamfload and Settorgs FASRIC CARE FEATURES Seamfload and Settorgs Seamfload and Seamfload and Seattle Heates CONVENTENCE FEATURES FE Tag Or Investigation Chart Control and Seattle Heates CONVENTENCE FEATURES FE Tag Or Investigation I	-15.2 kg
Permitheus Street may: A transfer of the permitted of th	
Temperature Settings Daying Leads Ony Terms So PASSAL CARE FEATURES Described York Feature Settings Operation York Feature Settings Operation York Research Settings Operation York Research Settings Research Se	Scennifranti", Scennisenary", Towels, Californi Homey Cuty, Orlikouss, Lilly Karge, Arri Besterid, Souts Wear Cry, Fredhen up, Speed Dry, An Dry.
Temperature Settings Drying Leads On Time Signature ABBRIC CARE FEATURES Desembration Typics Desembration Ty	Time, Leich Firme, Paction State C**, (applican**), Custions Programs, rickle Cure, Ritch Dre, Child Lock, imp Dry Signel, Signal ON/OFF
FABRIC CARE FEATURES TRABRIC OF THE Control of the North Header CONVENIENCE FEATURES FFO Lie Or Transcribagnose Transcriber Control and North Header CONVENIENCE FEATURES FFO Lie Or Transcribagnose Transcriber Control of the Control of t	High: Medium High: Medium, Low, Ware Low
ABBRIC CARE FEATURES Seanification ** Cycle Seanification** Option Seanification** Option Seanification** Option Seanification** Option Seanification** Option Seanification** Option Seanification** CONVENIENCE FEATURES PC Tag Or Invariance ** December of the Auditor Heads CONVENIENCE FEATURES PC Tag Or Invariance ** December of the Seanification of the Auditor Heads For Invariance ** December of the Seanification of the Seanificati	ry Dry, More Dry Normal Dry. Less Dry, Danip Dry
ABBIL CARE FEATURES TeamFresh** Cycle TeamFresh** Control and Novelble Header CONVENTENCE FEATURES FFC Tea Or TeamFresh** Cycle Cycle TeamFresh** TeamFresh** Cyc	mis., 50 min., 40 min., 35 min. 3 min., Word Time/Lein Time
SeamFeath* Typela SeamFeath* T	O TEST, WORD : PREVIOUS : ETE
International Control of Control	************
ReduceStates ** Option Jasphon*** Option Jasphon*	
asymon** Option Finds Dig Ferrise Temperature Control and Novetide Hexase COMMENTENCE PEATURES FC Tag Or Franchise Comments of the Congregal Indicator Formation of Congregal In	
Ansar Dig The set Temperature Control and Novelble Header CONVENTENCE FEATURES FFC Tea On The set Temperature Temperat	
Person Temperature Control and Novelble Hessey CONVENIENCE PEATURES PC Tap Or InvoScoso** Disc Copping Indicator Novide Coar Spation Person of Person Person Person of Person Person Person of Person P	D.
ONVENIENCE FEATURES PC Tag Or Investigações P Investig	D
ONVENIENCE FEATURES PC Tag Or Investigações P Investig	3
mansDagnocci invisiona in Decide invisiona Decide invisiona Decide invisiona Decide invisiona Decide invisiona Decide invisional Decide in	
Invisional Disco Clogaing Indicator knoble Coast Opsion emaning Time Deskly/Status Indicator (s) risk Lock field Lock fie	
Smile Care Option emaning Time Deplets first Lock f	*
emaning Time Osphyristotus Indicator (c) ris of Cycle Signal field Lock typing Black stumit Light testrable Blood swinting Light testrable Blood swinting Light testrable Blood swinting Light testrable Blood swinting Light testrable Blood Minuth Intelliget Charles AFTERIALS AND FINISHES testrable Blood swinting Street Drum blood testrable Blood test	*
Indicas Ind	
Self-Lock Injury Back Injury B	0
Irena Back Humilight Eversable Door Sanding Ling Benning Option Minute Institution Ortoide AFTERIALS AND FINISHES Eversable Door Donest Banding Trailed Banding Banding Trailed Banding Trailed Banding Trailed Banding Trailed Banding Trailed Banding Bandin	
Print Light Print	,
Print Light Print	4
soning Lings Ferring Cyston Whater includes Orbeit MATERIALS AND FINISHES MATERIALS OF Steel Drum Control Panel Op Place Incorpor Panel Op Place Incorpor Panel Op Place Incorpor Panel DATERIALS OWNERS OURCE METINGS MATERIALS MATERIA	2
Ferong Option Minum initialization Check MATERIALS AND FINISHES ANATERIALS AND FINISHES Availuse** Standard Down Johnst Control Parel Op Place Transparent Glass Door Food Rin Large S La	THE RESIDENCE OF THE PARTY OF T
Minute includes Ortek offendet Gardenen MATERIALS AND FINISHES wordings Speed Door donet control Panel op Place rempenent Glass Door oor Rin Large S maketie Potous OWER SCURCE strings lectroal Repairments ye PFTO NS widetaid (Nathur) tarking little (Nathur)	4 Acquistable Lings
### Control Operation ### TERRALS AND FINISHES ##################################	4 Wey Venting
MATERIALS AND FINISHES Isonifest Steel Down Ident Ident	*
invalues** Stanlers Steel Down Johnst	*
idented control Panel co Plane	
control Parel up Place up Place up Place up Place up Place up the	
op Place rengemen Gless Door op Rin Large S statistic Cottage OWER SOURCE Gless SOU	Painted Stee!
rangument Glass Door foot Rin Large S unitable Colours OWER SOURCE strings lactroal Regularments pre PFTO NIS edental MENSTONS HIMENSTONS ranket(WebbO) arran (WebbO)	Prestic
ocr Rim Large S saleste Cottains FOWER SQURCE strings lectroal Regularities or grap PPTO MS selected (Market) tarket of (Market) tarket of (Market) arron (Market) arron (Market) arron (Market)	Painted
usiante Conses OWER SCURCE istrogs iscredi Regularmente yes PYTONS widersal widersal (Market) tarking kit ITMENSTONS orunt(WithbO) arron (WithbO)	٥
Description (Member) Total (Member)	quare Chrome Rimmed Glass Door
OWER SCURCE Integration of the parameter of the paramete	with Dark Blue "Inted Cover
etrogs lectrod Repatements yes PPTO NS edected selected (Warter) tarket at (Warter) tarket at (Warter) tarket plat I MENSTONS ordinat(Warter) arron (Warter)	Gradhite Steel (V)
Incircol Registerrenze PPTO NS widessel sidessel (Nathor) tarking list I MENSTONS orcust(WebsO) arron (WebsO)	
per DPTIONS oderate	Ut Listed
PPTONS Indexal (Market) Ladding Art ITHENS! ONS FOREX! (Windo) When (Windo)	240V 30 Amer
edetual selectial (Market) tasking int HMENS/ONS const.(WHEO) arean (Michel)	Entre
sdestal (Mathio) tarion; (int I MENS ONS TORRES(WESO) arron; (Mashio)	WDPW
taking kit I MENSTONS ocust(Webs)) area (Webs)	27"x133/5"x282/5"
HMENS(ONS rocks(WHEO) aron (WHEO)	KSTKT
rotict(WFEO) aron(WFEO)	
arron (Wirhold)	
CONTRACTOR	27" x 38 11/16" x 29 3/4" (51" O with their open)
CONTRACTOR	CONTRACTOR OF THE PARTY OF THE
Skiele (Stadios Chemis)	9 1/2" H 42 1/4" H 31 1/4"
Weldt (Protect/Cartse)	136 lbs/155 bs
JPE CODES	
UE×4270's	772454-063404
VDP4CV	772454 052865
SIE)	772454 CS9695
VARRANTY	


braign, features and specifications are subsets to change without notion high-metric weights and measurements are approximated. All trademods are property of their respective centers.

Printed in August 3014

FRONT LOAD WASHERS



WM4270HVA





WW4270HVA

Performance

- 5.2 cu.ft. Ultra Large Capacity with NeveRust™ Stainless Steel Drum (IEC)
- DirectDrive[®] Motor for the Ultimate in Durability and Reliability with 10 Year Warranty
- 10' TilTub™ for Easy Reach into the Rear of the Drum
- 1300 RPM Powerful Spin for Efficient Water Extraction

Intelligent Fabric Care

- TurboWash" Technology
- · Steam Technology
- ASC Certified Allergiene™ Cycle
- · NSF Certified Sanitary Cycle
- ColdWash™ Technology
- 6Motion™ Technology
- NFC Tag On
- SmartDiagnosis™
- TrueBalance™ Anti-Vibration System
- Magnet Ventilation
- · SenseClean* System for Intelligent Fabric Care
- 14 Washing Programs and 5 Temperature Settings
- · Delay Wash up to 19 hours for Washing Convenience

Style and Design

- Upfront Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Large Chrome Square Rimmed Glass Door with Dark Blue Tinted Cover

Technology Benefits

- . LoDecibel "Quiet Operation
- · Highly Energy and Water Efficient



NSS certifies the SARITAPY course which is intended for roducing 99.9% of hacteris and other harmful microscopic proposers on lothidry.



2014 Les plus connergetiques











ERONT LOAD WASHERS

NITIALS: DI. OU

Fast Forward your Laundry

Tired of spending hours on end finishing your family's laundry? Now, those days are gone. LG's revolutionary TurboWash^{riii} Technology allows you to save 20 minutes on larger loads, with outstanding deaning performance! It's like pressing the fest forward button on your laundry.

Deep Clean with Steam

LG Steam Technology penetrate fabric to remove soil and enhance cleaning results, it also removes common household altergens. The Altergiene^{FM} cycle gently removes over 95% of common household altergens, like dust mites and pet clander from even the most delicate fabrics. It's so effective it's certified by the Asthma Society of Canada (ASC).

More Free Time

Towers of towels, piles of sweatshirts, and a mountain of jeans? Go for it. The ultra large capacity (5.2 cu.ft.) washer lets you do more laundry in fewer loads. That's time well saved.

Count On It

When you buy a washer, you don't want to worry that it won't last. Because the DirectDrive^{TR} Motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.

NFC Tag On


Easily change and customize cycles with a simple tap of a smart phone app. Can't find a cycle you need? There's an app for that. Your laundry just got a little bit smarter.

Call, Connect, Resolve

SmartDiagnosisTM uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

All the Right Moves

With SMotion™ Technology, each wash cycle combines up to 6 different wash motions to provide a revolutionary cleaning experience and ultimate fabric care.





LG ELECTRONICS CAMADA INC. 20 hovern Drine, North Yark, Ortarkt, M9L 2X6 Tel: 647.253.6300 | LG.com Customer Service & Perts 1-888-542-2623

	MITTINGS INC.
	WW4270HVA
TYPE	
ranc Loade	6
	Front Control
Nesign Look	the state of the s
nteligent Electronic Controls with Dual LED D	The state of the s
Nal-A-Cyclo ^{Da}	6
apacity	EC 5.2 ruft
ENERGY	
Frengy Star	9
TOTAL SAMBLEY STAR MOST EFFICIENT	0
WASH PROGRAMS	
14 Programs	Cotton/Morenet Buby/Carpe, Perry, Press, Deleaster, Hand Wash/Avient Speed Wash, Tub Chain, Servicey, Alexingenett, Handy Gury, Bright/Avisitest., Tawash, Orient Spr., Develand
12 Spoers	Preventi, Recentible, Custom Program, Estro Rindo, Child Lock, Signal On/OH, Profestioner ¹⁰ , Fresh Care ¹⁷ , Oran Light, Steam, Turbel/Brish ¹ , Only Wash (up to 10 hours)
S Wesh Monae Temperatures	Cold, Tup Cold (AT Cold Rinner)
Spin Speeds	Every High (1300 mov.), High, Medium, Loss, No Spin
his of Water mark	Aucomotically adjusts to the size of load
No. of Soi Levels	S S
FADRIC CARE FEATURES	
Turbe/Alash**	9
The second secon	9
Sign	
Nargano** Cyrle	•
Sel-Olifresh ^{res}	
Maties**	
erseClean** System	
CONVENIENCE FEATURES	CONTRACTOR OF THE PROPERTY OF
AND A PERSONAL PROPERTY OF THE	Name and Mark World Code for all
Erroy Disparsor	Prevocah, Mein Wosih (with liquid detengent cup), Bleitch, Febric Softener
W1 - W1 - 10 - 4 - 7 - 4 - 5	a and a second s
nu-Baluner ** Anti-Vibration System	
UTC Tag Gr	The second secon
Inter® agroris®	4
eal Serve	
icatus Indicator(s)	
ind of Cycle Signal	3
Hillori	
Natu Suda Remmal	
For and Onain System	
ntervel Weter Heater	0
Lary Lowery TATeb**	
	4 Adjustible Lags
eveling Leas	0
uDecibe® Quet Operation	6
MOTOR AND AGITATOR	
Motor Type / Water Speed / Asis	Direct Drive / Variable / Honzantial
MATERIALS AND FINISHES	
Kinun Russi ^{nia} Stainlinea Stanf Erum	0
Namet	Painted Steet
Carinal Paus.	Maribe
Ten Mare	Fainted
Transparient Glass Dicor	
Dear Rim	Large Square ("honne Rommed Gives Door"
	with Dark Blue Yerted Cover
AustilderColours	Orașin to Stand (M)
POWER SOURCE	
Ratings / Electrical Pegumements / Type	UL Littled / 120V, 10 Amos / Elektrik
OPTIONS	
Pedectal	WEAV
Paceetal (WAHAI)	27" x 13 3/5" v 26 2/5"
Starting fit	KSTK1
DIMENSIONS	THE RESERVE AND PROPERTY OF THE PROPERTY OF TH
Product (WarteD)	27" v 36 11/16" v 29 3/4"
	(51° D with degraphin)
Carten (Wid-ND)	39 1/2" × 43 5/16" × 31 5/16"
Weight (Product/Carton)	202A lbs/219.2 lbs
UPC CODES	
VM4270HVA	772434 062398
	772454 US2866
Vibially	
KS1K1	771454 D59896
WARRANTY	

I year parts and endow.

5 years part on Drawn.

10 years part on Drawni Malector.

Design, features and specifications are subject to change without retice. Non-metric weights and measurements are approximate. All tracerearis are property of their respective partiers.

Printed in August 2014