



CONSTRUCTION SUMMARY

North 88 Developments Inc. / North 88

Lot/Unit: 16 Block 2 Phase/Building: 1 Model/Floor Plan: Sunflower-Elev A

EXTRAS AS PER OFFER

Note:

This Document is Extremely Time Sensitive - Printed 23 Dec 15 at 12:10

Page 8 of 8

ADDITIONAL ELECTRICAL PLUG as follows:

1 - 15amp dedicated plug located above stove for future chimney hood fan unit (installed by purchaser after closing) See hood fan appliance spec for details if required.

REVISED  
AUG 31-16

Lot/Unit: 16 Block 2 Phase/Building: 1 Model/Floor Plan: Sunflower-Elev A

|                  |                                                                                                                                                                                                                                              |  |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Inv.2922         | 2 - UPPLY AND INSTALL MOEN 90 DEGREE SERIES POSITEMP PRESSURE BALANCING TUB/SHOWER MODEL 62320 / TS2713 IN CHROME TO THE:<br>- ENSUITE IN BEDROOM 2<br>- ENSUITE IN BEDROOM 3<br>Note:                                                       |  |
| Line 38726       |                                                                                                                                                                                                                                              |  |
| 2Apr15 / 14Aug15 |                                                                                                                                                                                                                                              |  |
| Inv.2922         | 3 - SUPPLY AND INSTALL CONTRAC CAYLA 2 PC TOILET MODEL 4782BOV/4781BOVU WITH ELONGATED BOWL, COMFORT HEIGHT, CONCEALED TRAPWAY, AND SOFT CLOSE SEAT TO THE:<br>- MASTER ENSUITE<br>- ENSUITE IN BEDROOM 2<br>- ENSUITE IN BEDROOM 3<br>Note: |  |
| Line 38727       |                                                                                                                                                                                                                                              |  |
| 2Apr15 / 14Aug15 |                                                                                                                                                                                                                                              |  |
| Inv.2922         | 1 - SUPPLY AND INSTALL MOEN 90 DEGREE SERIES ROMAN TUB WITH HANDHELD SHOWER MODEL 979577 TS2713 IN CHROME TO THE MASTER ENSUITE ROMAN TUB<br>Note:                                                                                           |  |
| Line 38733       |                                                                                                                                                                                                                                              |  |
| 2Apr15 / 14Aug15 |                                                                                                                                                                                                                                              |  |
| Inv.2922         | 1 - SUPPLY AND INSTALL WATERLINE ROUGH-IN TO THE FRIDGE LOCATION (NO HOOK UP)<br>Note: LOCATION AS PER SKETCH ATTACHED.                                                                                                                      |  |
| Line 38735       |                                                                                                                                                                                                                                              |  |
| 2Apr15 / 14Aug15 |                                                                                                                                                                                                                                              |  |

STAIRS AND RAILING

|                  |                                                                                                                                                                                                       |  |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Inv.2922         | 1 - SUPPLY AND INSTALL UPGRADE 5 RAILING PACKAGE. WINDSOR OAK, PICKETS - STEEL 1/2" SQUARE, SINGLE COLLAR/DOUBLE COLLAR, WITH SHOES FLAT BLACK, POSTS 3-1/2" SQUARE, CHAMFERED, WITH CAP OAK<br>Note: |  |
| Line 38704       |                                                                                                                                                                                                       |  |
| 2Apr15 / 14Aug15 |                                                                                                                                                                                                       |  |

TILE

|                  |                                                                                    |  |
|------------------|------------------------------------------------------------------------------------|--|
| Inv.2922         | 1 - SUPPLY AND INSTALL 2ND UPGRADE TILE FLOOR TO THE MASTER ENSUITE<br>Note:       |  |
| Line 38681       |                                                                                    |  |
| 2Apr15 / 14Aug15 |                                                                                    |  |
| Inv.2922         | 1 - SUPPLY AND INSTALL 2ND UPGRADE TILE FLOOR TO THE LAUNDRY<br>Note:              |  |
| Line 38677       |                                                                                    |  |
| 2Apr15 / 14Aug15 |                                                                                    |  |
| Inv.2922         | 1 - SUPPLY AND INSTALL 2ND UPGRADE TILE FLOOR TO THE ENSUITE IN BEDROOM 2<br>Note: |  |
| Line 38679       |                                                                                    |  |
| 2Apr15 / 14Aug15 |                                                                                    |  |
| Inv.2922         | 1 - SUPPLY AND INSTALL 2ND UPGRADE TILE FLOOR TO THE FOYER & LOWER HALL<br>Note:   |  |
| Line 38674       |                                                                                    |  |
| 2Apr15 / 14Aug15 |                                                                                    |  |
| Inv.2922         | 1 - SUPPLY AND INSTALL 2ND UPGRADE TILE FLOOR TO THE POWDER ROOM<br>Note:          |  |
| Line 38678       |                                                                                    |  |
| 2Apr15 / 14Aug15 |                                                                                    |  |

REVISED  
AUG 31-16

Modern



Roman Tub with Handheld Shower  
Model 9796 / TS904+

|         |             |
|---------|-------------|
| Chrome: | \$ 1,583.85 |
| Other:  | \$ 2,115.78 |

DELETE

MASTER ENDSUITE  
ROMAN TUB.

1000-16  
SENATOR HOMES  
DECOR CENTRE  
DATE: 7-15-08-16  
INITIALS: JH

# Pyramid 30


30" Stainless Steel Range Hood

## Dimensions:

L: 18<sup>3/8"</sup> x H: 18<sup>3/8"</sup> x W: 30"  
L: 46.67 cm x H: 46.67 cm x W: 76.2 cm  
Duct Size: 6"

## Electrical Requirements

- 115 Volt, 60Hz, 15AMP
- AEG Range Hoods are supplied with a Canadian plug




N88-16  
SENATOR HOMES  
DECOR CENTRE  
DATE: 2015-8-14  
INITIALS: AV

Porter & Charles

2/16

# Perfekt Pyramid 30

## 30" Wall Mount Range Hood



### RANGE HOOD FEATURES

- 30" (76cm) stainless steel wall-mount range hood
- LED lighting
- 3 speed adjustment
- Electronic back-lit push buttons
- 2 x dishwasher safe baffle filters
- Quiet (8 sones/58 dB) 500 CFM motor

### RANGE HOOD DIMENSIONS

- D: 18<sup>7</sup>/<sub>8</sub>" x W: 30" x H: 22<sup>1</sup>/<sub>2</sub>" – 35<sup>1</sup>/<sub>2</sub>"
- D: 480mm x W: 762mm x H: 572mm – 902mm

### DUCT SIZE

- 7" Duct Size
- 6" Duct Adapter Included

### ELECTRICAL REQUIREMENTS

- 115 Volt, 60Hz, 15AMP
- Extension flue available for 9' ceilings (EFP)
- AEG Range Hoods are supplied with a Canadian cord and plug

**AEG**

*N88-16*  
**SENATOR HOMES**  
DECOR CENTRE

DATE: *2015-8-14*

INITIALS: *J*

*PG 2/2*