

## **Carrville Investments Ltd. / Richvale**

Lot/Unit: 49 Phase/Building: 1 Model/Floor Plan: The Evergreen (20-4) Elev B

## **AUDIO AND SECURITY**

Inv. <b>3721</b>	1 - LOCATION: GRAND ALARMS	
	GRAND ALARMS TO CONTACT PURCHASER DIRECTLY TO LOCATE STANDARD CABLE AND TELEPHONE ROUGH IN.	
	CONTACT AT GRAND ALARMS: JACQUELINE (416) 410-3020	
Line 48369	Note:	
5Jul16 / 5Jul16		

## **CABINETRY**

Inv.3721	1 - LOCATION: KITCHEN	
	ACCOMMODATE FOR MICROWAVE HOOD FAN COMBO - PURCHASER MUST SUPPLY SPECS	
Line 48370	Note:	
5Jul16 / 5Jul16		
Inv. <b>3721</b>	1 - SUPPLY AND INSTALL - CABINETRY - KITCHEN - UPGRADE 8 - ELITE PLUS	
	ANNEX DHGL - ARTICO GLOSS	
Line 48377	Note:	
5Jul16 / 5Jul16		

## **CABINETRY APPLIANCE - FRIDGE**

Inv. <b>3721</b>	1 - 66 CM FRIDGE CABINET - 1 GABLE 66 CM & CABINET 59 CM DEEP - SEE 66CM DEEP PANTRY IF ADJACENT TO PANTRY - COUNTER DEPTH - UPGRADE 1	
Line 48372	Note: SEE FRENDEL KITCHEN LAYOUT ATTACHED	
5Jul16 / 5Jul16		

## **CABINETRY VANITY**

Inv.3721	1 - LOCATION: MASTER ENSUITE VANITY	
T 49200	VANITY BANK OF DRAWERS - 55 CM MAXIMUM - UPGRADE 1 Note: SEE SKETCH ATTACHED FOR LOCATION	
Line 48390 5Jul16 / 5Jul16	NOTE: SEE SKETCH ATTACHED FOR LOCATION	

## **CABINETRY WALL AND HUTCH**

Inv. <b>3721</b>	2 - LOCATION: KITCHEN	
	UPPER CABINET - PRICE IS PER FOOT - UPGRADE 3	
Line 48391	SUPPLY AND INSTALL HORIZONTAL CABINET TO BELOW DOUBLE CABINET AS PER SKETCH ATTACHED  Note: GLASS PURCHASED SEPARATELY	
5Jul16 / 5Jul16		
Inv. <b>3721</b>	2 - LOCATION: KITCHEN	
49393	GLASS DOOR FROSTED - WHITE CABINET INTERIOR - UPGRADE 3	
Line 48392	Note: SEE FRENDEL KITCHEN LAYOUT ATTACHED	
5Jul16 / 5Jul16		



## **Carrville Investments Ltd. / Richvale**

## Lot/Unit: 49 Phase/Building: 1 Model/Floor Plan: The Evergreen (20-4) Elev B

Inv. <b>3721</b>	2 - LOCATION: KITCHEN	
Line 48393	SUPPLY AND INSTALL ALUMINUM FRAME TO HORIZONTAL CABINETS Note: SEE FRENDEL KITCHEN LAYOUT ATTACHED.	
5Jul16 / 5Jul16		

## **ELECTRICAL**

Inv. <b>3721</b>	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE ON SEPARATE	
	CIRCUIT TO ACCOMMODATE INSTALL OF FUTURE MICROWAVE/HOOD FAN COMBO.	
Line 48371	Note: PURCHASER TO SUPPLY AND INSTALL OWN HOOD FAN AFTER CLOSING	
5Jul16 / 5Jul16		
Inv. <b>3721</b>	1 - LOCATION: FAMILY ROOM	
	SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE	
	SINGLE SWITCH. DO NOT DELETE STANDARD SWITCHED OUTLET.	
Line 48382	Note: LOCATION AS PER SKETCH ATTACHED.	
5Jul16 / 5Jul16		
Inv.3721	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL CAPPED CEILING LIGHT ROUGH-IN ONLY ON SEPARATE	
	SINGLE SWITCH CENTERED ABOVE BREAKFAST BAR IN KITCHEN. DO NOT	
	DELETE STANDARD SWITCHED OUTLET.	
Line 48383	Note: LOCATION AS PER SKETCH ATTACHED.	
5Jul16 / 5Jul16		

## **FIREPLACE**

Inv. <b>3721</b>	1 - LOCATION: RECREATION ROOM	
	RELOCATED STANDARD FIREPLACE TO RECREATION ROOM AS PER SKETCH ATTACHED.	
	FIREPLACE (BOTTOM OF FRAME) TO BE APPROXIMATELY 24 INCHES ABOVE FINISHED FLOOR.	
Line 48394	Note: SEE SKETCH ATTACHED	
5Jul16 / 5Jul16		

## HARDWOOD FLOORING

Inv. <b>3721</b>	1 - UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAIN - GRAPHITE - BASEMENT RECREATION ROOM	
Line 48373	Note:	
5Jul16 / 5Jul16		
Inv. <b>3721</b>	<b>1 -</b> UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAIN - GRAPHITE - MASTER BEDROOM	
Line 48374	Note:	
5Jul16 / 5Jul16		



## **Carrville Investments Ltd. / Richvale**

## Lot/Unit: 49 Phase/Building: 1 Model/Floor Plan: The Evergreen (20-4) Elev B

		1
Inv. <b>3721</b>	<b>1 -</b> UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAIN - GRAPHITE - BEDROOM 2	
Line 48375	Note:	
5Jul16 / 5Jul16		
Inv. <b>3721</b>	<b>1 -</b> UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAIN - GRAPHITE- BEDROOM 3	
Line 48376	Note:	
5Jul16 / 5Jul16		
Inv.3755	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - BREAKFAST	
Line 48965	Note:	
19Jul16 / 3Aug16		
Inv.3755	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - GREAT ROOM	
Line 48967	Note:	
19Jul16 / 3Aug16		
Inv.3755	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - LANDING FIRST TO POWDER ROOM	
Line 48969	Note:	
19Jul16 / 3Aug16		
Inv.3755	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - MAIN HALL	
Line 48971	Note:	
19Jul16 / 3Aug16		
Inv. <b>3755</b>	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - DINING ROOM	
Line 48966	Note:	
19Jul16 / 3Aug16		
Inv. <b>375</b> 5	1 - UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAINS - BASEMENT RECREATION ROOM	
Line 48936	Note:	
19Jul16 / 3Aug16		
Inv.3755	1 - UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAINS - BEDROOM 2	
Line 48937	Note:	
19Jul16 / 3Aug16		
Inv.3755	1 - UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAINS - BEDROOM 3	
Line 48938	Note:	
19Jul16 / 3Aug16		
Inv. <b>375</b> 5	1 - UPGRADE 1 - SATIN FINISH GENERATION HOME OAK 3 5/8 INCH X 3/4 INCH - STAINS - MASTER BEDROOM	
Line 48939	Note:	
19Jul16 / 3Aug16		
Inv.3755	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - BASEMENT HALL	
Line 48940	Note:	
19Jul16 / 3Aug16		



## **Carrville Investments Ltd. / Richvale**

## Lot/Unit: 49 Phase/Building: 1 Model/Floor Plan: The Evergreen (20-4) Elev B

Inv. <b>3755</b>	<b>1 -</b> UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - BASEMENT RECREATION ROOM	
Line 48941	Note:	
19Jul16 / 3Aug16		
Inv.3755	<b>1 -</b> UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO BEDROOM 2	
Line 48942	Note:	
19Jul16 / 3Aug16		
Inv.3755	<b>1 -</b> UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - BEDROOM 3	
Line 48943	Note:	
19Jul16 / 3Aug16		
Inv. <b>3755</b>	<b>1 -</b> UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - MASTER BEDROOM	
Line 48944	Note:	
19Jul16 / 3Aug16		
Inv. <b>375</b> 5	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - KITCHEN	
Line 48968	Note:	
19Jul16 / 3Aug16		
Inv. <b>375</b> 5	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - LANDING FIRST TO SECOND	
Line 48970	Note:	
19Jul16 / 3Aug16		
Inv.3755	1 - UPGRADE 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO - UPPER HALL	
Line 48972	Note:	
19Jul16 / 3Aug16		

## **HEATING AND AIR CONDITIONING**

Inv.3755	1 - SUPPLY AND INSTALL ROUGH IN GAS LINE TO STANDARD STOVE LOCATION. 110 ELECTRICAL OUTLET WILL BE PROVIDED AND THE STANDARD 240 VOLT WILL REMAIN. PURCHASER TO SUPPLY AND INSTALL THEIR OWN APPLIANCE AFTER CLOSING.	
Line 49144	Note:	
19Jul16 / 3Aug16		

## **MISCELLANEOUS**

Inv. <b>3721</b>	1 - ADMINISTRATION FEE TO AMEND PURCHASE PRICE TO INCLUDE UPGRADE EXTRAS	
Line 48399	Note:	
5Jul16 / 5Jul16		

## TILE

Inv.3721	1 - FLOOR TILE - UPGRADE 8 - POWDER ROOM FLOOR	
Line 48378	UPG 8 - 12X24 VOLKAS WHITE - POLISHED (HU.VK.WHT.1224.PL)  Note: STANDARD STACKED INSTALLATION - SEE SKETCH ATTACHED FOR TILE DIRECTION	
5Jul16 / 5Jul16		



## **Carrville Investments Ltd. / Richvale**

## Lot/Unit: 49 Phase/Building: 1 Model/Floor Plan: The Evergreen (20-4) Elev B

Inv.3721	1 - FLOOR TILE - UPGRADE 8 - VESTIBULE FLOOR	
Line 48379	UPG 8 - 12X24 VOLKAS WHITE - POLISHED (HU.VK.WHT.1224.PL)  Note: STANDARD STACKED INSTALLATION - SEE SKETCH ATTACHED FOR TILE DIRECTION	
5Jul16 / 5Jul16		

## **EXTRAS AS PER OFFER**

Stainless Steel Fridge, Stove and Dishwasher and front loading washer and dryer in white from Vendors standard samples, no cash value, not transferable.  (Supplied only not installed) ** to arrange delivery call: The Brick commercial sales division at (4 Worksheet Note:	
Rogers Free Services Package includes 6 months of: home phone, TV and Internet Service.  Worksheet Note:	

This Document is Extremely Time Sensitive - Printed  $\underline{30~\text{Sep }16}$  at  $\underline{13:39}$ 

Page 5 of 5

# SENATOR

### INTERIOR COLOUR SCHEME

Purchaser: Arman Monajemi Property: 49 of Plan -

Telephone Res. / Bus: / Project: Carrville Investments Ltd.

Decor Advisor: Veronica Ashton Model and Elevation: The Evergreen (20-4) Elev B

Layout Changes: Yes No Sketch Attached: Yes No **Exterior Colour Scheme:** 1. Cabinetry Counter Top Hardware Style and Colour Kitchen / Breakfast NEW CALEDONIA GRANITE HANDLE 9677 ANNEX DHGL - ARTICO GLOSS ANNEX DHGL - ARTICO GLOSS NEW CALEDONIA GRANITE HANDLE 9677 Kitchen Island Laundry Room Powder Room TORONTO MAPLE - CAVIAR CALCUTTA MARBLE 4925K-07 HANDLE 9622 TORONTO MAPLE - CAVIAR CALCUTTA MARBLE 4925K-07 Main Bathroom HANDLE 9622 Master Ensuite Bathroom TORONTO MAPLE - CAVIAR CALCUTTA MARBLE 4925K-07 HANDLE 9622 Second Ensuite TORONTO MAPLE - CAVIAR CALCUTTA MARBLE 4925K-07 HANDLE 9622 Bathroom (If Applicable) (LOWER LEVEL BATHROOM) (LOWER LEVEL BATHROOM) (LL BATHROOM) Valance Lighting Custom Size Fridge Microwave / Range Hood Appliances Yes No O No Yes Yes No Cooktop / Rangetop Built in Wall Oven Slide-in Range O Yes No O Yes No No O No Comment STANDARD EDGE TO GRANITE IN KITCHEN

z. Flooring	Selection
Foyer	UPG 8 - 12X24 VOLKAS WHITE - POLISHED (HU.VK.WHT.1224.PL)
Main Hall	N/A
Back Hall	
Breakfast	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Laundry Room	13X13 COSTA MATTE - WHITE (GE.CA.WHT.1313.MT)
Kitchen	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Powder Room	UPG 8 - 12X24 VOLKAS WHITE - POLISHED (HU.VK.WHT.1224.PL)
Main Bathroom	13X13 COSTA MATTE - WHITE (GE.CA.WHT.1313.MT)
Master Ensuite	13X13 COSTA MATTE - WHITE (GE.CA.WHT.1313.MT)
Bathroom (If Applicable)	13X13 COSTA MATTE - WHITE (GE.CA.WHT.1313.MT)
Mud Room	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Living Room	
Dining Room	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Family / Great Room	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Den / Library / Study	
Basement Landing (If Appl	ies)
Lower Landing (If Applicab	ole) UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Upper Landing	
Upper Hall	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Master Bedroom	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Bedroom #2	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Bedroom #3	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO
Bedroom #4	
Bedroom #5	
Recreation Room	UPG 4 - VINTAGE SOLID SAWN WHITE OAK 5 INCH X 3/4 INCH - HAND SCRAPED - OTHELLO

Flooring Continued on Page 2

Initial:



Page 1 of 3

INTERIOR COLOUR SCHEME

# SENATOR

cor Advisor: Flooring - Contin	Veronica Asht ued -	ton	Wiodera	and Eleva	tion: The	Everg	reen (20-4) E	Elev B	
Upgrade Underpad	Type N/A				Area N/A				
Carpet on Stairs Comment	Сарр	ed			Runner - *l	pgrade			
Plumbing Fixture	s / Faucets								
Kitchen Master Ensuite	STD	Secon	d Ensuite	STD			der Room r Room	STD	
Main Bathroom	STD								
Wall Tile	Tile Selection				Listello	Insert	Insert Select	tion	
in Bathroom ster Ensuite	8X10 BRICK - GL	LOSSY (TH.BR.	WHT.0812.GL)						
b Deck									
ib Apron ib Surround									
hower Stall	8X10 BRICK - GL	LOSSY (TH.BR.	WHT.0812.GL)						
cond Ensuite	8X10 BRICK - GL (LOWER LEVEL)		WHT.0812.GL)						
tchen Backsplash omplete Backsplash	1								
Comment 2X2 MOSAIC TEN	IDER GREY FLO	OR TILES IN M	MASTER ENSUI	TE SHOW	/ER STAI	L			
Fireplace	Living Room		Family Roo	m		Ot	her Room - S	pecifyREC. ROOM	
	Purchased As P			d As Per Pla	an N/A		Purchased A	A CONTRACTOR OF THE PROPERTY O	
Fireplace Type							STANDARD B		
Mantle Type Over Mantle		•							
Colour / Stain Surround									
Surround Hearth									
Comment *FIREPLACE REL	OCATED EPOM	FAMILY POOR	A TO RECREAT	ION ROO	М				
	COMILDINON	L'AMILL MOON	I TO ILLOILENT	ON MOO	W1				



## INTERIOR COLOUR SCHEME

Arman Monajemi Purchaser:

Property: 49 of Plan -

Telephone Res. / Bus: /

Project: Carrville Investments Ltd.

Decor Advisor:	Veronica Ashto	n	Model and Elevat	ion: The Eve	ergreen (20-4) Elev B
6. Trim Carpentry Door Hardware Interior Trim Comment	STANDARD				Interior Doors  2 Panel Arch Top  2 Panel Square Top 6 Panel  Initial for Door Style
7. Railings and Pi					mittal for book style
Railing Colour	OTHELLO		Picket Colour	MATTE BLAC	CK METAL
Wood Stairs		ak	Tread Colour	OTHELLO	
Comment STAIN STAIRS	TO COMPLIMENT H	ARDWOOD FLO	ORING - OTHELLO		
8. Plaster Moulding	ngs and Medallions				
Foyer			Kitchen/Breakfa	st	
Main Hall			Den/Library		
Living Room			Lower Landing		
Dining Room					
Family Room					
9. Wall Paint STANDARD SE	ENATOR WHITE		Smooth Ceil		t Floor t Floor incl. Second Floor Hall
				Firs	t and Second Floor oughout Applicable
_			Trim P	Firs	oughout Applicable
10. Additional Co			Trim P	First Three	oughout Applicable
11. Disclaimers a 1) Colours of all m 2) Any extras listed 3) The Purchaser at their re-selection 4) The Purchaser at other miscelland	and Notes aterials are as close as pord above are null and void u acknowledges that after Intenduction unavailability.	nless accompanied b terior Colour Selection Purchase accepting the "Senat	ection, but not necessarily id y a separate invoice/amendr n form is signed and dated, n	Firs' Thro Not STANDA	nances in manufacturing.  The must be paid in full.
11. Disclaimers a  1) Colours of all m  2) Any extras listed  3) The Purchaser of than re-selection  4) The Purchaser of the miscelland  This Interior Color  Purchaser:	emments  and Notes aterials are as close as pore d above are null and void un acknowledges that after Into on due to unavailability acknowledges reading and eous disclaimers.	nless accompanied b terior Colour Selection Purchase accepting the "Senat	ection, but not necessarily ide y a separate invoice/amendr i form is signed and dated, n er's Initials or Homes Décor Centre Disc	Firs' Thro Not STANDA	nances in manufacturing.  The must be paid in full.

This sketch is provided solely for reference to those items noted on the accompanying "Upgrades/Extras". All other details, dimensions & layouts are for illustrative purposes only and may not be applicable to the Purchaser's Model.

PP Site CONVILLE Date (14 5) 16

A Production Initials

richie

<->: The direction (Foyer, Powderroom)

SCHEDULE B




## EVERGREEN END

2,021 sq. ft.


ELEV. A & B

MA






TOTAL UNITS: 8



# B' Electrolux | ICON° (1) Convine hot 49

## French Door Refrigerator







### Custom Temp Drawer"

Enjoy the ultimate in versatility with 9 preset selections including White/Sparkling Wine, Fish/Shellfish, Cheese plus three customizab settings that ensure foods stay at the ideal temperature for serving and maintaining fresh



### Custom-Design<sup>™</sup> Organization System

With our flexible Tri-Level freezer organization system you can keep your freezer well organized. The three Smooth-Glide® baskets with removable dividers and top removable baskets allow you to configure the space to neatly fit large and



## Theatre Lighting

Transition LED lighting gradually illuminates the interior with soft but ample light as you open the door.



### PureAdvantage® Filtration Systems


Our filtration system keeps clean, filtered air circulated throughout to prevent odor transfer and keeps fresh, clean water and ice at your fingertips.

Part Company Company	And the second contract of the second contrac
Metarlisher Countries 25	A CONTRACTOR OF THE PARTY OF TH
Tomp/ Sat # System/T. be	Application of transaction for the Application of t
CONTRACTOR OF THE PARTY OF THE	SHOP SHOP WAR
Social City Charter	conclude State Super
Scroot-Clost Stanisty	Manufacti Spar Cropper Yes (no. 190
Gristian Street Desired	CONTRACTOR OF THE PROPERTY OF
Who Pack 19	さいか 付ける いっかんき しょう ちゅうけい マントリー
Clear Collon Action of the	contract the second
Charate Called Advanta	SCOOR Stop 1
Clear 2 Line/Ga Galder	Smoothle Coordina
Locking Class Class Company	
TINDO CANTANA	A CONTRACTOR OF THE PARTY OF TH
Theore Pano District	A CONTRACTOR OF THE PARTY OF TH
Personal Commence	
The same of the same of the same	
	は、 できる
S04 Glosing Creams	大学のできた。 は、大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大
Secretary Property Comments	Gastrotte Gastro
Planto Bester tray have	「日本の本のは本を「日本と」で、日本の大きの大きの大きのできた。
TIFOG Wire Door Rocks	日本のはよりのなない 日本 とうて 日本のは 中山をといい もっちらい
Treetie (tamp Up to ase	efficiency CED Yes Co.
MODEL CONTRACTOR	
ENERGYSTAN	連りのできると、 できた は、これでは、 できる できない できない できない
Subseth Made (Star 421)	The state of the s
A CONTRACTOR SERVICES CONTRACTOR CONTRACTOR	

ACCOMMO	William Transfer
Commence of the Commence of th	Obtainer
Conversed Trinking Spring 201729001	Cosonal
Manus Film Replacement Carridge - PRIX ENTON	Optional
AV Film Hopinsoner County TREE TORY	Optionet
SURCESCATIONS CONT.	ra du voca e
Overall Preside Dimensions	The same of the same of the same
A Second Politic Personal Part Professor	69-1/2
Carbon With / Door Wildle	35-5/8736
Dop6* (Individual teachs) (with:DOC/Dopos Open) (with:Docosof/High Edwards))	20-1/2 42-9/16* 44-1/2*
Power Surply Connection Location	Right Boltom Rear
The state of the s	Telt Bottom Roar
	120V/60Hz/15-or 20A
Connected Unart (KWTE day) @120 Vote F	1.02
Michago Circuit Required (Apps)	15




L+49.



E23BC7SIPS professional same

ਰ Electrolux । cor



### Counter-Depth French Door Refrigerator Specifications

- Product Weight 338 Lbs.
- An electrical supply with grounded three-prong receptacle is required.
   The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating -120V/60Hz/15 or 20 Amps
- Connected Load (kW Rating) @120 Volts = 1.02kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded retrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20° minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer/crisper access and removal. (Absolute 4-1/2° minimum clearance will ONLY allow for 90° door swing which will provide drawer/crisper access with restricted removal.)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage,
- Water Pressure Cold water line must provide between 30 and 100 pounds per square inch (ps).

- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.
- If optional Collar Kit (PN# ECK23CDS) is to be used, different cutout dimensions are required. (Refer to Collar Kit ECK23CDS Installation Specifications page on web.)
- If optional Louvered Trim Kit (PN# 241723001) is to be used, different cutout dimensions are required. (Pafer to Louvered Trim Kit 241723001 Installation Specifications page on web.)

## "Built-In Look" Specifications

- Minimum opening of 70-1/4"H x 36"W x 25"D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at electrokudoon.ca for detailed instructions.

## Optional Accessories

- Collar Kit (PN# ECK23CDS).
- Louvered Trim Kit (PN# 241728001).
- PureAdvantage® Water Filter Replacement Cartridge (PN# EWF01).
- PureAdvantage® Air Filter Replacement Cartridge (PN# EAFCEF).



## Built-In Dishwasher

professional series

E2410740PS

## PRODUCT DIMENSIONS

Height 33-3/4"-35-3/4" 23-3/4\* -Depth 24.174


### MORE EASY-TO-USE FEATURES

IQ-Fouch" Controls.

choose the period wash, to choose the period wash.

\*\*New Favourite\* Settings

A programmable setting that lets you customize the washing your unique cleanup needs;






### Signature Features



30-Minute Fast Wash Cycle Quick Wash Cycle allows you to thoroughly wash dishes in half the time.



SatelliteSpray™ Arm you 400% more water coverage, targeting virtually every spot in your dishwasher for a truly professional-level clean.



Largest Usable Capacity
Largest Usable capacity in its class, so
even your dimer party dishware fits.



Perfect Stemware™ Cycle Ensures your stemware comes out spotless and clean.

AN

Lot 49.

## Built-In Dishwasher


E24ID74QPS, professional s


Electrofux acon

715 DOIL









PRODUCT DIMENSIONS
Fietar (Policiable)
Signifi (Including Decit) 24-044
(with Door 90" Open)





Electrolux Major Appliances, N.A.


CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxicon.ca

E24ID74QPS 03/15

© 2015 Electrolux Major Appliances, N.A.

Printed in Canada









## **ELECTRIC FREESTANDING RANGE**

El30EF4CQS

Featuring IQ-Touch" Electronic Controls



### SIGNATURE FEATURES



FRONT CONTROL DESIGN Effortlessly upgrade your back-control range to built-in style. This range will easily replace traditional 30" freestanding ranges.



The facility of the second

**DUAL CONVECTION** DUAL CONVECTION

For consistently delicious taste and texture, our dual-tan convection circulates air more evenly throughout the oven for an even cook. Two variable speeds work in tandem with three heating elements (bake, broil, and convection) to give you delicious results every time.



PERFECT TASTET TEMP PROBE The Perfect Taste\* Temp Probe lets you cook each dish to perfection, it does more than measure temperature — it alerts you when food has reached the desired temperature and automatically adjusts to the Keep Warm setting, so you never overcook your food and deliver perfect results every time.



FLEX-2-FIT® HEATING ELEMENTS Automatically expands up to three sizes, giving you precision and control with a variety of cookware.

## PRODUCT DIMENSIONS

والمتعادية				
: Height :	G. 5 X 2000 7		36-1/8	36-5/
fac.or.		4.00		***
Width		1.0	29-778"	300
م ند ند				
. reput iii	ectuding har	iole)	28-31/32	

## MORE EASY-TO-USE FEATURES

### ALUXIBY-GLIDE" OVEN RACK

PLANSES STAR® 1 SATED WATERANTY Our proclame lighted waters, that occides 3, year o parts and one year on labor.

CONTECTION CONFERSION
Advantable adjusts standard balangues
convection temperatures; for perfect, con

6 COOKING MODES Bake Broil Convertion Bake, Coevection Roast, Keep Warm and Slove Cook

MEED WARM SEPTING

Malinghit floorar the period serving respectative with fits a setting—35 a great feature when you're entertaining.

Authorize warning zone on cooking allows for ultimate flexibility.



	and the same of th					
100			AND DESCRIPTION OF THE PARTY OF	AND THE PROPERTY AND	A. MENNALL MARKET	
A		Control of the Control	Acres to the P. C.	1 Sec. 10. 15. 16.	ENGLISH THE STATE	5
- Carlotte 1984	ania tahunga			A		
	CONTRACTOR A		<b>电影型中心</b>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		м.
· A CAMPAGE						М.
, KAN TANKE	ASSESSMENT OF THE PARTY OF THE	State care faithful SFR	and To See	-M-Minaria	AND VICE THE CONTRACTOR	
X			The state of the s			1
	Activity 5 learning	A TOTAL TOTAL	1	The state of the s	The second second	-7
- CONTRACTOR - CON		CALL THE REAL PROPERTY.	The second second		Committee of the control of the cont	-5
ALC: YOUR		or have been a second				77
- TO 100 CO			The same of the	THE PROPERTY AND PR	7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	3
				-	Company of the last of the las	3
CAMP 101		化连接 化硫烷甲烷	والمراجع والمراجع والمراجع	ACTION OF THE PROPERTY OF THE	Market Market Street Land	0
A SANCES	the same facilities of					٠,
			4.000 00 7 10 3 10	The second second second	Carrie of the Carrie of	۰
			AND A CHARLES	MANAGES AND STREET	A STATE OF THE STA	€.
SHALL SHALL		CONTRACTOR OF THE PARTY	and the state of the state of	7.00	the second state	£


ELECTROLIXAPPLIANCES.CA


## **ELECTRIC FREESTANDING RANGE**

EI30EF4CQS



O" E	LECTRIC	FREES	TANDEN	C RAN	Œ ·	125	32.70		74 kg
ANT	OL PANE	CEATE	)PC			- 1		£	S. 10
	h Section				در افسستاری		- Mee		-
	onal-Grade					2 2 2 3	Yes		-
	Entry of Tin					maggae I d'.		600	
	ic Cleck &					*3135		700	
трес	atuve Dispir	<b>y</b>					YES	N	17
	tic Oven (De		-Off)	riyesiyi i	grander.	West Str		/%ರ್.ವ	200
nour	OP FEAT	arc.	50.00	72.5		4.2	1.12	100	100
	it Corami		nominane	d a transfer		32000 6 '98.	7745	11.50	
	o 12. Tricle				OPT WAT	WWW.	Care of Sa	200	200
	ric Element			· a '99.1, *		C001-7	February.	5.41 (Fee)	30.3
	ric Element			24.40.002.40	artist .	Tire Car	A12-10		
	g-Zone:Ti		100	Tr Delice	1	100.00	C'O'es	3.3	- 7
	FEATURE	20-7	y Same	4.0	SX 250	A 15. 172	P. 1. 18	4	
		Section 1	e de la California de la C California de la California de	Commence of the	2 (APR 75)	aristo yeta,	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6 Table 2	2.74
	y Balor Fleros	ed a	Land Company	and the second		48	40 G	ine a	
	est Bake El		OR Water	-78-7			Mont	70.00	<del>,</del> .
	ess Broth Elit				A 20 %		TV Von	20-743	-
	con Beinen			Town Co	APRIL POR	74.5		correct, a	
obalt	tine himser	Selection .			A Constant	Car. 20	A Charles	Zerke	84.57.
ell C	an Options	wille-Doors	ocio	12 Mary 11 1			1. Mes.	4	
	Taste "Y oo			ATT CARRY	10 - 2	A 772	C Steel	******	7.7
oaking	Modes	de com	100		245	CON.		4.95%	
- bako Kono	Modes- Broil: Corw Warn, Sion	Choice 4	2.4.000000	100 TO 115				7.3	
bildom	Cottons		4	ne Statement and	200	5		220	
	eutoro Pro						334	7.7	4.00
	Design Lik				ube:	Private	Nes-	10	
	Gilder Raci Const Racio				200				
	coesi nagu ion Rossin			and the same	A LANGE BY	And the second	A STATE OF	146	
	interest		distance.						٠,
	<b>IONAL FE</b>		A 18 4 7 10	J:1941€2			15.25	770,11	sys y
Day	Hold Ovus	Door		W. Carlo	ie fort	より通	<b>建設業等</b>	F 20	
	ECR Class			100	4-12-1		100	***	100
	Diawer		200.13	E 11/10			1	12.45	<u>, c</u>
	olo Leveling		A43	14-11-1	4.59.00	Second Con-	1.4600	444	0.2
aupau	Mode:Sta	AC CERT	<i>.</i> 07	COLUMN TO	W. Annual	at the first	- 488	Carl No.	7,22
CCE	SORIES			4.	200 p.	4	1	100	
eat.fi	obe~à	-	- <b>1</b>	T. O.	50 H	Trans.	docted	ed.	w.
talnies	a Steel Rac	guard – Pi	1# A0253	5501	ي ( سنڌي ج	7 7 Table 1	Option	20	1
PECT	FICATIONS		-4	17.	12.53	~u 1 00	100	100	
ologr	TO SECTION	- 1 m 1	i in the second	e in North	ne Personalisa Nazyriyan si	C. 11. 2	COURT COLOR	2 7 m	- 40 - 57 - 24 - 5
	ess Sibel	a record	*********	2.,		2-1-0		and the second	<u> </u>
	copply-Com							all inn	<u>/</u>
	ed Load do					NATION.		10:4	
	240/208 V				ACTOR V	215 - 16	- 5ZS /		
	na Circuit Re					374.54	Tan-		P Es lia
	. Weight (Ac						-245 P	14 19	-
OTF AM	-	tand author:	short out	Chief to Co		en sino		Department.	
بكحدد	al politicania ed lacipac	STORES IN 15	PHO STAD	والمستنسب	mkæ :	7 1 4 2 W	ではても	or in the	





ä	
	PRODUCTORNERSIONS
	Helph (Adjustinal)
*	White: 20-7/8"
1	Depth (Inchiping handin) 28-31/32 (with 902 Boar Open) 46
	OVER CAPITY DIRECTORS
	Helphilia - Activity Charles and the Control of the
÷	38000 - 24 18
Ż	Depth - 18-3/4
1	STONE OF THE PROPERTY OF THE PARTY OF THE PA



Electrofux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga. ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca


ERGEF4CQ 10/15

© 2015 Electrolux Major Appliances


tigo stradants et quality et Electrolus Home Products, Inc. mean we are constantly working to Impure our prioducts. We reserve the right to change specifications of discontinue models withour netics.

Printed in Canada





# Over-the-Range Microwave








### Cook-2-Perfection® Technology



### **Quartz Grill Element**



Auto-Cook Options
Cook display prompts you through Quick Meal options and Dinner Recipes.

Over Cavity	MICROWAYE
And as the s - s - s - s - s - s - s - s - s - s	US CULFL
Watts-Fig. 455-55 Shellers to be compared for the late.	1000
Oven interior	Stainless Steel
Interior Light	Yes
14-1/4" Glass Terresble	The Year of the same
The property of the second of	Take State of the Same
	entrana St. Company of the company of
Cartocola Electronic Controls	Yes
Convertibution	Y55
From: Display with Blue LED	Yes
Electronic Clock-Syllinier	2 - 10 <b>Yes</b> 227 (200)
Humecity Sensor	Yes
Power Landis of the Property State of the Asset of the As	1000 1000
Touch Pac Controls	to an area and the
Fast Cools Options 17 19 2	Yes
Cook-2-Perfection: Technology: *	Yes
Acido Cincipal de Richard de Carrer	Yes
Auto-Defrost Options	ar garage a service and a service of
Auto-Cook Options - Oblok Meet (4): Dinner Recipes (5	) - J <b>o</b> rnal - 1900
Actio Mait / Scriten Options	A STATE OF THE LAW SERVE
	e(1) 4
Auto Fishest Options Breids (2), Paste (1)	Tar in Arbeits
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Beverage (DS-2.0 Capa)	Yes
Sensor-Cook Options	i in de la companya d
Sensor-Cook Options  Cook (S), Fishest (N), Popcorn (N), Beload Poteto, (N),  Frozert Vegetables (N), Frost, Vegetables (N)	
Multi-Stage Cooking Options	20 2 24 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Shortcut Octions	of Adgress To Consulation
C430 Seconds	Yes
Astom Help Options	
analding top top top the state of the state	5 m. 1 2:2;
	Yes
DemorMode of the Landson Comment of the Lands	Yes
Adjustable Sound Lavel For Timons/Retrinders	Yes
NoreALess Function	Yes
Millional Pasters	
Signature Soft-Arc Oven Doonand Handle Design	Yes -
lass Window	Co. Yes - Co. Sec. 19
with the little Charles Charles Charles Control of the Control of	The second of the second of the second
Familia Corp. System	
food Fain	The Year of the Control of the Contr
Change Discrete 1984 - 1984	Convertible* ****
Scheust Fary(400/CIFIN)	4-Spend
hardoa) Filtera (Fiecirculated Installation)	4.2.1
reace Filters	2
THE PARTY OF THE PARTY TO SEE THE PARTY OF T	and the order become
cossorias	<u>ကရာသည်။ အကြောင်းသည် ကျွန်တို့ မွေ</u>
	included - 50 500
6 Flier Kit.	included
	Included Optional
67 Filer Kit. Stainless Steel - PN & MAFILICISS	the transfer of the state of the state of
6: Filer (dt. Stafried: Steel - PN & MAFFL (CS) peofficiellens	Optionat
65 Filler Att. Stainfeas Steel Films MMFLECTSS Security State Stat	Optional
6. Filler (dt. Statheus Steen - PNN MAFILICIS) poor fileratiens court	Optionat
©: FilerAIE: Stainless: Stainless	Cotionat
6: FilerAte Statisface: Statisface: PNN-AMPRICISE pool/fileritions clour Statisface: Stati	Ogelonet S 9-95/16*
C: FilerAIE: Stainless: Stainless	Optional S S S-15/15* -21-114*
0: FilerAIE Stainless:	Ogelonet S 9-95/16*
6: Filer.CEE Statinger: Statinger: PNN-8, AMPTECTSS postfilentitions clour Statinger: Statinger: Statinger: Statinger: Hebba: Width Dispith Double: Ctrienspore: House Could Ctrienspore:	Optional S S S-15/15* -21-114*
0: Filler ATE: Stainless: Stainle	Optional S S S S-1976* 21-144* 14-28/52*
6: Filler Alle Stanleries:	Optional S S S S S S S S S S S S S S S S S S S
6: Filler Alle Stanleries:	Opsonst:  S 9-19715* -21-144* 14-25/02*
65 Filler (2015) Statishesis S	Optional S S 9-15/15* -21-144* -12-24/16* -29-78* -17-98*
65 Filler (St. 1975 AMPIECTS) Scholings (Stephens) Scholings (Stephens) Scholings (Stephens) Filler (S	Optional  S S-9-16716* 20-1644* 14-28/32* 17-9-16* 20-7/8* 17-3-8* Right Top-Rear
65 Filler(cit.  Statinnies Statin	Optional  S S-16/16* 21-15/4* 14-28/36* 17-arts* 29-78* 17-3/8* Right Top-Rear 120/16014/15A
65 Filler (Et. ) Schrinker (Stein) - PNN AMPLICES Nother (Stein) - PNN AMPLICES Nother (Stein) - PNN AMPLICES Height (Notherhoons - PNN - Including Rear Extrusion) ower Stein (Stein) - PNN AMPLICES Schrinker (Stein) - PNN AMPLICES	Optional  S 9-15/16* 21-15/4* 14-25/02* 17-ante* 29-7/8* 17-3/8* Right Top Rear 120/7501tz/15A 1.71
INSTRUCTOR  CENTRAL CONTROL OF THE MARTINISTS  Secretary  Secretar	Optional  S 9-15/15' 3-15/15' 14-25/32' 17-46' 29-78' 17-3-6' 18ght Top Rear 120V/60Hz/45A 1.Vi
65: Filler (cit.  Statings: Statings: PNN & MAFFECTS  Statings: PNN & MAFFECTS  PROJECT (Commissions: PNN & MAFFECTS  PROJECTS (Commissions: PNN & MAFFECTS  PROJECTS (Commissions: PNN & MAFFECTS  PNN & PNN & MAFFECTS  PNN & PNN	Optional:  S-ISRS: 3-ISRS: 21-ISA: 14-28362* 17-ans: 29-78* 17-36* 17-36* 17-17-17-17-17-17-17-17-17-17-17-17-17-1
65 Filler (Ct. 2)  Stolnheid: Sto	Optional  S S-1676* 3-1676* 2-1514* 14-25/32* 17-24* 14-25/32* 17-26* Right Top Rear 12/07/50142/15A 12/11 14.3 2450 1050
65 Filler (dt. 5.  65 Filler (dt. 5.  Stanlerisch (sac PNN & MAFFEKTS)  Sechflestions  Josur  Stanlerisch (sac PNN & MAFFEKTS)  Sechflestions  Josur  Stanlerisch (sac PNN & MAFFEKTS)  Hights  Depth  Width  Depth  Hights  Depth  Occurs (depth)  Width  Depth (occurs of Arc - Including Rear Retrusion)  ware Supply Connection Location  oldagie Raring  ornected Local (RW Reting) 67 (20 Volts  mgus 9-720 Volts  Brusser- Walts 67 (20 Volt Your convection)  onected on was 67 (20 Volt Your convection)	Optional  S S-15716* 2-1-1476* 22-178* 14-28/32* 17-9/16* 29-78* 17-3-8* 18-3-8* 120/760-tz/15A 17-1 14-3 2450 -1050 1500
65 Filler (St. 1995). AMPLICTS Stationasis State - PNN AMPLICTS Stationasis State Stationasis State With the Control of the Co	Optional  S S-1676* 3-1676* 2-1514* 14-25/32* 17-24* 14-25/32* 17-26* Right Top Rear 12/07/50142/15A 12/11 14.3 2450 1050

YN

## Over-the-Range Microwave



EI30BM6CPS

Locate 120V/60Hz grounded outlet inside upper cabinet Orrhille vol-40 Microwave MUST be mounted to BOTH a top cabinet AND a wail\* 7/5/2016. 12" min. 13"-max. Cabinet MUST be capable of 171/4 66" min. from floor to top of microwave 12"min. Overall depth at center of arc including rear extrusion – 17% 133/4 C 297/2 Allow at least 26" clearance for door depth when open

### 30" Over-the-Range Microwave Specifications

- Product Weight 70 Lbs.
- Product Weight = 70 Lbs.
   Voltage Rating = 120V/60 Hz/15 Amps
   Connected Load (kW Rating) @120 Volts = 1.71 kW
   (For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.)
   Amps @120 Volts = 14.3 Amps
- Always consult local and national electric codes.
- Always consult local and national electric codes.
   Grounded outlet should be located in cabinet above, with hole in base to route power cord. Carefully follow top template instructions for power cord clearance when installing beneath smooth, flat cabinets.
   Microwave's ventilation system is preset to rectirculate air inside with no ducting system required. Exhausting air outside is optional, using either vertical or horizontal ducting system. (Refer to Ducted Option Specifications for outside ventilation.)
- For safe and proper installation, microwave MUST be mounted to BOTH a top cabinet AND a wall, and connected to at least one wall stud. Can NOT be installed in island or peninsula cabinet arrangements.
- Cabinet bottom MUST be level to insure proper installation.

  Cabinet MUST be capable of supporting a total load of 135 lbs.
- Filler blocks recommended for installation when cabinet front hangs below recessed bottom shelf.
- Minimum distance of 30" required from cooking surface to bottom edge of top cabinet.
   Minimum distance of 66" required from floor to top of microwave.
- Opening between cabinets MUST be 30" wide and free of obstructions.
   For openings up to 36" wide, order optional 36" Filler Kit to fill in gap between unit and cabinets.
- Allow 26" minimum clearance for 90° door swing.

## **Ducted Option Specifications**

For outside ventilation.

o openentationer in de skriver in de 1908 og de skriver i de skriver for de 1908 blever og de 1909 blever i de

- Exhaust duct adapter will be needed for outside ventilation, to mate with standard 3-1/4" x 10" rectangular duct, if round duct required, rectangular-to-round transition adapter will be needed with no more than 6" diameter.


  | Constitution of the constitution o
- For most efficient airflow exhaust, use a straight run or as few elbows as possible with a maximum duct length of 3-1/4" x 10" rectangular or 6" diameter round duct, not to exceed 120 equivalent feet.
- For horizontal installation, be sure to allow enough space between wall studs to accommodate exhaust.
- Refer to installation instructions on web for detailed duct preparation and converting exhaust vent blower system for exterior exhaust ventilation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at electrolucapoliances.ca for detailed instructions.

## Optional Accessories

• 36" Filler Kit: S - (PN # MWFILKTSS).








## FRONT LOAD WASHERS

5.0 Cu. Ft.

Perfect Steam™ Washer with LuxCare™ Wash and IQ-Touch™ Controls





### SIGNATURE FEATURES



## PERFECT STEAM™ REMOVES TOUGH STAINS

Unlike many washers, our Perfect Steam™ rises from the bottom, gently lifting dirt and



18-MINUTE FAST WASH Quickly deep cleans the items you need most.



## THOROUGH CLEANING WITH

LUXCARE WASH SYSTEM
Our LuxCare Wash System offers a
thorough clean with improved wash actions,
temperature control, and smart load sensing.



SANITIZE OPTION Certified to kill and remove 99% of bacteria and 95% of allergens?

## EFLS517S TT/IW

### PRODUCT DIMENSIONS

• • •				N. 1970.				٠٠٠,
. Heri	ght :	2.5		ಾ.೭.	***	- 43	∴ 38	•
				- 1				
	uti.		Sec.		1.2		27	
7 YEAR	<b>33</b> 75 -		1.30			e nie.	- 27	-
		/						-
TU	N. T						34	

## MORE EASY-TO-USE FEATURES.

## STANFEREAT: IL DETTON REMOVES SET IN STAINS Optimizes the temperature, turning actions and cycle time based or disestant your select;

### ENERGY STAR\* CERTIFIED MOST OFFICIENT

19-YEAR-MOTOR WARRANGY PLOS ILLEGATE TOR WARRANGY SERVES COUNTY FOR WARRANGY SERVES COUNTY FOR WARRANGY SERVES FOR WARRANGY AS TO YEAR ADDOCTOR SECT OF THE PROPERTY OF THE PR

PRINCE BANGARCE SKSTEME
ESSESSABLET BOOK SEARCH SAGET
Balances bade for smooth, quiet operation. So quiet you can even une
your washers on the second now on past between swittend adjudgit.

FRESH WOTER RUSE REMOVES
RESUMAL DETERGENT
We have the shower in our final ruse to ensure more detergent
being over another grader on sensitive skin and provides.
between but came.

七五五十五

1、1年の記載は

FTRS MERIC PROOMS WITH REVERSIBLE
WASHING DOOR
With revensible washer coor, Jesus wayveoling, and a standard
27° platform, our products are designed to fift, just about anyways ward to put them.

### SPACIOUS CAPACITY

## EXTENDED REFRESH OPTION

Asids a trisse and spirrafter the wash cycle to ke fresh unbillyout care switch them to the cryet.

## 9 CYCLES TO CARE FOR EVERY FABRIC




AM

**ELECTROLUXAPPLIANCES.CA** 

# FRONT LOAD WASHERS




PARTIMES PAR	27" FRONT LOA Capacity			50 OLPL
Full to Open Doos   New Controls   New Control Controls   New Control Controls   New Control	- 15 Table 10 Table 1	ataminganyaki s	<u>(                                    </u>	and the second
District Controls  Perfect Statum Water System  Stance System  Sound System  Control System  Sound System  Control System  Con		Control of Additional States	and district	Control of the second second
Perfect, Spann Water Systams Balanco Systam Perfect Deliment Balanco Systam Perfect Deliment Deliment Del				
Bathers System  Sound System  County Description  Sound System  Description  De			AND TOP OF STREET	CONTRACTOR AND CONTRACTOR
Sound System  Charling Disperser Disser  PURIS- System  Charling Disperser Disser  West System  Charling Charles  West System  Charling Charles  West System  Charling Charles  West System  Charles  West Disperser  System  Charles  Adhabition System  Charles  Cha		Systems:		Perfect Palence
Leating Pull-to-Open Ois person Disease Wash-System Chargo (Marker Healter Ness-System) Chargo (Marker Healter Ness-System) Reference (Marker Healter Ness-System) Reference (Marker Healter Reference (		र्वेद्रानीकार्ड सुध्यानाः	Sugar Care	
Webs System  Chargos Webs Desire  Standard Stand  Althoristic John Joseph Control  Althoristic Joseph J		The section of the Thirty was		
Integral Meter Teatres  Meter Draw  Mach Dra		# Drawer	Transfer For	de State Zeros vini
Nech Driver Administrative Control Administra	Weish System		A CHY LOCK BY	Amcuma
Automatic Semples attents Controls Automatic Semples Automatic Sem			Cheb Could	The second second
Author Presents Designer Classes (Conditions)  Author Presents Designer Classes (Conditions)  Author Presents Designer Classes (Conditions)  Author Designer Despotes (Conditions)  Bellind's Designer (Conditions)  Bellind's Designer (Conditions)  Bellind's Designer (Conditions)  Author Designer (Conditions)  Bellind's Designer (Conditions)  Author Designer (Conditions)  Bellind's Designer (Conditions)  Bellind's Designer (Conditions)  Author Designer (Conditions)  Bellind's Designer (Conditions)  Author Designer (Conditions)  Bellind's				Statement Studi
Action Presents Date (per Experience) Experience (Capital Presents)  Annual Research Department (Capital Presents)  Annual Research Department (Capital Presents)  Annual Research Department (Capital Presents)  Annual Research (Capital Research (C			A transfer of the second second	
Auto Date goal Disposer Cignel Provider  Auto Date goal Disposer Cignel Provider  Auto Date goal Disposer Cignel Provider  Auto Technic Sudgment Disposer Cignel Provider  Auto Technic Sudgment Disposer Cignel Provider  Auto Sudgment Disposer Cignel Provider  Auto Sudgment Disposer Cignel Provider  Auto Sudgment Disposer  Auto Sudgment Dispo			400	
Auto-Trains Softener Depotency (Legal Providery) New York Products (Legal Providery) New York Providery (Legal Providery)			VARIANT ARE	Commence - Service
Auto-Francisco Denne Disposteris (Experiency)  Francisco Denne (Ex				Met .
Size Security Court Cour	Auto Febric Softener F	Aspennes (Liquid Only):	1250 1700	Marine Street
Remarks Core			in the second	
Adjustable Limitary Eugen  EIERGE Certificity Secretor  EVEC Certificity Se		A STATE OF THE PARTY OF THE PAR	10 TO 10 TO 10	1.306 (Fig. 1)
HERRY CHIEFO STATES  Five y Duty, Whitest Writers Norman's preside Contest.  Five y Duty, Whitest Writers Norman's preside Contest.  Five Ministry States, Notice States Norman's preside Contest.  Five Ministry States, Notice States Norman's preside Contest.  Five Ministry States, Notice States Norman's President States.  Five Ministry States Norman's President States Norman's President States.  Five Ministry States Norman's President States Norman's President States.  Five Ministry States Norman's President States Norman's President States.  Five Ministry States.  Five Mini				A MARKET OF THE PARTY.
INSPECIAL CONTROL OF THE PROPERTY OF THE PROPE	Address (Besselde)	808		A STATE OF THE STA
CPTCES Flows on the Control Control Control Control Control Flows on the Control Control Control Control Flows on the Control Control Control Flows on the Control Control Flows on the Control Control Flows on the Contro				a more apparatus
Heavy Index Order Control State (1995)  DEFINIS  National Control Control State (1995)  National Control State (1995)  National Control State (1995)  National S	Commence that we have a few or to			
TOP FERMS  Wasselfines for pertiting Southerdones  Managements Selections  Action of the Control				
TOP FERMS  Wasselfines for pertiting Southerdones  Managements Selections  Action of the Control	18-War tas Mach D	edcales. Phose & Som C	State Market	-1.9 action was a
NOSEZ EBROS Limp partition (Conditional Services)  John partition (Conditional Services)  Significant (Conditional Services)  Significant (Conditional Services)  Significant (Conditional Services)  BISTATE AT REPORT FORS  BISTATE AT REPORT FORS  BISTATE AT REPORT FORS  FOR SIGNIFICANT (CONDITIONAL SERVICES)  FOR SIGNIFICANT	A CONTRACTOR OF THE PARTY OF TH	A DESCRIPTION OF CHARGOST AND	TO SOLVE	445000000000000000000000000000000000000
Temperature Selections				
AGESTROMEN Sections   Section   Sect				
Son Spein Selections   Spein Sel				
DART SABERTONS  Design Start  Design Start  Design Start  DESIGN START SABERTONS  PROCESSES SABERTONS  PROCESSES SABERTONS  PROCESSES SABERTONS  FOR SABERTONS  DESIGN START SABERTONS  FOR SABERTONS  ACCESSES  Lineary (filter Processin Williams)  For Sabertons  For Sabertons  Design Start Saber			The state of the s	Control of the Control
Destrict Colors  SIGNAT Syste Chimms  SIGNAT Syste Chimms  SIGNAT Syste Chimms  Free Signating Thomas Countries  Free Signating Thom	Shift wei Selections	THE THE THE	3-10-6-16	District Control
RESTRICATION OF TOURS  Free and Free Tours of Courted Tours of The Courted Tours of Courted		Sec. 25. 25.	1 7 Table 9 Table	P. Marie S. Company
Free control of a Linder Country Tourist (Efficient Project Pr	End of Cycle Chimes	Control of the second	A COLUMN TO SERVICE STREET	在ACCHEDITATION AND AND AND AND AND AND AND AND AND AN
ACCESSIBLES Lineary (Titler Precents Will Supricess Sprange Disease) Harrison Precents Will Supricess Sprange Disease Harrison Precents Will Supricess Sprange Disease Harrison Precents William (Presentation Sprange Disease) Harrison William (Presentation Sprange Disease) Drawn Horse Extension (KI - 1918 HERRISON Sprange Disease) SPECIFICATE WILLIAM SPREAM S	<b>DISTRILATION OF</b>	TIONS.		
ACCESSIBLES Lineary (Titler Precents Will Supricess Sprange Disease) Harrison Precents Will Supricess Sprange Disease Harrison Precents Will Supricess Sprange Disease Harrison Precents William (Presentation Sprange Disease) Harrison William (Presentation Sprange Disease) Drawn Horse Extension (KI - 1918 HERRISON Sprange Disease) SPECIFICATE WILLIAM SPREAM S	Franciscotion Hoder C	ounter Stanked Sinds	Divers	44
Louisy, (1964 Projection 1978 Spinitus Stocky) Through Projection 1978 Spinitus Stocky (1978 Spinitus Stocky) Project Spinitus Project Spinitu	Pedestal Hidden do C	locat) Second Floor	\$80,573,555	
INTERNO WINDS - PROSEDULES (SON COMMENT) PROPRISED AND COMMENT OF				
INTERNO WINDS - PROSEDULES (SON COMMENT) PROPRISED AND COMMENT OF	Linuxy Ofice Pedesti	ni with Spacious Storag	Chamer	
University of the Control of the Con	Intercom PMAEP	W0/15/5/1		
Drain Hotel Extension (KC - 1989 (SZANGRODE) Colonial SPECIFIC AREA	Drone Stacking Kit	N-ESTACKTURE		
Coder  Tillantene Till				
Coder  Tillantene Till	COPCIEIO REMIE	CALL COLOR		315 C Sec. 2
Titentum TE SECTION STATE STAT				
Island Mhile Power Suppli-Location Script House Control Contro				7 Te 25 Te 25
Power Supply Localities Water finet todallor Water finet fin		JAN A SHIP WAY	1. Sec. 15.	1 70
Marier (Invited Local Co.   Spring Annual Co.		o Alle Allert S		STOO BON Reen
Connected Load (AW Batter) 6/100 Yells: 122 Matte 6/120 Yells: 1206 Matte 6/120 Yells: 1206 Shapping Weight (Aganna) 122 Shapping We		Some Services	resident in	
Metts © 120 Volts Arque (20 Volts) Shephing Weight (Approx)  20 Cts Arque (20 Volts) Arque	Voltage Rating		1	
Acquired 20 Volta 20		Barbay (Crisco Walls)	Call - Line	X 12
Shephing Weight (Aganta) and the state of th		907 January (\$3.5)		1.200
The by the paint of the properties of the paint of the pa			con appropriate	12 T2 Page 1997
An electric stay of the control for an any processor years and processor processor and processor of the control		ortion and a second of		7.00m
The Particular is a contain with common life or pulsarious last views of coloring in A major regarding and an interest contains promise containing to the coloring in the coloring in A major regarding and an interest containing to the coloring containing in the coloring in A major regarding and a containing to the coloring in the coloring containing in the coloring in A major regarding in the coloring in				
And the state of t	First be universe exactors.	are with current will be of put		
	AD IE Alvanya etrasili izeni in An etrasilea espaina etrasil	est mennet chente, and plants selste op Twynob at also side	g outs Alle to And	10.00




PRODUCTORIESTRES
Neight (efficiell 15 ) Patron) 25 Neith 15 - Patron) 25 (10 )
Decision to Consecutive State Jackstraphone  Decision to Consecutive State Jackstraphone  Social State

## 15" Pedestal Drawer Installation

Elevates washer height to 53 1/4". For detailed pedestal installation, refer to instructions included with pedestal or on web. Pedestal Installation may require modified utility hookup focations. For details, refer to Product Installation Guide on web.









## Electrolux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga. ON L5V 3E4 • 1-800-265-8352 • electroitoxappliances.ca AM EFLS517S 04/16 © 2016 Electrolux Major Appliances, N.A.



PP 701 71512016




## **ELECTRIC FRONT LOAD DRYERS**

8.0 Cu. Ft.

EFMC517S TT/IW

Perfect Steam " Dryer with Instant Refresh" and IQ-Touch™ Controls



### SIGNATURE FEATURES



INSTANT REFRESH™ CYCLE **REVIVES FABRICS** 



KEEPS CLOTHES LOOKING THEIR BEST

LANGE OF THE SAME OF THE SAME SERVICE OF THE SAME OF T

Clothes are gently tumbled while moisture sensors detect when clothes are dry to prevent over-drying. Customizable options and cycles allow you to care for every fabric.



18-MINUTE FAST DRY Quickly dry the items you need most.



**ENERGY STAR®-CERTIFIED** 

Rigorously tested to do more with less. Electrolux dryers meet strict criteria to guarantee high-quality energy efficient performance.

### PRODUCT DIMENSIONS

۶	ं											:
1	Це	igh	ŭ.,	900		1 3	~, 4	-1	31		7	Ų
				140		9.0	َ إِلَٰهِ مِن			4	1	
1	٧ö	đth		ं				أعلنا	2		/	
				~		- 2						. :
2	Ų,	ш		1 3424	5 %			3,540	. 3	L)A	D <sub>a</sub>	٠,

## MORÉ EASY-TO-USE FEATURES

## PERFECTSTEAMS WARMKEERE EASE OPTION

ESTENDED TOMBRE OPTION KEEPS
SPONDES TOMBRE FRIED
GEORGE OPTION
GEORGE OPTION
GEORGE OPTION
GEORGE OPTION
GEORGE OPTION
GEORGE OPTION
GEORGE
G

EARGEST CAPACHY DRYER
DY BOD STREET, STORY OF STREET, STORY OF STREET, STREET,

## 8 CYCLES TO CARE FOR EVERY FABRIC

### REVERSIBLE DOOR FITS MORE ROOMS

OPPIDING: PEDESTALS AND STACKING KIT FOR MORE INSULT AFTICK OPPIDIS.
Noise state units with optional pedestal drawes that process storages of use the optional stacking lift for correspictional strengths small states.

LINGUAY-DESIGN® EXCHANG.
Considering flactory article of clothing, with pro-150-fighting that provides visibility inside your di-

BRE LANT LED DISPLAY SHINES IN EVEN THE DANKEST LANDRY ROOMS For beautifuly biophthisplay illuminates information on pycles and lots you know now much time is left.

100		st signific
	40	
- 4	<b>8</b> -	1
34		listand: White (197)
	- Manuage	listernoi Whitte
~ , 2	3-143B	
	. 3	Contract of


AM

**ELECTROLUXAPPLIANCES.CA** 

## **ELECTRIC FRONT LOAD DRYERS**




27" ELECTRIC FRONT LOAD	2 80 Corp.	**************************************
Capacity	Signature .	
FEATURES		
Pull to-Open Door	ACTOR DESCRIPTION OF TAXABLE PROPERTY.	
O-Touch Controls Perfect Steam Dry System		Company Company
	- Linuxy-Day	700 T
Sound System 4 3 4 5 4 4 4 4 4	Control Count	3.27 T
Lagrating (Associated September 1997)	- Coory Design	
Temble Systems Molebuor Gensor	Shatle Litable	
the first to be a second of the second of th	Shoulders Store	Que de la
Dryac Drum,	Reinted Class.	Maria de la como
Titorbie Specia (RPM)	7.50	
Reversible Door Adjustable Leveling Logs		Contract of the
EMERCY STARE		
NSP* Certified/Socitize		1000
Coned Dry (30: 45: 60: 75) Heavy Dr 18-Min. Fast Dry, Casual Divilication	I forest, Mornal	
		a vitage of the
OPTIONS		
Jeographia Selections + 17		Property of the second
Electronic Anto Dry System		150 25
Monental wed Try Spirettons	STORY OF STREET	
Daley Stertiffeors)		
End-of-Cycle Chime	Owen -	
Extended fundage Anni-State		
Line Dry to the Common of the		
Strok Gusd's	300 X 150 X 250 X	30.075
Dryness Loseis		4
INSTALLARDIN OPTIONS		German
Franslanding Studen Counter SSlaud Pedestall, Modern (In Closel), Gecond		
- Way Drype Vention		
ACCESSORIES		
Imary Gibe" Padestalwith Spirite Standom — Patricipants 75 LT Island White — PR# (PSIOT SZSIV	Option	The state of the s
Dryer Stacking Kit' - PN # STACKET	Continue	menalisi ishar Manasara
Drying Rock ->PN= AD4840201	Styling S.	S. Zime in
SPECIFICATIONS	A CONTRACTOR	
Color - STATE OF THE STATE OF T		2466
- Charlent every construction	The Control of the Control	ares,
Island White:		erector.
Madmion Edward Duct Length (F		A - C - C
Power Supply Controlled Location Voltage Batter:	26007608	4.0
Connected EnergieW Rading) @240		AK YOUNG
Amps 0:240 Volts	And the second second second	TEN.
Heading Element @240 Works (White	5,000 %	4750
Shipping Weight (Apprex.)	70012	
Gifte by Shitt upon training containing the fill of the shift of the s		
Parter for Installation Control on sent for middle MOTE: Alway - primary the Management Selection for detailed installation, banks of part on the sent		- V.



Proposit relations.
Saint editors (17 February) 97 part of Parishes States 97 Vacanting 97
Depth (in Seame of the Antiferroring Hope) 31-578 (2.4. July Book 60-10pe) 50-7/2*

## 15" Pedestal Drawer Installation

Elevates dryer height to 53 1/4". For detailed pedestal installation, refer to instructions included with pedestal or on web. Pedestal Installation may require modified utility hookup locations. For details, refer to Product installation Guide on web.



26'/2"	-1
Side Overall depth with drawer fully extended — 42 ½"	151/4"





Electrolux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga, ON LSV 3E4 • 1-800-265-8352 • electrolucappliances.ca
EPMC5175 04/16 EFMC517S 04/16 © 2016 Electrolux Major Appliances, N.A.

Printed in Canada