



CONSTRUCTION SUMMARY

Carrville Investments Ltd. / Richvale

Lot/Unit: 1 Phase/Building: 1 Model/Floor Plan: The Luna (22-1) Elev A

AUDIO AND SECURITY

CABINETRY

Inv.4125	1 - LOCATION: KITCHEN MODIFY ITEM # 5 OF PE # 3,759-1 DATED JULY 23RD, 2016. SUPPLY AND INSTALL FRIDGE CABINET TO ACCOMODATE NEW APPLIANCE SPECS PROVIDED. Line 52575 Note: FLIP UP DOORS TO BE INSTALLED ABOVE EACH UNIT lMay17 / 9May17	
----------	---	--

CABINETRY APPLIANCE - FRIDGE

CABINETRY BASE CABINETS

CABINETRY HARDWARE

CABINETRY PANTRY

CABINETRY WALL AND HUTCH

COUNTER TOP - GRANITE

ELECTRICAL

FIREPLACE

HARDWOOD

HEATING AND AIR CONDITIONING

MISCELLANEOUS

Inv.4125	1 - LOCATION: KITCHEN DELETE ORIGINAL FRIDGE/FREEZER SPECS SUBMITTED JULY 23, 2016 "ELECTROLUX" BUILT IN ALL FRIDGE AND BUILT IN ALL FREEZER Line 52573 Note: CLIENT HAS REVISED APPLIANCE SPECS FOR FRIDGE/FREEZER SEE REVISED SPECS ATTACHED lMay17 / 9May17	
Inv.4125	1 - LOCATION: KITCHEN APPLIANCES - FISHER & PAYKEL SPECS REVISED SPECS ATTACHED FOR THE FOLLOWING APPLIANCES: TWO FRIDGES - ONE LEFT HINGE / ONE RIGHT HINGE 36" GAS RANGE 36" CHIMNEY RANGE HOOD 24" DISHWASHER Line 52574 Note: NEW SPECS STAMPED MAY 9TH, 2017 lMay17 / 9May17	

PLUMBING

TILE



CONSTRUCTION SUMMARY

Carrville Investments Ltd. / Richvale


Lot/Unit: 1 Phase/Building: 1 Model/Floor Plan: The Luna (22-1) Elev A

Inv.4125	1 - LOCATION: BASEMENT BATH WALL	
Line 52566	WALL TILE RESELECTION - BASEMENT BATHROOM TUB WITH CEILING Note: 8 X 10 SERPTENTINE SERIES BEYAZ (WHITE) TR.ST.BYZ.0810	
lMay17 / 9May17		
Inv.4125	1 - LOCATION: MAIN BATH WALL	
Line 52567	WALL TILE RESELECTION - MAIN BATHROOM TUB WITH CEILING Note: 8 X 10 SERPTENTINE SERIES BEYAZ (WHITE) TR.ST.BYZ.0810	
lMay17 / 9May17		
Inv.4125	1 - LOCATION: MASTER ENSUITE SHOWER	
Line 52568	WALL TILE RESELECTION - ENSUITE BATHROOM SHOWER WITH CEILING Note: 8 X 10 SERPTENTINE SERIES BEYAZ (WHITE) TR.ST.BYZ.0810	
lMay17 / 9May17		

EXTRAS AS PER OFFER

Worksheet Note:	
--------------------	--

Fisher & Paykel



RF170WDLX5

ActiveSmart™ Refrigerator - 17 cu ft Counter Depth Bottom Freezer

This refrigerator has been designed for what you use most often. The upper refrigerator enables easy access to everyday items. The 17 cu ft Bottom Mount includes ergonomic storage bins and glass shelves that can be configured to suit every lifestyle. The lower drawer-based freezer ensures that longer-term storage items are just as easy to access.

67 31 3/32in 27 3/8in
17/32in W D
H

Am VA

ActiveSmart™ FoodCare

Easy Living

These fridges adapt to suit your lifestyle by streamlining food preparation and organisation with SmartTouch controls, flexible shelving and storage options and slide out bins and trays.

Sized to Suit

Available in multiple widths, these fridges are sized to suit families and kitchens, large and small. Designed to fit easily in your kitchen, they can sit flush with your bench top with a range of ultra flat or curved doors. Concealed hinges on many models add to a clean, refined appearance.

Easy Cleaning

Removable, spill safe glass shelves are easy to clean and contain drips and spills. Storage bins and EZKleen stainless steel doors just need a wipe to keep spotless.

Efficient

ActiveSmart™ fridges intelligently adapt to daily use to save energy, cooling, defrosting and using energy only when they need to, without compromising on foodcare.

Specs

Configuration	Consumption Data	Design	Dimensions
Adjustable glass shelves	Energy usage (kWh/yr) 452	Bottom mount freezer	Height - incl. feet and hinge cap 67 17/32in
Adjustable roller feet	Premium Energy Efficiency - Energy Star	Concealed hinge	
Clear freezer bins 3		Door opening - left	Width 31 3/32in
Counter depth		EZKleen stainless steel	
Covered door shelves 2		Flat door design	Depth - including handle 28 3/4in
Four shelves (incl above vegetable area)		Silver prepaint cabinet	
Front levelling feet		Stainless steel doors	Depth - door closed not including handle 27 3/8in
Full extension freezer drawer		Straight designer handle	
Full extension runners			Minimum air clearance - each side 3/4in
Full width adjustable door shelves 2			Minimum air clearance - at rear (incl. compressor tray) 1 1/8in
Half width adjustable door shelves 2			
Humidity controlled half-width crisper bins 2			Minimum air clearance - on top 2in


AK

Rear rollers
Roll out freezer tray
Single bottle holders 2

Refrigerator volume 12.3 cu. ft.
Freezer volume 4.8 cu. ft.
Total gross volume 17.1 cu. ft.

Performance Features	Warranty
ActiveSmart™ system	2 year parts & labour warranty, plus additional 3 year sealed system parts warranty
Adaptive defrost	
Bottle chill	
Door alarm - freezer	
Door alarm - refrigerator	
Electronic interface	
Fast freeze	
Frost free	
Humidity Control System	
LED lighting	
Sabbath Mode	
SmartTouch control panel	

Check with your local retailer for pricing, availability and stock of this model. The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with your retailer or Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available.

Fisher & Paykel

RIGHT

RF170WDRX5

ActiveSmart™ Refrigerator - 17 cu ft Counter Depth Bottom Freezer

This refrigerator has been designed for what you use most often. The upper refrigerator enables easy access to everyday items. The 17 cu ft Bottom Mount includes ergonomic storage bins and glass shelves that can be configured to suit every lifestyle. The lower drawer-based freezer ensures that longer-term storage items are just as easy to access.

67 17/32 31 3/32 27 3/8in
H W D

Ag

ActiveSmart™ FoodCare

Easy Living

These fridges adapt to suit your lifestyle by streamlining food preparation and organisation with SmartTouch controls, flexible shelving and storage options and slide out bins and trays.

Sized to Suit

Available in multiple widths, these fridges are sized to suit families and kitchens, large and small. Designed to fit easily in your kitchen, they can sit flush with your bench top with a range of ultra flat or curved doors. Concealed hinges on many models add to a clean, refined appearance.

Easy Cleaning

Removable, spill safe glass shelves are easy to clean and contain drips and spills. Storage bins and EZKleen stainless steel doors just need a wipe to keep spotless.

Efficient

ActiveSmart™ fridges intelligently adapt to daily use to save energy, cooling, defrosting and using energy only when they need to, without compromising on foodcare.

Specs


Configuration	Consumption Data	Design	Dimensions
Adjustable glass shelves	Energy usage (kWh/yr) 452	Bottom mount freezer	Height - incl. feet and hinge cap 67 1/2in
Adjustable roller feet	Premium Energy Efficiency - Energy Star	Concealed hinge	Width 31 1/8in
Clear freezer bins 3		Door opening Available left and right available	Depth - including handle 28 3/4in
Covered door shelves 2		EZKleen stainless steel	Depth - door closed not including handle 27 3/8in
Four shelves (incl above vegetable area)		Flat door design	Minimum air clearance - each side 3/4in
Front levelling feet		Silver prepaint cabinet	Minimum air clearance - at rear (incl. compressor tray) 1 1/8in
Full extension freezer drawer		Stainless steel doors	Minimum air clearance - on top 2in
Full extension runners			
Full width adjustable door shelves 2			
Half width adjustable door shelves 2			
Humidity controlled half-width crisper bins 2			

Ice cube trays	1	Straight designer handle	Refrigerator volume	12.3 cu.ft
Rear rollers			Freezer volume	4.8 cu.ft
Roll out freezer tray			Total gross volume	17.1 cu.ft
Single bottle holders	2			

Performance Features	Warranty
ActiveSmart™ system	2 year parts & labour warranty, plus additional 3 year sealed system parts warranty
Adaptive defrost	
Bottle chill	
Door alarm - freezer	
Door alarm - refrigerator	
Electronic interface	
Fast freeze	
Frost free	
Humidity Control System	
LED lighting	
Sabbath Mode	
SmartTouch control panel	

Check with your local retailer for pricing, availability and stock of this model. The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with your retailer or Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available.

A3

Fisher & Paykel*(gas only)*

OR36SDBMX1

36" Gas Range


The Fisher & Paykel 36" Freestanding Gas Range gives you the flexibility to prepare several courses simultaneously. With a large gas oven combined with a five-burner gas cooktop, the clean lines in black reflective glass and stainless steel complement the style and elegance of any kitchen. This impressive, professional-style cooker has solid side panels, emphasizing its robustness and solidity.

35 7/8 –	35 7/8	25 7/32
36 1/2	W	D
H		


Specs*Ag* *✓*

Accessories	BTU Burner Outputs	Capacity	Cleaning
Broiling pan1	Burners5 incl. 2 dual	Total oven capacity3.6 cu. ft	Acid resistant graphite enamel
Flat wire shelf			Removable oven door
Grill rack1	Dual wok burner (NG)18000 BTU/hr (2)		Removable shelf runners
Step down wire shelf			
Storage drawer	Semi rapid burner (NG)8000 BTU/hr (2)		
Telescopic slide runners3 sets	Triple ring wok burner (NG)12000 BTU/hr		
Wok stand			
Controls	Cooking Modes	Cooktop/Hob Features	Performance Features
Electronic clock	Bake	Cast iron trivets	Broil (BTU)11000 BTU/hr
Indicator light	Broil	LPG and Natural Gas compatible	Cast iron trivets
Interior light2 (Rear)	Convection Bake		Cooking modes4
Turned stainless steel dials	Convection Broil		Oven14000 BTU/hr
Product Dimensions	Requirements	Safety	Warranty
Overall depth of product (without handle)25 7/32	AMP draw0.92A	Advanced cooling system	2 year parts & labor warranty
	Supply frequency60Hz	Anti-tilt bracket	
Overall height of product35 21/32 - 36 11/32	Supply voltage120V	Cool touch door	
Overall width of product35 7/8		Flame failure	
Shelf positions5		Non-tilt shelves	
		Telescopic sliding runners	
		Triple glazed door	

Check with your local retailer for pricing, availability and stock of this model. The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with your retailer or Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available.

Fisher & Paykel



HC36DTXB1

36" Ventilation Hood

Banish steam, smoke and lingering smells. Fisher & Paykel rangehoods offer a selection of fan speeds and clever features that quietly and efficiently remove them all. The soft-touch control panel responds to the touch of your finger. Halogen lights provide superb illumination over the entire cooking surface.

3

Micromesh filters

2

50 watt halogen
lamps

min. 25"
max 40
1/4"

35 7/16"
W

19 11/16"
D

Ag [Signature]

H


Specs

Dimensions	Features	General Features
Overall width of canopy 35 7/16	Electronic controls for light and speed selection	Easy to reach controls at front of unit
Overall depth of canopy 19 11/16	Four fan speeds	
Height of flue Min 25	Soft touch buttons	
Height of flue Max 40 3/4	4 speed powerful centrifugal motor	
Height of control panel/handle 2 3/16	Separate light switch	
Depth of flue 11 7/16	Decibel rating dBA 48 - 67	
Width of flue 12 9/16	Air movement speed 1 - cfm 316	
Size of air outlet 6"	Air movement speed 2 - cfm 432	
	Air movement speed 3 - cfm 542	
	Air movement max speed 4 - cfm 615	
	50 watt halogen lamps 2	
	Micromesh filters 3	
	Two piece adjustable flue with optional extensions	
	Ducted	
	Re-circulating	
	Supply voltage 120	

Check with your local retailer for pricing, availability and stock of this model. The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with your retailer or Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available.

Ag

Fisher & Paykel



DD24DDFTX7

DishDrawer™ Tall Double Dishwasher

This model is designed for extra headroom in the top drawer. The increased drawer height fits 12" plates, making cleaning up after dinner parties a breeze. The DishDrawer™ tall dishwasher can also easily accommodate oversized platters and extra-long stemmed glasses.

34 - 36	23 13/16	22 11/16
3/8	W	D
H		

DishDrawer™ Technology

Ag

SmartDrive™ Wash Function

The unique brushless DC motor acts as both a wash pump and a drain pump, which means less moving parts and greater reliability. The pump brings water into the spray arm, which rotates at different speeds depending on the wash cycle selected to deliver a superior clean and better dish care.

Nine Wash Options

All DishDrawer™ dishwashers feature nine wash programmes tailored to different washing requirements: Rinse, Fast Eco, Fast, Delicate Eco, Delicate, Normal Eco, Normal, Heavy Eco, Heavy. The range of settings enables DishDrawer™ dishwashers to wash everything from fine glass and crystal to heavily soiled pots and pans at the touch of a button. Primary and secondary controls provide a simple interface for programme selection and operation while the delay start setting means the dishes can be done when it's most convenient.

Superior Filtration

One of the challenges in all dishwashers is a robust filter system that removes debris and avoids blocking. The kidney filter and overmoulded filter plate creates a firm seal to ensure that debris does not enter the wash mechanism and cause backflow. It is designed to be removable for easy and hygienic cleaning.

Adjustable Racking

DishDrawer™ dishwashers include a range of flexible and adjustable racking options for different wash requirements. The flexible cutlery basket can be customised for different utensils and incorporates a separate small item container for easy loading and unloading. Pitch adjustable folding tines allow greater flexibility to customise loads. Tines can be folded flat to accommodate a full load of pots and pans or fold up to hold delicate glassware and crystal. Pitch adjustable racks can accommodate normal plates or simply slide and the rack can conveniently stack deep bowls. Wine glass holders ensure delicate glasses are secure throughout the wash and all side racking is fully adjustable to accommodate short stem and long stem glasses. Added retainer clips are ideal for holding chopping boards and plastic containers in position during wash cycles.

Safe

DishDrawer™ dishwashers incorporate unique safety features such as Child Lock which both locks the drawer to prevent opening as well as disabling the buttons. In addition it includes three stage flood protection; the high strength hose withstands water pressure several times greater than normal, overflow detection cuts the water supply if limits are exceeded and the back-up switch activates the drain pump to remove any excess water.

Flow Through Detergent Dispenser

The DishDrawer™ dishwasher's detergent dispenser ensures that undissolved detergent does not drop into the tub, but instead is mixed as the machine fills with water. This not only cleans each load better but also reduces the possibility of damaging delicate items such as aluminum, cutlery or porcelain glazes.

Independent Drawers

An independent drawer based dishwashing platform is part of what makes DishDrawer™ dishwasher unique. At bench height drawers glide open for easy access, visibility and better ergonomics. In DishDrawer™ Double dishwashers both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads. Glasses, pots and pans can be washed in separate drawers at the same time.


Specs

Accessories	Capacity and loading	Consumption Data	Controls
Cutlery basket2	Place settings per drawer7	Energy usage251kWh/year	Key lock
Kickstrip1	Flexible racking system	Water usage3.32 gallons/cycle	Child lock
Multi purpose utensil tray4	Fold down and pitch adjustable tines	Test programmeNormal Eco	End of cycle beeps
	Fold down tines and cup racks	Energy Star approved	One button start
	Accommodates long stemmed wine glasses	Energy rating (per drawer)ENERGY STAR rated CEE tier 1	Energy saving delay start option up to 12 hours
	Accommodates 13 inches plates up to (top drawer)	USA Energy guide label - DishDrawer™ Double	Rinse aid indicator
			Electronic fault/Diagnostic indicator
			Concealed control panel with single touch programming
Dimensions	Performance	Power Requirements	Safety
Overall height of product34 1/2 -36 3/8	SmartDrive™ Technology	Supply voltage110-120V	Three stage flood protection
Overall width of product23 19/32	Fan assisted drying	Supply frequency60Hz	
Overall depth of product22 15/32	Quiet operation	AMP draw10.6A	
	Ergonomic design		
	Flow through detergent dispenser		
	Intelligent water level sensing for optimum performance		
Warranty	Wash Programmes		
Warranty1 year	9 wash programmes		
	Genuine half load wash option		
	Eco options		
	Permanent memory of the last cycle used		
	Heavy		

Ag

Heavy Eco
Normal
Normal Eco
Fast
Fast Eco
Delicate
Delicate Eco
Rinse

Check with your local retailer for pricing, availability and stock of this model. The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with your retailer or Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available.

Handwritten signature and initials in black ink, located in the bottom right corner of the page.




FRONT LOAD WASHER

5.0 Cu. Ft. I.E.C.

EFLW417SIW

With LuxCare™ Wash and IQ-Touch™ Controls




SIGNATURE FEATURES




THOROUGH CLEANING WITH LUXCARE™ WASH SYSTEM

Our LuxCare™ Wash System offers a thorough clean with improved wash actions, temperature control, and smart load sensing.




20-MINUTE FAST WASH¹

Quickly deep cleans the items you need most.



STAINTREAT™ OPTION GENTLY AND EFFECTIVELY REMOVES STAINS

Optimizes the temperature, tumbling actions, and cycle time for optimal stain-removing conditions.



ENERGY STAR®-CERTIFIED MOST EFFICIENT

Electrolux washers meet strict criteria to guarantee high-quality energy efficient performance — without sacrificing clean.

PRODUCT DIMENSIONS

Height	38"
Width	27"
Depth	32"

MORE EASY-TO-USE FEATURES

10-YEAR MOTOR WARRANTY PLUS LIFETIME TUB WARRANTY

Rest easy knowing your washer is backed by a 10-year motor and lifetime tub warranty.

PERFECT BALANCE® SYSTEM & SECOND FLOOR GUARANTEE

Balances loads for smooth, quiet operation. So quiet you can even run your washer on the second floor or near bedrooms without noticing it.²

FRESH WATER RINSE REMOVES RESIDUAL DETERGENT

We use fresh water in our final rinse to ensure more detergent is removed, which is gentler on sensitive skin and provides better fabric care.

FITS MORE ROOMS

With a standard 27" platform, our products are designed to fit just about anywhere you want to put them.

SPACIOUS CAPACITY

Easily cleans a king-sized comforter with spacious 5.0 cu.ft. drum.

7 CYCLES TO CARE FOR EVERY FABRIC

Clean all your special items with tailored cycles for delicates, heavy duty, whitest whites, and more.

BRILLIANT LED DISPLAY SHINES IN EVEN THE DARKEST LAUNDRY ROOMS

Our beautifully bright display illuminates information on cycles and lets you know how much time is left.

PLATINUM STAR® LIMITED WARRANTY

Our exclusive Platinum Star® Limited Warranty includes a three-year coverage on parts and one year on labour.³

DELAY START

Adjust washer start time to meet your lifestyle needs.

Available in:



White (147)

Full line load or 2 lb. per lb.

As tested in accordance with our standard test procedure.

Speedy fresh air and moisture removal. See our website for more information.

Products have been purchased or will be by May 1, 2015. See local retailer for details.

ELECTROLUXAPPLIANCES.CA

FRONT LOAD WASHER
EFLW417SIW



27" FRONT LOAD WASHER

Capacity I.E.C.	5.0 Cu. Ft.
FEATURES	
Pull-to-Open Door	Yes
10-Touch Controls	Yes
Perfect Steam™ Wash System	
Balance System	Perfect Balance®
Sound System	Luxury-Quiet™
Lighting	
Pull-to-Open Dispenser Drawer	Yes
Wash System	LuxCore®
Integral Water Heater	
Wash Drum	Stainless Steel
Automatic Temperature Control	Yes
Automatic Water Level Adjustment	Yes
Auto Prewash Dispenser (Liquid/Powder)	Yes
Auto Bleach Dispenser (Liquid Only)	Yes
Auto Detergent Dispenser (Liquid/Powder)	Yes
Auto Fabric Softener Dispenser (Liquid Only)	Yes
Tumble Speed (RPM)	Variable
Spin Speed (RPM)	1,800
Reversible Door	
Adjustable Leveling Legs	Yes
ENERGY STAR®	Most Efficient
NSF® Certified	

CYCLES

Heavy Duty, Whites, Normal, 20-Min. Fast Wash, Delicates, Home & Spin, Child Wash	7
---	---

OPTIONS

Wash/Wipe Temperature Combinations	9
Temperature Selections	4
Add Steam	
Spin Speed Selections	4
Soil Level Selection	4
Delay Start	Yes
End-of-Cycle Chime	On/Off

INSTALLATION OPTIONS

Freestanding, Utility Coupler*, Stacked Under Dryer, Pedestal, Hidden In Closet, Second Floor	Yes
---	-----



ACCESSORIES

Luxury-Glide® Pedestal with Specimen Storage Drawer – Island White – P16 LFW417SIW	Optional
Dryer Stacking Kit – P16 STACH17X	Optional
Drum Hotter Extension Kit – P16 H37090100	Optional

SPECIFICATIONS

Colour –	
Island White	FW
Power Supply Location	Top Right (Door)
Water Inlet Location	Top Left (Door)
Voltage Rating	120V/60Hz
Connected Load (kW Rating) @ 120 Volts	1.2
Watts @ 120 Volts	1,200
Amps @ 120 Volts	10
Shipping Weight (Approx.)	229 Lbs.

*See the Service or user manual for information regarding front loading for safety.
†For standard supply, the provided wiring is intended to be used. The power supply must be suitable to accommodate the correct voltage of the product and its accessories.
‡Wiring must be installed by a qualified electrician. Please refer to the local electrical code for the correct installation requirements and for the correct wiring practices.
§See the Service or user manual for the correct installation practices.





PRODUCT DIMENSIONS

Height (without 15" Pedestal)	38 1/4"
Height (with 15" Pedestal)	53 1/4"
Width	27"
Depth (to Centre of the Hot Including Hinge) (with Door 90° Open)	35 3/8"

15" Pedestal Drawer
Installation

Elevates washer height to 53 1/4".
For detailed pedestal installation, refer to instructions included with pedestal or on web.
Pedestal installation may require modified utility hookup locations.
For details, refer to Product Installation Guide on web.



Electrolux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

EFLW417S 03/17

© 2017 Electrolux Major Appliances, N.A.

Printed in Canada



High standards of quality at Electrolux Home Products, Inc. mean we are constantly striving to improve our products. We reserve the right to change specifications or discontinue models without notice.




ELECTRIC FRONT LOAD DRYER

8.0 Cu. Ft.

EFMC417SIW

Perfect Steam™ Dryer with IQ-Touch™ Controls




SIGNATURE FEATURES




KEEPS CLOTHES LOOKING THEIR BEST

Clothes are gently tumbled while moisture sensors detect when clothes are dry to prevent over-drying. Customizable options and cycles allow you to care for every fabric.




20-MINUTE FAST DRY¹

Quickly dry the items you need most.



ENERGY STAR®-CERTIFIED

Rigorously tested to do more with less. Electrolux dryers meet strict criteria to guarantee high-quality energy efficient performance.



PERFECT STEAM™ WRINKLE RELEASE OPTION

Gently releases wrinkles and reduces static to keep clothes looking their best.

PRODUCT DIMENSIONS

Height	38"
Width	27"
Depth	34-1/2"

MORE EASY-TO-USE FEATURES

LARGEST CAPACITY DRYER

Dry more in each load. Our 8.0 cu.ft. dryers have the largest capacity for a standard 27" platform.²

PLATINUM STAR® LIMITED WARRANTY

Our exclusive limited warranty that includes three-year coverage on parts and one year on labour.³

7 CYCLES TO CARE FOR EVERY FABRIC

Perfectly dry every item with tailored cycles for towels, delicates, and more.

REVERSIBLE DOOR FITS MORE ROOMS

Enjoy easy loading no matter how your washer and dryer are configured.

OPTIONAL PEDESTALS AND STACKING KIT FOR MORE INSTALLATION OPTIONS

Raise your units with optional pedestal drawers that provide extra storage. Or use the optional stacking kit for convenient placement in small spaces.

LUXURY-DESIGN® LIGHTING

Conveniently find any article of clothing with premium LED lighting that provides visibility inside your dryer.

BRILLIANT LED DISPLAY SHINES IN EVEN THE DARKEST LAUNDRY ROOMS

Our beautifully bright display illuminates information on cycles and lets you know how much time is left.

LUXURY-QUIET™ SOUND SYSTEM

So quiet you can run it whenever you want without disrupting your household.

CONTROL LOCK

To help avoid unwanted use.

Available in:



Island White (IW)

¹Fast Dry Cycle is not for 100% cotton.

²Based on standard 27" platform. See your local retailer for details.

³Warranty based on an approved registration with Electrolux. High efficiency models are limited to 3 years. See your local retailer for details.

ELECTROLUXAPPLIANCES.CA



ELECTRIC FRONT LOAD DRYER

EFMC417SIW



27" ELECTRIC FRONT LOAD DRYER


Capacity	8.0 Cu Ft.
FEATURES	
Push-to-Open Door	Yes
10-Touch [®] Controls	Yes
Perfect Steam [™] Dry System	Yes
Dry System	Luxury-Dry [™]
Sensor System	Luxury-Dry [™]
Lighting	Luxury-Design [™]
Tumble System	Single Tumble
Megather Sensor	Yes
Dryer Onset	Painted Steel
Turntable Speed (RPMs)	30
Removable Door	Yes
Adjustable Leveling Legs	Yes
ENERGY STAR [®]	Yes
UL [®] Certified	
CYCLES	
Timed-Dry (30, 45, 60), Heavy Duty, Mixed Load, Towels, Normal, 20-Min. Fast Dry, Delicates	7
OPTIONS	
Temperature Selections	4
Aid Steam	Yes
Electronic All-In Dry System	Yes
Manual Timed Dry Selections	4
Delay Start Hours	12
End-of-Cycle Chime	On/Off
Electronic Lock	
Anti-Static	
Line Dry	
Shrink Guard	
Bypass Locks	4
INSTALLATION OPTIONS	
Freestanding, Brackets, Countertop, Stacked (Above Washer), Pedestal, Hidden (in Cabinet), Second Floor	Yes
4-Way Dryer Venting	Yes
ACCESSORIES	
Luxury-Glide [®] Pedestal with Spectator Storage Drawer - Island White - PN # EPVD157SW	Optional
Dryer Stacking Kit - PN # STACK17X	Optional
Drying Rack - PN # AD450RD	Optional
SPECIFICATIONS	
Color - Island White	AK
Maximum Exhaust Duct Length* (ft.)	125
Power Supply Connection Location	Rear
Voltage Rating	240V/60Hz/30A
Connected Load (kW) (Range) (240 V/60 Hz)	6.0
Amps @ 240 Volts	25
Heating Element @ 240 Volts (Watts)	5,400
Shipping Weight (Approx.)	141 Lbs.
* See the Side view to determine installation requirements including duct path length and clearance.	
* Heat exchanger, venting, exhaust system and ducting required for electric and gas.	
* Refer to the website for more information.	
* Note: Always consult local building codes and electrical codes. Refer to the website for more information.	
* For more information, visit the website.	
* Dimensions subject to change.	



PRODUCT DIMENSIONS	
Height (without 15" Pedestal)	34"
Height (with 15" Pedestal)	53-1/4"
Width	27"
Depth (to Centre of Air Mat Including Hoses with Door 90° Open)	31-1/2"
	50-5/8"

15" Pedestal Drawer Installation

Elevates dryer height to 53 1/4". For detailed pedestal installation, refer to instructions included with pedestal or on web. Pedestal installation may require modified utility hookup locations. For details, refer to Product Installation Guide on web.



Electrolux Major Appliances, N.A.

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electroluxappliances.ca

EFMC417S 03/17

© 2017 Electrolux Major Appliances, N.A.

High standards of quality at Electrolux Home Products Inc mean we are constantly working to improve our products. We reserve the right to change specifications at any time without notice.

Printed in Canada