

## Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

## **CABINETRY**

Inv.4232	1 - LOCATION: KITCHEN	···
Line 53718	SUPPLY AND INSTALL UPGRADE KITCHEN - CLASSIC LINE IN LIEU OF STANDARD LINE TO KITCHEN Note: HUMBER COFFEE BEAN	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: MASTER ENSUITE	
T. 53566	SUPPLY AND INSTALL UPGRADE CABINETS TO MASTER ENSUITE IN LIEU OF STANDARD - CLASSIC PAINT IN LIEU OF VIKING II	·
Line 53766	Note: KINGSTON PAINT WINTER WHITE	
11Nov17 / 11Nov17		

## **CABINETRY APPLIANCE - FRIDGE**

Inv. <b>4232</b>	1 - LOCATION: KITCHEN	
I 52505	59 CM FRIDGE CABINET - 2 GABLES & CABINET 59 CM DEEP - DEEP - UPGRADE 3	: :
Line 53705	Note:	
11Nov17 / 11Nov17		

## **CABINETRY BASE CABINETS**

Inv. <b>4232</b>	2 - LOCATION: KITCHEN	
	BASE PIE CUT CORNER - UPGRADE 1	
Line 53710	Note:	
11Nov17 / 11Nov17		

## **CABINETRY HOOD FANS**

Inv.4232	1 - LOCATION: KITCHEN	
	ACCOMMODATE FOR MICROWAVE HOOD FAN COMBO - PURCHASER MUST SUPPLY SPECS	
Line 53708	Note:	
11Nov17 / 11Nov17		

## **CABINETRY WALL AND HUTCH**

Inv.4232	2 - LOCATION: KITCHEN	
	GLASS DOOR CLEAR - WHITE CABINET INTERIOR - UPGRADE 1	
Line 53715	Note: TO BE LOCATED IN UPPER ANGLE CORNER CABINETS	
11Nov17 / 11Nov17		
Inv.4232	2 - LOCATION: KITCHEN	
	2 Bootifietti Riferia.	
	UPPER ANGLE CORNER - PRICE IS PER UNIT - UPGRADE 1	·
Line 53712		·



# Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

Inv. <b>4232</b>	2 - LOCATION: KITCHEN	
	MATCHING INTERIOR FOR GLASS DOOR CABINETS - PRICE IS PER CABINET - UPGRADE 1	
Line 53716	Note: TO BE LOCATED IN UPPER ANGLE CORNER CABINETS	
11Nov17 / 11Nov17		

# **COUNTER TOP - EXTRAS**

Inv.4232	1 - SUPPLY AND INSTALL GRANITE CUTOUT PROVISION FOR SLIDE-IN STOVE CONDITION	
Line 53717	Note: PURCHASER ACKNOWLEDGES THAT SLIDE-IN STOVE TO BE SUPPLIED AND INSTALLED AFTER CLOSING	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	2 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL GRANITE CUTOUT AND POLISHING FOR UNDERMOUNT SINKS IN MASTER ENSUITE	
Line 53770	Note:	
11Nov17 / 11Nov17		

## **COUNTER TOP - GRANITE**

Inv. <b>4232</b>	1 - LOCATION: KITCHEN	
Line 53737	SUPPLY AND INSTALL CAEASARSTONE LEVEL 4 COUNTER-TOP IN LIEU OF STANDARD TO KITCHEN. STANDARD EDGE PROFILE Note: 5141 FROSTY CARINA	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL LEVEL 4 CAESARSTONE IN LIEU OF STANDARD FORMICA COUNTER-TOP IN MASTER ENSUITE. STANDARD EDGE PROFILE	
Line 53767	Note: 5003 PIATRA GREY	
11Nov17 / 11Nov17		

## **COUNTER TOP - KITCHEN**

Inv.4232	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL GRANITE CUTOUT AND POLISHED EDGE FOR UNDERMOUNT SINK	
Line 53735	Note: SINGLE HOLE FAUCET AND UNDERMOUNT SINK PURCHASED SEPARATELY.	
11Nov17 / 11Nov17		

## **ELECTRICAL**

Inv. <b>4232</b>	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL ELECTRICAL WIRING FOR MICROWAVE/HOOD FAN COMBO	
Line 53709	Note: LOCATION AS PER SKETCH ATTACHED.	
11Nov17 / 11Nov17		



# Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

Inv.4232	14 LOCATION, KITCHEN	
IIIV. <b>423</b> 2	14 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL LIGHT VALANCE (INCLUDES BOTH CABINET VALANCE AND FLUORESCENT LIGHT ONLY) - PRICE IS PER FOOT	
Line 53775	Note:	
11Nov17 / 11Nov17		·
Inv.4232	4 - LOCATION: FAMILY ROOM	
V: 5255	SUPPLY AND INSTALL FOUR (4) STANDARD INTERIOR POTLIGHTS TO FAMILY ROOM. DO NOT DELETE THE STANDARD CEILING FIXTURE  Note: A SEPARATE SWITCH HAS BEEN PURCHASED TO OPERATE POTLIGHTS	
Line 53776	NOIS. A SELARATE SWITCHTIAS BEEN FUNCTIASED TO OPERATE POTEIGHTS	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1 - LOCATION: FAMILY ROOM	
	SUPPLY AND INSTALL A SEPARATE SWITCH TO OPERATE FOUR (4) POTLIGHTS IN FAMILY ROOM	
Line 53777	Note:	
11Nov17 / 11Nov17	·	
Inv. <b>4232</b>	4 - LOCATION: DINING ROOM	
		. •
	SUPPLY AND INSTALL FOUR (4) STANDARD INTERIOR POTLIGHTS TO DINING ROOM DO NOT DELETE THE STANDARD CEILING FIXTURE	
Line 53778	Note: A SEPARATE SWITCH HAS BEEN PURASED TO OPERATE POTLIGHTS	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1 - LOCATION: DINING ROOM	
	SUPPLY AND INSTALL A SEPARATE SWITCH TO OPERATE FOUR (4) POTLIGHTS IN FAMILY ROOM	
Line 53779	Note:	
11Nov17 / 11Nov17		
Inv.4232	4 - LOCATION: LIVING ROOM	
	SUPPLY AND INSTALL FOUR (4) STANDARD INTERIOR POTLIGHTS TO LIVING ROOM. USE THE EXISTING SWITCHED OUTLET TO OPERATE THE POTLIGHTS	
Line 53780	Note:	
113117 / 113117		
11Nov17 / 11Nov17 Inv. <b>4232</b>	7 - LOCATION: FRONT AND REAR EXTERIOR	
	7 - EGGMIGHT INGINE INTERIOR	
	SUPPLY AND INSTALL EXTERIOR POTLIGHTS AS PER SKETCH ATTACHED THREE (3) AT FRONT EXTERIOR FOUR (4) AT REAR EXTERIOR	
Line 53783	Note: A SEPARATE SWITCH HAS BEEN PURCHASED TO OPERATE POTLIGHTS	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: EXTERIOR POTLIGHTS	
	SUPPLY AND INSTALL A SEPARATE SWITCH TO OPERATE THE EXTERIOR  POTLICUTE SWITCH TO BE LOCATED WITH EPONT FOVER LIGHT	
Line 53784	POTLIGHTS. SWITCH TO BE LOCATED WITH FRONT FOYER LIGHT  Note:	
20104	1,000	
<u>-</u>		



# Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

Inv. <b>4232</b>	1 - LOCATION: FAMILY ROOM	
Line 53785	SUPPLY AND INSTALL ADDITIONAL INTERIOR RECEPTACLE TO BE CENTRED TO WALL ABOVE FIREPLACE AND LOCATED AT APPROXIMATELY 66"+/- HIGH ABOVE FINISHED FLOOR AND NEXT TO CABLE OUTLET Note: LOCATION AS PER SKETCH ATTACHED.	
11Nov17 / 11Nov17		

## HARDWOOD

HARDWOO		
Inv.4232	1 - LOCATION: DINING ROOM	
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD TO DINING ROOM	
Line 53744	Note: 5" ELEMENTS BRUSHED OAK COHO	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: LANDING 1ST FLOOR	
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD TO LANDING AT FIRST FLOOR	
Line 53746	Note: 5" ELEMENTS BRUSHED OAK COHO	-
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: UPPER HALLWAY	
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD CARPET TO UPPER HALLWAY	
Line 53748	Note: 5" ELEMENTS BRUSHED OAK COHO	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1-LOCATION: BEDROOM 3	
Line 53754	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD CARPET TO BEDROOM 3  Note: 5" ELEMENTS BRUSHED OAK COHO	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: LIVING ROOM	
	SUPPLY AND INSTALL UPGRADE LEVEL 5 HARDWOOD IN LIEU OF STANDARD TO LIVING ROOM.	
Line 53743	Note: 5" ELEMENTS BRUSHED OAK COHO	
11Nov17 / 11Nov17		
Inv.4232	1-LOCATION: FAMILY ROOM	
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD TO FAMILY ROOM	
Line 53745	Note: 5" ELEMENTS BRUSHED OAK COHO	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: LANDING 1ST TO 2ND FLOOR	· .
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD TO LANDING 1ST TO 2ND FLOOR	
Line 53747	Note: 5" ELEMENTS BRUSHED OAK COHO	
11Nov17 / 11Nov17		



## Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

Inv. <b>4232</b>	1 - LOCATION: BEDROOM 2	
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD CARPET TO BEDROOM 2	
Line 53753	Note: 5" ELEMENTS BRUSH OAK COHO	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1 - LOCATION: BEDROOM 4	
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD CARPET TO BEDROOM 4	
Line 53755	Note: 5" ELEMENTS BRUSHED OAK COHO	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: MASTER BEDROOM	
	SUPPLY AND INSTALL UPGRADE HARDWOOD LEVEL 5 IN LIEU OF STANDARD CARPET TO MASTER BEDROOM	
Line 53756	Note: 5" ELEMENT BRUSHED OAK COHO	
11Nov17 / 11Nov17		

## HEATING AND AIR CONDITIONING

Inv. <b>4232</b>	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL ROUGH IN GAS LINE TO STANDARD STOVE LOCATION. 110 ELECTRICAL OUTLET WILL BE PROVIDED AND THE STANDARD 240 VOLT WILL REMAIN. PURCHASER TO SUPPLY AND INSTALL THEIR OWN APPLIANCE AFTER CLOSING.	
Line 53719	Note:	
11Nov17 / 11Nov1	7	

## **MISCELLANEOUS**

Inv.4232	1 - BONUS OFFER INCLUDED IN SCHEDULED PE TO BE USED TOWARDS THE PURCHASE OF UPGRADES AT THE DESIGN STUDIO	
Line 53704	NO CASH SURRENDER VALUE Note:	
11Nov17 / 11Nov17		

## PAINT AND DRYWALL

Inv.4232	1 - SUPPLY AND INSTALL SMOOTH CEILINGS IN LIUE OF STANDARD FEATURE - MAIN FLOOR	
Line 53761	Note:	
11Nov17 / 11Nov1 <b>7</b>		
Inv.4232	2 - LOCATION: MAIN STAIRS AND MID STAIRS TO MUD ROOM	
Line 53757	PAINT EXTRAS - STAIN HANDRAILS AND POSTS (PER FLIGHT) Note: STAIN ELEMENT COHO	
11Nov17 / 11Nov17		
Inv.4232	2 - LOCATION: MAIN STAIRS AND MID STAIRS TO MUD ROOM	
Line 53758	PAINT EXTRAS - STAIN STAIRS (EXCLUDING RAILINGS) (PER FLIGHT - OAK) Note: STAIN ELEMENT COHO	
11Nov17 / 11Nov17		



# Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

## **PLUMBING**

<b>PLUMBING</b>		
Inv.4232	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL UPGRADE KITCHEN SINK IN LIEU OF STANDARD BLANCO MODEL # PRECISION U2 400399	
Line 53742	Note:	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: KITCHEN	
	SUPPLY AND INSTALL WATERLINE ROUGH-IN TO THE FRIDGE LOCATION (NO HOOK UP)	
Line 53720	Note: LOCATION AS PER SKETCH ATTACHED.	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: KITCHEN	
Line 53741	SUPPLY AND INSTALL UPGRADE KITCHEN FAUCET IN LIEU OF STANDARD. MOEN ETCH MODEL # S72608 - SINGLE HANDLE PULL DOWN CHROME FINISH Note:	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1 - LOCATION: MASTER ENSUITE SHOWER STALL	
Line 53765	FRAMELESS GLASS SHOWER FRONT PORTION ONLY WITH FRAMELESS DOOR. Note:	
I1Nov17 / 11Nov17		
Inv.4232	2 - LOCATION: MASTER ENSUITE	
Line 53768	SUPPLY AND INSTALL UPGRADE UNDERMOUNT SINKS IN LIEU OF STANDARD TO MASTER ENSUITE. MODEL: CONTRAC CATENA 4210CIY WHITE COLOUR Note:	
11Nov17 / 11Nov17		
Inv.4232	2 - LOCATION: MASTER ENSUITE	
Line 53771	SUPPLY AND INSTALL UPGRADE FAUCETS - MOEN SINGLE HOLE FOR MASTER ENSUITE - MODEL EVA SINGLE HANDLE 6400 CHROME  Note:	
11Nov17 / 11Nov17 Inv. <b>4232</b>	1 - LOCATION: MASTER ENSUITE	
1111.4232	SUPPLY AND INSTALL HAND HELD SHOWER UNIT TO TUB IN MASTER ENSUITE. (4 PC ROMAN TUB WITH HANDHELD - CHATEAU MODEL 9796/T991) CHROME FINISH	
Line 53772	Note:	
11Nov17/11Nov17		
Inv. <b>4232</b>	1 - LOCATION: POWDER ROOM	
Line 53781	SUPPLY TOTO TOILET MODEL # AQUIA II CST416M WHITE WITH A TOTO WASHLET MODEL # S300E (SW574T20) IN POWDER ROOM Note: SEE SPECS ATTACHED	•
11Nov17 / 11Nov17		;

## STAIRS AND RAILING



# Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

Inv. <b>4232</b>	1 - LOCATION: MAIN STAIRS AND MID STAIRS TO MUD ROOM	
	UPGRADE POST TO PARIS IN LIEU OF STANDARD SQUARE CHAMFERED	
Line 53760	Note:	
11Nov17 / 11Nov17 Inv.4232	1 - LOCATION: MAIN STAIRS AND MID STAIRS TO MUD ROOM	
IIIV. <b>42</b> 52	1-LOCATION: MAIN STAIRS AND MID STAIRS TO MUD ROOM	
	SUPPLY AND INSTALL UPGRADE RAILINGS AND HANDRAIL WINDSOR HANDRAIL WITH STEEL 1/2" SQUARE, SINGLE COLLAR SPOON/PLAIN WTH SHOES - FLAT BLACK AND 3-1/2" SQUARE CHAMFERED POST WITH CAP	
Line 53759	Note:	
11Nov17 / 11Nov17		
TILE		
Inv.4232	1 - LOCATION: FOYER AND MAIN HALL	
	1 - BOOMION. TOTER AND MAIN HALL	
:	SUPPLY AND INSTALL UPGRADE 6 FLOOR TILE IN LIEU OF STANDARD TO FOYER AND MAIN HALL. STANDARD STACKED INSTALL - SEE SKETCH FOR TILE DIRECTION	
Line 53738	Note: 24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL)	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1 - LOCATION: POWDER ROOM	
	SUPPLY AND INSTALL UPGRADE LEVEL 6 TILE IN LIEU OF STANDARD TO POWDER ROOM. STANDARD STACKED INSTALL - SEE SKETCH FOR TILE DIRECTION	
Line 53739	Note: 24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL)	
11Nov17 / 11Nov17		
Inv. <b>4232</b>	1 - LOCATION: KITCHEN/BREAKFAST AREA	
	SUPPLY AND INSTALL UPGRADE 6 TILE IN LIEU OF STANDARD TO KITCHEN AND BREAKFAST AREA. STANDARD STACKED INSTALL - SEE SKETCH FOR TILE DIRECTION	
Line 53740	Note: 24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL)	
11Nov17 / 11Nov17		
Inv.4232	1 - LOCATION: MAIN BATHROOM	
Line 53763	SUPPLY AND INSTALL UPGRADE TILE LEVEL 2 IN LIEU OF STANDARD TO MAIN BATHROOM FLOOR. STANDARD STACKED INSTALL - SEE SKETCH FOR TILE DIRECTION  Note: 12" X 4" SANDS EXPERIENCE MUD (DARK GREY) LINEAR (IG.SE.MUD.1224.LN)	
11Nov17 / 11Nov17 Inv.4232	1 - LOCATION: MASTER ENSUITE	
IIIV.4232	1 - LOCATION: MASTER ENSUITE	
	SUPPLY AND INSTALL UPGRADE LEVEL 3 FLOOR TILE TO MASTER ENSUITE IN LIEU OF STANDARD. STANDARD STACKED INSTALL - SEE SKETCH FOR TILE DIRECTION	

Note: 12" X 24" CARRARA X SERIES POLISHED WHITE (OV.CX.WHT.1224.PL)

Printed and Sent: 11-Dec-17

Line 53774

11Nov17 / 11Nov17



## Thames Developments (2011) Ltd. / Havelock Corners

Lot/Unit: 39 Phase/Building: 3 Model/Floor Plan: Harrington (42-2) Elev C

Inv.4232	1 - LOCATION: MASTER TUB SURROUND	
	SUPPLY AND INSTALL UPGRADE LEVEL 3 FLOOR TILE TO MASTER ENSUITE TUB SURROUND IN LIEU OF STANDARD WALL TILE.	
Line 53782	Note: 12" X 24" CARRARA X SERIES POLISHED WHITE (OV.CX.WHT.1224.PL)	
11Nov17 / 11Nov17		

## TILE - BACKSPLASH

11Nov17 / 11Nov17		
Line 53773	SUPPLY AND INSTALL UPGRADE LEVEL 1 WALL TILE IN LIEU OF STANDARD TO SHOWER STALL IN MASTER ENSUITE  Note: 8" X 12" BRICK GLOSSY WHITE (TR.BR.WHT.0812.GL)	
Inv. <b>4232</b>	1 - LOCATION: MASTER ENSUITE SHOWER STALL	
11Nov17 / 11Nov17		
Line 53764	SUPPLY AND INSTALL GLASS BACKSPLASH TO KITCHEN (INCLUDING BEHIND STOVE). STANDARD STACKED INSTALL  Note: 4" X 16" CRISTALLO DOVE GREY GLOSSY (KV.CR.DGY.0416.GL)	
Inv.4232	1 - LOCATION: KITCHEN	

## **EXTRAS AS PER OFFER**

VENDOR AGREES TO ENLARGE THE BASEMENT WINDOWS TO 24 INCHES X 30 INCHES (where applicable) AS PER PLAN. PURCHASER FURTHER ACKNOWLEDGES THAT THERE MAY BE WINDOW WELLS INSTALLED TO ACCOMMODATE ENLARGED BASEMENT WINDOWS.  Worksheet Note:	
VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.  Worksheet Note:	
5 FREE APPLIANCES ? STAINLESS STEEL FRONT ? FRIDGE: STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO ARRANGE DELIVERY ? CALL THE BRICK COMMERCIAL SALES DIVISION AT (416) 249-4373.  Worksheet Note:	
PURCHASER ACKNOWLEDGES THAT GRADING PLANS HAVE NOT BEEN FINALIZED AND AS SUCH INFORMATION ON DECK AND WALK OUT CONDITIONS ARE NOT YET AVAILABLE. GRADING IS SUBJECT TO THE TERMS AND CONDITIONS CAPTIONED IN THE AGREEMENT OF PURCHASE AND SALE HEREIN.  Worksheet Note:	
VENDOR TO INSTALL 3PC RI AS PER PLAN  Worksheet Note:	
ALTERNATE (42-02) MASTER BEDROOM/ENSUITE PLAN . SEE SCH. B1  Worksheet Note:	

This Document is Extremely Time Sensitive - Printed 11 Dec 17 at 15:59

Page 8 of 8



## **INTERIOR COLOUR SCHEME**

Purchasers:

Decor Advisor:

\_2. Flooring

Parmeet Singh Dhillon & Jaspal Kaur Dhillon

Property: 39 of Plan - TBA

**Telephone Res. / Bus:** (416) 419-7455 /

(416) 419-7455 / Steffannee Appio **Project:** Thames Developments (2011) Ltd. **Model and Elevation:** Harrington (42-2) Elev C

1. Cabinetry	Style and Colour	Co	unter Top		Hardware
(itchen / Breakfast	HUMBER COFFEE BEAN	51	41 FROSTY CARINA		9677 HANDLE
itchen Island		·			
aundry Room					
owder Room	PVC SLAB COFFEE BEAN	18	76K-52 SPRING CARNIV	/AL	9677 HANDLE
lain Bathroom	PVC SLAB LATITUDE EAST	66	97-46 ARGENTO ROMAI	<b>NO</b>	9671 HANDLE
laster Ensuite Bathroom	KINGSTON PAINT WINTER W	/HITE 50	03 PIATRA GREY		171 KNOB
Second Ensuite Bathroom (If Applicable)					
Appliances	Custom Size Fridge	Valance Lightiz	ng Mi	crowave i	Range Hood
••	Yes No	Yes No	•	Yes	○ No
	Cooktop / Rangetop	. Built in Wall O	ven	Slide-in l	Range
	Yes ■ No	Yes	No	Yes	○ No

FOYER	24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL) STANDARD STACKED INSTALL
Main Hall	24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL) STANDARD STACKED INSTALL
Back Hali	
Breakfast	24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL) STANDARD STACKED INSTALL
Laundry Room	13" X 13" SERPENTINE BEYAZ WHITE (TR.ST.BYZ.1313)
Kitchen	24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL) STANDARD STACKED INSTALL
Powder Room	24" X 48" TIMELESS POLISHED WHITE (OV.TL.WHT.2448.PL) STANDARD STACKED INSTALL
Main Bathroom	12" X 24" SANDS EXPERIENCE MUD (DARK GREY) LINEAR (IG.SE.MUD.1224.LN) STACKED INSTAL
Master Ensuite	12" X 24" CARRARA X SERIES WHITE POLISHED (OV.CX.WHT.1224.PL) STACKED INSTALL
Bathroom (If Applicable)	
Mud Room	13"X 13" SERPENTINE BEYAZ WHITE (TR.ST.BYZ.1313)
Living Room	5" ELEMENTS BRUSHED OAK COHO COLOUR
Dining Room	5" ELEMENTS BRUSHED OAK COHO COLOUR
Family / Great Room	5" ELEMENTS BRUSHED OAK COHO COLOUR
Den / Library / Study	
Basement Landing (If Applies	
Lower Landing (if Applicable	5" ELEMENTS BRUSHED OAK COHO COLOUR
Upper Landing	5" ELEMENTS BRUSHED OAK COHO COLOUR
Upper Hall	5" ELEMENTS BRUSHED OAK COHO COLOUR
Master Bedroom	5" ELEMENTS BRUSHED OAK COHO COLOUR
Bedroom #2	5" ELEMENTS BRUSHED OAK COHO COLOUR
Bedroom #3	5" ELEMENTS BRUSHED OAK COHO COLOUR
Bedroom #4	5" ELEMENTS BRUSHED OAK COHO COLOUR
Bedroom #5	


Flooring Continued on Page 2

Initial: 1.0

Page 1 of 3

## INTERIOR COLOUR SCHEME

SEŅĄŢĊ	<b>DR</b>				
Purchasers:	Parmeet Singh Dhillon & Jaspal	Kaur Dhillon Pron	erty: 39 of Plan -	- TBA	
Telephone Res. / Bus:	: (416) 419-7455 /		_	velopments (2011) Ltd.	
Decor Advisor:	Steffannee Appio		ition: Harrington (	• • •	
2. Flooring - Continue	• •	avi ania miora			
Upgrade Underpad	Туре	Type Area			
Carpet on Stairs	Capped		Runner - *Upgrade		
Comment					
Discolato à Photograph		•			
Plumbing Fixtures /     Vitabon		nesido -			
Kitchen	UPGRADE Second En	suite		r Room STD	
Master Ensuite	Vigracian .		Other I	Koom	
Main Bathroom	SID-				
Comment					
UNDERMOUNT SIN	NK UPGRADE IN KITCHEN /UPG	RADE FAUCET IN KIT	CHEN		
	•				
l. Wall Tile———					
	Tile Selection			nsert Selection	
	8" X 10" SERPENTINE BEYAZ WHITI	<u>E</u>		R.ST.BYZ.0810	
laster Ensuite	<u> </u>		,		
	12" X 24" CARRARA X SÉRIES WHI		<b>:</b>	DV.CX.WHT.1224.PL	
<del>-</del>	12" X 24" CARRARA X SERIES WHI			DV.CX.WHT.1224.PL	
	12" X 24" CARRARA X SERIES WHI	TE POLISHED	= =	OV.CX.WHT.1224.PL	
	8" X 12" BRICK GLOSSY WHITE			TH.BR.WHT.0812.GL.	
econd Ensuite					
	•				
itchen Backsplash	4" X 16" CRISTALLO DOVE GREY GI	LOSSY		(V.CR.DGY.0416.GL	
omplete Backsplash					
<b></b>					
Comment	MOCALO MILITE EL COR TUE EL	SHOWED OTHE	·	<u> </u>	
STANDARD 2" X 2"	MOSAIC WHITE FLOOR TILE IN	SHOWER STALL			
			•		
		· · · · · · · · · · · · · · · · · · ·	·		
5 Eirenlass—					
5. Fireplace L	iving Room	Family Room	Othe	er Room - Specify	
	Purchased As Per Plan N/A	Purchased As Per Pi		Purchased As Per Plan N/A	
-	0 0 0	0	<u>, O</u>	0 0 0	
Fireplace Type		STANDARD			
Mantle Type		PAINT GRADE WHITE			
Over Mantle					
Colour / Stain					
Surround		NERO	<u> </u>	<del></del>	
Hearth					
Comment		J L		· · · · · · · · · · · · · · · · · · ·	



Page 2 of 3

## INTERIOR COLOUR SCHEME

Purchasers: Parmeet Singh Dhillon & Jaspal Kaur Dhillon Property: 39 of Plan - TBA Telephone Res. / Bus: (416) 419-7455 / Project: Thames Developments (2011) Ltd. Decor Advisor: Steffannee Appio Model and Elevation: Harrington (42-2) Elev C 6. Trim Carpentry Interior Doors Door Hardware STANDARD Interior Trim STANDARD 2 Panel Arch Top Comment 2 Panel Square Top 6 Panel Initial for Door Style 7. Rallings and Pickets Railing Package **UPGRADE 3 METAL** Railing Colour COHO **Picket Colour** FLAT BLACK **Wood Stairs** ○ No Oak Tread Colour СОНО Comment STAIN OAK STAIRS TO COMPLIMENT HARDWOOD - ELEMENTS COHO COLOUR WINDSOR HANDRAIL WITH STEEL 1/2" SQUARE, SINGLE COLLAR SPOON/PLAIN WTH SHOES - FLAT BLACK AND 3-1/2" SQUARE WITH PARIS POST 8. Plaster Mouldings and Medallions Foyer Kitchen/Breakfast **Main Hall** Den/Library **Living Room Lower Landing Dining Room Family Room** Comment 9. Wall Paint Smooth Ceilings STANDARD SENATOR WHITE First Floor First Floor incl. Second Floor Hall First and Second Floor Throughout ) Not Applicable Trim Paint 10. Additional Comments 11. Disclaimers and Notes 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing. 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full. 3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. \_\_\_\_\_ Purchaser's Initials 4) The Purchaser acknowledges reading and accepting the "Senator Homes Décor Centre Disclaimers" form. This document contains other miscellaneous disclaimers. This Interior Colour Selection is final and approved by: Purchaser: Date: 11.11 . 2017


Page 3 of 3

Thames Developments (2011) Ltd.

\_ Date: \_

Signature:\_]

Signature:



SCHEDULE B1

(ALT.Master Bed/Ensuite Plan)

Subil sont of

This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.



Kitchen

KITCHENS LIMITED 13.50 Stanson Otho, Missisouga, ON EAW ICS FRENDE

# Senator Homes

Havelock Corner PH3A (Woodstock)

# Harrington/42-2

# STANDARD FEATURES:

- 100cm Uppers
   Crown moulding
- Light valance
   Bank of drawers as specified on plan
  - Pot/pan drawers as
- specified on plan Blum Tandembox Antaro
- soft-closing drawers Opening for 36" FR (95cm x 180cm)
  - Laminate countertops
- Laundry base as specified on plan

Opt. Laundry uppers as specified on plan

Drawn By: BethanyO Date: Oct 06, 2017 Scale: Not To Scale

Approved By Builder:

Date:

# TOTO.

# CST416M

# Aquia® II Close Coupled Toilet, 1.6GPF & 0.9GPF

## **FEATURES**

- Dual-Max® flushing system
- Close coupled elongated front bowl and tank set, less seat
- Chrome push-button style dual flush option
- Concealed trapway

## **MODELS**

CST416M

## **COMPONENTS**


- CT416 Elongated Front Bowl
- ST416M Tank and Cover only
- SS114 SoftClose® seat (sold separately)
- SS154 SoftClose seat (sold separately)
- SS204 SoftClose seat (sold separately)
- THU9090R Washlet® Adapter Hose Kit (Required for Washlet installation)

## COLORS/FINISHES

Standard #01 Cotton #03 Bone #11 Colonial White #12 Sedona Beige #51 Ebony

## PRODUCT SPECIFICATION

The two-piece low consumption dual-max flushing system toilet shall be 1.6GPF/0.9GPF. Toilet shall have high-profile tank, elongated front bowl and chrome push-button type trip lever. Toilet shall be TOTO Model CST416M\_\_\_\_.






## CODES/STANDARDS

- Meets and exceeds ASME A112.19.2/CSA B45.1, ASME A112.19.14
- Certifications: IAPMO(cUPC®), EPA WaterSense, State of Massachusetts, and others
   Code compliance: UPC, IPC, NSPC, NPC Canada,
- Code compliance: UPC, IPC, NSPC, NPC Canada and others
- Legislative compliance: California Green Building Code, City of Los Angeles Water Efficiency Ordinance, and others








# TOTO.

# SW574T20

# Washlet® S300e Connect+™

## **FEATURES**

- Concealed supply connection for seamless installation
- ewater+<sub>™</sub> mists the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals
- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- Adjustable water temperature and volume
- Instant water heating system for continuous warm water and energy savings
- Warm-air drying with five variable temperature settings
- Automatic air deodorizer
- New slim design seat, at just under four inches
- Convenient slim wireless remote, with illuminated touch pad.
- Two user settings
- SoftClose® seat
- Docking Station, easy to install and clean
- Heated seat with temperature control
- Water Premist™ of bowl before each use



connect@ \_ewater+

Connect = 20vate

# MODELS

SW574T20 - Elongated front

COLORS/FINISHES

 Standard #01 Cotton For more information on ewater+ please go to www.totousa.com/Washlet/NewS300eS350e.aspx

## PRODUCT SPECIFICATION

Seat shall be model # SW574T20#01. Seat shall have gentle aerated, warm water, dual action spray with cycling movement and massage feature. Seat shall have adjustable water temperature and volume. Seat shall have warm air drying with five variable temperature settings. Seat shall have automatic air deodorizer. Seat shall include wireless remote control. Seat shall be solid plastic with closed front seat and cover. Seat shall include power cord, water supply hoses and Connect+ cover - THU9863. Seat shall have eWater+

## CODES/STANDARDS

- Meets and exceeds ASME A112.4.2, ASME A112.18.1/CSA B125.1, UL 1431, CSA C22.2 #68
- Certifications: IAPMO(cUPC), State of Massachusetts, City of Los Angeles and others
- Code Compliance: UPC, IPC, NSPC, NPC Canada, and others



This sketch is provided solely for reference to those items noted on the accompanying "Upgrades/Extras". All other details, dimensions & layouts are for illustrative purposes only and may not be applicable to the Purchaser's Model

site Lot 36

Purchaser initials \_\_\_\_\_ Production initials \_\_\_\_\_

# Aquia® II Close Coupled Toilet, 1.6GPF & 0.9 GPF

## **SPECIFICATIONS**

Water Use

1.6 GPF/0.9GPF (6.0 LPF/3.4LPF)

Flush System Min. Water Pressure

Water Surface

Dual-Max 8 psi (static) 6" x 4-1/2" 2-1/8"

Trap Diameter

12"

Rough-in Trap Seal

2-1/8"

Warranty

One Year Limited Warranty

Materiaĺ Shipping Weight Vitreous china CT416 - 66.5lbs ST416M - 30lbs

Shipping Dimensions

CT416 27-3/4"L x 15-1/2"W<sup>1</sup>

x 10-1/2"W2 x 18"H


ST416M

16"L×7-1/2"W×18-1/2"H


## **INSTALLATION NOTES**

Back-to-Back Toilet Installations:

TOTO recommends the use of a nationally listed, double sanitary tee-wye only, in vertical waste stacks, in accordance with the stipulations noted in the majority of nationally recognized plumbing codes.



To maintain adequate wall gap between the back of the tank and wall, mount the floor flange at a nominal 12" rough-in distance.



TOTO.

subject to change without notice

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com

# \$\$-00236 v.10



## Washlet® S300e Connect+™

## **SPECIFICATIONS**

Power Rating:

120V AC, 60Hz, 835W

Power Cord:

Maximum length:

3.94 ft/120 cm, 3 prong

grounded plug

Water Feature:

Adjustable Water Flow Rate:

Front washing - 10.2 -

14.1 oz/min

Wide Front - from 11.5 -

14.1 oz/min Rear washing 9.0 -14.1 oz/min

Soft Rear - from 10.2 -

14.1 oz/min

Washing Spray Temp: Minimum: 86°F/30°C

Maximum: 104°F/40°C

Safety Device:

Thermal fuse.

Drying Feature:

Air temperature:

High: about 140°F/60°C

Low: about 95°F/35°C

Dryer Air Volume:

10.24ft3/min

Seat Warming Feature: Surface Temperature:

Minimum: 82°F/28°C

Maximum: 97°F/36°C

Safety Device:

Thermal fuse

Water Supply Pressure: Minimum: 7.25 psi

Maximum: 108.75 psi

Ambient Temperature:Range:33°F/1°C to

104°F/40°C

Warranty:

One Year Limited Warranty

Shipping weight:

13.5lbs.

Shipping dimensions: 23" x 19-1/4" x 5-1/2"


## **INSTALLATION NOTES**

- Washlet S300e Connect+ is designed to fit TOTO Connect+ toilet bowl models only!
- Warning: Rated power consumption 835W

It is highly recommended to use a surge protector to prevent damage in the event of a power surge.

# **COMPATIBLE WITH CONNECT+ TOILETS**

TOILETS	MODEL NUMBER	KIT NUMBER
ULTRAMAX II 1G	CST604CUFGT20#01	MW604574CUFG#01
ULTRAMAX II	CST604CEFGT20#01	MW604574CEFG#01
CARLYLE II 1G	CST614CUFGT20#01	MW614574CUFG#01
CARLYLE II	CST614CEFGT20#01	MW614574CEFG#01
SUPREME II	CST634CEFGT20#01	MW634574CEFG#01
CAROLINA II	CST644CEFGT20#01	MW644574CEFG#01
DRAKE II 1G Tank: ST453U	C454CUFGT20#01	MW454574CUFG#01
DRAKE II Tank: ST454E	C454CUFGT20#01	MW454574CEFG#01
VESPIN II 1G Tank: ST453U	CT474CUFGT20#01	MW474574CUFG#01
VESPIN II Tank: ST454E	CT474CUFGT20#01	MW474574CEFG#01



## TOTO.

These dimensions and specifications are subject to change without notice

Ph: (888) 295-8134 | Fax: (800) 699-4889 | www.totousa.com | © TOTO USA

This sketch is provided solely for reference 39 those items noted on the accompanying "Upgrades/Extras". All other details, dimensions & layouts are for illustrative purposes only and may not be applicable to the Purchaser's Model





Production Initials Purchaser initials.

## Steffannee Appio

From:

Parmeet Dhillon <parmeetdhillon11@gmail.com>

Sent:

Sunday, September 17, 2017 7:09 PM

To:

Steffannee Appio

Subject:

WE HAVE SELECTED APPLIANCES

**Attachments:** 

THE BRICK APPLIANCES.pdf; THE BRICK MICROWAVE.pdf

HI THERE WE HAVE SELECTED APPLIANCES FOR OUR NEW HOME WHICH IS LOT 39-3A WITH SENATOR HOMES IN WOODSTOCK.

WE MET WITH DEREK AT THE BRICK STORE AND I M SENDING LIST OF APPLIANCES SELECTED WITH DIMENSIONS ETC. CHECK ATTACHMENTS.

THANK YOU

Parmeet Dhillon.

Samsung 22 cu. ft. 4-Door Flex<sup>TM</sup> with Family Hub<sup>TM</sup> - RF22M9581SR/AC | The Brick

Your Postal Code N3C4H4

Locator

We deliver to you

http://www.thebrick.com/product/item/appliances/kitchen/refrigerators/samsung/samsung-2...

Your Closest Store: Kitchener Store

Search for furniture, appliances, electronics and more...

This elebrin is provided solely for reference to those Items

noted on the accompanying "Upgrades/Extras". All other details, climansions & layouts are for illustrative purposes only and may not be applicable to the Purchaser's Model

Date\_\_\_

I E

Purchaser Initials Production Initials

Home | Appliances | Kitchen | Refrigerators

Samsung 22 cu. ft. 4-Door Flex<sup>nM</sup>

with Family Hub™ - RF22M9581SR/AC

No Reviews White the First Review

Get an additional 5% off when you buy any Samsung

fridge and range

Get an additional 10% off when you buy any Samsung

fridge, range and dishwasher

Now \$4,299.00

Ends In 08:32:37 👁

機能 Delivery as acon as September 28, 2017 哈哈 Pick-up as soon as September 28, 2017

O Delivery and pick-up details

🗣 Special Order

This product is ordered directly from the menufacturer and is not aligible for refund or exchange ance shipped.

Madel: RF22M9581SR/AC Item Code: RF22M95S

Dimensions: Width: 35.75" Height: 71.87" Depth: 28.86"

| C Share This | Print page

Q Hover/Touch to Zoom














Click to change Image.













				ш:	11 I	
Door Configuration	4-D	oor FlexZone™ I	Door			4-Door Fre
Model Name	RF28K9580SR	RF28K9070SR	R#23J9011SG RF23J9011SR	RF23M80905G RF23M80905R	RF28JBED3SG	RF22KREDBSG
Available Colour(s)						
Capacity (cu. ft.)	27.9	28.1	22.5	22.6	27,8	22.6
Dimension with Hinge + Handle (W" x H" x D")	35.75 x 71.85 x 34.29	35.75 x 71.85 x 34.29	35.75 x 71.85 x 28.86	35.75 x 70 x 30.5	35.75 x 70 x 36.5	35.75 x 70 x 31
Warranty	1 year parts & labour, 10 years compressor parts	1 year parts & labour, 10 years compressor parts	1 year parts & labour, 10 years compressor parts	1 year parts & labour, 10 years compressor parts	1 year parts & labour, 10 years compressor parts	1 year parts & labour, 10 years compressor parts
General Features						
Cooling Technology	Triple Metal Cooling	Triple Cooling	Triple Cooling	Twin Cooling Pluse Metal Cooling	Twin Cooling Plus <sup>e</sup> Metal Cooling	Twin Cooling Plus <sup>®</sup> Metal Cooling
Counter-Depth			•	•		•
Shelf Configuration	Cantilevered	Cantilevered	Cantilevered	Cantilevered	Cantilevered	Cantilevered
Spill-Proof Shelves	•	•		•	•	•
Tempered Glass Shelves	•	•	•	•	•	•
External Ice & Water Dispenser	•	•	•	•	•	•
Water Filtration	HAF-CIN	HAF-CIN	HAF-CIN	HAF-QIN	HAF-CIN	HAF-CIN .
Filter Indicator	•	•	•	•	•	•
Gallon Door Storage	•	•	•	•		•
Crispers	•	•	•	•	•	•
EZ-Open Handle					•	•
ENERGY STAR® Certified	•	•	•	•		
Extra Features						
Family Hub Screen (WI-FITM)	•					
Food Showcase Door					Metal Cooling	Metal Cooling
FlexZone <sup>IM</sup> Door	•	•	•			
FlexZone <sup>TM</sup> Drawer				Metal Cooling	Metal Cooling	Metal Cooling
Şmart Divider				Smart Locking Divider	•	•
Slide-N-Go Door Bins					•	•
CoolSelect Pantry® Drawer						
Pantry Drawer						
Water Auto Fill				•		
Foldable Shelf		2	•	•	•	•
Ice Master	•	•	•	•	•	•
Internal Water Dispenser '						
Can Rack						
Sabbath Mode				•		

## SAMSUNG











Cooktop Type	Slide-in I	Induction /	Slide-in Dual Fuel	Slide-in Gas	
Model Name	NE58H9970WS	NE58K9560WS	NY58J9850WS	NX58K9500WG NX58H9500WS	NES NES
Avaîlable Colour(s)					1123
Capacity (cu. ft.)	5.8	5.8	5.8	5.8	-
Dimensions (W x H x D)	30.98" x 35.98" x 26.30"	30.98" x 35.98" x 26.30"	29.88" x 36.19" x 26.36"	29.94" x 36.19" x 26.36"	30.98" x
Warranty	1 year parts & labour 5 years glass cooktop & radiant parts	1 year parts & labour 5 years glass cooktop & radiant parts	1 year parts & labour	1 year parts & labour 5 years glass cooktop & radiant parts	1 year 5 years & ra
General Features	territoria de la companya de la comp			25000 mm	
Control Panel Configuration	Guiding Light Touch Control System	LED Glass Touch	Guiding Light Touch Control System	Guiding Light Touch Control System	Guidin
Convection Coaking	True Flex Duo™ Convection (1,250 W)	True Dual Convection (1,250 W)	True Flex Duo™ Convection (1,250 W)	True Convection (800 W)	True Flex
Broil Element	4,200 W	4,200 W	4,200 W	16,500 BTU	
Bake Element	3,000 W	3,000 W	3,000 W	18,000 BTU	
# of Burner Elements	4	4	5	5	<del> </del>
Expandable Elements					1
Bridge Element				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Ye
Left Front	Induction 7", 1.8 kW (Boost 2.3 kW)	Induction 7", 1.8 kW (Boost 2.3 kW)	15,000 BTU	15,000 BTU	* Bride
Left Rear	Induction 7°, 1.8 kW (Boost 2.3 kW)	Induction 7", 1.8 kW (Boost 2,3 kW)	9,500 BTU	9,500 BTU	Bride
Right Front	Induction 11", 2.3 kW (Boost 3.3 kW)	Induction 11", 2.3 kW (Boost 3.3 kW)	22,000 BTU, Dual (Simmer 900 BTU)	18,000 BTU, Dual (Simmer 700 BTU)	6"/9"/
Right Rear	Induction 6", 1.2 kW (Boost 2.0 kW)	Induction 6", 1,2 kW (Boost 2.0 kW)	5,000 BTU	5,000 BTU	6"
Warming Zone (Central Oval for Gas)			9,500 BTU Giant Oval	9,500 BTU Giant Oval	Ye
# of Racks	3	3	3	3	
Special Rack	Gliding Rack	Recessed Rack	Recessed Rack, Split Rack	Split Rack	Recessed
DrawerType	Warming (600 W)	Warming (600 W)	Warming (600 W)	Warming (600 W)	Warn
Sabbath Mode	•	•	•	•	
Extra Features					
Flex Duo™ Technology	•		•		
WI-FI™ Connectivity		•			
Virtual Flame™	•	•			
Guiding Light Touch Control Panel	•		•	•	
Illuminated Knobs		,-			
Chef Bake	•				
Self Clean	•	•	•	•	
SteamQuick (20 min)	•	•	•		
New Premium Door	Clean View Door	Clean View Door	Soft Close Dual Door™	Clean View Door	Soft Clo
Accessories	Meat Probe, Filler Kit	Filler Kit	Reversible Griddle, Meat Probe, Filler Kit, WOK Supporter	Reversible Griddle, Meat Probe, Filler Kit, WOK Supporter	Meat F

2017 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. Used with permission. Not all features are available on all models. Specifications, Allustrations and produc

This sketch is provided solely for reference to those items

noted on the accompanying "opgredos/Extras". All other details, dimensions & layouts are for illustrative purposes only and may not be applicable to the Purchaser's Model

Site Inquis

Lot 39

Date \_\_\_\_\_

Purchaser Initials \_\_\_\_\_ Production Initials





<u>sung over-une-range oners une opuon to disable une</u> ability to utilize the entire interior space to


accommodate larger square-shaped dishes.

Search for Furniture & More...

even acrest, conventional over-une-ranges use power to maintain essential functions. The ECO Mode setting on the new Samsung over-the-range significantly reduces power usage, delivering

## Colour options for your kitchen





Usher in a simple upgrade to your home kitchen décor with the new Samsung over-the-range. Choose among three sleek colours - silver, white or black - for a dash of style that fits your kitchen and your design personality.

## **SPECIFICATIONS**

Power Level

Output Power (Max)

950 W

Power Consumption

(Microwave)

1500 W

Power Source

120 V / 60 Hz

29 7/8" 086 17 1/16" (A) 行9/f6"(0)

Power/Ratings

**Power Level** 

Output Power (Max)

Power Consumption (Microwave)

10

950 W

1500 W

**Power Source** 

120 V / 60 Hz

This sketch is provided solely for missence to those items noted on the accompany of Stemadac/Extras\*. All other details, dimensions & layouts are for illustrative purposes only and play not be applicable to the Purchaser's Model

Date


Production Initials Purchaser Initials.











## Dishwashers

Model Name	DW80M9960UG DW80M9960US	DW80M9550US	DW80K7050UG DW80K7050US	
Available Colour(s)				
Dimensions (W" x H" x D")	23.88 x 33.88 x 25	23.88 x 33.88 x 25	23.88 x 33.88 x 24.75	2
Warranty	1 year parts & labour, 5 years Linear Motion & PCB & rack parts, Lifetime stainless steel door liner & tub for leakage (parts)	1 year parts & labour, 5 years Linear Motion & PCB & rack parts, Lifetime stainless steel door liner & tub for leakage (parts)	1 year parts & labour, PCB & rack parts, Lifetime stainless steel door liner & tub for leakage (parts)	1 year ç parts, Lí liner
General Features				<del> </del>
Noise Level (dBA)	38	42	44	<del></del>
Interior Tub Material	Stainless Steel	Stainless Steel	Stainless Steel	
Design Type	Fully Integrated	Fully Integrated	Fully Integrated	
Control Panel Type	Electronic Touch Sensor	Electronic Touch Sensor	Electronic Touch Sensor	El€
Progress Indicator	Status Light	Status Light	Light Indicator	<u> </u>
Drying Type	AutoReleașe™	AutoRelease™	AutoRelease™	
ENERGY STAR® Certified	•	•	•	
EnerGuide Rating (kWh/yr)	239	239	239	
Cycles and Options				<del></del>
# of Wash Cycles	7	7	6	<u> </u>
# of Options	8	7	6	
Sanitize (NSF Certified)	•	•	•	
Express 60	• .	•	•	<del> </del>
Delay Start	24 Hours	24 Hours	Z4 Hours	<b> </b>
Half Load Wash Option	•	•	•	<u> </u>
Racks and Interior				<del></del>
# of Racks	3	2	3	T
Adjustable Height	One-Touch	One-Touch	One-Touch	<del> </del>
Adjustable Tines Upper Rack	•	•	•	<del>                                     </del>
Fold-Down Tines Upper Rack				
Cup Shelf Upper Rack	<b>*</b>	•	•	
Adjustable Tines Lower Rack	•	•	•	<del> </del>
Removal Tines Lower Rack			•	
Silverware Basket Lower Rack	• .	•	•	
Extra Features		A STATE OF THE STA		
WaterWall™ System	•	•		<u> </u>
3rd Rack	• (FlexTray <sup>TM</sup> )	<u> </u>	•	
Zone Booster	•	•		
WI-FI™ Connectivity	•			
AutoRelease™		•	•	1
Storm Wash <sup>e</sup>			•	T
Digital Leakage Sensor	•	•	•	
Hard Food Disposer				
Easy Caddy 3rd Station		•		<u> </u>
Speed Booster	4	•		
Self Clean	4	•		

This sketch is provided solely for reference to those items noted on the accompanying till engine /Fstras\*. All other

details, dimensions & layout 1 and for Purchasers Model only and may not be applicable to the Purchasers Model

Site Thomas

Lot 39

(N

Purchaser Initials Production Initials