SCHEDULE "PE"

HEDULE "PE" CHASER'S EXTRA	Esste,
HARJEET SINGH	
Purchaser(s) Telephone Number:	4A-14

Lot / Townhouse No.	110dsc Type	Reg. Plan #	Closing Date	Date Ordered
	Edward (3602) Elev A 4 Bed - 2+1 Bath, 2,240 SQ, St#Herd	Draft Approval SB17-03-08		31-Mar-2019

2	PURCHASER ACKNOWLEDGES THAT GRADING PLANS HAVE NOT BEEN FINALIZED AND AS SUCH INFORMATION ON DECK AND WALK OUT CONDITIONS ARE NOT YET AVAILABLE. GRADING IS SUBJECT TO THE TERMS AND CONDITIONS CAPTIONED IN THE AGREEMENT OF PURCHASE AND SALE HEREIN.	
4	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO ARRANGE DELIVERY – CALL THE BRICK COMMERCIAL SALES DIVISION AT 1-877-353-2850.	
4	WASHER AND DRIEK (SUPPLIED ONLY NOT INSTALLED FROM DITH DEDG COLUMN ADD A DECK	

This is your direction to install the above extras on the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- Extras or changes will not be processed unless signed by the Vendor.
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

KINGSMEN (THAMES) INC.

Vendor

Purchaser - HARJEET SINGH

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approval

Per: Date:

Page 1 of 1

Havelock Corners

SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

QUALITY EXTERIOR CONSTRUCTION

Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as

per plan.

All exterior elevations and colour schemes, including brick selection, are Architecturally

Controlled as part of pre-selected exterior colour packages.

MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grade), per

MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,

with sealed thermopane giass panels.

CASPMENT WINDOWS THROUGHOUT main and second floor. Basement windows are stiders. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation palladium, transem, octagon and other accent windows to be fanx black

RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per slevation. Colour of individual doors are Architecturally Controlled as part of pre-selected

exterior colour packages.

Lot to be fully sodded (including boulevard, where applicable).

PAVED DRIVEWAY, Cost to be credited to Builder on closing

 Two exterior water taps with interior shut-off.
 Two exterior water taps with interior shut-off.
 Two exterior weather-proof electrical outlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second cutlet, will be located at the rear of the house and is not switched.

Community to have paved roads, curbs, storm and sanitary sewers.

Porches to be poured concrete.

Porches to be poured concrete,
Garage floor to be poured concrete with steel reinforcing.
Pre-limisted, maintenance-free soffits, fascia, eavestroughs and down pipes as per elevation.
7/16" plywood roof sheathing.
Upgreded self-sealing, 30 YEAR ASPHALT SHINGLES.

Upgraded self-sealing, 30 YEAR ASPHALT SHINGLES.
 Steel-beam construction in basement, where applicable.
 Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks.
 Basement floor to be poured concrete.
 Upgraded, STEEL OR FIRREGLASS insulated and embossed front catry door with glass insure widelights and/or transport mindows.

insert, sidelights and/or transom windows, as per plan.

All exterior doors are insulated, with energy efficient weather stripping and dead bolt lock.

Elegant brushed nickel-finish grip set on front door.

Elegant crosness meker-times grip see on from driveway to main porch entrance. Any applicable rear
patio will be precast concrete slabs.

GENERAL INTERIOR CONSTRUCTION

All framing in accordance with Ontario Building Code and local municipal requirements. Construction of homes inspected at specified stages by municipal officials. All exterior walls of habitable areas constructed with 2" x 6" framing. Professionally engineered roof trusses, as per plan. UPGRADED W" SPRUCE PLYWOOD SUBFLOOR, to be glued, screwed and sanded at

UPGRADED ENGINEERED FLOOR JOIST SYSTEM.

All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full 2. Height, 12" above basement floor).

WAULTED AND COFFERED CELLINGS, as per plan.

Ceiling heights to be 9" on main floor and 8" on second floor.

3.

Ceiling heights to be your main noor and of on second front.

Ceiling heights may vary from standards noted above, in those areas where ceilings must be drepped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered ceilings).

KITCHENS

1. LAMINATE KITCHEN COUNTERTOPS, in selection of colours, based on Builder's samples,

as per plan.

DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.

SINGLE LEVER FAUCET with pull out spout, in chrome finish.

Stainless steel exhaust hood fan over stowe, vented to exterior.

Choice of cabinets in a variety of colours and styles, from Builder's samples.

Electrical outlets for stove, fridge and countertop appliances as per Ontario Building Code requirements.

Rough-in wiring and plumbing for dishwasher hook-up.

Open dishwasher space as per plan (Optional filler base cabinet available).
 Flush BREAKFAST BARS as per plan.
 Designer KITCHEN ISLANDS and PENINSULAS, as per plan.
 BATHROOMS

ELONGATED, COMPORT HEIGHT TOILETS.

ELONGATED, COMFORT HEIGHT TOILETS.

SEPARATE SHOWER STALL with shower curtain red in Master Ensuite, as per plan.

OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Scaker and corner rub, skirts, deck and surrounds finished in a maximum of 15" x 13" ceramic wall tile, from Builder's standard samples.

Standard white bathroom fixtures from Builder's samples.

SINGLE LEVER FAUCISTS in all vanities, shower controls with built-in temperance balance regulators.

Choice of vanity cabinets and laminate countertops from Builder's samples.

OVERSIZED MIRRORS IN ALL BATHROOMS.
POWDER ROOM VANITY (not a pecestal sink) as per plan.

INTERIOR FINISHES

2 %" COLONIAL CASING AND TRUM FOR ALL DOORS AND WINDOW OPENINGS, 4

2 W COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4 W COLONIAL BASEBOARD. Quarter round installed on all hard surfaces, SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan, BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to have privacy looks. COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND NOSING IN NATURAL FINISH.

ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
TRIMMED OPENINGS on main floor as per plan (excluding rounded arches).

Lot 14 Phase: 4A Plan: Draft Approval SB17-03-08 Model: Edward (3602) Elev A 4 Bed - 2+1 Bath Standard

FLOORING

1. Choice of High QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

2. 3 %" x %" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

3. 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber

LAUNDRY ROOM

1. SINGLE LAUNDRY TUB located as per plan.

2. Plumbing and electrical provided for laundry equipment book-up, location per plan.

3. Heavy-duty electrical outlet for dryer and electrical outlet for washer.

Exterior wall vent provided for dryer.

ELECTRICAL

200 amp circuit breaker panel with copper wiring throughout.
All wiring in accordance with Ontario Building Code standards.
INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.

FRONT DOOR CHIME.
ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM

SMOKE DETECTOR ON EACH LEVEL

CARBON MONOXIDE DETECTOR, as per Ontario Building Code.

10

Electrical cutlet in the gurage for anternatic garage door opener as per elevation.

THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

TWO (2) CABLE T.Y. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

MASTER BEDROOM.

11. Exhaust fans to be provided in all washrooms, as per specifications.

12. SHOWER STALL LIGHT (as per plan).

13. WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-scoassible height.

14. DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries, where applicable.

where applicable.
HOME COMPORT

High efficiency gas-fired forced air furnace with electronic ignition.

HEAT RECOVERY VENTILATOR (HRV), as required.

Energy efficient gas-fired hot water tank (Purchaser to enter a rent-to-own agreement with supplier at Closing).

GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan.

PAINTING FINISHES

All interior walls, door and trim to be painted Kingsman white throughout.
 All interior onlings to be smooth throughout.
 COLOUR SELECTION AND FINISHES

All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of ungrades.

The purchaser acknowledges that items displayed in the Model Home or Presentation Cer

may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which may not be available.

The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour selection.

TARION WARRANTY CORPORATIONS COVERAGE

1. Sever years: MAJOR STRUCTURAL DEFECTS.

2. Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE One year: ALL OTHER ITEMS,

Purchaser agrees to pay the TARION warranty enrollment fee on closing as an adjustment.
 NOTE TO PURCHASERS

Exterior colours are architecturally controlled and selected by the builder to provide pleasing

Number of steps at front and rear yard may vary from that shown according to grading conditions and municipal requirements.

Variations in uniformity and colour from Vendoc's samples may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production process.

Efficient and variety caomics and most and must must be normal production process.

Hardwood flooring may react to normal fluctuating humidity levels producing gapping or cupping, both considered to be within acceptable industry standards.

Actual square flootage may vary slightly, depending on elevation selected.

Collings and smalls may be applifuld to approximately mechanical systems. Ceiling heights may Actual square reorige may vary sugarty, continuing on accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or

atructural systems.

Home to be finished in a good, workinsn like manner.

All Purchaser's selections are from Builder's standard samples only. Purchaser acknowledges that various decorative items, including light fixtures, window coverings and other items shown in the Presentation Centre, Model Home or Decor Centre are not necessarily included in the purchase price.

E. & O. E.

OR BETTER VALUE

Purchaser acknowledges that basement and garage areas are unfinished areas.

Options shown on flour plan are available at an extra cost.


Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes 12. Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL

March 37/109

Vendor: KINGSMEN (THAMES) INC.


Purchaser - HARJEET SINGH



BASEMENT EL. A

he floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural ontrols and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's fficial method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house inderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. & O. E.

SCHEDULE B-1" - Page 1 of 3
Initials:




SECOND FLOOR EL. A

he floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural ontrols and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's fficial method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house inderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. & O. E.

SCHEDULE "B-1" - Page 2 of 3

Initials: (H.3)



GROUND FLOOR EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural ontrols and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's efficial method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house enderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. i. & O. E.

SCHEDULE "B-1" - Page 3 of 3

Initials: (HS)