

		178 +111
KINGSMEN (THAMES) INC.	HARMANPREET SINGH	1110
Vendor	Purchaser(s) Telephone Number:	

ot / Townhouse No. House Type Reg. Plan # Closing Date Date Ordered 19 James (3601) Elev C 4 Bed - 2+1 Bath, 2,250 SQ. Draft Approval SB17-03-08 11-Aug-2019 Stafffacet

	EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE		
1			
2		<u> </u>	
3			
4	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO ARRANGE DELIVERY – CALL THE BRICK COMMERCIAL SALES DIVISION AT 1-877-353-2850.		
5	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.		
6	VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO INCLUDE 110V CODE REQUIREMENT.		
7	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.		
8			
9	VENDOR TO INCLUDE LEVEL 1, 20CM GRANITE OR QUARTZ IN ALL BATHROOMS, AND KITCHEN, AS PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TOPS. SELECTIONS TO BE MADE FROM BUILDERS STANDARD SAMPLES.		
10	VENDOR TO INCLUDE ENGINEERED HARDWOOD THROUGHOUT THE 2ND FLOOR IN LIEU OF INCLUDED CARPET, AS PER PLAN, AND SELECTIONS AS OUTLINES IN SCHEDULE A. THIS HAS NO CASH VALUE.		

This is your direction to install the above extras on the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monics paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- 4. Extras or changes will not be processed unless signed by the Vendor.
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Purchaser - HARMANPREET SINGH

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approval

Date:

Page 1 of 1

### Havelock Corners

# SCHEDULE "A" - Features and Finishes

## TOWNHOMES, 30' & 36' DETACHED

# Lot 19 Phase: 4A Plan: Draft Approval SB17-03-08 Model: James (3601) Elev C 4 Bed - 2+1 Bath Standard

# QUALITY EXTERIOR CONSTRUCTION

- ALTTY EXTERIOR CONSTRUCTION

  Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS,

  VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as
- per plan.

  All exturior elevations and colour schemes, including brick selection, are Architecturally
- Controlled as part of pre-selected exterior colour packages.

  MAINTENANCE FRES COLUMNS AND RAILINGS (only where required by grade), per
- applieable elevation.

  MADITENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,
- with sealed themsopane glass panels.

  CASEMENT WINDOWS THROUGHOUT main and second floor. Busement windows are sliders. All operable windows are pre-designed by the builder and will have settents. Some front and side elevation palladium, transom, octagon and other accent windows to be faux black
- and size elevation parameters, occupied as some several paint firesh, RAISED PANEL, SECTIONAL GARAGE DOORS with window insents and paint firesh, per elevation. Colour of individual doors are Architecturally Controlled as part of pre-sele exterior colour puckages.

  Lot to be fully sodded (including boulevard, where applicable).

  PAVED DRIVEWAY. Cost to be credited to Builder on clesing.

- Two exterior water taps with interior ship-off.
- Two exterior water taps with interior shat-off.
   Two exterior weather-proof electrical netters with ground first wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched.
   Corarramity to have paved roads, curbs, storm and sanitary sewers.
- 12. Porches to be poured concrete.
- 13. Garage floor to be poured concrete with steel reinforcing.

  14. Pre-Unished, maintenance-free soffits, fascin, eavestroughs and down pipes as per elevation.

  15. 7/16" plywood roof sheathing.

  16. Upgraded self-sealing, 30 YEAR ASPHALT SHINGLES.

- Oppraces set acating, or reach Astronomics.
   Steel-beam construction in basement, where applicable.
   Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping titles for additional protection against basement leaks.
   Basement floor to be poured concrete.
   Upgraded, STEEL OR FIBREGLASS insulated and embossed front every door with glass
- treert, sidelights and/or transom windows, as per plan.

  All exterior doors are insulated, with energy efficient weather stripping and dead boil lock.

  Elegant brushed nickel-finish grip set on front door.

- 22. Elegant brushed nickel-finish grip set on from moor.
  23. Precust concrete slab walkway from driveway to main porch entrance. Any applicable real patio will be precast concrete slabs.

- pass will be precast concrete stats.

  GENERAL INTERIOR CONSTRUCTION

  1. All framing in secondance with Critaric Building Code and local municipal requirements.

  Construction of homes inspected at specified stages by municipal officials.

  2. All exterior walls of habitable areas constructed with 2" x 6" framing.

  3. Profestionally engineered roof treases, as per plan.

  4. UPGRADED W\* SPRUCE PLYWOOD SUBFLOOR, to be glued, screwed and sanded at initials.
- UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
- All insulated as per Ontario Ballding Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 [Full 2. Height, 12" above basement floor).

  VALLIED AND COFFERED CELLINGS, as per plan

- Ceiling heights to be 9° on main floor and 8° on second floor.

  Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered ceilings). KITCHENS

- LAMINATE KITCHEN COUNTERTORS, in selection of colours, based on Builder's samples,

- DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.

  SINGLE LEVER FAUCET with pull out apout, in chrome finish.

  Stainless steel exhaust hood fan over steve, vented to exterior.

  Choice of cabinets in a variety of colours and styles, from Builder's samples.

  Electrical outlets for stove, fridge and countertop appliances as per Ontario Building Code Rough-in wiring and plumbing for dishwasher
- Open dishwasher space as per plan (Optional filler base cabinet available).
  Plush BREAKFAST BARS as per plan.
  Designer KITCHEN ISLANDS and PENINSULAS, as per plan.

## BATHROOMS

- ELONGATED, COMPORT HEIGHT TOILETS
- ELONGATED, COMPORT PLEIGHT TUILLETS.

  SEPARATE SHOWER STALL with shower curtain rod in Master Ensuite, as per plan.

  OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

  Bith tab enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tub, skirts, deck and surrounds fluished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

  Standard white ballyroom fixtures from Builder's samples.

  SINGLE LEVER FAUCETS in all varieties, shower controls with built-in temperance balance samples.
- regulators.
- Choice of variety calcinets and laminate econsterope from Builder's samples.

  OVERSIZED MIRRORS IN ALL BATHROOMS.
- POWDER ROOM VANITY (not a pedestal sink) as per plan.

## INTERIOR FINISHES

- TRICIOR PINNSHES

  2. M° COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4

  W° COLONIAL BASEBOARD. Quarter round installed on all hard surfaces.

  SERIES 800 COLONIAL STYLE INTERIOR DOORS, including directs, as per plan.

  BRUSHED NICKEL FINISH DOOR HARDWARE. All hathrooms to have privacy locks.

  COMPLETE, OAK FINISH STAFF, RAILING, PICKETS, RISERS, STRINGERS AND NOGRIG IN NATURAL FINISH.
- ELEGANT FULL MEIGHT OR HALF COLUMNS, as per plan.
  TRIMMED OPENINGS on main floor as per plan (excluding rounded arches).

### FLOORING

- OORING
  Choice of IRCH QUALITY CERAMIC TILE, up to 15" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, FOWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUTTE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

  3 %" x %" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL, FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

  40 OZ POLYENTER BROADLOOM WITH HIMM FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber standard.
- standard.

### UNDRY ROOM

- UNDER ROUGHS
  SINGLE LAUNDRY TUB located at per plan.
  Plumbing and electrical provided for laundry equipment book-up, location per plan,
  Heavy-duty electrical outlet for dryer and electrical notifet for washer.
- Exterior wall went provided for dryer

# ECTRICAL

- 200 amp circuit breaker panel will copper wiring throughout.

  All wiring in accordance with Ontario Building Code standards.

  INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.
- FRONT DOOR CHIME.
  ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.
  SMOKE DETECTOR ON EACH LEVEL.

- CARBON MONOXIDE DETECTOR, as per Cutario Building Code.
  Electrical outlet in the garage for sutomatic garage foor opener as per elevation.
  THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.
  TWO (2) CABLE T.V. CUTTETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

- MASTER BEDRUOM.

  11. Exhaus: Orns to be provided in all washrooms, as per specifications.

  12. SHOWER STALLLIGHT (as per plan).

  13. WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-accessible height.

  14. DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries,
- where applicable. HOME COMFORT

- High efficiency gas-fired forced sir furnace with electronic ignition.

  HEAT RECOVERY VENTELATOR (HRV), as required.

  Energy efficient gas-fired hot water tank (Parchaser to enter a rent-to-oven agreement with supplier at Closing).

  GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan.

## PAINTING FINISHES

- All interior walls, door and trim to be painted Kingsmen white throughout.
   Alf interior ceilings to be smooth throughout.
   COLOUR SELECTION AND PINISHES.

- All colour and finishing selections are to be made at Kingsmen Group Inc. Désor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of upgrades.

  The purchaser acknowledges that items displayed in the Model Home or Presentation Centre
- may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which may not be available.

  The purchaser acknowledges and agrees that variations is colour and abade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour selection.

# TARION WARRANTY CURPORATIONS COVERAGE

- Seven years: MAJOR STRUCTURAL DEFECTS.
  Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE.
- One year. ALL OTHER ITEMS
   Purchaser agrees to pay the TARION warranty euroliment fee on closing as an adjustment.

  NOTE TO PURCHASERS

- Exterior colours are architecturally controlled and selected by the builder to provide pleasing

- Exterior colours are architecturally controlled and selected by the builder to provide pleasing streetscapes.

  Number of steps at front and tear yard may vary from that shown according to grading conditions and municipal requirements.

  Variations in uniformity and colour from Vendor's samples may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production process.

  Hardwood flooring may react to normal fluctuating humidity levels producing gapping or cupping, both considered to be within acceptable industry standards.


  Actual square finishes may very slightly, depending on elevation selected.

  Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may very from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems. ictural systems. me to be finished in a good, workman like menner.
- All Purchaser's selections are from Builder's standard samples only. Perchaser acknowledges that various decorative items, including light fixtures, window coverings and other items shown in the Presentation Centre, Model Home or Decor Centre are not necessarily included in the Purchaser ecknowledges that basement and garage areas are unfinished areas
- Options shown on floor plan are available at an extra cost.
   Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, feeding, walkways or other items used to accessorize renderings are for illustrative purposes. 12. Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.

back Spage 1/18 Purchaser - HARMANPREET SINGH

Vendor: KINGSMEN (THAMES) INC.




# BASEMENT EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initials:




# SECOND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3





# GROUND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades, E. & O. E.

SCHEDULE "B-1" - Page 3 of 3

Initials: