## SCHEDULE "PE" PURCHASER'S EXTRA

KINGSMEN (THAMES) INC. Vendor	SHAYAN RAJIWATE Purchaser(s) Telephone Number:
-------------------------------	--

Lot / Townhouse No. 33	House Type  James (3601) Elev A 4 Bed - 2+1 Bath, 2,210 SQ.  FT.	Reg. Plan # Draft Approval SB17-03-08	Closing Date	Date Ordered 17-Jun-2018
	EXTRAS/UPGRADES INCLU		PRICE	

03=	EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE	
1	^ ·	
2	В	
3	· s	
4	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FREDGE; STOVE AND DISHWASHER, WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO ARRANGE DELIVERY – CALL THE BRICK COMMERCIAL SALES DIVISION AT (416) 249-4373.	
5	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.	
6	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.	

This is your direction to install the above extras on the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Vendor - KINGSMEN (THAMES) INC.

Construction Scheluling approval	DAN
Per:	1200
Date: OLL SO   Stars	-

## Havelock Corners

## SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

Lot 33 Phase: 4A Plan: Draft Approval SB17-03-08 Model: James (3601) Elev A 4 Bed - 2+1 Bath

### QUALITY EXTERIOR CONSTRUCTION

Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING 28

All exterior elevations and colour schemes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages.

MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grade), per

MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,

with sealed thermopene glass panels.

CASEMENT WINDOWS THROUGHOUT main and second floor. Basement windows a sliders. All operable windows are pre-designed by the builder and will have screens. Some freet and side elevation palladium, transom, octagen and other accent windows to be fame black

glass, as per elevation.

RAISED PANEL, SECTIONAL GARAGE DOORS with window interts and paint finish, per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected

exterior colour packages.

Lot to be fully sodded (including boulevard, where applicable).

PAVED DRIVEWAY. Cost to be credited to Builder on course.

- 9. Two exterior water taps with interior shut-off.

  10. Two exterior weather-proof electrical autlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched.

  11. Community to have paved roads, curbs, atoms and sanitary sewers.

Porches to be poured concrete.

13

Garage floor to be poured concrete with steel reinforcing.

Pre-finished, maintenance-free soffits, fascia, cavestroughs and down pipes as per elevation.

7/16" plywood roof sheathing,

Upgraded self scaling, 30 YEAR ASPHALT SHINGLES.

Stoel-beam construction in basement, where applicable.
 Beacment walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks.
 Basement floor to be poured concrete.
 Upgraded, STEEL OR FIBRECLASS insulated and embassed front entry door with glass.

Dipprobes, Street Oil Pisters(LASS insulated and embussed front entry door with glas insert, sidelights sax/or transom windows, as per plan.
 All exterior doors are insulated, with energy efficient weather stripping and dead bolt lock.
 Elegant brushed nickel-finish grip set on front door.
 Precast concrete slab walkway from driveway to main perch antrance. Any applicable respath will be precast concrete slabs.

paths will be precast concrete slabs.

GENERAL INTERIOR CONSTRUCTION

1. All framing in accordance with Ontaric Building Code and local municipal requirements.

Construction of homes inspected at specified stages by municipal officials.

2. All exterior walls of habitable areas constructed with 2" x 6" framing.

Professionally angineered roof trusses, as per plan.

UPGRADED W" SPRUCE PLYWOOD SUBFLOOR, to be gleed, screwed and sanded at

UPGRADED ENGINEERED FLOOR JOIST SYSTEM.

All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement wells R20 (Full 2. Height, 12" above basement floor). Height, 12" above basement floor). VAULTED AND COFFERED CEILINGS, as per plan

Ceiling heights to be 9' on main floor and 8' on second floor.
 Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered ceilings)

 IL LAMINATE KITCHEN COUNTERTOPS, in selection of colours, based on Builder's samples,

- DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.
  SINGLE LEVER PAUCET with pull out spout, in chrome finish.
  Stainless steel exhaust hood fan over stove, vented to exterior.
  Choice of cabinets in a variety of colours and styles, from Builder's samples.

Electrical outlets for stove, fridge and count noes as per Ontario Building Code requirements.

Rough-in wiring and plumbing for dishwasher book-up.

Open dishwasher space as per plan (Optional filler bare cabinet available).

Flush BREAKFAST BARS as per plan.

Designer KITCHEN ISLANDS and PENINSULAS, as per plan.

10

BATHROOMS

1. ELONGATE

ELONGATED, COMPORT HEIGHT TOTLETS.

SEARARTE SHOWER STALL with shower curtain rod in Master Ensuite, as per plan.

OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CHRAMIC TILES from Builder's samples. Soaker and comer tub, skirts, dock and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

Standard white bathroom fixtures from Builder's samples.

SINGLE LEVER FAUCETS in all varieties, shower controls with built-in temperance balance resultative.

regulato Choice

Choice of vanity cabinets and laminate countertops OVERSIZED MIRRORS IN ALL BATHROOMS. ertops from Builder's samples.

POWDER ROOM VANTTY (not a pedestal sink) as per plan TERIOR FINISHES

TERIOR FINISHES

2 % COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4

% COLONIAL BASEBOARD Quarter round installed on all hard surfaces.

SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan.

BRUSHED NICKEL FINISH DOOR HARDWARE All bathrooms to have privacy locks.

COMPLETE, OAK FINISH STAIR, RAILING, PRIXKETS, RISBRS, STRINGERS AND

NOSING IN NATURAL FINISH.

ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.

TRIMMED OPENINGS on main floor as per plan (excluding rounded arches).

FLOORING

OORING
Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKEAST AREA, POWDER ROOM, LAUNDRY ROOM (main, per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

3 %" x %" ENGINEERIED HARDWOOD STRIP FLOOR IN NATURAL FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

40 OZ POLYESTER HROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard exceptes and borber standard.

3 standard.

AUNDRY ROOM

SINGLE LAUNDRY TUB located as per plan.

Plumbing and electrical provided for laundry equipment hook-up, location per plan.

Heavy-duty electrical outlet for dryer and electrical outlet for washer.

Exterior wall vent provided for dryer.

RESCURICAL

ECTRICAL
200 amp circuit breaker panel with copper wiring fluouphout.
All wiring in accordance with Ortario Bailding Code standards.
INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.
FRONT DOOR CHIME.
ROUGH IN FOR FITTURE CENTRAL VACUUM SYSTEM.

SMOKE DETECTOR ON BACH LEVEL.

CARBON MONOXIDE DETECTOR, as per Ontario Building Code.

Electrical outlet in the garage for automatic garage door operor as per elevation.

THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

Schaus fare to be provided in all washrooms, as per specifications.

SHOWER STALL LIGHT (as per plan).

WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-accessible height DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries.

where applicable. HOME COMFORT

High efficiency gas-fired forced air awasce with electronic ignition.

HISAT RECOVERY VENTILATOR (HRV), as required.

Energy efficient gas-fired hot water tank (Purchaser to enter a rent-to-own agreement with supplier at Closing).

GAS FIREPLACE WITH WHITE PAINTHO MANILE, as per plan.

### PAINTING FINISHES

All interior walls, door and trim to be painted Kingsmen white throughout.
 All interior ceilings to be amount throughout.
COLOUR SELECTION AND FINISHES.

All colour and finishing exications are to be made at Kingsmen Group Inc. Dépor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a profussional decorator to assist in the completion of their interior finishing selections and the selection of upgrades.

The purchaser acknowledges that Herns displayed in the Model Home or Pres

may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which may not be available.

The purchaser acknowledges and agrees that variations in colour and shade uniformity may

occur and the colours, patterns and availability of samples displayed in the Presentation Cont and/or Model Homes may vary from those displayed and available at the time of color

TARION WARRANTY CORPORATIONS COVERAGE

Seven years: MAJOR STRUCTURAL DEFECTS.
Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE.

Ose year: ALL OTHER FIEMS.
 Purchashr agrees to pay the TARION warranty enrollment fee on closing as an adjustment. NOTE TO PURCHASERS

as are architecturally controlled and selected by the builder to provide pleasing streetscapes. Number of steps at front and rear yard may vary from that shown according to grading

Number of steps at front and rear yard may vary from that shown according to grading conditions and municipal requisements. Variations in uniformity and colour from Vendor's samples may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production process. Hardwood flooring may react to normal fluctuating lumidity levels producing gapping or cupping, both considered to be within acceptable industry standards. Actual square footage may vary slightly, depending on elevation selected.

Cettings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems.

vary from standard, where contage in the manner structural systems. Home to be finished in a good, workman like manner.

All Purchaser's selections are from Builder's standard samples only. Purchaser acknowledges that various decorative stems, including light fixtures, window coverings and other items shown in the Presentation Centre, Model Home or Decor Centre are not necessarily included in the

archase price. urchaser acknowledges that basement and garage areas are unfinished areas.

Purchaser removingers can carefully an agreement and garage are configured to the property of the plan are available at an extra cost.
 Potential residence used for marketing purposes are Artist's Concepts only. Any landscaping, fearing, walkways or other items used to accessorize renderings are for illustrative purposes only.

only.

12. Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing


SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE

Purchaser - SHAYAN RAJIWATE

June 17/18

Vendor: KINGSMEN (THAMES) INC.

Lot 33 Phase 4A Model: James (3601) Elev A 4 Bed - 2+1 Bath Standard




BASEMENT EL. A & B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

> SCHEDULE "B-1" Page 1 of 3 Initials:

Lot 33 Phase 4A Model: James (3601) Elev A 4 Bed - 2+1 Bath Standard



## **GROUND FLOOR EL. A**

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.


SCHEDULE "B-1" - Page 2 of 3



Lot 33

Phase 4A Model: James (3601) Elev A 4 Bed - 2+1 Bath

Standard



# SECOND FLOOR EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3

Initials:

inMS\_014,rpt 16jun18

. . .