
SCHEDULE "PE"



IZD	ICONON CONT		ER'S EXTRA		4 07 3
KINGSMEN (THAMES) INC. Vendor			AMANPREET SINGH SAIINI Purchaser(s) Telephone Number:		
ot/	Townhouse No.	Edward (3602) Elev C 4 Bed - 2+1 Bath, 2,325 SQ. Stiffferd	Reg. Pian # Draft Approval SB17-03-68	Closing Date	Date Ordered 29-Jun-2019
		EXTRAS/UPGRADES INCLU	DED IN PURCHASE	PRICE	
1				1	
2	***************************************			-	
3					
4		IANCES — STAINLESS STEEL FRONT - FRIDGE; ST D DRYER (SUPPLIED ONLY, NOT INSTALLED, FRO ELIVERY — CALL THE BRICK COMMERCIAL SALE	MA DITH DEDG COLANDAN	TO F TO VIEW CO. C.	
5	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.				-
6	VENDOR TO S	SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZ AMPLES.	ED ACCORDINGLY, FRO	OM VENDORS	
7				-	

This is your direction to install the above extras on the following terms and conditions:

1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded

VENDOR TO INCLUDE LEVEL 1, 20CM GRANTTE OR QUARTZ IN THE KITCHEN, AS PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TOPS. SELECTIONS TO BE MADE FROM BUILDERS

VENDOR TO INCLUDE BUILDERS STANDARD, ENGINEERED FLOORING IN NATURAL STAIN, THROUGHOUT THE SECOND LEVEL, IN LIEU OF INCLUDED CARPET, AS PER PLAN.

- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

STANDARD SAMPLES.

Purchaser - AMANPREET SINGH SAITNI

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approval

Per: (Date: 7

Let No.:37 Plan No.:Draft Approval SB17-03-08 Vendor: KINGSMEN (PHAMES) INC.

Page 1 of 1

Havelock Corners

SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

QUALITY EXTERIOR CONSTRUCTION

Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, 1.
VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as

All exterior elevations and colour schemes, including brick selection, are Architecturally Controlled as part of pre-selected enterior colour packages.

MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grade), per

applicable elevation.

MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,

MAINTENANCE FIGHS, LIW IS ARGUN VINITE WINDOWS AND SELECTIONS, with sealed themspenc glass panels.

CASEA/ENT WINDOWS TEROUGHOUT main and second floor. Essement windows are sliders. All operable windows are pre-designed by the builder and will have acreans. Some front and side elevation palladium, transom, betagen and other accept windows to be faux black glass, as per elevation. SECTIONAL GARAGE DOCRS with window inserts and paint finish, as per elevation. Colour of individual doces are Architecturally Controlled as part of pre-selected exterior colour packages.

per elevarion. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages.

Let to be fully sodded (including houleward, where applicable).

PAVED DRIVEWAY. Cost to be credited to Builder on closing.

Two exterior water taps with interior shot-off.

Two exterior weather-princi electrical cutiets with ground fault wiring. One could to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the larger and in not entrance. rear of the house and is not switched.

Tear of the house and is not switched.

11. Community to have paved roads, curbs, storm and sanitary sewers.

12. Porebes to be poured conserve.

13. Garage floor to be poured concrete with steel reinfiroling.

14. Pre-finished, maintenance-free seffits, fascia, cavestroughs and down pipes as per elevation.

15. 716" plywood roof sheathing.

716" plywood roof sheathing.
 Upgraded self souling, 30 YEAR ASPHALT SHINGLES.
 Steel-beam construction in bactment, where applicable.
 Basement walls are poured concrete with dump proofing system. Exterior dealinsup membra provided at basement area and weeping tiles for additional protection against basement leaks.
 Basement Ecor to be poured concrete.
 Upgraded, STEEL OR FIBREGLASS insulated and emborsed front entry door with global and dealing and the statement provides.

and front ontry door with glass

Upgraded, STHEL OK HIROSOLASS insulated and emported trees entry over with greatineser, sidelights and/or transom windows, as per plan.
 All exterior doors are insulated, with energy efficient weather stripping and dead bolt look.
 Elegant brushed riokel-finish grip set on front door.
 Precast concrete slab wellowsy from driveway to main porch contrance. Any applicable rear puto will be precast concrete slabs.
 GENERAL INTERIOR CONSTRUCTION
 All fermine in accordance with Ontario Building Code and local manicipal requirements.

NERAL INVERTOR CONSTRUCTION

All framing in accordance with Ontaric Building Code and local manicipal requirements. PA

Construction of homes inspected at specified stages by municipal officials.

All extence walks of habitable areas constructed with 2" x 6" framing.

Professionally engineered roof trusses, as per plan.

LIPGRADED W" SPRUCE PLYWOOD SUBFLOOR, to be glued, acrewed and sanded at 1.

joints.

UPGRADED ENGINEERED FLOOR JOIST SYSTEM.

All insulated as per Oatarin Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R50; Besement walls R20 (Full 2.)

Visited 129 about becament floor).

Height, 12" above basement floor).

VAULTED AND COFFERED CELLINGS, as per plan.

Ceiling heights to be 9" on main floor and 8" on second floor.

Ceiling heights may very from standards noted above, in those areas where onlings must be dropped to appointmed mechanical and/or structural systems, or where determined by the vendors architect (such as coffered collings).

KITCHENS

LAMINATE KITCHEN COUNTERTOPS, in selection of colours, based on Puilder's samples,

as per plan.

DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.

SOUGHER COMPARTMENT LEDOUSSACK STATISTICS OF THE SERVE.

STRIGHER LEVER FAUCET with pull out speet, in chrome finish.

Standless steel exhaust hood fan over stove, vented to exterior.

Choice of cabinets in a variety of colours and styles, from Buildor's samples.

Electrical ouders for stove, friege and countertop appliances as per Oatario Building Code requirements.

7. Rough-in wiring and plumbing for dishwesher hook-up.
8. Open dishwasher space as per plan (Optional filler base cabinet available).
9. Flash BREAKFAST BARS as per plan.
10. Designer KITCHEN ISLANDS and PENINSULAS, as per plan.

BATHROOMS

- CHROOMS

 ELONGATED, COMFORT HEIGHT TOILETS.

 SEPARATE SHOWER STALL with shower curtain red in Master Branite, as per plan.

 OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

 Both tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC THES from Builder's samples. Soaker sext comer tub, skirts, deek and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

 Standard white betwoom fixtures from Builder's samples.
- SINGLE LEVER FAUCETS in all vanities, shower controls with built-in temperance balance

regulators.
Choice of variety cabinets and laminate countertops from Build
OVERSIZED MIRRORS IN ALL BATHROOMS.
POWDER ROOM VANITY (not a padestal strict) as per plan.

INTERIOR FINISHES

2 %" COLONIAL CASING AND TRUM FOR ALL DOORS AND WINDOW OPENINGS, 4

2 %" COLONIAL CASENG AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4 %" COLONIAL HASEBOARD. Quarter round installed on all hard surfaces. SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan. BRUSHED NICKEL FINISH DOOR HARDWARE, All baftrooms to have privacy locks. COMPLETE, OAK FINISH STADE, RAILING, PICKETS, RISERS, STRINGERS AND MOSING IN NATURAL FINISH.

ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.

TRIMMED OPENINGS on mais floor as per plan (excluding rounded arches).

Lot 37 Phase: 4A Plan: Draft Approval SB17-03-08 Model: Edward (3602) Elev C 4 Bed - 2+1 Bath Standard

FLOORING

OORING
Choice of HIGH QUALITY CERAMIC TILE, up to 15" x 13", from Builder's standard selection, IN ENTRANCE POYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (mein per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

3 %" x %" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

40 OZ POLYESTER BROADLOOM WITH HIMM FOAM UNDERPAD in all second floor non-tiled areas, Choice of one colour fironghout from Builder's standard associated associat

LAUNDRY ROOM

UNDAY ROOM: SINGLE LAUNDRY TUB located as per plan. Flumbing and electrical provided for laundry equipment hook-up, incation per plan. Heavy-cluty electrical outlet for dryer and electrical outlet for waster.

Exterior wall went provided for drye ECTRICAL

200 amp circuit breaker panel with copper wiring throughout.
All wiring in accordance with Cetario Building Code standards.
INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.

FRONT DOOR CHIME

ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM. SMOKE DETECTOR ON EACH LEVEL.

SMOKE DETECTOR ON BACH LEVEL.
 CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
 Electrical outlet in the garage for automatic garage door opener as per elevation.
 THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.
 TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.
 Exhaust faus to be provided in all washrooms, as per specifications.
 SHOWER STALL LIGHT (as per plan).
 WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-accessible height.
 DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries, where applicable.

where applicable.
HOME COMPORT

High efficiency gas-fired forced sir furnace with electronic ignition. HEAT RECOVERY VENTILATOR (HRV), as required. Energy efficient gas-fired hot water tank (Purchaser to enter a ser to enter a rent-to-own agreement with supplier at Closing).

4. GAS FREELACE WITH WHITE PAINTED MANTLE, as per plan.

All interior walls, door and trim to be painted Kingsmen white throughout.

All interior ceilings to be smooth throughout.

 All interior walls, door and tran to be painted Kingsmen white throughout.
 All interior ceilings to be smooth throughout.
 COLOUR SELECTION AND PRINSIPS.
 All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Cestre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of ungrades.

The purchaser auknowledges that items displayed in the Model Hosse or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for

display purposes only, which may not be available.

The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and's Model Homes may vary from those displayed and available at the time of colour

TARION WARRANTY CORPORATIONS COVERAGE

Seven years: MAJOR STRUCTURAL DEFECTS.
Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE.

One year: ALL OTHER ITEMS.

Parchaser agrees to pay the TARION warranty carollment fee on closing as an adjustment.

NOTE TO PURCHASERS

Exterior colours are architecturally controlled and selected by the builder to provide pleasing Number of steps at front and rear yard may vary from that shown according to grading

Number of steps at from the past yard may vary from one answer sections as an account of the conditions and municipal requirements.

Variations in uniformity and colour from Vendor's samples may occur in finished meterials, kitchen and vanity cabinets and floor and wall finished due to normal production process.

Hardwood flooring may react to normal flooring lumidity levels producing gapping or cupping, both considered to be within acceptable industry standards.

Actual square footage may vary elightly, depending on elevation selected.

Callings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where bellings must be dropped to accommodate mechanical and/or chundred systems. tructural systems.

Finance to be finished in a good, workman like manner.

All Purchaser's relections are from Builder's standard samples only. Purchaser acknowledges that various decorative items, including light fixtures, window coverings and other items chown in the Presentation Centre, Model Homo or Decor Centre are not necessarily included in the purchase price.

purchase price.

Parchaser nucknowledges that basement and garage areas are unfinished areas.

Options shown on floot plan are available at an extra cost.


Baterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other floms used to accessorize renderings are for illustrative purposes.

12. Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL E. & O. E. OR BETTER VALUE

Purchaser - AMANPREET SINGH SAIINI

gue 29 / 9




BASEMENT EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initials:




SECOND FLOOR EL. C

The floor plans and clevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3





GROUND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3

Initials: