Vendor		MOHAN SHARMA HARMEET SINGH SYAL Purchaser(s) Telephone Number:		
ot / Townhouse No	House Type	Reg. Plan # Draft Approval SB17-03-08	Closing Date	Date Ordered
1	EXTRAS/UPGRADES INCLU	DED IN PURCHASE	PRICE	
2			L	
			,	

VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.

VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER

VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS

VENDOR WILL ALLOW THE PURCHASER TO ADD A FAMILY MEMBER ON TITLE, PRIOR TO CLOSING,

VENDOR TO INCLUDE LEVEL 1, 20CM GRANITE OR QUARTZ IN THE KITCHEN, AS PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TOPS. SELECTIONS TO BE MADE FROM BUILDERS

VENDOR TO INCLUDE BUILDERS STANDARD, ENGINEERED FLOORING IN NATURAL STAIN THROUGHOUT THE SECOND LEVEL, IN LIEU OF INCLUDED CARPET, AS PER PLAN. THIS HAS NO

This is your direction to install the above extras on the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- Extras or changes will not be processed unless signed by the Vendor.

PLAN) TO INCLUDE 110V CODE REQUIREMENT.

ONE TIME ONLY, AT NO COST TO PURCHASER.

STANDARD SAMPLES.

STANDARD SAMPLES.

CASH VALUE.

These extras may not be amended without the written consent of the Veudor

PREPARED BY: Ann Parsons

Purchaser - MOHAN SHARMA

Purchaser - HARMEET SINGH SY

endor - KINGSMEN (THAMES) INC.

Construction Scheduling Approval

Date:

Lot No.:43 Plan No.:Draft Approval SB17-03-08 Vendor: KINGSMEN (THAMES) INC.

5

6

7

10

Havelock Corners

SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

QUALITY EXTERIOR CONSTRUCTION

Architecturally inspired front circustions, including CLAY BRICK WITH STONIS ACCENTS, YERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING AS

per plan. All exterior elevations and colour schemes, including brick selection, are Architecturally

Controlled as part of pre-selected exterior solour puckages,
MAINTENANCE FREE COLLIMNS AND RAILINGS (only where required by grade), per

MAINTENANCE FREB, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS.

with evoled thermopene glass panels.

CASEMENT WINDOWS THROUGHOUT main and second flour. Basement windows are sliders. All operation windows are pre-designed by the builder and will have secons. Some front and side elevation palladium, transum, cotagen and other accept windows to be faux black glass, as per elevation.

RAISED PANEL, SECTIONAL GARAGIS DOORS with window inserts and paint finish, as

per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages.

Lut to be fully socied (including honlowerd, where applicable).

PAVED DRIVEWAY. Cost to be credited to Builder on closing.

Two exterior water taps with interior shut-off.

- Two exterior water taps with interior stateou.
 Two exterior weather-proof electrical outlets with ground fault wiring. One notict to be located near front entrance and agnipped with interior switch. The second outlet, will be located at the rear of the house and is not switched.
 Community to have paved roads, curbs, storm and assistary sewers.
 Forches to be poured concrete.

Foreness to be poured concrete,
 Garage floor to be poured concrete with steel reinforcing.
 Pro-floished, maintenance-free soffits, fiscia, exvestroughs and down pipes as per eleving.
 7/16" plywood roof steathing.
 Upgraded self sealing, 30 YEAR ASPHALT SHINGLES.

Steel-beam construction in basement, where applicable.
 Basement walls are pound concrete with famo proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against besement leaks.
 Basement floor to be poured concrete.
 Upgraded, STEEL OR FIBREGLASS insulated and embassed front entry door with glass

Opgraded, STEEL OK PHINESULASS insulated and embassed front early door wife glass insert, sidelights and/or transon windows, as per plan.
 All exterior doors are insulated, with energy efficient weather stripping and dead bolt lock.
 Elegant brusises nickel-finish grip set on front door.
 I'recast concrete slab walkway from driveway to main perch entrance. Any applicable reargation will be present concrete slabs.
 GENERAL INTERIOR CONSTRUCTION

All firening in accordance with Outain Building Code and local municipal requirements. Construction of homes inspected at specified stages by municipal officials.

All exterior walls of habitable areas constructed with 2" x 6" framing.

Professionally engineered roof tresses, as per plan.

UPGRADED W" SPRUCK PLYWOOD SUBFLOOR, to be gloed, screwed and sanded at

UPGRADED ENGINEERED FLOOR JOIST SYSTEM,

All insulated as per Cotario Building Code: Exterior walls of habitable areas insulated to a rating of R60; Basement walls R20 (Pall 2. Height, 12" above basement floor).

VAULTED AND COFFERED CEILINGS, as per plan.

Ceiling heights to be 9" on main floor and 8" on second floor.

3,

Ceiling beights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as outliered oeilings).

KITCHENS

I AMINATE KITCHEN COUNTERTOPS, in selection of colours, based on Builder's samples, as per plan.

DOUBLE COMPARTMENT LEDGERACK STAINLESS STEEL SINK

DOUBLE COMPARTMENT LIFE (FRIBAL & 3) ALTERATION STATES AND ASSESSED AS A STATE AND ASSESSED AS A STATE ASSESSED AS A STATE AS A STATES AS A STATE AS A STA Rough-in wiring and plumbing for dishwasher hook-up.
 Rough-in wiring and plumbing for dishwasher hook-up.
 Open dishwasher space as per plan (Optional filler base cabinet available).
 Floah BREAKFAST BARS as per plan.
 Designer KTCHEN ISLANDS and FEMINSHIAS, as per plan.

THROOMS

ELONGATED, COMPORT HEIGHT TOILETS.

SEPARATE SHOWER STALL with shower certain rod in Master Ensuite, as per plan.

OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

Bailt whe enclosures and shower stells to be in High QUALITY 5" x 8" CERAMIC TILES from Builder's samples. Socker and corner who skirs, deck and surrounds finished in a maximum of 13" x 13" certainly wall tile, from Builder's standard samples.

Standard white beth corn fixtures from Builder's samples.

SINGLE LEVER FAUCETS in all vanities, shower controls with built-in temperance halance regulators.

Choice of vanity cabinets and laminate countestops from Builder's samples.

OVERSIZED MIRRORS IN ALL BATSROOMS.

POWDER ROOM VANITY (not a pedestal sink) as per plan.

INTERIOR PINISHES

2 %* COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4 W* COLONIAL BASEBOARD. Quarter round installed on all hard surfaces.

SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan.

BROSHED NICKEL FINISH DOOR HARDWARE, All bathrooms to have privacy looks.

COMPLETE, OAK PANISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND NOSING DUNATURAL IMPRESS.

NOSING IN NATURAL FINISH.

ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.

TRIMMED OPENINGS on main floor as per plan (excluding rounded arches).

Lot 43 Phase: 4A Plan: Draft Approval SB17-03-08 Model: Andrew (3603) Elev B 4 Bed - 2+1 Bath Standard

FLOORING

CORING
Chaice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN HNTRANCE FOYER, KITCHEN, EREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATTEROOM FLOORS, as per plan.

3 '8" x '8" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL FINISH PROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

40 OZ POLYESTER BROADLOOM WITH Himms FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour furoughout from Builder's standard aumples and berber standard.

standard.

UNDRY ROOM

UNDRY ROOM
SINGLE LAUNDRY TUB located as per plan.
Plumbing and electrical provided for lunacity equipment hook-up, location per plan.
Heavy-drifty electrical outlet for dryer and electrical outlet for washer.
Exterior wall year provided for dryer.

ECTRICAL.

200 amp circuit breaker panel with copper wiring throughout.
All wiring in accordance with Ontario Building Code standards.
INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOLT. FRONT DOOR CHIME

ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM. SMOKE DETECTOR ON BACH LEVEL.

CARBON MONOXIDE DETECTOR, as per Ontario Building Code.

CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
 Electrical outlet in the garage for automatic garage door opener as per elevation.
 TIREE (3) TELEPHONE OUTLETS IN CHOICE OF FURCHASER LOCATIONS.
 TWO (2) CABLE T. V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.
 Exhaust Rins to be provided in all washnoome, as per specifications.
 SHOWER STALL LIGHT (as per plan).
 WHITE DECORAL LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be loomed at child-accessible height.
 DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries, where senties his entries, where senties had a perfect and a senties had a senties had a perfect and a senties had a perfect and a senties had a perfect and a senties had a senties

where applicable.

HOME COMPORT

High difficiency gas-fixed forced air firmace with electronic ignition.

HEAT RECOVERY VENTILATOR (HRV), as required.

Energy efficient gas-fixed hot water tank (Purchaser to enter a rent-to-own agreement with supplies at Clusing).
4. GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan.

PAINTING PINISHES

PAINTING PAINTING

1. All interior walls, door and trim to be painted Kingsmen white throughout.

2. All interior ceilings to be smooth throughout.

COLOUR SELECTION AND PINISHES

1. All colour and finishing selections are to be made at Kingsmen Group Inc. Decor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of the completion of their interior finishing selections.

The purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items show

display purposes only, which may not be available.

The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour

TARION WARRANTY CORPORATIONS COVERAGE

Seven years: MAJOR STRUCTURAL DEFECTS.
Two years: FLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE.
One year: ALL OTHER ITEMS.

OR BETTER VALUE

Puminaser agrees to pay the TARION warranty excollment fee on closing as an adjustn NOTE TO PURCHASERS

Exterior colours are architecturally controlled and selected by the builder to provide pleasing

streetscapes.

Number of steps at front end rear yard may vary from that shown according to grad

Number of steps at front end rear yard may vary from that shown anecoding to grading conditions and maricipal requirements.

Variations in uniformity and colour from Vendor's samples may occur in finished materials, kitchen and vanity estimets and floor and wall finishes due to normal production process.

Hardwood flooting may react to normal fluctuating hundrity levels producing gapping or supping, both considered to be within acceptable industry standards.

Actual square flooting may vary slightly, depending on elevation selected.

Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems.

structural systems.

structural systems.

Home to be finished in a good, workman like manner.

All Perchaser's selections are from Builder's standard samples only. Perchaser seknowledges that various decorative items, including light fixtures, window coverings and other liems shown in the Presentation Centre, Model Home or Decor Centre are not necessarily included in the

E. & O. E.

purchase price.

9. Purchaser addrowledges that basement and garage areas are unlimited areas.


10. Options shown on floor plan are available at an extra cost.

11. Extentor renderings used for marketing purposes are Artist's Concepts only. Any landscaping, feeding, walloways or other items used to accessorize renderings are for illustrative purposes. only, ns "as per elevation" or "as per plun" refer to illustrations provided in marketing 12. Tor

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL

Purchaser - HARMEET SINGH SYAL

Vendor: KINGSMEN (THAMES) INC.




BASEMENT EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initials: 45 (PZS)




SECOND FLOOR EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area, Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area, All options shown are upgrades, E, & O, E.

SCHEDULE "B-1" - Page 2 of 3

Initials: (15) (Pus)



GROUND FLOOR EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3