# SCHEDULE "PE" PURCHASER'S EXTRA



KINGSMEN (THAMES) INC. Vendor		RAVEENA SHARMA Purchaser(s) Telephone Number:		Site File	
Lot /	Townhouse No. House Type  62 Andrew (3603) Elev C 4 Bed - 2-1 Bath, 2,410 SQ.  Corner IET Standard	Reg. Plan # Draft Approval SB17-03-08	Closing Date	Date Ordered 08-Jul-2019	
1	EXTRAS/UPGRADES INCLU	JDED IN PURCHASE	PRICE		
2					
3			+		
4	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE; ST WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FRO ARRANGE DELIVERY – CALL THE BRICK COMMERCIAL SALI	M DITT DEDG OTAMOADD	T Th Tree states		
5	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) A LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE	FREAR OF HOME FOR FU DISCRETION,	TURE BBQ		
6	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZ STANDARD SAMPLES.	ZED ACCORDINGLY, FROM	M VENDORS		
7			L <sub>i</sub>		
8	VENDOR TO INCLUDE LEVEL 1, 20CM GRANITE OR QUARTZ IN PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TO BUILDERS STANDARD SAMPLES.	N ALL BATHROOMS, AND TOPS. SELECTIONS TO BE	KITCHEN, AS MADE FROM		
9	VENDOR TO INCLUDE BUILDERS STANDARD, ENGINEERED F SCHEDULE A, THROUGHOUT THE SECOND FLOOR IN LIEU OF	LOORING IN NATURAL ST INCLUDED CARPET, AS I	AIN AS PER PER PLAN		
10	PURCHASER ACKNOWLEDGES THIS HOME WILL RECIEVE A C ELEVATION. SUCH UPGRADE WILL BE DESIGNED AND APPRO ARCHITECTS AND IS NOT SUBJECT TO CHANGE OR MODIFICA	VED BY THE BUILDED AT	ID/OB TURE		

This is your direction to install the above extras on the following terms and conditions:

- In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without
  entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded
  to the purchaser.
- The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- 4. Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Purchaser - RAVEENA SHARMA

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approval

Per: Date:

Date. While

Page Loft

### Havelock Corners

### SCHEDULE "A" - Features and Finishes

### TOWNHOMES, 30' & 36' DETACHED

Lot 62 Phase: 4A Plan: Draft Approval SB17-03-08 Model: Andrew (3603) Elev C 4 Bed - 2+1 Bath Corner Lot, Standard QUALITY EXTERIOR CONSTRUCTION

Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as

All exterior elevations and colour achemes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages.

MAINTENANCS FREE COLUMNS AND RAILINGS (only where required by grade), per

MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,

with sealed thermopane glass panels.

CASEMENT WINDOWS THROUGHOUT main and second floor. Busement windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation palledium, transom, obtagon and other accent windows to be flow black. glass, as per elevati

RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint flaish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected

exterior colour pockages.

Lot to be fully sodded (including boulevard, where applicable).

PAVED DRIVEWAY. Cost to be credited to Builder on closing.

 Two exterior water taps with interior shut-off.
 Two exterior weather-proof electrical outlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched.

Community to have paved roads, curbs, storm and sanitary sewers

Porches to be poured concrete.

Garage floor to be poured concrete with steel reinforcing.
 Pro-finished, maintenance-free soffits, fascia, cavestroughs and down pipes as per elevation.
 7/16" plywood roof sheathing.

When plywood root secaning.
 Upgraded self sealing, 30 YEAR ASPHALT SHINGLES.
 Steel-beam construction in baseness, where applicable.
 Basement walls are poured concrete with damp proofing system. Exterior drainage membran provided at baseness area and weeping tiles for additional protection against basement leaks.

 Basement floor to be poured concrete.
 Upgraded, STEEL OR FIBREGLASS insulated and embossed from entry door with glass insert, sidelights and/or transom windows, as per plan.

21. All exterior doors are insulated, with energy efficient weather stripping and dead bolt look.

22. Elegant brushed nickel-finish grip set on front door.

Degant prosted move-training grip set on reme cook.
 Precast concrete slab walkway from driveway to main porch entrance. Any applicable rear patio will be precast concrete slabs.

GENERAL INTERIOR CONSTRUCTION

INTERIOR CONSTRUCTION

All framing in accordance with Ontario Building Code and local municipal requirements.

Construction of homes inspected at specified stages by municipal officials.

All exterior walls of habitable areas constructed with 2" x 6" framing.

Professionally engineered roof trusses, as per plan.

UPGRADED %" SPRUCE PLYWOOD SUBFLOOR, to be glued, sorewed and sanded at

UPGRADED ENGINEERED FLOOR JOIST SYSTEM,

All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Pall 2.

VAULTED AND COFFERED CHILINGS, as per plan

VAULTED AND CONTRECTO CERTAINCES, as per plan.

Ceiling heights to be 9° on main floor and 8° on second floor.

Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the ors architect (such as coffered ceilings).

KITCHENS

1. LAMINATE KITCHEN CCUNTERTOPS, in selection of colours, based on Builder's samples. as per plan.

DOUBLE COMPARTMENT LEDGEDACK STAINLESS STEEL SINK

SINGLE LEVER FAUCET with pull out spout, in chrome finish.

Stainless steel exhaust hood fan over stove, vented to exterior.

Choice of cabinets in a variety of colours and styles, from Builder's samples.

Electrical cutlets for stove, fridge and countertop appliances as per Ontario Building Code requirements.

Rough-in wiring and plumbing for dishwasher hook

Open dishwasher space as per plan (Optional filler base cabinet available). Flush BREAKFAST BARS as per plan.
Designer KITCHEN ISLANDS and PENINSULAS, as per plan.

10

BATHROOMS

ELONGATED. COMPORT HEIGHT TOILETS

ELONGATED, COMPORT HEIGHT TOILETS.

SEPARATE SHOWER STALL with shower curtain rod in Master Ensuite, as per plan.

OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner rub, skirts, deck and surrounds finished in a maximum of 13" x 13" coramic wall tile, from Builder's standard samples.

Standard white bathroom features from Builder's samples.

SINGLE LEVER FAUCETS in all vanities, shower controls with built-in temperance balance

Choice of vanity cabinets and laminate countertops from Builder's samples.

OVERSIZED MIRRORS IN ALL BATHROOMS.

POWDER ROOM VANITY (not a pedestal sirik) as per plan.

INTERIOR FINISHES

2 W" COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4 W COLONIAL BASEBOARD, Quarter round installed on all hard surfaces.
SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan

BRUSHED NICKEL PINISH DOOR HARDWARE. All bathrooms to have privacy locks.

COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND
NOSING IN NATURAL FINISH.

ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.

TRIMMED OPENINGS on main floor as per plan (excluding rounded arches).

FLOORING

CORING
Choice of High QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROCM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

3 %" x %" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

40 OZ. POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and besteve

non-tiled areas. Choice of one colour throughout from Builder's standard samples and berber standard.

LAUNDRY ROOM

UNDRY ROOM
SINGLE LAUNDRY TUB located as per plan.
Plumbing and electrical provided for laundry equipment hook-up, location per plan.
Heavy-duty electrical outlet for dryer and electrical outlet for washer.

Exterior wall vent provided for dryer.

200 amp circuit breaker panel with copper wiring throughout.
All wiring in accordance with Ontario Building Code standards.
INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.

FRONT DOOR CHIME

ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM. SMOKE DETECTOR ON EACH LEVEL.

CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
Electrical outlet in the garage for automatic garage door opener as per elevation.
THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.
TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND

10. TWO (2) CABLE T.V. OUTLOAD II.

MASTER BEDROOM.

11. Exhaust fans to be provided in all washrooms, as per specifications.

12. SHOWER STALLLIGHT (as per plan).

13. WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-necessible height.

HOME COMFORT

High efficiency gas-fired forced air furnace with electronic ignition. HEAT RECOVERY VENTILATOR (HRV), as required.

HEAT POSCOVERT VENTILATOR (FIRV), as required.
 Energy efficient gas-fired but water tank (Purchaser to enter a rent-to-own agreement with supplier at Closing).
 GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan.

#### PAINTING FINISHES

All interior walls, door and trim to be painted Kingsmen white throughout.

All interior ceilings to be smooth throughout.

COLOUR SELECTION AND FINISHES

All colour and finishing selections are to be made at Kingsmen Group Inc. Decor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of upgrades.

The purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which may not be available.

The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Control and/or Model Formes may vary from those displayed and available at the time of colour

TARION WARRANTY CORPORATIONS COVERAGE

Seven years: MAJOR STRUCTURAL DEFECTS.
Two years: PLUMBING, HEATING, ELBCTRICAL SYSTEMS AND BUILDING ENVELOPE

One year: ALL OTHER ITEMS

Purchaser agrees to pay the TARION warranty enrollment fee on closing as an adjustment NOTE TO PURCHASERS

Exterior colours are architecturally controlled and selected by the builder to provide pleasing streetscapes.

Number of steps at front and rear yard may vary from that shown according to grading

Number of steps at front and rear yard may vary from that shown according to grading conditions and municipal requirements.

Variations in uniformity and colour from Vendor's samples may occur in finished meterials, kitchen and variity cabinets and floor and wall finished due to normal production process.

Hardwood flooring may react to normal flootuating humidity levels producing gapping or cupping, both considered to be within acceptable industry standards.

Actual square footage may vary slightly, depending on clevation selected.

Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where onlines must be dropped to accommodate mechanical and/or nodate very from standard, where onlings must be dropped to acco structural systems.

Home to be finished in a good, workman like manner.

All Purchaser's selections are from Builder's standard samples only. Purchaser acknowledges that various decorative items, including light fixtures, window coverings and other items shown in the Presentation Centre, Model Home or Decor Centre are not necessarily included in the

in the Presentation Centre, Model frome or Decor Centre are not necessarily inclined in the purchase price.

9. Purchaser acknowledges that basement and garage areas are unfinished areas.

10. Options shown on floor plan are available at an extra cost.

11. Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes. only.


Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing documentation.

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.

Shauma

July 8/19


Vendor : KINGSMEN (THAMES) INC.



## BASEMENT EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3
Initials:




# SECOND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3

Initials: (RS)



## **GROUND FLOOR EL. C**

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3