SCHEDULE "PE"

4A

1			PURCHASER'S EXTRA		
	NGSMEN (TH.	AMES) INC.	SIMERPREET SINGH NAVNEET NAGRA Purchaser(s) Telephone Number:	-pite	File
Lot /	Townhouse No.	Edward (3602) Elev B 4 Bed - 2+1 Bath, 2,270 SQ.	Draft Approval	Closing Date	Date Ordered 29-Jun-2019
2		EXTRAS/UPGRADES INCLU			
3					
4		ANCES – STAINLESS STEEL FRONT - FRIDGE; ST D DRYER (SUPPLIED ONLY, NOT INSTALLED, FRO ELIVERY – CALL THE BRICK COMMERCIAL SALE			
5	VENDOR TO I LOCATION. I	NSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT LOCATION TO BE FINALIZED AT VENDORS SOLE	REAR OF HOME FOR FUTUR DISCRETION.	RE BBQ	
6	VENDOR TO S STANDARD S	SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZ AMPLES.	ED ACCORDINGLY, FROM V	ENDORS	
7				1	-
8	VENDOR TO DESCRIPTION OF THE INCLUSTANDARD SA	NCLUDE LEVEL 1, 20CM GRANITE OR QUARTZ IN JDED LAMINATE COUNTER TOPS. SELECTIONS T AMPLES.	N THE KITCHEN, AS PER PLA TO BE MADE FROM BUILDER	N, IN LIEU	
9	VENDOR TO A MAIN FLOOR	LLOW PURCHASER TO SELECT ANY STAIN FROM HARDWOOD AND STAIRCASE AND RAIL AS PER	M VENDORS STANDARD SAM PLAN AND A INCLUDED PER	PLES FOR SCHEDULE	

This is your direction to install the above extras on the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- Extras or changes will not be processed unless signed by the Vendor.
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Purchaser - SIMERPREFF SINGH

Purchaser - NAVNEET NAGRA

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approva

Date:

Lot No.:65 Plan No.:Draft Approval SB17-03-08 Vendor: KINGSMEN (THAMES) INC

A.

Havelock Corners SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

QUALITY EXTERIOR CONSTRUCTION

Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, 1.
VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as per plan.

All exterior elevations and colour schemes, including brick selection, are Architecturally

Controlled as part of pre-selected exterior colour packages.

MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grade), per

MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,

MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS, with sealed thermopane glass panels.

CASEMENT WINDOWS THROUGHOUT main and second floor. Basement windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some from and side elevation palladium, transom, octagon and other accent windows to be faux black glass, as per elevation.

RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages.

per elevation, Colour of incividual doors are Architecturally Co-exterior colour puckages.

Lot to be fully scoded (including bealsward, where applicable).

PAVED DRIVEWAY. Cost to be credited to Builder on closing.

Two exterior water taps with interior shut-off.

Two exterior water taps with interior shut-off.
Two exterior weather-proof electrical outlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the 11. Community to have paved roads, curbs, storm and sanitary sewers.

12. Ponches to be poured concrete.

13. Garage floor to be poured concrete with steel reinforcing.

Pre-finished, maintenance-free soffits, fascia, cavestroughs and down pipes as per elevation. 7/16" plywood roof sheathing.
 Upgraded self sealing, 30 YEAR ASPHALT SHINGLES.

- Vito psychological sealing, 30 YEAR ASPHALT SHINGLES.
 Upgraded self-sealing, 30 YEAR ASPHALT SHINGLES.
 Steel-beam construction in basement, where applicable.
 Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks. 18. Instantin waste are power controls with comp provided at besement area and weeping tiles for additional protection against basement leaks.

 19. Basement floor to be poured concrete.

 20. Upgraded, STEEL OR PERECLASS insulated and embossed front entry door with glass.

insert, sidelights and/or transom windows, as per plan.

21. All exterior doors are insulated, with energy efficient weather stripping and dead bolt lock.

22. Elegant brushed nickel-finish grip set on front door.

23. Frecast concrete slab walkway from driveway to main porch entrance. Any applicable rear patio will be precest concrete slabs.

GENERAL INTERIOR CONSTRUCTION

All farming in accordance with Ornario Building Code and local municipal requirements.

Construction of homes inspected at specified stages by municipal officials.

All exterior walls of habitable areas constructed with 2" x 6" framing.

Professionable engineered was formation and areas areas.

Professionally engineered roof trusses, as per plan.

UPGRADED "" SPRUCE PLYWOOD SUBFLOOR, to be glued, screwed and sanded at UPGRADED ENGINEERED FLOOR JOIST SYSTEM.

All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full 2. Height, 12" above basement floor). VAULTED AND COFFERED CEILINGS, as per pla

Celling heights to be 9" on main floor and 8" on second floor.

Celling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the dors architect (such as coffered ceilings).

KITCHENS

- LAMINATE KITCHEN COUNTERTOPS, in selection of colours, based on Builder's samples, as per plan.
- DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.

STAGLE LEVER FAUCET with pull out spout, in chrome finish.

Standles steel exhaust hood fan over stove, vented to exterior.

Choice of cabinets in a variety of colours and styles, from Builder's samples.

- Electrical outlets for stove, fridge and countertop appliances as per Ontario Building Code requirements.

7. Rough-in wiring and plumbing for dishwasher hook-up.
8. Open dishwasher space as per plan (Optional filler base cabinet available).
9. Flush BREAKFAST BARS as per plan.
10. Designer KITCHEN ISLANDS and PENINSULAS, as per plan.
BATHROOMS

ELONGATED, COMFORT HEIGHT TOILETS.

ELONGATED, COMFORT HEIGHT TOILETS.

SEPARATE SHOWER STALL with shower curtain rod in Master Ensuite, as per plan.

OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

Bath tab enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tub, skirts, dock and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

Standard white bathroom fixtures from Builder's samples.

SINGLE LEVER FAUCETS in all vanities, shower controls with built-in temperance balance regulators.

Choice of varity cabinets and laminate countentaps from Builder's samples.

OVERSIZED MIRRORS IN ALL BATHROOMS.

POWDER ROOM VANITY (not a pedestal sink) as per plan.

- INTERIOR FINISHES

2 %" COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4

" COLONIAL BASEBOARD. Quarter round installed on all hard surfaces.
SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan.

DELIGIED NECKEL EDUTED DOOR HARDINADE. All before the form of the property leads.

BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to have privacy looks.

COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND

NOSING IN NATURAL FINISH.

ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.

TRIMMED OPENINGS on main floor as per plan (excluding rounded arches).

Lot 65 Phase: 4A Plan: Draft Approval SB17-03-08 Model: Edward (3602) Elev B 4 Bed - 2+1 Bath Standard

FLOORING

Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER LAUNDRY KOOM (main per pian), MASTER ENSUTE FLOOR, SUAKER OR CORNER.

TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

3 14" x 14" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL FINISH FROM
BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

40 CZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and better

UNDRY ROOM

SINGLE LAUNDRY IUB located as per plan.

Plumbing and electrical provided for laundry equipment book-up, location per plan.

Ecavy-duty electrical omiter for dryer and electrical outlet for washer.

Exterior wall vent provided for dryer. ELECTRICAL

200 amp circuit breaker panel with copper wiring throughout.
All wiring in accordance with Ontario Building Code standards,
INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT,
FRONT DOOR CHIME.

ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.

SMOKE DETECTOR ON EACH LEVEL.
CARBON MONOXIDE DETECTOR, as per Ontario Building Code.

Electrical outlet in the garage for entomatic garage door opener as per alevation.

THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND 10 MASTER BEDROOM.

11. Exhaust fans to be provided in all washrooms, as per specifications.

12. SHOWER STALL_LIGHT (as per plan).

13. WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-accessible height,

14. DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries,

Where applicable.
HOME COMFORT

High efficiency gas-fired forced air furnace with electronic ignition.

HEAT RECOVERY VENTILATOR (HRV), as required.

Energy efficient gas-fired hot water tank (Purchaser to enter a rent-to-own agreement with

GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan.

All interior walls, door and trim to be painted Kingsmen white throughout All interior ceilings to be smooth throughout.

COLOUR SELECTION AND FINISHES

All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of

ingranes.

The purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which may not be available.

The purchaser acknowledges and agrees that variations in colour and shade uniformity may out and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour selection.

TARION WARRANTY CORPORATIONS COVERAGE

Seven years: MAJOR STRUCTURAL DEFECTS.
Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE, One year: ALL OTHER ITEMS

Purchaser agrees to pay the TARION warranty corollment fee on closing as an adjustment.

NOTE TO PURCHASERS

Exterior colours are architecturally controlled and selected by the builder to provide pleasing

streetscapes.

2. Number of steps at front and rear yard may vary from that shown according to grading

Number of steps at front and rear yard may vary from that shown according to grading conditions and municipal requirements.

Variations in uniformity and colour from Vendor's samples may occur in finished materials, kitichen and vauity eabinets and floor and wall finishes due to normal production process. Herdwood flooring may react to normal fluctuating humidity levels producing gapping or cupping, both considered to be within acceptable industry standards.

Actual square footage may vary slightly, depending on elevation selected.

Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems. structural systems.

Home to be finished in a good, workman like mann-

All Parchaser's selections are from Builder's standard samples only. Purchaser acknowledges that various decorative items, including light fixures, window coverings and other items shown in the Presentation Centre, Model Home or Decor Centre are not necessarily included in the purchase price.

Purchaser acknowledges that besement and garage areas are unfinished areas.

Options shown on floor plan are available at an extra cost.

Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes

Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing documentation SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.


BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.

Purchaser - SIMERPREET

Purchaser - NAVNEET NAGRA

Vendor : KINGSMEN (THAMES) INC.

Lot 65 Phase 4A Model: Edward (3602) Elev B 4 Bed - 2+1 Bath Standard




BASEMENT EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house enderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

utiales (PS) (WP)

Lot 65 Phase 4A Model: Edward (3602) Elev B 4 Bed - 2+1 Bath Standard




SECOND FLOOR EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3

Initials: (3.5) GP



GROUND FLOOR EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades.

SCHEDULE "B-1" - Page 3 of 3

Initials: (SS) (FW)