SCHEDULE "PE" PURCHASER'S EXTRA

	The tile			
KINGSMEN (THAMES) INC.	NAVJEET SINGH SOHI PRITPAL KAUR SOHI			
Vendor	Purchaser(s) Telephone Number:			

Lot / Townhouse No.	House Type	Reg. Plan#	Closing Date	Date Ordered
67	James (3601) Elev A 4 Bed - 2+1 Bath, 2,210 SQ. StrEfferd	Draft Approval SB17-03-08		23-Sep-2019

_	Stibilized SB17-03-08	
	EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE	
1		
2		
3		
4	5 FREE APPLIANCES STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE). A BAD BOY APPLIANCES VOUCHER WILL BE GIVEN BY OUR DECOR CONSULTANT AT THE TIME OF BOOKING YOUR COLOUR APPOINTMENT.	
5	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.	
6	VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO INCLUDE 110V CODE REQUIREMENT.	
7	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.	
8		-
9	VENDOR TO INCLUDE LEVEL 1, 20CM GRANITE OR QUARTZ IN ALL BATHROOMS, AND KITCHEN, AS PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TOPS. SELECTIONS TO BE MADE FROM BUILDERS STANDARD SAMPLES.	
10	VENDOR TO INCLUDE ENGINEERED HARDWOOD FLOORING THROUGHOUT THE SECOND FLOOR IN LIEU OF INCLUDED CARPET, AS PER PLAN, AND SELECTIONS AS OUTLINED IN SCHEDULE A FOR INCLUDED ENGINEERED HARDWOOD ON THE MAIN FLOOR. THIS HAS NO CASH VALUE,	

This is your direction to install the above extras on the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser,
- Extras or changes will not be processed unless signed by the Vendor.
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons and David Parsons

Purchaser - PRITPAL KAUR SOHI

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approv

Havelock Corners

SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

Lot 67 Phase: 4A Plan: Draft Approval SB17-03-08 Model: James (3601) Elev A 4 Bed - 2+1 Bath Standard

QUALITY EXTERIOR CONSTRUCTION

- Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, 1.
 VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as per plan. All exteri
- or elevations and colour schemes, including brack selection, are Architecturally
- Controlled as part of pre-selected exterior colour packages,
 MAINTENANCE FREE OCLUMNS AND RAILINGS (only where required by grade), per
- MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,
- with scaled thermopene glass panels.

 CASEMENT WINDOWS THROUGHOUT main and second floor. Becoment windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation palladium, transom, octagos and other accent windows to be faux black glass, as per elevation.
- gass, as per deviation.

 RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are Aschitecturally Controlled as part of pre-selected caterior colour packages.

 Lot to be fully sadded (including bouleward, where applicable).
- PAVED DRIVEWAY. Cost to be credited to Builder on closing.
- Two exterior water taps with interior shut-off.
 Two exterior weather-proof electrical outlets with ground fault wiring. One cutlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched.

- 11. Community to have paved roads, curbs, storm and sanitary sewers.
 12. Porches to be poured concrete.
 13. Garage floor to be poured concrete with steel reinfereing.
 14. Pre-finished, maintenance-free soffits, fascia, exvestroughs and down pipes as per elevation.
 15. 7/16° plywood roof sheathing.

- If Dywood root incuming.
 Upgraded self sealing, 50 YEAR ASPHALT SHINGLES.
 Steel-beam construction in beasement, where applicable.
 Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks.
- 19. Basement floor to be poured concrete
- 20. Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry door with glass opprace, STEED OR FISHERMAN issuance and emoissed from entry coor with insert, sidelights and/or transom windows, as per plan. All exterior doesn are insulated, with energy efficient weather stripping and dead bolt lock. Elegant brushed nickel-finish grip set on front door.

- Precast concrete slab walkway from driveway to main porch entrance. Any applicable rear patio will be precast concrete slabs.
 GENERAL INTERIOR CONSTRUCTION

- All framing in accordance with Ontario Building Code and local municipal requirements. PA

 All framing in accordance with Ontario Building Code and local municipal requirements. PA

 Construction of homes inspected at specified stages by municipal officials.

 All exterior walls of habitable areas constructed with 2" x 6" framing.

 Professionally engineered roof trusses, as per plan.

 UPGRADED W" SPRUCE PLYWOOD SUBFLOOR, to be glued, screwed and sanded at 1.

- LIPGRADED ENGINEERED FLOOR JOIST SYSTEM.
- All insulated as per Outario Building Code: Exterior walls of habitable areas insulated to a rating of RZZ; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full 2. Reight, 12" above basement floor).

 YAULTED AND COFFERED CELLINGS, as per plan.
- Ceiling heights to be 9° on main floor and 8° on second floor.

 Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the dropped to accommodate mechanical and/o vendors architect (such as coffered occlings).

KITCHENS

- LAMINATE KITCHEN COUNTERTOPS, in selection of colours, based on Builder's samples,
- as per plan.

 DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.

- SINGLE LEVER FAUCET with pull out spout, in chrome finish.

 Stainless steel exhaust hood fan over stove, verted to exterior.

 Choice of cabinets in a variety of colours and styles, from Builder's samples.

 Electrical outlets for stove, fridge and counterrop appliances as per Ontario Building Code requirements.
- 7. Rough-in wiring and plumbing for dishwasher hook-up.
 8. Open dishwasher space as per plan (Optional filler base cabinet available).
 9. Flush BRBAKPAST BARS as per plan.
 10. Designer KITCHEN ISLANDS and PENINSULAS, as per plan.
 BATHROOMS

- ELONGATED, COMFORT HEIGHT TOILETS.

- ELONGATED, COMPORT HEIGHT TOILLETS.

 SEPARATE SHOWER STALL with shower curtain rod in Master Ensuite, as per plan.

 OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

 Bath tab enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and corner tab, skirts, deck and surrounds finished in a maximum of 13" x 13" ceramic wall tile, from Builder's standard samples.

 Standard white bathroom fixtures from Builder's samples.

 Standard white bathroom fixtures from Builder's samples.
- regulators.
- Choice of vanity cabinets and laminate countertops from Builder's samples.
- OVERSIZED MIRRORS IN ALL BATHROOMS.

 FOWDER ROOM VANITY (not a pedestal sink) as per plan.

INTERIOR FINISHES

- 2 W COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4

- 2.74 COLONIAL BASEBOARD. Quarter round installed on all hard surfaces.
 SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan.
 BRUSHED NICKEL FINISH DOOR HARDWARE All bathrooms to have privacy locks.
 COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND NOSING IN NATURAL FINISH.
- ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan TRIMMED OPENINGS on main floor as per plan (excluding ro

FLOORING

- OORING
 Choice of HIGH QUALITY CERAMIC TILE, up to 13" k 13", from Builder's standard selection, IN ENTRANCE FOYER, KTICKEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUTE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

 3 %" x %" ENGINEERED HARDWOOD STRP FLOOR IN NATURAL FINISH FROM EUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

 40 OZ POLYESTER BROADLOOM WITH 11mm POAM UNDERPAD in all second floor non-filed areas. Choice of one colour throughout from Builder's standard samples and berber standard.
- standard

LAUNDRY ROOM

- SINGLE LAUNDRY TUB located as per plan.

 Plumbing and electrical provided for laundry equipment hook-up, location per plan.

 Fleavy-duty electrical outlet for dryer and electrical outlet for washer.
- Exter

or wall vent provided for dryer. ECTRICAL

- 200 amp circuit breaker panel with copper wiring throughout.
 All wiring in accordance with Critario Building Code mandards.
- INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.
- FRONT DOOR CHIME
- ROUGH IN POR FUTURE CENTRAL VACUUM SYSTEM.
- SMOKE DETECTOR ON EACH LEVEL.
- CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
- Electrical outlet in the garage for automatic garage door opener as per elevation.

 THREE (3) TELEPHONE CUILETS IN CHOICE OF PURCHASER LOCATIONS.

 TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

- II. Exhaust finat to be provided in all washrooms, as per specifications.

 12. SHOWER STALLLIGHT (as per plan).

 13. WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be
- located at child-accessible height.

 14. DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries,

where applicable. HOME COMFORT

- High afficiency gas-fired forced air farnace with electronic ignation. HEAT RECOVERY VENTILATOR (HRV), as required.
- Energy efficient gas-fired hot water tank (Purchaser to enter a rent-to-own agreement with er at Closic
- GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan

PAINTING FINISHES

- All interior wells, door and trim to be painted Kingsmen white throughout.
 All interior ceilings to be smooth throughout.
 COLOUR SELECTION AND FINISHES.

- All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of
- upgrades.

 The purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for
- display purposes only, which may not be available.

 The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour

TARION WARRANTY CORPORATIONS COVERAGE

- Seven years: MAJOR STRUCTURAL DEFECTS.
 Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND DUILDING ENVELOPE.
- One year: ALL OTHER ITEMS.
- Purchaser agrees to pay the TARRON warranty enrollment fee on closing as an adjustment.
 NOTE TO PURCHASERS

documentation.

- Exterior colcurs are architecturally controlled and selected by the builder to provide pleasing
- Number of steps at front and rear yard may vary from that shown according to grading conditions and municipal requirements.

 Variations in uniformity and colour from Vendor's samples may occur in finished materials,
- kitchen and vanity cabinets and floor and wall finishes due to normal production process

- Hardwood flooring may react to normal fluctuating hamidity levels producing gapping or capping, both considered to be within acceptable industry standards.

 Actual square foctage may vary slightly, depending on elevation selected.

 Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or
- vary front standard, where country structural systems.

 It is a proper standard to the finished in a good, workman like manner.

 All Purchasser's selections are from Builder's standard samples only. Purchasser acknowledges that various decorative items, including light fixtures, window coverings and other items shown in the Presentation Centre, Model Home or Deour Centre are not necessarily included in the urchase price. purchase price.

 9. Purchaser acknowledges that becement and garage areas are unfinished areas.


 10. Options shown on floor plan are available at an extra east.

 11. Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes.
- 12. Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE

Kon Purchaser - PRITPAL KAUR SOHI

Vender: KINGSMEN (THAMES) INC.




BASEMENT EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. B.

SCHEDULE "B-1" - Page 1 of 3








SECOND FLOOR EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3







GROUND FLOOR EL. A

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3

