## SCHEDULE "PE" PURCHASER'S EXTRA

<ila

	TOROTHSERSEXIA	1 sine
KINGSMEN (THAMES) INC. Vendor	HAMID TAJDAR Fatima Shahnaz Purchaser(s) Telephone Number:	(4A-10+935

ot / Townhouse No.	House Type	Reg. Plan #	Closing Date	Date Ordered
93	Andrew (3603) Elev B 4 Bed - 2+1 Bath, 2,390 SQ.	Draft Approval		09-Jun-2019

EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE				
1	One the state →			
2	PURCHASER ACKNOWLEDGES THAT GRADING PLANS HAVE NOT BEEN FINALIZED AND AS SUCH INFORMATION ON DECK AND WALK OUT CONDITIONS ARE NOT YET AVAILABLE. GRADING IS SUBJECT TO THE TERMS AND CONDITIONS CAPTIONED IN THE AGREEMENT OF PURCHASE AND SALE HEREIN.	-		
3				
4	5 FREB APPLIANCES STAINLESS STEEL FRONT - FRIDGE; STOVE AND DISHWASHER. WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTALLED, FROM BUILDERS STANDARD LINE) TO ARRANGE DELIVERY - CALL THE BRICK COMMERCIAL SALES DIVISION AT 1-877-353-2850.			
5	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.			
6	VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO INCLUDE 116V CODE REQUIREMENT.			
7	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.			
8				
9	VENDOR TO INCLUDE LEVEL 1, 20CM GRANITE OR QUARTZ IN ALL BATHROOMS, AND KITCHEN, AS PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TOPS. SELECTIONS TO BE MADE FROM BUILDERS STANDARD SAMPLES.			
0	Vendor to include engineered hardwoood as outlined in Schedule A included on the main floor, throughout the 2nd floor in lieu of carpet. To be chosen from builders standard samples at Decor,			

This is your direction to install the above extras on the following terms and conditions:

- 1. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser.
- 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- 4. Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons	
.0	
Purchaser HAMID TAIDAR	

Purchaser - Fatima Shahnaz

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approva

Per:

Lot No.:93 Plan No.:Draft Approval SB17-03-08 Vendor: KINGSMEN (THAMES) INC.

Page 1 of 1

## Havelock Corners

### SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

Lot 93 Phase: 4A Plan: Draft Approval SB17-03-08 Model: Andrew (3603) Elev B 4 Bed - 2+1 Bath Standard

## QUALITY EXTERIOR CONSTRUCTION

- Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONIAL VINYL SIDING as
- per plan.

  All exterior elevations and colour schemes, isolading brick selection, are Architecturally Controlled is part of pre-selected exterior colour puckages.

  MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grade), per
- applicable elevation
- MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,
- with sealed thermogone glass panels

  CASEMENT WINDOWS THROUGHOUT main and second floor. Basement windows are sliders. All operable windows are pre-designed by the builder and will have screens. Some floor and side elevation galladium, transom, octagon and other accent windows to be from black glass, as per elevati
- RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected

- exterior colour packages.

  Lot to be fully apided (including boelevard, where applicable).

  PAVED DRIVEWAY. Cost to be credited to Beilder on closing.

  Two exterior water taps with interior shut-off.

  Two exterior weather-proof electrical outless with ground fault wiring. One outlet to be located near front entrance and equipped with interior awitch. The second outlet, will be located at the rear of the house and is not switched.
- Community to have paved roads, corbs, storm and sanitary sewers.

  Porches to be poured concrete.

- Garage floor to be poured concrete with steel reinfercing.
   Pre-finished, maintenance-free soffits, fastia, eavestroughs and down pipes as per elevation.
   7/16" plywood roof sheathing.

- 71-71-1111 (1997) International Procession of the Computer of the
- 18. Basement walks are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping (tiles for additional protection against basement leaks.

  19. Basement floor to be poured concrete.

  20. Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry door with glass insulated, with energy efficient weather stripping and dead bolt look.

  21. All exterior doors are insulated, with energy efficient weather stripping and dead bolt look.

  22. Begant brushed nicked finish grip set on front door.

  23. Precast concrete slab walkowy from driveway to main peach entrance. Any applicable rear patic will be precast concrete slabs.

  25. Energy efficient gampaid will be precast concrete slabs.

  26. GENERAL INTERIOR CONSTRUCTION

- All framing in accordance with Oniario Buriding Code and local municipal requirements, Construction of homes inspected at specified stages by municipal officials.

  All exterior walls of habitable areas constructed with 2" x 6" framing.

- Professionally engineered roof trusses, so per plan.

  UPGRADED "" SPRUCE PLYWOOD SUBPLOOR, so be glued, screwed and sanded at
- UPGRADED ENGINEERED FLOOR JOIST SYSTEM.

  All insulated as per Ontario Building Code; Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full 2. Height, 12" above basement floor).
- VAULTED AND COFFERED CEILINGS, as per pla
- VAULTED AND COTTESTED CENTERORS, as per pain.

  Ceiting heights to be 5° on main floor and 8° on second floor.

  Ceiting heights may very from standards noted above, in those areas where ceitings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered ceilings).

## KITCHENS

- LAMINATE KITCHEN COUNTERTOPS, in selection of colours, based on Builder's samples, as per plan.

  DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.

- SINGLE LEVER FAUCET with pull out spout, in chrome finish.
  Staioless steel exhaust bood fan over stove, vented to exterior.
  Choice of cabinets in a variety of colours and styles, from Builder's samples.
  Electrical cutlets for stove, fridge and countertop appliances as per Ostario Building Code requirements.

  Rough-in wiring and plumbing for dishwasher hook up.

  Open dishwasher space as per plan (Optional filler base cabinet available).

  Finsh BRBAKFAST BARS as per plan.

  Designer KITCHEN ISLANDS and PENINSULAS, as per plan.

## BATHROOMS

- ELONGATED, COMFORT HEIGHT TOILETS

- ELONGATED, COMPORT HEIGHT TOILETS.

  SEPARATE SHOWER STALL with shower cortain rod in Master Ensuite, as per plan.

  OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

  Bath tob enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Soaker and comes tub, skirts, deck and surrounds finished in a maximum of 12" x 13" ceramic wall tile, from Builder's standard samples.

  Standard white balls com fixtures from Builder's samples.

  SINGLE LEVER FAUCETS in all vanities, shower controls with built-in temperance balance manufactures.

- Choice of vanity cabiners and luminate countertops from Bailder's samples.

  OVERSIZED MIRRORS IN ALL BATHROOMS.

  POWDER ROOM VANITY (not a pedesial sink) as per plan.

## INTERIOR PENISHES

- TERRIOR PUNISHES

  2 '4" COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4

  4" COLONIAL BASEBOARD. Querier round installed on all hard surfaces.

  SERIES 800 COLONIAL STYLE INTERIOR DOORS, including clustes, as per plan.

  BRUSHED NICKEL FINISH DOOR HARDWARE, All believeens to have privacy locks.

  COMPLETE, OAK PINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND
- NOSING IN NATURAL PINISH.
- ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
  TRUMMED OPENENGS on main floor as per plan (excluding rounded arches).

# FLOORING

CHOIGH QUALITY CERAMIC TUE, up to 13" x 13", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUTTE FLOOR, SOAKER OR CORNIER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan, 3 %" x W" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL FINISH FROM

BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-THEED AREAS, as per plan.

40 OZ POLYESTER BROADLOOM WITH Hum FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Freilder's standard samples and bether

### LAUNDRY ROOM

- STINGLE LAUNERY TUB located as per plan.

  Plumbing and electrical provided for humbry equipment hook-up, location per plan.

  Heavy-duty electrical outlet for dryer and electrical curlet for washer.

  Exterior wall vant provided for dryer.

### ELECTRICAL.

- 200 amp circuit breaker panel with copper wiring throughout.
  All wiring in accordance with Outselfo Building Code standards.
  INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.
- FRONT DOOR CHIMB.

- ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.
  SMOKE DETECTOR ON EACH LEVEL.
  CARBON MONOXIDE DETECTOR, as per Orberto Building Code.
- CARBON MONOXIDE DETECTOR, as per Orserto Busining Code.
  Electrical outlet in the garage for automatic garage door opener as per elevation.
  THRES (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.
  TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND
  MASTER REDROOM.
  Exhaust fast to be provided in all washrooms, as per specifications.
  SHOWER STALL LIGHT (as per plan)
  WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be

- located at child-aco escible beight
- DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries.

- High efficient gase-fired forced air furnace with electronic ignition.

  HEAT RECOVERY VENTILATOR (HRV), as required.

  Energy efficient gas-fired hot water tank (Purchaser to enser a rent-to-own agreement with supplier at Closing).

  GAS FIREPLACE WITH WHITE PAINTED MANTLE, as per plan.

## PAINTING FINISHES

- All interior ceilings to be smooth throughout.

  All interior ceilings to be smooth throughout.

### COLOUR SELECTION AND FINISHES

- All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of
- decorater to assist in the companion of the Model Home or Presentation Centre purchaser acknowledges that items displayed in the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display perposes only, which may not be available. The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, putterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour salestim.

## TARION WARRANTY CORPORATIONS COVERAGE

- Seven years: MAJOR STRUCTURAL DEFECTS.
  Two years: PLUMBING, HEATING, BLECTRICAL SYSTEMS AND BUILDING ENVELOPE.
- Purchaser agrees to pay the TARION warranty earollment fee on cleaning as an adjustment.

- Exterior colours are architecturally controlled and selected by the builder to provide pleasing structures.

  Number of steps at frost and rear yard may vary from that shown according to grading

- Number of steps at front and rear yard may vary from that shown according to grading conditions and municipal requirements.

  Variations in uniformity and colour from Vendor's temples may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production process.

  Hardwood flooring may react to normal fluctuating hemidity levels producing gapping or cupping, both considered to be within acceptable industry standards.

  Actual agreers footage may vary slightly, depending on elevation selected.

  Critings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where neilings must be dropped to accommodate machanical and/or structural systems.
- Vary Horn structural systems.

  Home to be finished in a good, workman like manner

  All Purchaser's selections are from Builder's standard samples only. Purchaser ucknowledges that various decorative items, including light firstures, window coverings and other items shown in the Presentation Contre, Model Home or Decor Centre are not necessarily included in the ne are Prosinguou Courte, Meader areas in Doort Courte are in necessari purchase price.

  Parchaser acknowledges that basement and garage areas are unfinished great.
- Options shown on floor plan are available at an extra cost.


  Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, faccing, walkways or other items used to secessorize renderings are for illustrative purposes.
- 12. Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.

Purchaser / HAMID TAJDAR de

Purchaser - Fatima Shahnaz

Vendor: KJNGSMEN (THAMES) INC.




# **BASEMENT EL. B**

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initial (FF




# SECOND FLOOR EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3

Initials: CT CF



# GROUND FLOOR EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades, E, & O. E.

SCHEDULE "B-1" - Page 3 of 3

