SCHEDULE "PE" PURCHASER'S EXTRA

4A-

Vendor

KINGSMEN (THAMES) INC.

Sife File Surinder Birk Sandhu
Purchaser(s)
Telephone Number:

Lot / Townhouse No.	House Type James (3601) Elev C 4 Bed - 2+1 Bath, 2,250 SQ. Strifferd	The second secon	Closing Date	Date Ordered
	State and	SB17-03-08		makes and a street of

2
-

This is your direction to install the above extras on the following terms and conditions:

- In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without
 entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded
 to the purchaser.
- The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- Extras or changes will not be processed unless signed by the Vendor.
- 5. These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Purchaser - Surinder Birk Sandhu

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approval

Per; Date

Lot No.:97 Plan No.:Draft Approval SB17-03-08 Vendor: KINGSMEN (FHAMES) INC.

Page 1 of 1

Kz2.

kinM3_003.rpt 26jun18

THE THE PARTY (TIMES) INC.

SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

QUALITY EXTERIOR CONSTRUCTION

- Architecturally impired front elevations, including CLAY ERICK WITH STONE ACCENTS, VERTICAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as
- per plan. All exterior elevations and colour actiennes, including brick selection, are Architecturally Controlled as part of pre-selected exterior colour packages.

 MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grade), per

- ADDICABLE READING.
 MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS,
- with scaled thermogene glass panels.

 CASEMENT WINDOWS TEROUGHOUT main and second floor. Basement windows are silders. All operable windows are pro-designed by the brilder and will have screens. Some front and side elevation palladium, transom, cotagon and other accent windows to be faux black plant at more planting.
- glass, as per elevation.

 RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages.

 Lot to be fully sodded (including boulevard, where applicable).

 PAVED DRIVEWAY. Cost to be credited to Builder on closing

- Two exterior water taps with interior shot-off.
- 10. Two exterior weather-proof electrical outlets with ground fault wiring. One outlet to be located near front entrance and equipped with interior switch. The second outlet, will be located at the cear of the house and is not switched.
- Community to have paved roads, onths, storm and sanitary sewers.

- 12. Porches to be poured concrete.
 13. Garage floor to be poured concrete with steel reinforcing.
 14. Pre-finished, maintenance-free soffits, fascia, exvestroughs and down pipes as per elevation.

- Garage non in the Committee sound, 1999.
 Pre-finished, maintenance-free sound, 1999.
 Pre-finished, maintenance-free sound, 1999.
 Prison played roof sheathing.
 Upgraded self scaling, 30 YBAR ASPHALT SHINGLES.
 Steel-beam construction in basement, where applicable.
 Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks.
 Basement Boar to be poured concrete.
 Basement Boar to be poured concrete.
- provided at basement area and weeping tiles for admitional protection against nasement seass.

 19. Basement floor to be poured concrete.

 20. Upgraded, STEEL OR FIRRECHASS insulated and embossed front entry door with glass.

- Dippraiser, Sidelights and/or brancom windows, as per plan.
 All extendr doors are insulated, with energy efficient weather stripping and dead bolt lack.
 Flegant brushed middel-finish grip set on front door.
 Precess concrere slab wellows from driveway to main perch entrance. Any applicable rear patio will be precest concrete slab.

- patro will be precest concrete slabs.

 GENERAL INTERIOR CONSTRUCTION

 All framing in accordance with Ontario Building Code and local manicipal requirements.

 Construction of frames inspected at specified stages by municipal officials.

 All exterior walls of abbitable areas constructed with 2" x 6" framing.

 PAINTING FINISHES

 All interior walls, doc

 All exterior walls of abbitable areas constructed with 2" x 6" framing.

 POLICY TON

 UPGRADED W" SPRUCIS PLYWOOD SUBTLOOR, to be glued, screwed and sended at 1. All octour and finishing the solute.

- UPGIRADED ENGINEERED FLOOR JOIST SYSTEM.

 All insulated as per Ontario Building Code; Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Bestement walls R20 (Pull 2.

- rating of R22; Roof of habitable areas usuance to a rating of root, consented water states the legit, 12" above basement floor).

 VAULTED AND COFFERED CELINGS, as per plan.

 Coiling heights to be 9" on main floor and 8" on second floor.

 Coiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendors architect (such as coffered ceilings).

KITCHENS

- LAMINATE KITCHEN COUNTERTOPS, in selection of colores, based on Builder's samples, as per plan. DOUBLE COMPARTMENT LEDGERACK STAINLESS STEEL SINK.

- SINGLE LEVER FAUCET with pull out spoot, in chrone finish.

 Stainless steel exhaust bood fan over stove, vented to exterior.

 Choice of cabinets in a variety of colours and styles, from Builder's samples.

 Blectrical outlets for stove, fridge and countertop appliances as per Ontario Building Code

- Rough-in witing and plumbing for dishwasher hook-up.

 Open dishwasher space as per plan (Optional filler base cabinet available).

 Firsh BREAKFAST BARS as per plan.

 Designer KITCHEN ISLANDS and PENINSULAS, as per plan.

BATHROOMS

- ELONGATED, COMPORT HEIGHT TOILETS

- SLONGATED, COMPORT REIGHT TOILETS.

 SEPARATE SHOWER STALL with shower curtain rod in Master Ensuite, as per plan.

 OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

 Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Bailder's samples. Sosioer and corner tub, skirts, dock and surrounds flaished in a maximum of 13" x 13" cornain wall tile, from Builder's standard samples.

 Standard white bathroom fixtures from Builder's samples.

 SNGUE LEVER FAUCETS in all vanities, shower controls with built-in temperature belance
- regulators.
- Choice of vanity cabinets and laminate countertops from Builder's samples.

 OVERSIZED MIRRORS IN ALL BATHROOMS.

 POWDER ROOM VANITY (not a pedeatal sink) as por plan.

 FRRIOR FINISHIES.
- INTERIOR FINISHES

- 2 % OCLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4 W COLONIAL BASEBOARD. Quarter round installed on all hard surfaces. SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closets, as per plan. BRUSHED NICKEL FINISH DOOR HARDWARE All baltrooms to have privacy locks. COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGERS AND NOSING IN NATURAL FINISH.
- ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
 TRIMMED OPENINGS on main floor as per plan (excluding rounded arches).

Lot 97 Phase: 4A Plan: Draft Approval SB17-63-68 Model: James (3601) Elev C 4 Bed - 2+1 Bath Standard

FLOORING

- CORING
 Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection, IN ENTRANCH FOYER, KITCHEN, EREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (main per plan), MASTER ENSUTE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

 3 %" x %" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-THED AREAS, as per plan.

 40 OZ POLYESTER BROADLOOM WITH 11mm FOAM UNDERPAD is all second floor not-filed areas. Choice of one colour throughout from Builder's standard.

 LINDRY ROOM

- LAUNDRY ROOM
- SINGLE LAUNDRY TUB located as per plan.

 Plumbing and electrical provided for faundry equipment book-up, location per plan.

 Heavy-duty electrical outlet for dryer and electrical outlet for washer.

 Extenior wall vent provided for dryer.

ELECTRICAL

- 200 amp circuit breaker panel with uppper wiring throughout.
 All wiring in accordance with Ontario Building Code standards.
 INTERIOR HUBCTRICAL LIGHT FIXTURES THROUGHOUT,
 FRONT DOOR CHIME.

- FRONT DOOR CHIME.
 ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM.
 SMOKE DETECTOR ON EACH LEVE!.
 CARBON MONOXIDE DETECTOR, as per Osibrio Building Code.
- CARRON MONOXIDE DETECTOR, as per Ontario Building Code.

 Electrical outlet in the garage for automatic garage door opener as per elevation.

 TUREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

 TWO (2) CABLE T.V. OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

 TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

 Exhaust faus to be provided in all washrooms, as per specifications.

 SHOWER STALL LIGHT (as per plan).

 WHITE DECORAL LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be located at child-accessible height.

 DECORALIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side capties, where amplicable.

- where applicable.
 HOME COMPORT

- HONG, COMPUNI

 1. Fligh efficiency gas-fired forced sir furnace with electronic specien.

 2. Flight RECOVERY VENTILATOR (HRV), as required.

 3. Energy efficient gas-freed but water track (Parchaser to eater a rent-to-own agreement with supplier at Closing).

 4. GAS FREEPLACE WITH WHITE PAINTED MANTLE, as per plan.

- All interior wells, door and trim to be painted Kingsmon white throughout.

 All interior ceilings to be eracoth throughout.
- ghout.
- 2. All interior ceitings to be emoont throughout.
 COLOUR SELECTION AND FINISHES
 1. All octour and finishing selections are to be made at Kingsmen Group Inc. Depor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of
- decorator to asset in the companion of the Model Home or Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which may not be available. The purchasur acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour selection.

- TARION WARRANTY CORPORATIONS COVERAGE

 1. Seven years: MAJOR STRUCTURAL DEFECTS.

 2. Two years: FLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE. One year ALL OTHER ITEMS
- ser agrees to pay the TARION warranty enrollment fee on closing as an adjustment. NOTE TO PURCHASERS

- Exterior colours are architecturally controlled and scleeted by the builder to provide pleasing streetscapes. Number of steps at front and year yard may vary from that abown assorting to grading
- conditions and municipal requirements

- continuous and minicipal requirements.

 Variations in uniformity and colour from Vender's samples may occur in finished materials, kitchen and vanily cabinets and floor and wall finished due to normal production process.

 Hardwood flooring may react to accusal fluctuating humidity levels producing gapping or cupping, both considered to be within acceptable industry standards.

 Actual square flootage may vary slightly, depending on elevation selected.

 Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems. structural systems.

 Home to be finished in a good, workman like many
- All Purchaser's selections are from Builder's standard samples only. Purchaser acknowledges that various decorative items, including light fixtures, window coverings and other items shown in the Presentation Centre. Model Forms or Decor Centre are not necessarily included in the purchase price.
- Purchaser acknowledges that basement and garage areas are unfin
- Options shown on floor plan are available at an extra cost.
 Exterior renderings used for marketing purposes are Artist's Concepts only. Any landsceping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes. only. Terms "as per cleverion" or "as per plan" refer to illustrations provided in marketing documentation.

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL
OR BETTER VALUE E. & O. E.


Purchaser - Surinder Birk Sandhu

April 27/19

Vendor: KINGSMEN (THAMES) INC.

Model: James (3601) Elev C 4 Bed - 2+1 Bath Standard






BASEMENT EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3

Initials:

Model: James (3601) Elev C 4 Bed - 2+1 Bath Standard




SECOND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3





GROUND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. B.

SCHEDULE "B-1" - Page 3 of 3

Initials: