## SCHEDULE "PE" PURCHASER'S EXTRA

Site file

		DICO EXTRA	711	2 +1(2
KINGSMEN (THAMES) INC. Vendor		SATNAM SINGH PS SWAICH Purchaser(s) Telephone Number:		
Lot / Townhouse No 100	House Type Edward (3602) Elev C 4 Bed - 2+1 Bath, 2,325 SQ. ShEllard	Reg. Plan # Draft Approval SB17-03-08	Closing Date	Date Ordered 29-Jun-2019
	EXTRAS/UPGRADES INCLU	DED IN PURCHASE	PRICE	
2				
AVDLIEK WIA	JANCES – STAINLESS STEEL PRONT - FRIDGE; ST D DRYER (SUPPLIED ONLY, NOT INSTALLED, FRO ELIVERY – CALL THE BRICK COMMERCIAL SALI	M DITT DEDG OFFINE AN	TO T D my ma	
5 VENDOR TO	INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) A LOCATION TO BE FINALIZED AT VENDORS SOLE	F DEAD OF HOME FOR E		
6 VENDOR TO STANDARD S	SUPPLY & INSTALL AIR CONDITIONING UNIT, SIZ SAMPLES.	ZED ACCORDINGLY, FRO	OM VENDORS	
7				
8 VENDOR TO OF THE INCL STANDARD S	INCLUDE LEVEL 1, 20CM GRANITE OR QUARTZ 1 JUDED LAMINATE COUNTER TOPS. SELECTIONS SAMPLES.	N THE KITCHEN, AS PER TO BE MADE FROM BUI	R PLAN, IN LIEU LDERS	
9 VENDOR TO THROUGHOU	INCLUDE BUILDERSSTANDARD, ENGINEERED FO IT THE SECOND LEVEL, IN LIEU OF INCLUDED C	OORING IN NATURAL S ARPET, AS PER PLAN,	TAIN,	

This is your direction to install the above extras on the following terms and conditions:

- In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without
  cutailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded
  to the purchaser.
- The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.
- It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser.
- Extras or changes will not be processed unless signed by the Vendor.
- These extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons

Purchaser - SATNAM SINGH P S SWAICH

Vendor - KINGSMEN (THAMES) INC.

Construction Scheduling Approval

Date:

Lot No.:100 Plan No.:Draft Approval SB17-03-08 Vendor: KINGSMEN (THAMES) INC.

### Havelock Corners

## SCHEDULE "A" - Features and Finishes

TOWNHOMES, 30' & 36' DETACHED

Lot 100 Phase: 4A Plan: Draft Approval SB17-03-08 Model: Edward (3602) Elev C 4 Bed - 2+1 Bath Standard

### QUALITY EXTERIOR CONSTRUCTION

- Architecturally inspired front elevations, including CLAY BRICK WITH STONE ACCENTS, 1.
  VERISCAL BOARD AND BATTEN VINYL SIDING OR HORIZONTAL VINYL SIDING as
- All exterior elevations and colour schemes, including brick selection, are Archibe Controlled as part of pre-selected exterior colour packages.

  MAINTENANCE FREE COLUMNS AND RAILINGS (only where required by grade), per
- applicable elevation. MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND SLIDING DOORS.
- MAINTENANCE PROBE TOWN I ARROWS VIPET WIRESOWS AND SERVING EXCERC.

  CASEMENT WINDOWS THROUGHOUT main and second floor. Basement windows are stiders. All operable windows are pre-designed by the builder and will have excerns. Some froat and side elevation pelladium, transom, polagon and other ancest windows to be fame black. glass, as per elevation.

- glass, as per elevation.

  RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-deleased exterior colour packages.

  Lot to be fully acided (including boulevard, where applicable).

  PAVED DRIVEWAY. Cost to be credited to Builder on closing.

  Two exterior writer tops with interior shut-off.

  Two exterior weather-proof electrical outless with ground fault wiring. One cullet to be located near front catrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is not switched. rear of the house and is not switched.

  11. Community to have paved roads, curbs, storm and sanitary sewers.

  12. Purches to be poured concrete.

  13. Garage floor to be poured concrete with steel reinforcing.

  14. Restricted maintenance-free sofflits, flexis, cavestroughs and down pipes as per electric particles.

- 15, 7/16" plywood roof sheathing

- 716" plywood roof sheathing.
   Upgraded self sealing, 30 YEAR ASPHALT SHINGLES.
   Stoel-beam construction in basement, where applicable.
   Basement wells are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks.
   Basement floor to be poured concrete.
   Upgraded, STEEL OR FEREGLASS insulated and emboased front eatry door with glass insert, sidelights and/or transom windows, as per plan.
   All exterior doors are insulated, with energy efficient weather stripping and dead bolt look.
   Elegent brushed nickel-finish grip set on front door.
   Procest concrete slab walkway from driveway to main perch corrance. Any applicable rear path will be precent concrete slabs.
   ENERAL INTERIOR CONSTRUCTION
   All figuring in accordance with Ontario Building Code and local manipinal requirements.

- All framing in accordance with Ontario Building Code and local municipal requirements. Construction of home inspected at specific stages by municipal officials. All exterior walls of habitable areas constructed with 2" x 6" framing. Professionally engineered mof trusses, as per plan.

  UPGRADED M" SPRUCE PLYWOOD SUBFLOOR, to be glass, screwed and sanded at include.

- UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
- All insulated as per Ontario Badding Code: Esterior walls of habitable areas insulated in a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full 2. Height, 12" above basement floor)
- Fleight, 12" above basement floor).

  VAULTED AND COFFERED CELLINGS, as per plan.

  Ceiling heights to be 9" on main floor and 8" on second floor.

  Ceiling heights may vary from standards noted above, in these areas where coilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the ors probinect (such as coffered ecilings)

### KITCHENS

- LAMINATE KITCHEN COUNTERTOPS, in selection of onloars, based on Builder's samples,
- DOUBLE COMPARTMENT LEDGEBACK STAINLESS STEEL SINK.

- 6.
- SINGLE LEVER FAUCET with pull out speet, in chrome finish.

  Stainless steel exhavat hood fan over stove, vented to exterior.

  Choice of cabinets in a variety of colours and styles, from Builder's samples.

  Electrical cetlets for stove, fildge and countertop appliances as per Outsno Building Code
- requirements.

  Rough-in wiring and plumbing for distransfer hook-up.

  Copen disbrasher space to per plan (Optional filler base cabinet available).

  Flush BREAKFAST BARS on per plan.

  Designer KUYCHEN ISLANDS and PENINSULAS, as per plan.
- BATHROOMS I. BLONGATE

- SEPARATE SHOWER STALL with shower custain rod in Master Ensuite, as per plan.

  OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

  OVAL SOAKER TUB or CORNER TUB in Master Ensuite, as per plan.

  Bath tub enclosures and shower stalls to be in HIGH QUALITY 6" x 8" CERAMIC TILES from Builder's samples. Scaler and conser tub, skirts, deck and surrounds finished in a maximum of 13" x 13" commits well tile, from Builder's sampler standard samples. Standard white bathroom fixtures from Builder's samples.

  SINGLE LEVER FAUCETS in all vanities, shower controls with built-in temperance balance regulators.
- Choice of vanity cabinets and leasinate countertops from Builder's samples. OVERSIZED MIRRORS IN ALL BATTIROOMS.
- POWDER ROOM VANITY (not a pedestal sink) as per plan.

- POWDER ROOM VANITY (not a podestal sink) as per plan.
   INTERIOR PINISHES.
   2 % COLONIAL CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 4 % COLONIAL BASEBOARD. Quarter round installed on all hard surfaces.
   SERIES 800 COLONIAL STYLE INTERIOR DOORS, including closus, as per plan.
   BRUSHED NICKEL FINISH DOOR HARDWARE, All batheoens to have privary looks.
   COMPLETE, OAK FINISH STAIR, RAILING, PICKETS, RISERS, STRINGURS AND NOSING IN NATURAL FINISH.
   ELECANT FULL HEIGHT OR HALF COLUMNS, as per plan.
   TRIMMED OPENINGS on main floor as per plan (excluding counded probas).

# FLOORING

OORING
Choice of HIGH QUALITY CERAMIC TILE, up to 13" x 13", from Builder's standard selection. IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM (meth per plan), MASTER ENSUITE FLOOR, SOAKER OR CORNER TUB DECK (as per plan) and ALL BATHROOM FLOORS, as per plan.

3 %" x %" ENGUNEERED HARDWOOD STRIP FLOOR IN NATURAL EINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN FLOOR NON-TILED AREAS, as per plan.

40 CV. POLYESTER BROADLOOM WITH Haust FOAM UNDERPAD in all second floor non-tiled areas. Choice of one colour throughout from Builder's standard samples and before

standard.

### LAUNDRY ROOM

- UNDRY ROOM.

  SINGLE LAUNDRY TUB located as per plan.

  Plumbing and electrical provided for hundry equipment hook-tip, location per plan.

  Heavy-day electrical cube: for dryer and electrical ouder for washer.

### ECTRICAL

- 200 amp direnti breaker panel with copper wiring throughout.
  All wiring in accordance with Cataric Building Code standards.
  INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT.
- FRONT DOOR CHIME

- ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM. SMOKE DETECTOR ON EACH LEVEL. CARBON MONOXIDE DETECTOR, as per Onlario Building Code.
- Electrical outlet in the garage for automatic garage door opener as per elevation.

  THREE (3) TELEPHONE OUTLETS IN CHOICE OF PURCHASER LOCATIONS.

  TWO (2) CABLE T.V. OUTLETS IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

- 11. Exhaust fans to be provided in all washrooms, as per specifications.
  12. SHOWER STALLLIGHT (as per plan).
  13. WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS. Light switches to be
- located at child-accessible height.

  DROORATI VE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries, where applicable.

### HOME COMPORT

- High efficiency gas-fired forced air fartace with electronic ignition.

  HEAT RECOVERY VENTILATOR (HRV), as required.

  Energy efficient gas-fired hot water tank (Porchaser to enter a sent-to-own agreement with supplier at Closing).

  GAS FIREPLACE WITH WHITE FAINTED MANTLE, as per plan.

All interior walls, door and trim to be painted Kingsmen white throughout.
 All interior osilings to be smooth throughout.
 COLOUR SELECTION AND FINISHES

- All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Coatre and from Builder's standards complex. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of
- apprades.

  The purchaser scienowiedges that items displayed in the Model Home or Presentation Control may include appraded items only available at an extra cost, as well as other items shows for
- display purposes only, which may not be available.

  The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may vary from those displayed and available at the time of colour and/or Model Homes may vary from those displayed and available at the time of colours.

- TARION WARRANTY CORPORATIONS COVERAGE

  1. Seven years: MAJOR STRUCTURAL DEFECTS.

  2. Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE. One year: ALL OTHER ITEMS
- Purchaser agrees to pay the TARION warranty enrollment fee on closing as an adjustment.
   NOTE TO PURCHASERS

- Exterior colours are architecturally controlled and selected by the builder to provide pleasing
- streetscapes.
  Number of steps at front and sear yard may vary from that shown according to gracking conditions and namiolpal requirements.
  Variations in uniformity and colour from Vendor's samples may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production process.
  Herdwood flooring may react to normal flootesting humidity levels producing gapping or cupping, both considered to be within acceptable industry standards.
  Actual square footage may vary slightly, depending on elevation selected,
  Ceilings and walls may be modified to accommodate mechanical systems. Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical anc/or structural systems.
- structural systems.
- structural systems.

  Home to be finished in a good, workman like manner.

  All Purchaser's selections are frees Builder's standard samples only. Purchaser soknowledges that various decorative items, including light fixtures, window coverings and other items shown in the Presentation Centre, Model Home or Decor Centre are not necessarily included in the

E. & O. E.

OR BETTER VALUE

- purchase price.
  Purchaser acknowledges that bacement and garage areas are unfinished areas.
  Options shown on floor plan are available at an extra cost.
  Exterior renderings used for marketing purposes are Artist's Concepts only. Any landscaping, fencing, walkways or other forms used to accessorize renderings are for illustrative purposes Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing documentation.
  - SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
    BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL


Purchaser - SATNAM SINGH P S SWAICH

Am 29/19

Vendor : KINGSMEN (THAMES) INC.

inMS\_704c.rpt 17nov18


Lot 100 Phase 4A Model: Edward (3602) Elev C 4 Bed - 2+1 Bath Standard



# BASEMENT EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 1 of 3




# SECOND FLOOR EL. C

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 2 of 3

Initials: Sis



# **GROUND FLOOR EL. C**

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" - Page 3 of 3

Initials: (S:S)