## SCHEDULE "Eq"

# PURCHASER'S EXTRA

IAN SHANE LALLA

KINGSMEN (THAMES) INC.



ot / Townhouse No 27 Vendor Nottingham(5003)Elev B 4 BED-3+1 BATH, 3,418 House Type Purchaser(s) Telephone Number: ALICIA BIBI LALLA Draft Approval SB17-03-08 Reg. Plan # 21-Apr-2022 Closing Date Date Ordered 09-Sep-2019

- This is your direction to install the above extras on the following terms and conditions:

  In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser
- 2 the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to ection with the same shall be returned to the purchaser.
- Ų. Purchaser, the total cost of extras ordered are not refundable to the purchaser It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the
- 5. 4 Extras or changes will not be processed unless signed by the Vendor.
- extras may not be amended without the written consent of the Vendor

PREPARED BY: Ann Parsons





kinMS\_003.rpt

26jun18

# Havelock Corners

# SCHEDULE "A" Features and Finishes

# Luxury 50'& 61 Lot 27 Phase: 4B Plan: Draft Approval SB17-03-08 60' DETACHED Model: Nottingham(5003)Elev B 4 BED-3+1 BATH

- QUALITY EXTERIOR CONSTRUCTION

  1. Classic and Modern all clav brick of controlled with stucco, stone facades and/or flankage details. stone, precast, designs and/or architectural siding that are Architecturally on
- 2 All exterior elevations and colour schemes, including brick selection, are colour packages
- ů. Architecturally Controlled as part of pre-selected exterior COLUMNS AND RAILINGS (only where required required grade), per
- 4 SLIDING DOORS, with sealed thermos-pane glass panels CASEMENT WINDOWS THROUGHOUT main and FREE, LOW E ARGON VINYL WINDOWS
- S Basement windows are sliders, in white. All operable windows are pre-designed by the builder and will have screens. Some front and side elevation palladium, transom, octagon and other accent windows to be faux black glass, as per elevation. Window colours are architecturally CASEMENT I main and second floor.
  All operable windows are
- 6 and paint finish, as per elevation. Colour of individual doors are Architecturally Controlled as part of pre-selected exterior colour packages. Lot to be fully sodded (including boulevard, where applicable). PAVED DRIVEWAY. Cost to be credited to Builder on closing. RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts are

- 7. Lot to be Inly source.
  8. PAVED DRIVEWAY. Cost to be creative...
  9. Two exterior water taps with interior shut-off.
  10. Two exterior weather-proof electrical outlets with ground fault wiring.
  One outlet to be located near front entrance and equipped with interior outlet to be located near front entrance and equipped with interior of the house and is 11. Community to have paved roads, curbs, and sanitary sewers.

  12. Porches to be poured concrete.

  13. Garage floor to be pour.
- 14.Pre-finished, pipes as per elevation. 7/16" plywood roof: Garage floor to be poured concrete with steel reinforcing. Pre-finished, maintenance-free soffits, fascia, eavestre eavestroughs and down
- plywood roof sheathing
- 16. UPGRADED, SELF SEALING, 30 YEAR ASPHALT SHINGLES
- 17. Steel-beam construction in basement, where applicable.
  18.Basement walls are poured concrete with damp proofing system. Exterior drainage membrane provided at basement area and weeping tiles for

DOORS,

- additional protection against basement leaks.

  19.Basement floor to be poured concrete.

  20.Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry door with glass insert, sidelights and/or transom windows, as per plan.
- and dead bolt lock exterior doors are insulated, with energy efficient weather stripping
- 22.Elegant brushed nickel-finish grip set on front door.
  23.Precast concrete slab walkway from driveway to main porch entrance.
  Any applicable rear patio will be precast concrete slabs.
  24.CUSTOM ADDRESS PLAQUE.

# GENERAL INTERIOR CONSTRUCTION

- :municipal requirements. Co stages by municipal officials A framing in accordance Construction of with Ontario Building Code homes inspected at and local specified
- All exterior walls of habitable areas constructed with 2" x 6" framing.
- All exterior walls of habitable areas constructed with 2" x 6" fr
   Professionally engineered roof trusses, as per plan.
   UPGRADED %" SPRUCE PLYWOOD SUBFLOOR, to screwed and sanded at joints. be glued
- 9.0
- UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
  All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full Height, 12" above basement floor)
- **∞** ¬ VAULTED AND COFFERED CEILINGS, as per plan Ceiling heights to be 10° on main floor and 9° or
- 9 UPGRADED BASEMENT height to be approximately 9'. Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendor's architect (such as coffered ceilings).

- I. LUXURI LUXURIOUS GRANITE OR QUARTZ COUNTERTOPS to kitchen Ħ. 2
- selection of colours, from builder's standard samples, as per plan. RTMENT UNDERMOUNT STAINLESS
- 2. SINK DOUBLE COMPARTMENT ∞ 7.0 4.12
- w 4 v SINGLE LEVER FAUCET with pull out spout, in chrome finish. Stainless steel exhaust hood fan over stove, vented to exterior. Choice of cabinets in a variety of colours and styles, from
- Builder's

- 6. Electrical outlets for stove, fridge Ontario Building Code requirements fridge and countertop appliances as per
- dishwasher hook-up
- available).
  9. Flush BREAKFAST BARS as per plan.
  10.Designer KITCHEN ISLANDS and PENINSULAS, as per plan 7. Rough-in wiring and plumbing for 8. Open dishwasher space as per plan (Optional filler base

### AND BATHROOMS

- WHITE ELONGATED, COMFORT HEIGHT TOILETS (2 piece).
- Master Ensuite with FRAMELESS GLASS shower, as per plan. White SOAKER TUB or CORNER TUB in Master Ensuite, as p
- wall surround, from Builder's standard samples..
  Standard white bathroom fixtures from Builder's samples.
  SINGLE LEVER FAUCETS installed on overmount Bath tub enclosures and shower stalls to be in HIGH QUALITY 8" > 10" CERAMIC THESE For Parties. skirt and deck. Soaker and corner maximum of 13" x 1 CERAMIC TILES from Builder's samples including rner tub, skirts, deck and surrounds finished in a "x 13" floor tiles to master ensuite corner / soaker tub 8" x 10" wall tile to maste ensuite corner / soaker tub ceiling.
- 6.5 vanities, single lever shower controls with built-in temperance balance overmount sinks in all
- .7 regulators.

  MASTER ENSUITE SHOWER TO HAVE LUXUROUS RAIN HEAD SHOWER, HANDHELD SHOWER WITH DIVERTER and toe tester
- 00 all in chrome finish. Choice of vanity c cabinets with Laminate Builder's

# samples. 9. OVERSIZED MIRRORS IN ALL BATHROOMS. 10.POWDER ROOM VANITY (not a pedestal sink) as per plan.

- INTERIOR FINISHES

  1. UPGRADED 4" MODERN CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 7" MODERN BASEBOARD. Quarter round installed on all hard surfaces. Dimensions are approximate.

  2. TWO PANEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR DOORS.
- DOORS, including closets, as per plan.

  BRUSHED NICKEL FINISH DOOR HARDWARE. All bathrooms to
- 4 colours. PLAN. have privacy locks.

  COMPLETE, OAK FINISH STAIRS, RISERS, STRINGERS AND NOSING IN NATURAL OR STAIN FINISH from Builder's standard UPGRADED IRON PICKETS THROUGHOUT, AS PER
- 9 12
- TRIMMED ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
  TRIMMED OPENINGS on main floor as per plan (excluding rounded

## OORING

- Choice of HIGH QUALITY TILE, up to and including 12" x 24", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM, MAIN HALL, and MASTER ENSUITE FLOOR, as per plan. 5" ENGINEERED FLARDWOOD STRIF FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON
- MAIN, SECOND FLOOR, and landings tiled areas
- plan. 13"x 13" floor tiles to all bathrooms, from Builders standard samples, as per plan

- LAUNDRY ROOM

  1. Fiberglass LAUN Fiberglass LAUNDRY TUB located as per
- $\omega$  4. Plumbing and electrical provided for location per plan. laundry equipment hook-up,
- Heavy-duty electrical outlet for dryer and electrical outlet for washer. Exterior wall vent provided for dryer.

## ELECTRICAL

- w N H
- determined by Builder FRONT DOOR CHIM 200 amp circuit breaker panel with copper wiring throughout.
  All wiring in accordance with Ontario Building Code standards.
  INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT as CHIME.
- ROUGH IN FOR FUTURE CENTRAL VACUUM SYSTEM a outlets as determined by Builder.
  SMOKE DETECTOR ON EACH LEVEL, as per OBC.
  CARBON MONOXIDE DETECTOR, as per Ontario Building Code SYSTEM and
- per elevation.
  THREE (3) TELEPHONE Electrical outlet for each garage for automatic garage
- 9 PURCHASER LOCATIONS. OUTLETS (CAT 3) IN CHOICE ç

Palotz (AL

# Havelock Corners Lot 27 Phase: 4B Plan: Draft Approval SB17-03-08 Model: Nottingham(5003)Elev B 4 BED-3+1 BATH

10.TWO (2) CABLE T.V. OUTLETS (RG 6) IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM.

11.Exhaust fans to be provided in all washrooms, as per specifications.
12.SHOWER STALL LIGHT in Master Ensuite only.
13.WHITE DECORA LIGHT SWITCHES AND WHITE WALL PLUGS.
Light switches to be located at child-accessible height.
14.DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF

HOME, and side entries, where applicable.

ROUGH-IN CONDUIT FOR FUTURE ELECTRIC CAR CHARGING.

## HOME COMFORT I. High efficiency g

- High efficiency gas-fired forced air furnace with electronic ignition.
   HEAT RECOVERY VENTILATOR (HRV), as required.
   Energy efficient gas-fired hot water tank (Purchaser to enter a rent-to-own agreement with supplier at Closing).
   GAS FIREPLACE WITH WHITE PAINTED MANTILE, as per plan.

## PAINTING FINISHES

- throughout. door and trim to be painted Kingsmen
- All interior ceilings to be smooth throughout.

# COLOUR SELECTION AND FINISHES

- All colour and finishing selections are to be made at Kingsmen Group Inc. Décor Centre and from Builder's standards samples. Kingsmen Group Inc. provides the services of a professional decorator to assist in the completion of their interior finishing selections and the selection of
- extra cost, as well as other may not be available purchaser acknowledges that items displayed in the Model Home sentation Centre may include upgraded items only available at items shown for display purposes only, which upgraded only available 9
- shade uniformity may occur and the samples displayed in the Presentatio from those displayed and available at the time of colour selection purchaser acknowledges and agrees that variations in colour and cur and the colours, patterns and availability of Presentation Centre and/or Model Homes may of

- TARION WARRANTY CORPORATIONS COVERAGE
  1. Seven years: MAJOR STRUCTURAL DEFECTS.
  2. Two years: PLUMBING, HEATING, ELECTRICAL
- AND BUILDING ENVELOPE Seven years: MAJOR STRUCTURAL DEFECTS.
  Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS
- One year: ALL OTHER ITEMS
   Purchaser agrees to pay the TA
- closing as an adjustment agrees to pay the TARION warranty enrollment fee on

# NOTE TO PURCHASERS 1. Exterior colours are arch

- Exterior colours are architecturally controlled and selected by the builder to provide pleasing streetscapes.

  Number of steps at front and rear yard may vary from
- that shown
- in according to grading conditions and municipal requirements.

  Ceilings and walls may be modified to accommodate mechanical systems.

  Ceiling heights may vary from standard, where ceilings must be dropped to accommodate mechanical and/or structural systems.

  Home to be finished in a good, workman like manner.
- 5.4
- Purchaser acknowledges that basement and garage areas are unfinished
- 7. Options shown on floor plan are available at an extra cost
- The Phrehasar is an in-
- 00
- 9 The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been installed or ordered from the supplier All ceramic tile floors where illustrated as per plans;
- 9000
- Cabinets and Laminate countertops in kitchen and bathrooms;
  Ceramic wall tile in tub/shower areas.
  One carpet color selection throughout home where illustrated as per

- 10.
- making colour and material selections and upgrades, the Purchaser cknowledges being advised and accepts the following: that all light coloured materials, especially flooring, may be subject to fading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not had upgraded by the purchasely a support of the process of t
- 5. subject to natural variations in colubroadloom are subject to pattern, natural materials such as granite, marble, and wood or wood composites, are subject to natural variations in colour and grain; and ceramic tile and broadloom are subject to pattern, shade and colour variations from ceramic til
- 0 when lumidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the any hardwood flooring installed in the Real Property is made of kiin-dried natural material which is subject to natural shrinkage (typically in winter
- d.
- e possibility of water exposure.

  It transition strips shall be used to bridge flooring height differentials due to flooring material thicknesses.


  It the supply and manufacture of kitchen design, cabinetry and countertops depends upon the dimensions and specifications of the appliances chosen or desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the Home Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinetry and countertops, with standard appliance openings and electrical receptacle
- The Purchaser acknowledges that notwithstanding any other provision herein, materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, specification and material substitutions at the Vendor's sole discretion provided that any such substitute materials is of equal or better quality.
- accept such modifications The Purchaser acknowledges that at the Vendor's sole discretion door swings may be different than those indicated on brochures and ceilings and walls may be modified to accommodate mechanical systems, and the Purchaser agrees to
- 13. . The Purchaser acknowledges and accepts that all dimensions in Agreement are approximate, windows and actual square footages may depending on elevations selected, and actual usable floor space may vary the stated floor area. this vary
- 14. The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a landing may be required the number of steps to grade may vary
- fixture, central vacuum system, painted lower level floor, lawn except as noted in Schedule A. The Purchaser agrees that the following are not included in the Purchase Price: Drapes and tracks, wallpaper, furniture, appliances, dining room light lawn n sprinkler system, sccurity system, m, planting and , dining room light system, rear decks, ag and landscaping
- The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the
- constructed thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site. The Purchaser r acknowledges that the con is, until Closing, conside th is governed by the laws lot


SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL
OR BETTER VALUE E. & O. E.

Purchaser IAN SHANE

Vendor: KINGSMEN (THAMES) INC

ALICIA BIBI LAL






## GROUND FLOOR EL. W

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" -Page 1-of 3 AL

inMS\_014.rpt 22Sep18


Initials: 4



# SECOND FLOOR EL. W

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" 2 of 3



# BASEMENT EL. B

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades, E. & O. E.

SCHEDULE "B-1" - Page 3 of 3