SCHEDULE "PE" PURCHASER'S EXTRA

4	
4,	
W	

KINGSMEN (THAMES) INC.	AMES) INC.	JASDIL S PANNU TANWINDER SINGH		sita
Vendor		Purchaser(s) Telephone Number:	1	11-16
Lot / Townhouse No. 33	House Type Lancaster(5001)Elev A 4 BED-3+1 BATH, 3,098 SO, FT.	Reg. Plan # Draft Approval	Closing Date 20-Oct-2022	Date Ordered 21-Mar-2020
	EXTRAS/UPGRADES INCLUDED IN PURCHASE PRICE	DED IN PURCHASE P	RICE	
1 Terme commence				1
u				
4 5 FREE APPLA WASHER AND BOY APPLAN BOOKING YO	5 FREE APPLIANCES – STAINLESS STEEL FRONT - FRIDGE: STOVE AND DISHWASHER, WHITE WASHER AND DRYER (SUPPLIED ONLY, NOT INSTAILLED, FROM BUILDERS STANDARD LINE). A BAD BOY APPLIANCES VOUCHER WILL BE GIVEN BY OUR DECOR CONSULTANT AT THE TIME OF BOOKING YOUR COLOUR APPOINTMENT.	OVE AND DISHWASHER, W M BUILDERS STANDARD I CONSULTANT AT THE TIM	AHTE JNE), A BAD E OF	
5 VENDOR TO I	VENDOR TO INSTALL CAPPED GAS LINE (ROUGH-IN ONLY) AT REAR OF HOME FOR FUTURE BBQ LOCATION. LOCATION TO BE FINALIZED AT VENDORS SOLE DISCRETION.	REAR OF HOME FOR FUT DISCRETION.	URE BBQ	
6 VENDOR TO I	VENDOR TO INSTALL GAS LINE (ROUGH-IN ONLY) TO KITCHEN IN AT STOVE LOCATION (AS PER PLAN) TO INCLUDE 110V CODE REQUIREMENT.	N IN AT STOVE LOCATION	(AS PER	
7 VENDOR TO S STANDARD S.	VENDOR TO SUPPLY & INSTALL AIR CONDITIONING UNIT; SIZED ACCORDINGLY, FROM VENDORS STANDARD SAMPLES.	ED ACCORDINGLY, FROM	VENDORS	
			_	
9 VENDOR TO INCLUDE STANDARD SAMPLES STANDARD SAMPLES	VENDOR TO INCLUDE LEVEL I. 2CM GRANITE OR QUARTZ IN ALL BAITIROOMS, AS PER PLAN, IN LIEU OF THE INCLUDED LAMINATE COUNTER TOPS. SELECTIONS TO BE MADE FROM BUILDERS STANDARD SAMPLES.	ALL BATTIROOMS, AS PER ONS TO BE MADE FROM F	PLAN, IN UILDERS	
10 Vendor to replac	Vendor to replace window in Mud Room, as per plan, with a side entry door (only if grade permits). See Sketch	oor (only if grade permits). S	ee Sketch	
This is your direction I. In the event the ventailing any und to the purchaser. 2. The Vendor will the purchaser in connection with a lit is understood; Purchaser, the to 4. Extras or change. 5. These extras may	This is your direction to install the above extras on the following terms and conditions: I. In the event the work on the house has progressed beyond the point where the items covered by this extra cannot be installed without entailing any unusual expense, then this extra is to be cancelled and any deposit paid in connection with the same is to be refunded to the purchaser. 2. The Vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser. 3. It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed by default of the Purchaser, the total cost of extras ordered are not refundable to the purchaser. 3. Extras or changes will not be processed unless signed by the Vendor. 3. These extras may not be amended without the written consent of the Vendor	conditions: here the items covered by this y deposit paid in connection of sextra in the construction of tra is not carried out. In that e retion of Purchase and Sale is rehaser. endor	extra cannot be insta with the same is to be he house but will no vent, any monies paid not completed by del	nstalled without o be refunded I not be liable to paid in default of the
PREPARED BY: Ann Parsons	DBY: Ann Parsons White Strain Dunny JASDIL S PANNU	Vendor - KING	KINGSMEN (THAMES)	ES) INC.
Purchaser - TANV	Tanwinder Singh	Construction Per:	Scheduling Approval	oval

SCHEDULE "A" Havelock Corners Features and Finishes

Luxury 50'& 60' DETACHED Lot 33 Phase: 4B Plan: Draft Approval SB17-03-08 Model: Lancaster(5001)Elev A 4 BED-3+1 BATH

QUALITY EXTERIOR CONSTRUCTION I. Classic and Modern all clav brick of

controlled with stucco, ades and/or flankage details. stone, precast, and/or designs that architectural siding on

× .7

Rough-in wiring and plumbing for dishwasher hook-up Open dishwasher space as per plan (Optional fill

filler

Electrical outlets for stove, fridge and countertop appliances Ontario Building Code requirements.

as per

- 12 All exterior elevations and colour schemes, including brick selection, colour packages. arc
- ... applicable elevation Architecturally Controlled as part of pre-COLUMNS AND RAILINGS (only of pre-selected exterior colour packa (only where required by grade), 9.
- 4 MAINTENANCE FREE, LOW E ARGON VINYL WINDOWS AND
- Ų, Basement windows are sliders, in white. All o pre-designed by the builder and will have screens. SLIDING DOORS, with sealed thermos-pane glass panels CASEMENT WINDOWS THROUGHOUT main and sliders, All operable main and second floor. windows
- 6 RAISED PANEL, SECTIONAL GARAGE DOORS with window inserts faux black glass, as per elevation. Window colours are architecturally S transom, octagon per elevation. Colour and other 9 accent windows to individual arc
- Architecturally Controlled as part of pre-selected exterior colour packages.

- 8. PAVED DRIVEWAY. Cost to be care.
 9. Two exterior water taps with interior shut-off.
 10. Two exterior weather-proof electrical outlets with ground fault wiring. A content to be located near front entrance and equipped with interior switch. The second outlet, will be located at the rear of the house and is a content and sanitary sewers. I fault wiring.

 d with interior S.
- 11.Community to have paved roads, curbs, and sanitary sewers.
 12.Porches to be poured concrete.
 13.Garage floor to be poured concrete with steel reinforcing.
 14. B. Zeithoff Concrete with steel reinforcing.

- 14.Pre-finished, pipes as per elevation.
 7/16" plywood roof sheathing.
 UPGRADED, SELF SEALING, 30 YEAR ASPHALT SHINGLES. maintenance-free soffits, fascia, cavestroughs and down
- Steel-beam construction in basement, where applicable.
 Basement walls are poured concrete with damp proofing system. Exterior
- drainage membrane provided at basement area and weeping tiles for additional protection against basement leaks.

 19.Basement floor to be poured concrete.

 20.Upgraded, STEEL OR FIBREGLASS insulated and embossed front entry
- and dead bolt lock door with glass insert, sidelights and/or transom windows, as per plan .All exterior doors are insulated, with energy efficient weather strip exterior doors are energy stripping
- 22.1:legant brushed nickel-finish grip set on front door.
- 23.Precast concrete slab walkway from driveway to main porch entrance. Any applicable rear patio will be precast concrete slabs.
 24.CUSTOM ADDRESS PLAQUE.

- GENERAL INTERIOR CONSTRUCTION
 L. All framing in accommendation stages by municipal officials. requirements. Construction of Ontario homes inspected at Building Code and specified
- All exterior walls of habitable areas constructed with 2" x 6" framing.
- to in in Professionally engineered roof trusses, as per plan UPGRADED 3/4" SPRUCE PLYWOOD SUE serewed and sanded at joints. SUBFLOOR, 5 be glued,
- 5 5 UPGRADED ENGINEERED FLOOR JOIST SYSTEM.
- All insulated as per Ontario Building Code: Exterior walls of habitable areas insulated to a rating of R22; Roof of habitable areas insulated to a rating of R60; Basement walls R20 (Full Height, 12" above basement
- × .7 VAULTED AND COFFERED CEILINGS, as per plan Ceiling heights to be 10° on main floor and 9° or
- 9 Ceiling heights to be 10° on main floor and 9° on second floor, and UPGRADED BASEMENT height to be approximately 9°. Ceiling heights may vary from standards noted above, in those areas where ceilings must be dropped to accommodate mechanical and/or structural systems, or where determined by the vendor's architect (such as coffered

() 4 W

SIZZ

SINGLE LEVER FAUCET with pull out spout, in chrome finish

exhaust hood fan over stove.

, vented

variety

of colours

and

styles, to exterior

Choice of Stainless steel

- KITCHENS I. LUXURIO
- 12 LUXURIOUS GRANITE OR QUARIZ COUNTERTOPS to kitchen in a selection of colours, from builder's standard samples, as per plan.

 DOUBLE COMPARTMENT UNDERMOUNT STAINLESS STEEL
 - determined by Builder
 - 4. 12. FRONT DOOR CHIME
- ROUGH IN FOR FUTURE CENTRAL VACUUM
- \$ 7.5 Electrical outlet for each garage for automatic garage door
- from Builder's
- 9 OUTLETS (CAT 3) Z CHOICE
- per elevation.
 THREE (3) TELEPHONE
 PURCHASER LOCATIONS.

- - ges. 9. Flush BREAKFAST BARS as per plan.
 per 10.Designer KITCHEN ISLANDS and PENINSULAS. per plan.

available). Flush BREAKFAST BARS

BATHROOMS

- WHITE ELONGATED, COMFORT HEIGHT TOILETS (2
- l side ىن 4 10" CERAMIC TILLS from Builder's samples including ceiling. Soaker and corner tub, skirts, deck and surrounds finished in a maximum of 13" x 13" floor tiles to master ensuite corner / soaker tub skirt and deck. 8" x 10" wall tile to maste ensuite corner / soaker tub wall surround, from Builder's standard samples..

 Standard white bathroom fixtures from Builder's samples. Standard white bathroom fixtures from Builder's samples. Master Ensuite with FRAMELESS GLASS shower, as per plan. White SOAKER TUB or CORNER TUB in Master Ensuite, as per plan. Bath tub enclosures and shower stalls to be in HIGH QUALITY 8" x
- 6 5
- vanities, single lever shower controls with built-in temperance balance
- 7. all in chrome finish.

 Choice of vanity cabinets with Laminate countertops from Builder's regulators.

 MASTER ENSUITE SHOWER TO HAVE LUXUROUS RAIN HEAD SHOWER, HANDHELD SHOWER WITH DIVERTER and toe tester
- 00
- samples.

 9. OVERSIZED MIRRORS IN ALL BATHROOMS.

 10.POWDER ROOM VANITY (not a pedestal sink) as per plan

INTERIOR FINISHES

- UPGRADED 4" MODERN CASING AND TRIM FOR ALL DOORS AND WINDOW OPENINGS, 7" MODERN BASEBOARD. Quarter
- 'n round installed on all hard surfaces. Dimensions are approximate. TWO PANIEL, EXTENDED HEIGHT, SMOOTH SERIES INTERIOR
- Ç, DOORS, including closets, as per plan.
 BRUSHED NICKEL FINISH DOOR HARDWARE. have privacy locks All bathrooms to
- 4. have privacy locks.

 COMPLETE, OAK FINISH STAIRS, RISERS, STRINGE
 NOSING IN NATURAL OR STAIN FINISH from Builder's
 NOSING IN NATURAL OR PICKETS THROUGHOUT, STRINGERS AND 's standard
- ELEGANT FULL HEIGHT OR HALF COLUMNS, as per plan.
 TRIMMED OPENINGS on main floor as per plan (excluding rounded ELEGANT FULL HEIGHT OR HALF COLUMNS,

- FLOORING

 1. Choice of Choice of HIGH QUALITY TILE, up to and including 12" x 24", from Builder's standard selection, IN ENTRANCE FOYER, KITCHEN, BREAKFAST AREA, POWDER ROOM, LAUNDRY ROOM, MAIN HALL, and MASTER ENSUITE FLOOR, as per plan. 5" ENGINEERED HARDWOOD STRIP FLOOR IN NATURAL OR STAIN FINISH FROM BUILDER'S STANDARD SAMPLES ON MAIN, SECOND FLOOR, and landings excluding tiled areas as per
- is
- plan.
 13"x 13" floor tiles to all bathrooms, as per plan from Builders standard samples.

S

LAUNDRY ROOM

- Fiberglass LAUNDRY TUB located as per plan
- 12 -Plumbing and electrical provided for laundry equipment hook-up,
- 4 00 location per plan.

 Heavy-duty electrical outlet for dryer and electrical outlet for washer.

 Exterior wall vent provided for dryer.

ELECTRICAL

- ₩ i2 :-200 amp circuit breaker panel with copper wiring throughout. All wiring in accordance with Ontario Building Code standards. INTERIOR ELECTRICAL LIGHT FIXTURES THROUGHOUT as
- outlets as determined by Builder.

 SMOKE DETECTOR ON EACH LEVEL, as per OBC.

 CARBON MONOXIDE DETECTOR, as per Ontario Building Code.
- 9





10.TWO (2) CABLE T.V. OUTLETS (RG 6) IN CHOICE OF LIVING ROOM, FAMILY ROOM, AND MASTER BEDROOM. 11.Exhaust fans to be provided in all washrooms, as per specifications. 12.SHOWER STALL LIGHT in Master Ensuite only. 13.WHITTE DECORA LIGHT SWITCHES AND WHITTE WALL PLUGS.

- Light switches to be located at child-accessible height.

 14.DECORATIVE BLACK COACH LAMP AT FRONT AND REAR OF HOME, and side entries, where applicable.

 15.ROUGH-IN CONDUIT FOR FUTURE ELECTRIC CAR CHARGING

- LOME COMEORY

 I. High efficiency gas-fired forced air furnace with electronic ignition.

 I. High efficiency gas-fired forced air furnace with electronic ignition.

 I. High efficiency gas-fired forced air furnace with electronic ignition.

 I. High efficiency gas-fired forced air furnace with electronic ignition.

 I. High efficiency gas-fired forced air furnace with electronic ignition.

 I. High efficiency gas-fired forced air furnace with electronic ignition.

 I. High efficiency gas-fired forced air furnace with electronic ignition.

 I. High efficiency gas-fired forced air furnace with electronic ignition.

- PAINTING FINISHES

 1. All interior walls, door and trim to be painted Kingsmen white
- All interior ceilings to be smooth throughout.

- COLOUR SELECTION AND FINISHES

 1. All colour and finishing selections are the completion of their interior linishing selections and the selection of Inc. Décor Centre and from Builder's standards samples. Kingsm Group Inc. provides the services of a professional decorator to assist are to be made at Kingsmen Group samples. Kingsmen Ξ.
- is Presentation Centre may include upgraded items only available at an extra cost, as well as other items shown for display purposes only, which The purchaser acknowledges that items displayed in the Model Home or
- 3 may not be available.

 The purchaser acknowledges and agrees that variations in colour and shade uniformity may occur and the colours, patterns and availability of samples displayed in the Presentation Centre and/or Model Homes may from those displayed and available at the time of colour selection.

TARION WARRANTY CORPORATIONS COVERAGE L. Seven years: MAJOR STRUCTURAL DEFECTS.

- 2. Two years: PLUMBING, HEATING, ELECTRICAL SYSTEMS AND BUILDING ENVELOPE
- One year: ALL OTHER ITEMS.
 Purchaser agrees to pay the TARION warranty enrollment fee on closing as an adjustment.

NOTE TO PURCHASERS 1. Exterior colours are arel

- to provide pleasing streetscapes.

 Number of steps at front and rear yard may vary from that shown are architecturally controlled and selected by the builder
- 12
- S to accommodate mechanical and/or structural systems. Home to be finished in a good, workman like manner. according to grading conditions and municipal requirements.

 Ceilings and walls may be modified to accommodate mechanical systems.

 Ceiling heights may vary from standard, where ceilings must be dropped
- 4. 0
- . Purchaser acknowledges that basement and garage areas are unfinished
- 7. Options shown on floor plan are available at an extra cost
- 00 only. Any landscaping, fencing, walkways or other items used to accessorize renderings are for illustrative purposes only. Terms "as per elevation" or "as per plan" refer to illustrations provided in marketing documentation.
- 9 The Purchaser is to have the choice of interior colours, materials or styles from the Vendor's samples (subject to availability by the time scheduled for installation) of the following, provided they have not yet been installed or ordered from the supplier

 All ceramic tile floors where illustrated as per plans;
- 6 6 6 6 Cabinets and Laminate countertops in kitchen and bathrooms;
- Ceramic wall tile in tub/shower areas
- throughout home where illustrated as per

- 10. In making colour and material selections and upgrades, the Purchaser acknowledges being advised and accepts the following:

 a. that all light coloured materials, especially flooring, may be subject to fading, yellowing, or discolouration after use or exposure to sunlight; or due to the filtering process that occurs with pollutants including candles in a forced air heating system. Such fading, yellowing, or discolouration will not be contractable.
- 0 subject to natural variations in column broadloom are subject to pattern, natural materials such as granite, marble, and wood or wood composites, are subject to natural variations in colour and grain; and ceramic tile and broadloom are subject to pattern, shade and colour variations from
- c. any hardwood flooring installed in the Real Property is made of kiln-dried natural material which is subject to natural shrinkage (typically in winter when humidity levels tend to be low) and expansion (typically in summer when humidity levels tend to be high) for which the Purchaser agrees is not the responsibility of the Vendor. The Purchaser further acknowledges being advised that the purchase of a humidifier for the Real Property in which hardwood flooring is installed is recommended by the Vendor so as not to expose such hardwood flooring to extended periods of humidity levels that are outside the recommended range of forty to fifty percent. The Vendor recommends monitoring home humidity levels consistently. The Purchaser also acknowledges being advised by the Vendor that ceramic tile rather than hardwood flooring is recommended at entry points to the home due to the possibility of water exposure.

 It cansition strips shall be used to bridge flooring height differentials due to flooring material thicknesses.

 It is supply and manufacture of kitchen design, cabinetry and countertops depends upon the dimensions and specifications of the appliances chosen or desired by the Purchaser. Accordingly the Purchaser must bring the specifications and dimensions of the chosen or desired appliances to the flome Design Centre Appointment in order for the Vendor to complete the required kitchen design. Should the Purchaser fail to bring such specifications and dimensions the Vendor reserves the right to design measure and configure the kitchen, including but not limited to all cabinetry and countertops, with standard appliance openings and electrical receptacle locations.
- 0 0
- The Purchaser acknowledges that notwithstanding any other provision herein materials are subject to availability to meet scheduled occupancies and specification and material substitutions at the Vendor's sole d provided that any such substitute materials is of equal or better quality materials are subject to availability to meet scheduled occupancies and therefore agrees that the Vendor reserves the right to make non-material plan, therefore agrees that the Vendor reserves at the Vendor's sole discretion
- 13 . The Purchaser acknowledges that at the Vendor's sole discretion door swings may be different than those indicated on brochures and ceilings and walls may be modified to accommodate mechanical systems, and the Purchaser agrees to cept such modifications
- C) The Purchaser acknowledges and accepts that all dimensions in this Agreement are approximate, windows and actual square footages may vary depending on elevations selected, and actual usable floor space may vary from the stated floor area.
- 4 . The Purchaser acknowledges and accepts that exterior elevations over garage doors and at front porches are subject to change due to municipality required grade conditions, and, where a landing may be required the number of steps to grade may vary.
- 15 fixture, central vacuum system, air conditioning, security system, rear decks, painted lower level floor, lawn sprinkler system, planting and landscaping except as noted in Schedule A. The Purchaser agrees the Price: Drapes and tracks, that the following are not included cs, wallpaper, furniture, appliances, d system, air conditioning, security sy dining room light
- 16. The Purchaser acknowledges that the specifications and finishes in the model homes located at the Vendor's other projects may differ from the specifications in the model homes and new homes being purchased at the project that is the subject of this Agreement
- 17. The Purchaser acknowledges that the lot including the home being constructed thereon is, until Closing, considered a workplace and construction site and as such is governed by the laws and regulations of same. The Purchaser therefore acknowledges not being permitted unsupervised entry or access to such workplace and construction site and further agrees and covenants not to attempt to gain entrance and access to same except during normal working hours and by prior arrangement with the Vendor at the sales office. The Purchaser agrees to follow all safety practices as prescribed by law during all such pre-arranged visits to the workplace and construction site.

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE, BUILDER HAS THE RIGHT TO SUBSTITUTE MATERIALS OF EQUAL OR BETTER VALUE E. & O. E.


Purchaser - JASDIL S PANNU Cody 300 Panny

Purchaser -TANWINDER SINGH le

Vendor: KINGSMEN (THAMES) INC

inMS 704b.rpt 17oct18

Lot 33 Phase 4B Model: Lancaster(5001)Elev A 4 BED-3+1 BATH




GROUND FLOOR EL.

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" -Page 1 of 3

Initials:




SECOND FLOOR EL.

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" -Page 2 of 3

Lot 33 Phase 4B Model: Lancaster(5001)Elev A 4 BED-3+1 BATH



BASEMENT EL.

The floor plans and elevations shown are pre-construction plans and may be revised or improved as necessitated by architectural controls and the construction process. The measurements adhere to the rules and regulations of the TARION Warranty Corporation's official method for the calculation of floor area. Materials, specifications and floor plans are subject to change without notice. All house renderings are artist's concept only. Actual usable floor space may vary from the stated floor area. All options shown are upgrades. E. & O. E.

SCHEDULE "B-1" Page 3 of 3

